# Core - Bug # 57488

Status:ResolvedPriority:Should haveAuthor:Alexander DickCategory:File Abstraction Layer (FAL)Created:2014-04-01Assigned To:Oliver HaderUpdated:2015-07-27Due date:

TYPO3 Version: 6.2
PHP Version: 5.3
Complexity: medium
Is Regression: No

Sprint Focus:

**Subject:** page record overlays: media field not translatable

# Description

## Reproduce:

- 1) add some images to the media field of a page
- 2) translate the page
- 3) no localizable images from the original record show up!

## Related issues:

related to Core - Bug # 52816: Make sys\_file\_metadata and sys\_file\_references...

Resolved 2013-10-14

related to Core - Bug # 58352: Invalid localization overlay of cObject FILES Resolved 2014-04-30

related to Core - Task # 58476: Enhance localization behavior of pages.media Resolved 2014-05-04

related to Core - Bug # 60370: Irre elements with enabled useCombination miss... Resolved 2014-07-17

### **Associated revisions**

## Revision a13a4545 - 2014-05-02 19:57 - Oliver Hader

[BUGFIX] Media field is empty on page localization

If comparing localization of regular tables (like tt\_content) to pages and its specific overlay table pages\_language\_overlay, the main difference is, that regular tables are copied directly and page translation are shown in the edit view first - without persisting to the database and thus not having a proper uid at this time, yet.

This means, that "localizeChildrenAtParentLocalization" in the TCA field configuration won't have any effect.

This change brings back the IRRE localization icons for children and "localize all" link for the media field. However, those are only displayed if the new page overlay has been saved once.

Resolves: #57488 Releases: 6.2

Change-Id: I29886776b40accce48ce5cd10937ff65b20430fb

Reviewed-on: https://review.typo3.org/29719

Reviewed-by: Markus Klein Reviewed-by: Wouter Wolters Reviewed-by: Anja Leichsenring

2015-08-04 1/6

Tested-by: Anja Leichsenring

Tested-by: Nadir S.

Reviewed-by: Frans Saris Reviewed-by: Oliver Hader Tested-by: Oliver Hader

#### Revision 69ac69c2 - 2014-05-04 14:35 - Oliver Hader

[TASK] Enhance localization behavior of pages.media

With issue #57488 the pages.media field became localizable again, however the selective approach turns out to be problematic in terms of overlaying data in the frontend (the "mergelfNotBlank" settings and the like).

Thus, instead of letting the editor localize the references after persisting the parent and having to overlay/fallback in the frontend, now the references are already shown in the edit view during the localization (still before being persisted).

Resolves: #58476 Releases: 6.2

Change-Id: Id6980f2a5cfea109375afce27f62cad8c101c58e

Reviewed-on: https://review.typo3.org/29839

Reviewed-by: Anja Leichsenring Tested-by: Anja Leichsenring

Reviewed-by: Marc Bastian Heinrichs Tested-by: Marc Bastian Heinrichs

# Revision 50cff6c9 - 2014-10-13 12:47 - Marc Bastian Heinrichs

[BUGFIX] Fix missing new record button with enabled useCombination

Also add it if a record selector is shown.

Resolves: #60370 Related: #57488 Releases: master, 6.2

Change-Id: If4f34521310dc3f479d6c97cada082db91f668c3

Reviewed-on: <a href="http://review.typo3.org/31648">http://review.typo3.org/31648</a>
Reviewed-by: Markus Klein <a href="https://klein.t3@reelworx.at">klein.t3@reelworx.at</a>
Tested-by: Markus Klein <a href="https://klein.t3@reelworx.at">klein.t3@reelworx.at</a>

Reviewed-by: Stephan Großberndt <<u>stephan@grossberndt.de</u>>
Reviewed-by: Stefan Froemken <<u>froemken@gmail.com</u>>
Tested-by: Stefan Froemken <<u>froemken@gmail.com</u>>

Reviewed-by: Alexander Opitz <<u>opitz.alexander@googlemail.com</u>>
Tested-by: Alexander Opitz <<u>opitz.alexander@googlemail.com</u>>
Reviewed-by: Wouter Wolters <<u>typo3@wouterwolters.nl</u>>
Tested-by: Wouter Wolters <<u>typo3@wouterwolters.nl</u>>

# Revision 13da155d - 2014-10-13 12:48 - Marc Bastian Heinrichs

2015-08-04 2/6

[BUGFIX] Fix missing new record button with enabled useCombination

Also add it if a record selector is shown.

Resolves: #60370 Related: #57488 Releases: master, 6.2

Change-Id: If4f34521310dc3f479d6c97cada082db91f668c3

Reviewed-on: http://review.typo3.org/33289

Reviewed-by: Wouter Wolters < <a href="mailto:typo3@wouterwolters.nl">typo3@wouterwolters.nl</a> Tested-by: Wouter Wolters <a href="mailto:typo3@wouterwolters.nl">typo3@wouterwolters.nl</a>

## History

## #1 - 2014-04-10 12:47 - Stefan Neufeind

Can you maybe say if it worked in 6.0/6.1 or so?

## #2 - 2014-04-10 13:25 - Thomas Fersterer

- File media\_615.jpg added
- File media\_62\_de.jpg added
- File media\_62\_en.jpg added

I can reproduce it in 6.2, in 6.1.5 it works fine.

## #3 - 2014-04-23 20:52 - Alexander Dick

Any news on this?

## #4 - 2014-04-28 17:40 - Oliver Hader

- Category changed from Localization to File Abstraction Layer (FAL)
- Status changed from New to Accepted
- Priority changed from Must have to Should have

I can confirm this misbehaviour...

# #5 - 2014-04-28 18:04 - Oliver Hader

- Complexity set to medium

I guess you're using the Page Module's "make new translation of this page", right? (see screenshot forge\_57488.png) The problem here is, that only the dokType and sys\_language\_uid is forwared to the edit form...

### #6 - 2014-04-28 18:04 - Oliver Hader

- File forge\_57488.png added

2015-08-04 3/6

#### #7 - 2014-04-28 19:13 - Alexander Dick

- File page\_record\_overlay\_editmode.png added

Exactly! I am using "make new translation of this page". When I'm editing an existing translation it looks like on the attached screenshot.

#### #8 - 2014-04-28 20:36 - Oliver Hader

- Assigned To set to Oliver Hader

Alright, I'm investigating... I could narrow down the issue to DataPreprocessor, will check further...

The "media" field is empty if delivered from DataPreprocessor in the localization "context"...

## #9 - 2014-04-28 21:23 - Oliver Hader

Oliver Hader wrote:

Alright, I'm investigating... I could narrow down the issue to DataPreprocessor, will check further...

The "media" field is empty if delivered from DataPreprocessor in the localization "context"...

Ok, easier than that... the configuration in #52816 just was set from TRUE to FALSE

'showPossibleLocalizationRecords' => FALSE,

'showRemovedLocalizationRecords' => FALSE,

'showSynchronizationLink' => FALSE,

## #10 - 2014-04-28 22:33 - Gerrit Code Review

- Status changed from Accepted to Under Review

Patch set 1 for branch master of project Packages/TYPO3.CMS has been pushed to the review server.

It is available at <a href="https://review.typo3.org/29719">https://review.typo3.org/29719</a>

### #11 - 2014-04-28 22:38 - Oliver Hader

I just could come up with a work-in-progress solution (maybe it turns out to be fine in the end).

forge\_57488\_wip.png

Thus, the IRRE localization behaviour has been re-added for pages\_language\_overlay.media field.

If the record is new in the edit view, the "localize all records" is not shown since the new overlay record does not have a proper uid value, yet.

This is the major difference if compared to the bahaviour with tt\_content elements - those are copied/localized directly and thus the file reference can be copied along as well ("localizeChildrenAtParentLocalization" in the TCA behaviour section).

Please test the linked patch from review.typo3.org (even it is work-in-progress) and gimme some feedback. Thanks!

# #12 - 2014-04-28 22:39 - Oliver Hader

2015-08-04 4/6

- File forge\_57488\_wip.png added

#### #13 - 2014-04-28 22:46 - Oliver Hader

- File deleted (forge\_57488\_wip.png)

#### #14 - 2014-04-28 22:46 - Oliver Hader

- File forge\_57488\_wip.png added

#### #15 - 2014-04-29 09:30 - Alexander Dick

Thanks Oliver, the patch works! :)

#### #16 - 2014-04-29 11:04 - Gerrit Code Review

Patch set 2 for branch master of project Packages/TYPO3.CMS has been pushed to the review server.

It is available at <a href="https://review.typo3.org/29719">https://review.typo3.org/29719</a>

#### #17 - 2014-04-29 11:12 - Gerrit Code Review

Patch set 3 for branch master of project Packages/TYPO3.CMS has been pushed to the review server.

It is available at https://review.typo3.org/29719

#### #18 - 2014-04-29 18:31 - Alexander Dick

Is there a language overlay/fallback for those fields?

config.sys\_language\_mode = content\_fallback; 1,0
config.sys\_language\_overlay = 1

With these settings I would expect the records of the default language to show up when they are not translated in the current language. Currently no records show up.

As soon as I localize them, they show up.

### #19 - 2014-04-29 20:37 - Oliver Hader

Thanks for testing and your feedback on this. That's a good catch!

If a localized page is used, the reference pointer used "pages\_language\_overlay" to lookup accordant references in table "sys\_file\_references", see https://git.typo3.org/Packages/TYPO3.CMS.git/blob/HEAD:/typo3/sysext/frontend/Classes/ContentObject/FilesContentObject.php#l94

The behaviour is partly correct, but should be:

- fetch references for pages\_language\_overlay for the "\_LOCALIZED\_UID" value
- if there are no references in the overlay, fallback to references pointing pages and the "uid" value

Since this is still hardcoded, a similar method like in PageRepository::shouldFieldBeOverlaid() is required for this case (e.g. "l10n\_mode" = "exclude" or "mergelfNotBlank").

There are some more things to be done concerning overlays and fallbacks, thus I'd opt to create a separate FAL issue here.

## #20 - 2014-04-30 11:14 - Gerrit Code Review

2015-08-04 5/6

Patch set 4 for branch **master** of project **Packages/TYPO3.CMS** has been pushed to the review server.

It is available at <a href="https://review.typo3.org/29719">https://review.typo3.org/29719</a>

## #21 - 2014-04-30 11:17 - Oliver Hader

The overlay behavior part can be found in a separate issue #58352

Thus, if you'd like to test the backend behavior and frontend output you should cherry-pick those two patches.

#### #22 - 2014-05-02 20:30 - Oliver Hader

- Status changed from Under Review to Resolved
- % Done changed from 0 to 100

Applied in changeset commit:a13a45454c6c7285e00c0ad11f3a6025ddd4bca0.

## #23 - 2015-07-15 17:15 - Herbert Sojnik

Is this feature not included in TYPO3 6.2.14?

I checked the code of typo3/sysext/frontend/Configuration/TCA/pages\_language\_overlay.php and here are the modifications beginning in line 158 missing.

Thanks for info.

## #24 - 2015-07-27 14:06 - Markus Timtner

I can confirm this - the changes in pages\_lanmgauge\_overlay.php are at least missing in the source for 6.2.10, too.

### **Files**

media_615.jpg       6.8 kB       2014-04-10       Thomas Fersterer         media_62_de.jpg       17.5 kB       2014-04-10       Thomas Fersterer         media_62_en.jpg       16.3 kB       2014-04-10       Thomas Fersterer         forge_57488.png       19.3 kB       2014-04-28       Oliver Hader         page_record_overlay_editmode.png       22.1 kB       2014-04-28       Alexander Dick         forge_57488_wip.png       46.3 kB       2014-04-28       Oliver Hader				
media_62_en.jpg 16.3 kB 2014-04-10 Thomas Fersterer forge_57488.png 19.3 kB 2014-04-28 Oliver Hader page_record_overlay_editmode.png 22.1 kB 2014-04-28 Alexander Dick	media_615.jpg	6.8 kB	2014-04-10	Thomas Fersterer
forge_57488.png 19.3 kB 2014-04-28 Oliver Hader page_record_overlay_editmode.png 22.1 kB 2014-04-28 Alexander Dick	media_62_de.jpg	17.5 kB	2014-04-10	Thomas Fersterer
page_record_overlay_editmode.png 22.1 kB 2014-04-28 Alexander Dick	media_62_en.jpg	16.3 kB	2014-04-10	Thomas Fersterer
h-g	forge_57488.png	19.3 kB	2014-04-28	Oliver Hader
forge_57488_wip.png 46.3 kB 2014-04-28 Oliver Hader	page_record_overlay_editmode.png	22.1 kB	2014-04-28	Alexander Dick
	forge_57488_wip.png	46.3 kB	2014-04-28	Oliver Hader

2015-08-04 6/6