TYPO3.Fluid - Bug # 58921

Status:NewPriority:Should haveAuthor:Aimo KünkelCategory:Created:2014-05-19Assigned To:Updated:2014-05-19Due date:Has patch:No

Has patch: No
Affected Flow version: Git master

Subject: f:form.* VHs crash if NOT inside f:form but followed by f:form

Description

The f:form.* ViewHelpers work inside of forms and standalone, but they crash if used standalone and they are followed by any fluid form

This works fine and results in a perfect html select:

```
<f:form.select name="select" options="{1: 'One', 2: 'Two', 3: 'Three'}" />
```

This also works fine and results in a submittable form:

```
<f:form action="some" name="form">
 <f:form.button type="submit">Go!</f:form.button>
 </f:form>
```

This instead (both concatenated) ...

```
<f:form.select name="select" options="{1: 'One', 2: 'Two', 3: 'Three'}" />
<f:form action="some" name="form">
<f:form.button type="submit">Go!</f:form.button>
</f:form>
```

... will throw the following error:

h3. #1243352010: The key "TYPO3\Fluid\ViewHelpers\FormViewHelper->formFieldNames" was already stored and you cannot override it.

I regard this as a bug and propose to let them produce the html select, followed by the submittable form.

I explain it this detailed because i had a discussion in IRC on what a developer would expect the output to be, but i definitely would like to have multiple forms on a page AND multiple independent inputs NOT inside of forms (for UI reasons, for JS handling, ...)

History

#1 - 2014-05-19 14:32 - Aimo Künkel

Here's my backtrace as requested, should be the same for everyone who uses the provided snipped above

2015-08-04 1/4

Uncaught exception #1243352010 in line 420 of

/var/www/etg.dev/Data/Temporary/Development/Cache/Code/Flow_Object_Classes/TYPO3_Fluid_ViewHelpers_FormViewHelper.php: The key "TYPO3\Fluid\ViewHelpers\FormViewHelper->formFieldNames" was already stored and you cannot override it.

- 71 TYPO3\Fluid\Core\ViewHelper\ViewHelperVariableContainer_Original::add("TYPO3\Fluid\ViewHelpers\FormViewHelper",
- "formFieldNames", array|0|)
- 70 TYPO3\Fluid\ViewHelpers\FormViewHelper_Original::addFormFieldNamesToViewHelperVariableContainer()
- 69 TYPO3\Fluid\ViewHelpers\FormViewHelper_Original::render("some", array|0|, NULL, NULL, NULL, NULL, "", "", array|0|, FALSE, FALSE, array|0|, NULL, NULL, NULL, FALSE)
- 68 call_user_func_array(array|2|, array|16|)
- 67 TYPO3\Fluid\Core\ViewHelper\AbstractViewHelper::callRenderMethod()
- 66 TYPO3\Fluid\Core\ViewHelper\AbstractViewHelper::initializeArgumentsAndRender()
- 65 TYPO3\Fluid\Core\Parser\SyntaxTree\ViewHelperNode Original::evaluate(TYPO3\Fluid\Core\Rendering\RenderingContext)
- 64 TYPO3\Fluid\Core\Parser\SyntaxTree\AbstractNode::evaluateChildNodes(TYPO3\Fluid\Core\Rendering\RenderingContext)
- 63 TYPO3\Fluid\Core\ViewHelper\AbstractViewHelper::renderChildren()
- 62 TYPO3\Fluid\ViewHelpers\SectionViewHelper_Original::render()
- 61 call_user_func_array(array|2|, array|0|)
- 60 TYPO3\Fluid\Core\ViewHelper\AbstractViewHelper::callRenderMethod()
- 59 TYPO3\Fluid\Core\ViewHelper\AbstractViewHelper::initializeArgumentsAndRender()
- 58 TYPO3\Fluid\Core\Parser\SyntaxTree\ViewHelperNode_Original::evaluate(TYPO3\Fluid\Core\Rendering\RenderingContext)
- 57 TYPO3\Fluid\View\AbstractTemplateView::renderSection("Content", array|1|, FALSE)
- $56\ TYPO3 \\ Fluid\\ ViewHelpers\\ RenderViewHelper_Original::render("Content", NULL, array|0|, FALSE)$
- 55 call_user_func_array(array|2|, array|4|)
- 54 TYPO3\Fluid\Core\ViewHelper\AbstractViewHelper::callRenderMethod()
- 53 TYPO3\Fluid\Core\ViewHelper\AbstractViewHelper::initializeArgumentsAndRender()
- 52 TYPO3\Fluid\Core\Parser\SyntaxTree\ViewHelperNode_Original::evaluate(TYPO3\Fluid\Core\Rendering\RenderingContext)
- 51 TYPO3\Fluid\Core\Parser\SyntaxTree\AbstractNode::evaluateChildNodes(TYPO3\Fluid\Core\Rendering\Context)
- 50 TYPO3\Fluid\Core\Parser\SyntaxTree\RootNode_Original::evaluate(TYPO3\Fluid\Core\Rendering\RenderingContext)
- 49 TYPO3\Fluid\Core\Parser\ParsingState_Original::render(TYPO3\Fluid\Core\Rendering\RenderingContext)
- $48\ TYPO3 \backslash Fluid \backslash View \backslash Abstract Template View:: render()$
- 47 TYPO3\Flow\Mvc\Controller\ActionController_Original::callActionMethod()
- 46 Etg24\HV\Backend\Controller\AbstractBackendController::callActionMethod()
- 45 call_user_func_array(array|2|, array|0|)
- 44 Etg24\HV\Backend\Controller\AbstractBackendController::Flow_Aop_Proxy_invokeJoinPoint(TYPO3\Flow\Aop\JoinPoint)
- 43 Etg24\HV\Backend\Controller\FaqController::Flow_Aop_Proxy_invokeJoinPoint(TYPO3\Flow\Aop\JoinPoint)
- 42 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)
- 41 TYPO3\Flow\Security\Aspect\PolicyEnforcementAspect_Original::enforcePolicy(TYPO3\Flow\Aop\JoinPoint)
- 40 TYPO3\Flow\Aop\Advice\AroundAdvice::invoke(TYPO3\Flow\Aop\JoinPoint)
- 39 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)
- 38 Etg24\HV\Backend\Controller\AbstractBackendController::callActionMethod()
- 37 Etg24\HV\Backend\Controller\FaqController::callActionMethod()
- 36 call_user_func_array(array|2|, array|0|)
- $35\ Etg24\ HV\ Backend\ Controller\ FaqController::Flow_Aop_Proxy_invokeJoinPoint(TYPO3\ Flow\ Aop\ JoinPoint))$
- 34 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)
- 33 TYPO3\Flow\Security\Aspect\PolicyEnforcementAspect_Original::enforcePolicy(TYPO3\Flow\Aop\JoinPoint)
- $32\ TYPO3\Flow\Aop\Advice\Around\Advice::invoke(TYPO3\Flow\Aop\JoinPoint)$
- 31 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)
- 30 Etg24\HV\Backend\Controller\FagController::callActionMethod()
- $29\ TYPO3\ Flow\ Mvc\ Controller\ Contro$
- 28 Etg24\HV\Backend\Controller\AbstractBackendController::processRequest(TYPO3\Flow\Mvc\ActionRequest, TYPO3\Flow\Http\Response)
- 27 call user func array(array|2|, array|2|)
- 26 Etg24\HV\Backend\Controller\AbstractBackendController::Flow_Aop_Proxy_invokeJoinPoint(TYPO3\Flow\Aop\JoinPoint)
- 25 Etg24\HV\Backend\Controller\FaqController::Flow_Aop_Proxy_invokeJoinPoint(TYPO3\Flow\Aop\JoinPoint)

2015-08-04 2/4

```
24 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)
```

- 23 TYPO3\Flow\Security\Aspect\PolicyEnforcementAspect_Original::enforcePolicy(TYPO3\Flow\Aop\JoinPoint)
- 22 TYPO3\Flow\Aop\Advice\AroundAdvice::invoke(TYPO3\Flow\Aop\JoinPoint)
- 21 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)
- 20 Etg24\HV\Backend\Controller\AbstractBackendController::processRequest(TYPO3\Flow\Mvc\ActionRequest, TYPO3\Flow\Http\Response)
- 19 Etg24\HV\Backend\Controller\FaqController::processRequest(TYPO3\Flow\Mvc\ActionRequest, TYPO3\Flow\Http\Response)
- 18 call_user_func_array(array|2|, array|2|)
- 17 Etg24\HV\Backend\Controller\FaqController::Flow_Aop_Proxy_invokeJoinPoint(TYPO3\Flow\Aop\JoinPoint)
- 16 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)
- 15 TYPO3\Flow\Security\Aspect\PolicyEnforcementAspect_Original::enforcePolicy(TYPO3\Flow\Aop\JoinPoint)
- 14 TYPO3\Flow\Aop\Advice\AroundAdvice::invoke(TYPO3\Flow\Aop\JoinPoint)
- 13 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)
- 12 Etg24\HV\Backend\Controller\FaqController::processRequest(TYPO3\Flow\Mvc\ActionRequest, TYPO3\Flow\Http\Response)
- 11 TYPO3\Flow\Mvc\Dispatcher_Original::dispatch(TYPO3\Flow\Mvc\ActionRequest, TYPO3\Flow\Http\Response)
- 10 TYPO3\Flow\Mvc\Dispatcher::dispatch(TYPO3\Flow\Mvc\ActionRequest, TYPO3\Flow\Http\Response)
- 9 call_user_func_array(array|2|, array|2|)
- 8 TYPO3\Flow\Mvc\Dispatcher::Flow Aop Proxy invokeJoinPoint(TYPO3\Flow\Aop\JoinPoint)
- 7 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)

6

TYPO3\Flow\Security\Aspect\RequestDispatchingAspect_Original::blockIllegalRequestsAndForwardToAuthenticationEntryPoints(TYPO3\Flow\Aop\JoinPoil\Aop\JoinPoilt)

- $5\ TYPO3\Flow\Aop\Advice::invoke(TYPO3\Flow\Aop\JoinPoint)$
- 4 TYPO3\Flow\Aop\Advice\AdviceChain::proceed(TYPO3\Flow\Aop\JoinPoint)
- 3 TYPO3\Flow\Mvc\Dispatcher::dispatch(TYPO3\Flow\Mvc\ActionRequest, TYPO3\Flow\Http\Response)
- 2 TYPO3\Flow\Http\RequestHandler::handleRequest()
- 1 TYPO3\Flow\Core\Bootstrap::run()

HTTP REQUEST:

GET /login/redaktion/faq/showforobject?object%5B__identity%5D=243f3316-e13b-1855-c2cd-01fc180e0d71 HTTP/1.1

Host: preisser.etg.dev Connection: keep-alive

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8

User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/34.0.1847.137 Safari/537.36 Referer: http://preisser.etg.dev/login/redaktion/object/showobject?object%5B__identity%5D=243f3316-e13b-1855-c2cd-01fc180e0d71

Accept-Encoding: gzip,deflate,sdch
Accept-Language: en,de;q=0.8
Cache-Control: max-age=0

HTTP RESPONSE:

[response was empty]

#2 - 2014-05-19 14:38 - Aimo Künkel

Fun fact: if you reverse the two like so:

```
<f:form action="some" name="form">
  <f:form.button type="submit">Go!</f:form.button>
  </f:form>
```

<f:form.select name="select" options="{1: 'One', 2: 'Two', 3: 'Three'}" />

2015-08-04 3/4

#3 - 2014-05-19 15:29 - Aimo Künkel

Adrian Föder made me try

```
/**

* Adds a container for form field names to the ViewHelperVariableContainer

*

* @return void

*/

protected function addFormFieldNamesToViewHelperVariableContainer() {

if (!\$\text{this-}\text{viewHelperVariableContainer-}\text{-\text{exists}('TYPO3\Fluid\ViewHelpers\FormViewHelper', 'formFieldNames')) {

\text{\text{\text{$this-}\text{-}\text{viewHelperVariableContainer-}\text{\text{-}\text{add}('TYPO3\Fluid\ViewHelpers\FormViewHelper', 'formFieldNames', array());}

}
```

in \TYPO3\Fluid\ViewHelpers\FormViewHelper::addFormFieldNamesToViewHelperVariableContainer which makes it work.

Just as a hint.

2015-08-04 4/4