











```
o
     C:\Windows\System32\cmd.e X
      reference repository
--dissociate use --reference only while cloning
-o, --origin <name> use <name> instead of 'origin' to track upstream
-b, --branch <br/> checkout <br/> checkout <br/> instead of the remote's HEAD
       -u, --upload-pack <path>
                                           path to git-upload-pack on the remote
create a shallow clone of that depth
       --depth <depth>
       --shallow-since <time>
                                           create a shallow clone since a specific time
       --shallow-exclude <revision>
                                           deepen history of shallow clone, excluding rev
clone only one branch, HEAD or --branch
don't clone any tags, and make later fetches not to follow them
any cloned submodules will be shallow
       --single-branch
       --no-tags
       --shallow-submodules
       --separate-git-dir <gitdir>
                                            separate git dir from working tree
       -c, --config <key=value>
       set config inside the new repository
--server-option <server-specific>
                                           option to transmit
use IPv4 addresses only
use IPv6 addresses only
object filtering
      -4, --ipv4
-6, --ipv6
      -6, --ipv6
--filter <args>
        --also-filter-submodules
      apply partial clone filters to submodules
--remote-submodules any cloned submodules will use their remote-tracking branch
--sparse initialize sparse-checkout file to include only files at root
--bundle-uri <ur>
C:\Users\91744\Desktop\git shit>git checkout -b
error: switch 'b' requires a value
C:\Sirs\space{-0.05cm} Users\space{-0.05cm} 91744\space{-0.05cm} Desktop\space{-0.05cm} git shit\space{-0.05cm} git branch -M main
C:\Users\91744\Desktop\git shit>git remote add origin https://github.com/WyrmyCrawl/Goju.git
C:\Users\91744\Desktop\git shit>git push -u origin main info: please complete authentication in your browser...
```

🕠 🔎 👂 🧶 💼 🗑 😁 🔚 🔘 🤘 🔘 🦠 💠 刘 🖼

へ ENG 令 🕹 🖢 20:00 🐠

Enumerating objects: 3, done.

Q Search

Mostly cloudy

```
C:\Windows\System32\cmd.e X
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got '91744@Wangcore.(none)')
C:\Users\91744\Desktop\git shit>git config -- global user.email "sukisuka201005@gmail.com" error: key does not contain a section: global
C:\Users\91744\Desktop\git shit>git config --global user.email "sukisuka201005@gmail.com"
C:\Users\91744\Desktop\git shit>git config --global user.name "WyrmyCrawl"
C:\Users\91744\Desktop\git shit>git commit -m "first commit"
[master (root-commit) 707feca] first commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
C:\Users\91744\Desktop\git shit>git clone fatal: You must specify a repository to clone.
usage: git clone [<options>] [--] <repo> [<dir>]
      -v, --verbose
-q, --quiet
                                      be more verbose
                                     be more quiet
force progress reporting
don't clone shallow repository
don't create a checkout
create a bare repository
      --progress
--reject-shallow
      -n, --n
--bare
           --no-checkout
                                     create a mirror repository (implies bare)
to clone from a local repository
don't use local hardlinks, always copy
setup as shared repository
       --mirror
      -l, --local
--no-hardlinks
      -s, --shared
      --recurse-submodules[=<pathspec>]
initialize submodules in the clone
      --recursive ... alias of -
-j, --jobs <n> number of
--template <template-directory>
                                      alias of --recurse-submodules
number of submodules cloned in parallel
                                      directory from which templates will be used reference repository
      --reference <repo> refe
--reference-if-able <repo>
                                      reference repository
  Mostly cloudy
                                                  Q Search
                                                                                     🕠 💷 🗩 🥷 💼 🗑 😁 🚞 🕔 🧑 🔘 🥚 🦠 🖏 🖼
```

o

