



Git Add







Commit











Git Merge



Git Clone



```
NINGW64:/c/Users/dharm/OneDrive/Desktop/New folder/PT-1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             - o ×
     harm@DHARMA MINGW64 ~
cd C:\Users\dharm\OneDrive\Desktop\New folder
ash: cd: too many arguments
     narm#DDHARMA MINOW64 ~/OneDrive/Desktop/New folder
git clone https://github.com/cognizance-amrita/PT-1
loning into 'PT-1'
emote: Enumerating objects: 15, done.
emote: Total 15 (delta 0), reused 0 (delta 0), pack-reused 15
ecciving objects: 100% (15/15), 29.62 KiB | 645.00 KiB/s, done.
esolving deltas: 100% (1/1), done.
                                     RMA MINGW64 ~/OneDrive/Desktop/New folder
      git branches
ti: 'branches' is not a git command. See 'git --help'
                             HARMA MINGW64 ~/OneDrive/Desktop/New folder
      git branche -a
it: <u>'</u>branche' is not a git command. See 'git --help'
            most similar command is branch
                               IARMA MINGW64 ~/OneDrive/Desktop/New folder
    git branch -a
git branch -a
atal: not a git repository (or any of the parent directories): .git
      narm@DHARMA MINGW64 ~/OneDrive/Desktop/New folder
cd PT-1/
     harm@DHARMA MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (main) cd branch -a
ash: cd: too many arguments
      narm@DHARMA MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (main) git branch -a
      narm@DHARMA MINGW64 \sim/OneDrive/Desktop/New folder/PT-1 (main) git branch submission
     harm@DHARMA MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (main)
git checkout submission
witched to branch 'submission'
     harm#ODHARMA MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (submission)
git status
bit stat
```

```
MINGW64:/c/Users/dharm/OneDrive/Desktop/New folder/PT-1
                                                                                                                                                                                                                                                                                    o ×
 git add
 arm@DHARMA MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (submission)
 harm@DHARMA MINCW64 ~/OneDrive/Desktop/New folder/PT-1 (submission)
git commit -m "Dharmadhaashan commit"
uthor identity unknown
  * Please tell me who you are.
  git config --global user.email "you@example.com"
git config --global user.name "Your Name"
 o set your account's default identity.
mit --global to set the identity only in this repository.
 atal: unable to auto-detect email address (got 'dharm@DHARMA.(none)')
 harm@DHARMA MINOW64 ~/OneDrive/Desktop/New folder/PT-1 (submission) git config --global user.name
  narm@DHARMA MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (submission) git config --global user.name "Oharmadhaashan"
 harm@DHARMA MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (submission)
git config --global user.email "dharmadhaashanp@gmail.com"
 harm@DHARMA MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (submission)
git config --global user.name
harmadhaashan
 harmdDHARMA MINGw64 ~/OneDrive/Desktop/New folder/PT-1 (submission)
git config --g;obal user.email
rror: ambiguous option: g (could be --get-color or --get-colorbool)
sage: git config [<options>]
 onfig file location
--global
--system
                                  use global config file
use system config file
```

```
NINGW64:/c/Users/dharm/OneDrive/Desktop/New folder/PT-1
         mindwody/gosetydnam

--global

--system

--local

--worktree

-f, --file <file>

--blob <blob-id>
                                                                          use global config file
use system config file
use repository config file
use per-worktree config file
use given config file
read config from given blob object
                                                                           get value: name [value-pattern]
get all values: key [value-pattern]
get values for regexp: name-regex [value-pattern]
get value specific for the URL: section[.var] URL
replace all matching variables: name value [value-patt
                 .
get
get-all
get-regexp
get-urlmatch
replace-all
               -add
-unset
-unset-all
-rename-section
-remove-section
1, --list
-fixed-value
                                                                           add a new variable: name value
remove a variable: name [value-pattern]
remove all matches. name [value-pattern]
remame section: old-name new-name
remove a section: name
list all
use string equality when comparing values to 'value-pa
              ı'
·e, --edit
·-get-color
·-get-colorbool
                                                                            open an editor
find the color configured: slot [default]
find the color setting: slot [stdout-is-tty]
                                                                           value is given this type
value is "true" or "false"
value is decimal number
value is --bool or --int
value is --bool or string
value is a path (file or directory name)
value is an expiry date
             -t, --type <type>
--bool
--int
--bool-or-int
--bool-or-str
                 path
expiry-date
                                                                           terminate values with NUL byte
show variable names only
respect include directives on lookup
show origin of config (file, standard input, blob, com
        -z, --null
--name-only
--includes
--show-origin
nd line)
--show-scope
                                                                          show scope of config (worktree, local, global, system,
            mand)
--default <value>
      arm@DHARMA MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (submission)
git config --global user.email
armadhaashanp@gmail.com
    nammunasananpegmari.com

pit commit -m "Dharmadhaashan commit"

submission bc55e77 Dharmadhaashan commit

I file changed, 0 insertions(+), 0 deletions(-)

create mode 100644 Dharmadhaashan P/Dharmadhaashan P ,CH.SC.U4CSE23212.pdf
```

```
- o x
MINGW64:/c/Users/dharm/OneDrive/Desktop/New folder/PT-1
dharm@DHARMA MINGW64 ~/OneDrive/D
$ git config --global user.email
dharmadhaashanp@gmail.com
 harmODHARMA MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (submission)
git commit -m "Dharmadhaashan commit"
submission bc5se77] Dharmadhaashan commit
file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Dharmadhaashan P/Dharmadhaashan P ,CH.SC.U4CSE23212.pdf
  harm@DHARMA MINGM64 ~/OneDrive/Desktop/New folder/PT-1 (submission) git push orgin submission atal: 'orgin' does not appear to be a git repository atal: Could not read from remote repository.
 Please make sure you have the correct access rights and the repository exists.
  harm#ODHARMA MINGM64 ~/OneDrive/Desktop/New folder/PT-1 (submission) git pusg origin submission it: 'pusg' is not a git command. See 'git --help'.
 The most similar command is
  harm@DHARMA MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (submission) git push origin submission
 harmODHARMA MINGM64 ~/OneDrive/Desktop/New folder/PT-1 (submission) git push submission atal: 'submission' does not appear to be a git repository atal: Could not read from remote repository.
  lease make sure you have the correct access rights nd the repository exists.
 git pull git pull get a national revolution for the current branch. lease specify which branch you want to merge with. ee git-pull(1) for details.
      git pull <remote> <branch>
  f you wish to set tracking information for this branch you can do so with:
      git branch --set-upstream-to=origin/<branch> submission
                          MINGW64 ~/OneDrive/Desktop/New folder/PT-1 (submission)
 paraDHARRA MINORO -/OneDrive/DeskCopymon
git pull origin
ou asked to pull from the remote 'origin', but did not specify
branch. Because this is not the default configured remote
or your current branch, you must specify a branch on the command line.
```