



# Coinsult

## Advanced Manual Smart Contract Audit



**Project:** Pizza BNB

**Website:** pizzabnb.com

**Low-Risk**

4 low-risk code  
issues found

**Medium-Risk**

0 medium-risk code  
issues found

**High-Risk**

0 high-risk code  
issues found

**Contract Address**

0xA7FDF9Ebe779255BF12f4DC26f6E1d83cdEa4255

Disclaimer: Coinsult is not responsible for any financial losses. Nothing in this contract audit is financial advice, please do your own research.

# Disclaimer

Coinsult is not responsible if a project turns out to be a scam, rug-pull or honeypot. We only provide a detailed analysis for your own research.

Coinsult is not responsible for any financial losses. Nothing in this contract audit is financial advice, please do your own research.

The information provided in this audit is for informational purposes only and should not be considered investment advice. Coinsult does not endorse, recommend, support or suggest to invest in any project.

Coinsult can not be held responsible for when a project turns out to be a rug-pull, honeypot or scam.

# Tokenomics

Rank	Address	Quantity (Token)	Percentage
1	0x364d04394c77f0cf57e831b82a2528bdf235b88a	1,000,000	100.0000%

# Source Code

Coinsult was comissioned by Pizza BNB to perform an audit based on the following smart contract:

<https://bscscan.com/address/0xa7fdf9ebe779255bf12f4dc26f6e1d83cdea4255#code>

# Manual Code Review

In this audit report we will highlight all these issues:

## Low-Risk

4 low-risk code  
issues found

## Medium-Risk

0 medium-risk code  
issues found

## High-Risk

0 high-risk code  
issues found

The detailed report continues on the next page...

● **Low-Risk:** Could be fixed, will not bring problems.

## Too many digits

Literals with many digits are difficult to read and review.

```
function updateGasForProcessing(uint256 newValue) public onlyOwner {
    require(
        newValue >= 200000 && newValue <= 500000,
        "BABYTOKEN: gasForProcessing must be between 200,000 and 500,000");
    );
    require(
        newValue != gasForProcessing,
        "BABYTOKEN: Cannot update gasForProcessing to same value");
    );
    emit GasForProcessingUpdated(newValue, gasForProcessing);
    gasForProcessing = newValue;
}
```

## Recommendation

Use: Ether suffix, Time suffix, or The scientific notation

## Exploit scenario

```
contract MyContract{
    uint 1_ether = 1000000000000000000;
}
```

While 1\_ether looks like 1 ether, it is 10 ether. As a result, it's likely to be used incorrectly.

● **Low-Risk:** Could be fixed, will not bring problems.

## No zero address validation for some functions

Detect missing zero address validation.

```
function setMarketingWallet(address payable wallet) external onlyOwner {  
    _marketingWalletAddress = wallet;  
}
```

## Recommendation

Check that the new address is not zero.

## Exploit scenario

```
contract C {  
  
    modifier onlyAdmin {  
        if (msg.sender != owner) throw;  
        _;  
    }  
  
    function updateOwner(address newOwner) onlyAdmin external {  
        owner = newOwner;  
    }  
}
```

Bob calls updateOwner without specifying the newOwner, so Bob loses ownership of the contract.

● **Low-Risk:** Could be fixed, will not bring problems.

## Unchecked transfer

The return value of an external transfer/transferFrom call is not checked.

```
function swapAndSendToFee(uint256 tokens) private {
    uint256 initialCAKEBalance = IERC20(rewardToken).balanceOf(
        address(this)
    );

    swapTokensForCake(tokens);
    uint256 newBalance = (IERC20(rewardToken).balanceOf(address(this))).sub(
        initialCAKEBalance
    );
    IERC20(rewardToken).transfer(_marketingWalletAddress, newBalance);
}
```

## Recommendation

Use SafeERC20, or ensure that the transfer/transferFrom return value is checked.

## Exploit scenario

```
contract Token {
    function transferFrom(address _from, address _to, uint256 _value) public returns (bool success);
}

contract MyBank{
    mapping(address => uint) balances;
    Token token;
    function deposit(uint amount) public{
        token.transferFrom(msg.sender, address(this), amount);
        balances[msg.sender] += amount;
    }
}
```

Several tokens do not revert in case of failure and return false. If one of these tokens is used in MyBank, deposit will not revert if the transfer fails, and an attacker can call deposit for free..

● **Low-Risk:** Could be fixed, will not bring problems.

## Missing events arithmetic

Detect missing events for critical arithmetic parameters.

```
function setTokenRewardsFee(uint256 value) external onlyOwner {
    tokenRewardsFee = value;
    totalFees = tokenRewardsFee.add(liquidityFee).add(marketingFee);
    require(totalFees <= 25, "Total fee is over 25%");
}
```

## Recommendation

Emit an event for critical parameter changes.

## Exploit scenario

```
contract C {

    modifier onlyAdmin {
        if (msg.sender != owner) throw;
        _;
    }

    function updateOwner(address newOwner) onlyAdmin external {
        owner = newOwner;
    }
}
```

updateOwner() has no event, so it is difficult to track off-chain changes in the buy price.

## Owner privileges

- Owner cannot set fees higher than 25%
- Owner cannot pause trading
- Owner cannot change max transaction amount
- Owner can exclude from fees

## Extra notes by the team

No notes




# Contract Snapshot

```
contract BABYTOKENDividendTracker is OwnableUpgradeable, DividendPayingToken {  
  using SafeMath for uint256;  
  using SafeMathInt for int256;  
  using IterableMapping for IterableMapping.Map;  
  
  IterableMapping.Map private tokenHoldersMap;  
  uint256 public lastProcessedIndex;
```

# Website Review

Coinsult checks the website completely manually and looks for visual, technical and textual errors. We also look at the security, speed and accessibility of the website. In short, a complete check to see if the website meets the current standard of the web development industry.



```
78 // ... trim(preg_replace('/\\\\\\\\\\\\\\\\/', '/', $image_src), '/');
79 $SESSION['_CAPTCHA']['config'] = serialize($captcha_config);
80
81 return array(
82     'code' => $captcha_config['code'],
83     'image_src' => $image_src
84 );
85
86
87
88 if ( !function_exists('hex2rgb') ) {
89     function hex2rgb($hex_str, $return_string = false, $separator = ',') {
90         $hex_str = preg_replace("/^[0-9A-Fa-f]/", '', $hex_str); // Gets a proper hex string
91         $rgb_array = array();
92         if ( strlen($hex_str) == 6 ) {
93             $color_val = hexdec($hex_str);
94             $rgb_array['r'] = 0xFF & ($color_val >> 0x10);
95             $rgb_array['g'] = 0xFF & ($color_val >> 0x8);
96             $rgb_array['b'] = 0xFF & $color_val;
97         } elseif ( strlen($hex_str) == 3 ) {
98             $rgb_array['r'] = hexdec(str_repeat(substr($hex_str, 0, 1), 2));
99             $rgb_array['g'] = hexdec(str_repeat(substr($hex_str, 1, 1), 2));
100             $rgb_array['b'] = hexdec(str_repeat(substr($hex_str, 2, 1), 2));
101         } else {
102             return false;
103         }
104         return $return_string ? implode($separator, $rgb_array) : $rgb_array;
105     }
106 }
107
108 // Draw the image
109 if ( !isset($_GET['code']) ) {
110     // ...
111 }
```

- Mobile Friendly
- Does not contain jQuery errors
- Not SSL Secured
- No major spelling errors

# Project Overview

● Not KYC verified by Coinsult

## Pizza BNB

Audited by Coinsult.net



Date: 4 July 2022

✓ Advanced Manual Smart Contract Audit