COLBYN WADMAN

I specialize in building custom tools and utilities — but I've tackled a wide range of problems beyond that

APPS

TOOLS

AUTOMATION

DATA/AI PIPELINES

SOLO BUILDER

TECHNICALLY FLUENT WRITER

hello@colbyn.com

colbyn.com

801-367-4487

Facts

- Top percentile OS contributor on GitHub[†]
- Most popular authored OS tool has 688 stars[‡]
- Most technically challenging authored project was a native macOS/iOS markdown renderer (proof of concept) implemented in terms of Apple's TextKit2 framework with full text selection capabilities (with such functionality that isn't possible with embedded web views)§
 - [†] See my 2019 statistics on this resume or on <u>github.</u> com/colbyn
 - * imager-io/imager
 - § SuperSwiftMarkup/SuperSwiftMarkdownPrototype

About Me

I fell in love with purely functional programming in my late teens and went deep. While not a professional compiler engineer, I've spent years building parsers, modeling data structures, and transforming ASTs — an experience that shaped my approach to solving abstract, technically difficult problems from first principles.

I've taken a nontraditional path — spending most of my twenties pursuing independent technical work. It taught me how to solve hard problems (though not always how to make money from them). Today, I'm especially

strong in systems involving Rust and Swift, particularly in domains that demand deep control, like custom TextKit2 rendering or workflows where off-the-shelf tools — including Al—fall short.

History

2015

Galileo Processing Data Center Tech

Began working there when I was 17, reported to Robert Raver, and then another manager whom gave me a few pay raises for good performance while transitioning the office to the new mainframe build-out.

Basic Networking

Datacenter Misc.

Communication

2016

Uplynk/VDMS (Verizon Digital Media Services) Jr. Developer

Jr. developer in the QA team lead by Asiel Brumfield. I'm not entirely sure when I began

working. I left to pursue a startup with my uncle in encrypted images. Python video streaming

2018

Secret Startup Experiment

Video DRM

SubSys/Compiler


GitHub:

https://github.com/SubSys/Compiler

A cross-language compiler pipeline that translated Elm to Rust, implemented in Haskell with full constraint based type inference and checking.

Key Features

- Elm → Rust transpilation with semantic fidelity.
- Typed IR modeled and verified in Haskell.
- Explores correctness as a first-class design constraint.



colbyn/commands

GitHub:

https://github.com/colbyn/commands

A minimal DSL for CLI scripting — inspired by Bash, but redesigned around indentation and composability. This tool replaces brittle shell scripts with readable, structured code for automation-heavy workflows like AWS deployments.

The syntax mimics the clarity of Python, but compiles to raw shell — enabling devs to write clean scripts without giving up full control. Think Make meets just, with extras.

Key Features

• Indentation-sensitive syntax for nested blocks.

- Function embedding, aliasing, and multiline strings.
- · Supports structured parsing, silent execution, and CLI grouping.



2019

Imager

imager.io | github.com/imager-io


One of the best image optimization tools on the market.

A modular, open-source image optimization platform designed to outperform commercial tools like kraken.io — with no SaaS dependencies. At its core: a Rust-based encoder quided by machine-learned visual metrics, wrapped in a clean CLI and consumable through Node.js bindings.

The toolchain included native bindings (webpdev-rs, ffmpeg-dev-rs, x264-dev, vmafsys) and a Rust-to-JS bridge via imager-iois. Benchmarks showed over 90% file size reduction compared to popular SaaS optimizers without perceptual quality loss.

Key Features

- Rust-based encoder with ML-guided format selection (WebP, JPEG, x264).
- imager-bench benchmark suite beating kraken.io and jpegmini.
- Zero-dependency Node.js pipeline with native bindings for real-time processing.
- Full FFmpeg and VMAF support via custom Rust FFI crates.



colbyn/web-images-js


GitHub:

https://github.com/colbyn/web-images-js

A zero-dependency image pipeline for Node.js — built entirely in Rust and embedded directly in JS workflows. Offers full control over memory, binary size, and output quality without external tools or native runtime bindings.

Key Features

- High-performance image loading and transformation in native Rust.
- Statically linked builds for reproducibility and safety.
- Optimized for deployment in serverless and JAMstack environments.



colbyn/subscript-old

GitHub:

https://github.com/colbyn/subscript-old

I renamed this project to subscript—old after I decide to call my note taking tools 'subscript' which seemed more fitting because it dealt with typesetting. There's actually some pretty cool ideas in here. Abandoning this project is a major regret of my life.

A data-driven, Rust-native frontend library designed for backend developers — Subscript rethinks web UI as infrastructure. Built for those who want to author views, state, and styles entirely in Rust, with zero XML, full CSSOM control, and expressive compile-time macros.

Ideal for backend developers treating the frontend as just another client — including full inline CSS support (media queries, keyframes, pseudo elements) via a "selector-less functionalized CSS" model. Built-in routing, component messaging, and versioned view syntax enable deeply structured applications without frontend boilerplate.


Feature Highlights

- Inline Rust macros for media queries, keyframes, and pseudo classes.
- Pattern-matching-like URL parsing using parse_url!, with totality checks and typesafe bindings.
- Component messaging and subscriptions, including typed broadcasting and routing by component type.
- Versioned view macros like v1! for ergonomic and incremental UI design.
- Zero-runtime-diffing model closer to Incremental DOM than virtual DOMs.

Example Syntax

```
parse_url! {
  [] => {
    Page::Homepage
  ["account", user_id: Uuid] => {
    Page::AccountUser {
      id: user_id
   }
 },
  _ => Page::NotFound
};
v1! {
 display: "flex";
 button !{
    event.click[] => {
      move || Msg::Increment
    };
    "Increment";
 }
}
```

Tags



Impact: Inventive take on frontend architecture through Rust. Encourages architectural unification between client and server codebases, with precise control over styling and rendering.

Milestone

At the end of 2019 I raked up an impressive 1,323 contributions on GitHub that placed me among the platform's most active developers.

To put this in perspective, data from a 2016–2017 GitHub ranking shows the 256th most active user recorded 1,322 contributions—my activity surpassed this benchmark, placing me among the platform's top contributors. While my work wasn't featured in such lists due to follower-based filtering, my focus remains on creating impactful projects.

Sources

Top 2017 GitHub Contributors:

https://web.archive.org/web/20200415010317/https://gist.github.com/paulmillr/2657075/

Colbyn's GitHub Profile (stats at the bottom):

https://github.com/colbyn?tab=overview&from= 2019-12-01&to=2019-12-31

2020

Began College

Notable Comments

You are such a profound writer and thinker. It has been my privilege to be your instructor of record. One day I will say, I had him in my English class. I have such high hopes for you! Go conquer your world! You're awesome.

—Dr. Jim Birrell

LaTeX

UVU CS Grader - Computer Science

In my first semester at UVU I took CS1400 by professor Bianca Ruiz, who then offered me a grading position at the end of the semester. I enjoyed this job and wish I stayed (I took trigonometry and calculus concurrently and was expecting subsequent semesters to be just as difficult).

The instructor said my code looked "beautiful" before I signed up as a grader.



The HTML Toolchain

GitHub:

https://github.com/subscript-publishing/subscript-html

A custom publishing system that reimagines LaTeX for the web. Designed to turn structured STEM notes into responsive, navigable documents — blending handwritten diagrams, inline math, and semantic HTML in one toolchain.

Unlike traditional LaTeX-to-PDF pipelines, this system outputs fully interactive HTML with live navigation, mobile-ready layout, and auto-generated metadata. Built for note-taking first, publishing second.

Key Features

- Autogenerated tables of contents and section links.
- Hybrid support for typeset and hand-drawn inputs.
- Responsive layout tuned for cross-device academic reading.

Academic Publishing LaTeX-Inspired HTML	
JavaScript Responsive Design Note-Taking	
Open Source	

My Beautiful Math Notes

school-notes-spring-2020:

https://colbyn.github.io/school-notes-spring-20 20/

A real-world testbed for Subscript's HTML toolchain — compiling a semester of math coursework into an interactive, web-native format. Features richly formatted equations, diagrams, and dynamic TOC navigation across topics.

Key Features

- Clean math typesetting with inline and block notation.
- Linked headings and deep navigation for modular study.

Final Culmination (pretty slick):

https://colbyn.github.io/all-school-notes/
Although looking back I prefer the old style:
https://colbyn.github.io/school-notes-fall-2022/

Mathematics Academic Publishing Subscript	
HTML JavaScript Interactive Content	
Open Source	

Subscript (iPad Edition + Authoring Tools)

GitHub:

https://github.com/subscript-publishing/subscript


Content publishing VIA Web-Technologies!

Supports freeform and typed markup content in one medium.

Key Features

- Seamlessly intermix markup with hand drawn content VIA the Subscript Freeform Tools (iPad only).
- Redesigned macOS and iOS editor interfaces from the ground up.
- Native rendering pipeline tuned for complex typeset math, and freeform sketch inputs.

Academic Publishing



2021

AMI Uploader

GitHub:

https://github.com/colbyn/ami-uploader

A lightweight Rust CLI designed to automate the upload of **LinuxKit-generated AMIs** to AWS via S3. It streamlines the gap between image generation and cloud deployment — replacing manual S3 uploads and AMI registration with a single, scriptable command.

Built for reliability in CI pipelines, the tool supports alternate credential injection, customizable AMI naming, and metadata tagging. Designed for infrastructure engineers managing reproducible builds.

Key Features

- One-command upload from local disk to registered AMI.
- Supports name overrides, alternate AWS keys, and region targeting.
- Integrates cleanly into LinuxKit or DevOps build pipelines.



2023

punk-lang

GitHub: https://github.com/colbyn/punk-lang

A deliberately minimal markup language with LaTeX-inspired syntax and depth-sensitive highlighting — designed to test how little structure is needed to express complex educational content clearly.

The language focuses on parseability and pedagogical clarity: every visual highlight is tied to syntactic depth, making nested logic or derivations easier to follow for learners. Built as a sketchpad for better markup ergonomics.

Key Features

- Clean, expressive syntax for STEM writing and teaching.
- Depth-aware syntax highlighting for conceptual layering.
- Structured output with minimal rules optimized for parsing.



Subscript Freeform Note-Taking App (iOS/macOS)

A handwritten, vector-based note-taking app built from scratch to prioritize human expression, long-term readability, and semantic structure—a radical departure from PDF-constrained or Al-assisted systems. Originally released on the App Store, I later withdrew it to re-architect the data model and rethink structural primitives.

The app uses a custom model space for device-independent rendering, handwritten stroke capture with velocity-aware smoothing (via a Swift port of perfect-freehand), and a semantically driven outline system (H1–H6) for navigation and TOC generation.

Subscript reflects a broader philosophy: **separation of content and presentation**, inspired by LaTeX, combined with the authenticity of freeform input—a medium resistant to Al mimicry.

Intro: My Note-Taking App & Why It Matters in the Age of Bots (YouTube)

Swift Native iOS/macOS Unsafe Rust (FFI)

 Vector Graphics
 Digital Ink
 Document Compiler

2024


Parser & Tree Visualization Toolkit

A cohesive suite of language tooling libraries for **Swift** and **Rust**, focused on parser combinator frameworks and human-friendly visualization of abstract syntax trees (ASTs) and nested structures. Designed to support debugging, inspection, and language toolchain development in functional and systems programming contexts.

Core components include MonadoParser [†], a monadic parser combinator framework for Swift; pretty-tree-rs [‡], a minimal Rust library for rendering cleanly formatted hierarchical data; and SwiftPrettyTree §, a Swift-native port for readable tree inspection in IDEs or CLI workflows.

Key Features

- Composable, lossless parsers with precise position tracking (MonadoParser).
- Compact, dependency-free tree renderers for ASTs and nested structures.
- Interoperable debugging tools for language tooling, REPLs, and test harnesses.



- † github.com/colbyn/MonadoParser
- [‡] <u>github.com/colbyn/pretty-tree-rs</u>
- § github.com/colbyn/SwiftPrettyTree


3in1Spanish Your go-to Spanish Dictionary, Phrasebook & Flash Cards

A Bilingual Spanish Dictionary, Phrasebook & Flash Card App.

Required a very sophisticated dataset generator that I called the compiler generator. See my YouTube Video for details with commentary.

'How I autogenerate massive (dictionary) datasets with ChatGPT/LLMs and why this matters':

https://youtu.be/nofJLw51xSk?si=WrOwCT7WA 6_VTBrO



2025

SuperSwiftMarkdownPrototype GitHub:

https://github.com/SuperSwiftMarkup/SuperSwiftMarkdownPrototype

A Swift-native markdown editor prototype for iOS and macOS — built to test high-perfor-

mance rendering and editing using **TextKit 2**. Targeted GitHub-Flavored Markdown support with a focus on modern editing ergonomics.

The prototype explored interaction models like multi-cursor editing, block-level selection, and native table editing — all backed by a custom layout engine to push the limits of TextKit's rendering fidelity.

Key Features

- Multi-cursor + inline block selection for rapid editing workflows.
- Native table editing with contextual cursor handling.
- Built with TextKit 2 for speed and layout precision.

