


Amber's conglomerate corporation just acquired some new companies. Each of the companies follows



this hierarchy:

Given the table schemas below, write a query to print the *company_code*, *founder* name, total number of *lead* managers, total number of *senior* managers, total number of *managers*, and total number of *employees*. Order your output by ascending *company_code*.

Note:

- The tables may contain duplicate records.
- The *company_code* is string, so the sorting should not be **numeric**. For example, if the *company_codes* are *C_1*, *C_2*, and *C_10*, then the ascending *company_codes* will be *C_1*, *C_10*, and *C_2*.

Input Format

The following tables contain company data:

- *Company*: The *company_code* is the code of the company and *founder* is the founder of the

Column	Type
company_code	String
founder	String

company.

- *Lead_Manager*: The *lead_manager_code* is the code of the lead manager, and the *company_code* is the

Column	Type
lead_manager_code	String
company_code	String

code of the working company.

- *Senior_Manager*: The *senior_manager_code* is the code of the senior manager, the *lead_manager_code* is the code of its lead manager, and the *company_code* is the code of the

Column	Type
senior_manager_code	String
lead_manager_code	String
company_code	String

working company.

- *Manager*: The *manager_code* is the code of the manager, the *senior_manager_code* is the code of its senior manager, the *lead_manager_code* is the code of its lead manager, and the *company_code* is the

Column	Type
manager_code	String
senior_manager_code	String
lead_manager_code	String
company_code	String

code of the working company.

- *Employee*: The *employee_code* is the code of the employee, the *manager_code* is the code of its manager, the *senior_manager_code* is the code of its senior manager, the *lead_manager_code* is the

code of its lead manager, and the *company_code* is the code of the working

Column	Type
employee_code	String
manager_code	String
senior_manager_code	String
lead_manager_code	String
company_code	String

company.

Sample Input

company_code	founder
C1	Monika
C2	Samantha

Company Table:

Lead_Manager Table:

lead_manager_code	company_code
LM1	C1
LM2	C2

Senior_Manager Table:

senior_manager_code	lead_manager_code	company_code
SM1	LM1	C1
SM2	LM1	C1
SM3	LM2	C2

Manager Table:

manager_code	senior_manager_code	lead_manager_code	company_code
M1	SM1	LM1	C1
M2	SM3	LM2	C2
M3	SM3	LM2	C2

E

mployee Table:

employee_code	manager_code	senior_manager_code	lead_manager_code	company_code
E1	M1	SM1	LM1	C1
E2	M1	SM1	LM1	C1
E3	M2	SM3	LM2	C2
E4	M3	SM3	LM2	C2

Sample Output

C1 Monika 1 2 1 2

C2 Samantha 1 1 2 2

Explanation

In company *C1*, the only lead manager is *LM1*. There are two senior managers, *SM1* and *SM2*, under *LM1*.

There is one manager, *M1*, under senior manager *SM1*. There are two employees, *E1* and *E2*, under manager *M1*.

In company *C2*, the only lead manager is *LM2*. There is one senior manager, *SM3*, under *LM2*. There are two managers, *M2* and *M3*, under senior manager *SM3*. There is one employee, *E3*, under manager *M2*, and another employee, *E4*, under manager, *M3*.