

### Geometric and exponential growth

Note that in class, I refer to exponential growth in discrete time as ‘geometric growth’, while the Vandermeer and Goldberg textbook refers to this as exponential growth.

- 1.1 Exercise 1.1 in [?]. Calculate the population size for  $t = 1, 2, 3, 4$  and 5. The questions states that you should assume  $N_0 = 1$ .
- 1.2 Exercise 1.2 in [?], but only for  $\lambda = 2$ .
- 1.3 Exercise 1.3 in [?]. Do this question only for tripling time. Here, ‘exponentially growing’ refers to a discrete time geometric growth equation (equation 3 in Vandermeer and Goldberg, 2013). Note that the population has tripled when  $N_t/N_0 = 3$ . Use the general solution:  $N_t = \lambda^t N_0$ , and take the natural logarithm of both sides of an equation to isolate  $t$  in your formula. Come see myself or a TA if you need help.
- 1.4 Exercise 1.4 in [?]. Note that your plot will consist of 12 points; the four points:  $(N_1, N_2)$ ,  $(N_2, N_3)$ ,  $(N_3, N_4)$ , and  $(N_4, N_5)$  where  $(x, y)$  are the x- and y- coordinates of the point; for each of the three  $\lambda$  values. Use different symbols to represent the 3 different  $\lambda$  values.
- 1.5 Assume a population is growing exponentially (continuous time). Let  $r = 1.5$  and  $N(0) = 1$ . Calculate the population size at time,  $t = 5$ .
- 1.6 Assume a population is growing exponentially (continuous time). Let  $r = 1.5$  and  $N(0) = 1$ . What is the rate of change in population size,  $\frac{dN(t)}{dt}$ ?

### Logistic growth

- 2.1 The continuous time logistic growth equation is equation 17 in [?]. For this equation, for what values of  $N$ , is  $\frac{dN(t)}{dt} = 0$ ?
- 2.2 Sketch a graph of the solution to a continuous time logistic growth model (i.e. such that  $\frac{dN}{dt} = rN(1 - \frac{N}{K})$ ) with population size,  $N$ , on the y-axis and time,  $t$  on the x-axis. Plot the following scenarios:
  - (a)  $r > 0$  and  $0 < N(0) < K$ , where  $N(0)$  denotes the population size at time,  $t = 0$ ,
  - (b)  $r > 0$  and  $N(0) > K$ , and
  - (c)  $r < 0$  and  $0 < N(0) < K$ .

Please make sure your answer clearly indicates which lines correspond to (a),(b), and (c).

- 2.3 Define the per capita growth rate as  $\frac{dN}{dt} \frac{1}{N}$ . Sketch a graph of the per capita growth rate for a continuous time logistic model (y-axis) versus population size,  $N$  (x-axis). Assume  $r > 0$  and make sure your graph clearly indicates:
  - The value of the per capita growth rate when  $N = 0$  (i.e., the y-intercept).
  - The value of  $N$  when the per capita growth rate is 0 (i.e., the x-intercept)
  - The slope of the line.
- 2.4 Name a significant limitation of May’s discrete time logistic map potentially limiting it’s applicability to biological populations.

## References

- [Vandermeer and Goldberg, 2013] Vandermeer, J. H. and D. E. Goldberg, 2013. Population ecology: first principles. Princeton University Press. Available as an ebook from the MUN library. <https://ebookcentral.proquest.com/lib/mun/detail.action?docID=1205619>