

# RENDER LESS

## CREATING PERFORMANT LAYOUTS


---

REACT BOSTON 2018 - COLE TURNER



**@coleturner**

- Acquisition UI @ Netflix
- Previously PayPal
- Copy pasting since 2004





## Aw, Snap!

Something went wrong while displaying this webpage.

[Learn more](#)

[Reload](#)

REACT DEVELOPERS WORRY TOO MUCH ABOUT  
**AVOIDING RE-RENDERS**

**BUT NOT ENOUGH ABOUT  
HOW MUCH WE RENDER**

**Things that makes layout slow**

\$50

\$100

\$500

Daily Double

**RENDERING JEOPARDY**

## Things that makes layout slow

DOM mutations



\$100

\$500

Daily Double

# RENDERING JEOPARDY

## Things that makes layout slow

DOM mutations



Style Calculations



\$500

Daily Double

# RENDERING JEOPARDY

## Things that makes layout slow

DOM mutations



Style Calculations



Layout Thrashing



Daily Double

# RENDERING JEOPARDY

## Things that makes layout slow

DOM mutations



Style Calculations



Layout Thrashing



Rendering all the things



# RENDERING JEOPARDY

**500 Dogs  
1068 DOM Nodes  
8 Visible**



# RENDER LESS!





# HOW TO: RENDER LESS

- Rendering the viewport area only
- Minimize style calculations
- Avoiding layout thrashing

# **VIRTUALIZED RENDERING**

**react-window / react-virtualized**





**2700 Dogs  
377 DOM Nodes  
15 Visible**



2100 Dogs  
1652 DOM Nodes  
30 Visible



Render less things, fewer times  
Avoid layout thrashing  
Test low-end devices

# **THANKS FOR LISTENING!**

## **YOU MIGHT ALSO BE INTERESTED IN:**

- [React Performance Tools](#)
  - [CSS Triggers](#)
  - [Avoid Large Complex Layouts & Layout Thrashing...](#)
- 

**FOR MORE PICTURES OF DOGS FOLLOW  
@COLETURNER ON TWITTER**