TABLE-37 HOUSING UNITS BY TENURE, KITCHEN, BATHROOM, LATRINE FACILITIES AND RURAL/URBAN

NOUSING FACULTIES NASIRASAD DISTRICT NASIRASA	HOUSING FACILITIES	HOUSING UNIT BY OWNERSHIP					
NASIRABAD DISTRICT ALL LOCALITIES National Color	HOUSING FACILITIES	OWNED	RENTED	RENT-FREE	TOTAL	PERCENT	
Name	1			4	5	6	
KITCHEN SEPARATE							
SEPARATE	KITOLIEN	ALL	LOCALITIES				
SHARED 11,479		1/ 007	002	2.044	17 022	27.90	
NONE 18,684 710 12,183 31,577 49.11				•			
BATHROOM SEPARATE							
SEPARATE		10,004	710	12,100	01,077	43.11	
SHARED 12,569 657 2,925 16,151 25,12 NONE 15,582 456 12,256 28,294 40,00 LATRINE CONNECTED WITH SEWERAGE 1,646 213 118 1,977 3,03 CONNECTED WITH SEPTIC TANK 1,971 75 159 2,205 3,43 CONNECTED WITH OPEN DRAIN 4,093 183 1,498 5,774 8,98 PIT WITH SLAB 16,567 1,250 2,376 20,193 3,43 CONNECTED WITH OPEN DRAIN 4,093 396 9,104 23,709 36,87 TOTAL : 45,060 2,240 17,002 64,302 306,87 700,102 64,302 306,87 700,102 64,302 306,87 700,102 64,302 306,87 700,102 64,302 306,87 700,102 64,302 307,903 36,87 700,102 64,302 307,903 36,87 700,102 64,302 307,903 36,87 700,102 64,302 20,709 30,803		16.909	1.127	1.821	19.857	30.88	
NONE		,					
CONNECTED WITH SEWERAGE 1,646 213 118 1,977 3.07 CONNECTED WITH SEPTIC TANK 1,971 75 159 2,205 3.43 CONNECTED WITH OPEN DRAIN 4,093 183 1,488 5,774 8.98 8,98 PIT WITH SLAB 16,567 1,250 2,376 20,193 31,40 CTHER 6,574 123 3,747 10,444 16,24 NONE 14,209 396 9,104 23,709 36.87 TOTAL 45,060 2,240 17,002 64,302 PERCENT 70.08 RURAL WITCHEN TOTAL 10,845 105 1,931 12,881 24,92 SHARED 7,935 107 2,654 10,696 20,69 NONE 15,865 231 12,015 28,111 54,39 SHARED 7,935 107 2,654 10,696 20,69 NONE 15,865 231 12,015 28,111 54,39 SHARED 8,144 91 2,774 11,009 21,30 NONE 14,213 232 12,129 26,574 51,41 LATRINE CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2,40 CONNECTED WITH SEPTIC TANK 1,501 17 1144 1,662 3,22 CONNECTED WITH OPEN DRAIN 3,355 36 1,465 4,856 9,39 PIT WITH SLAB 9,209 57 2,157 11,423 22,10 CTHER 6,266 93 3,715 10,074 19,49 NONE 13,200 210 9,021 22,431 43,40 TOTAL 1,501 17 1144 1,602 32,20 CONNECTED WITH OPEN DRAIN 3,355 36 1,465 4,856 9,39 PIT WITH SLAB 9,209 57 2,157 11,423 22,10 CTHER 6,266 93 3,715 10,074 19,49 NONE 13,200 210 9,021 22,431 43,40 TOTAL 1,501 17 144 1,609 32,47 NONE 13,200 210 9,021 22,431 43,40 TOTAL 1,501 1,704 1,499 1,405 1	NONE		456			44.00	
CONNECTED WITH SEPTIC TANK 1,911 75 159 2,205 3.43 CONNECTED WITH OPEN DRAIN 4,093 183 1,498 5,774 8,98 PIT WITH SLAB 16,567 1,250 2,376 20,193 31,40 OTHER 6,574 123 3,747 10,444 16,24 NONE 45,060 2,240 17,002 64,302 FERCENT: 70,08 3,48 26,44 10 FERCENT: 70,08 3,43 26,44 10 FERCENT: 70,08 3,43 26,44 10 24,92 SHARED 10,545 107 1,697 14,105 27,29 24,92 SHARED 1,421 22,8 20 1,697 14,105<	LATRINE						
CONNECTED WITH OPEN DRAIN 4,093 183 1,498 5,774 8,98 PIT WITH SLAB 16,567 1,250 2,376 20,193 31,40 OTHER 6,574 123 3,747 10,444 16,24 NONE 14,209 396 9,104 23,709 36,87 TOTAL: 45,060 2,240 17,002 64,302 76,88 PERCENT: 70,08 80,48 26,44 100 2,664 1,696 20,69 KITCHEN SEPARATE 10,845 105 1,931 12,881 24,92 2,840 20,69 80,69 80,69 80,69 80,69 20,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 20,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69 80,69	CONNECTED WITH SEWERAGE		213			3.07	
PIT WITH SLAB 16,567 1,250 2,376 20,193 31,40 OTHER 6,574 123 3,747 10,444 16,24 NONE 14,209 336 9,104 23,709 36,87 TOTAL: 45,060 2,240 17,002 64,302 RURAL KITCHEN SEPARATE 10,845 105 1,931 12,881 24.92 SHARED 7,935 107 2,654 10,696 20.69 NONE 15,865 231 12,015 28,111 54.39 BATHROOM 52,848 120 1,697 14,105 27.29 SHARED 8,144 91 2,774 11,009 21,30 NONE 12,288 120 1,697 14,105 27.29 SHARED 8,144 91 2,774 11,009 21.30 NONE 12,288 120 1,697 14,105 27.29 SHARED 3							
OTHER 6,574 123 3,747 10,444 16,24 NONE 14,209 336 9,104 23,709 36.87 TOTAL: 45,060 2,240 17,002 64,302 PERCENT: 70.08 3,48 26,44 100 RURAL KITCHEN SEPARATE 10,845 105 1,931 12,881 24,92 SHARED 7,935 107 2,654 10,696 20,69 NONE 15,865 231 12,015 28,111 54,39 BATHROOM 15,865 231 12,015 28,111 54,39 SHARED 8,144 91 2,774 11,009 21,30 NONE 14,213 232 12,129 26,574 51,41 LATRINE CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2,40 CONNECTED WITH SEPTIC TANK 1,501 17 144 1,662 3,22 CONNECTED WITH SEPTIC TANK							
NONE							
TOTAL: 45,060 2,240 17,002 64,302 PERCENT: 70.08 3.48 26.44 100 KITCHEN KITCHEN SEPARATE 10,845 105 1,931 12,881 24,92 SHARED 7,935 107 2,654 10,696 20.69 NONE 15,865 231 12,015 28,111 54.39 BATHROOM SEPARATE 12,288 120 1,697 14,105 27.29 SHARED 8,144 91 2,774 11,009 21,30 SHARED 8,144 91 2,774 11,009 21,30 NONE 14,213 232 12,129 26,574 51,41 LATRINE CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2,40 CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2,40 CO				,	,		
PERCENT: 70.08 3.48 26.44 10√ KITCHEN RURAL FURAL SEPARATE 10,845 105 1,931 12,881 24.92 SHARED 7,935 107 2,654 10,696 20.69 NONE 15,865 231 12,015 28,111 54.39 BATHROOM 81,444 91 2,774 11,009 21,30 NONE 14,213 232 12,129 26,574 51,41 SHARED 8,144 91 2,774 11,009 21,30 NONE 14,213 232 12,129 26,574 51,41 LATRINE 1 30 98 1,242 2,40 CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2,40 CONNECTED WITH SEPTIC TANK 1,501 17 144 1,662 3,22 CONNECTED WITH SEPTIC TANK 1,501 17 144 1,662 3,22 CONNECTED WITH SEPTIC TANK 1,501 <td></td> <td></td> <td></td> <td>-, -</td> <td></td> <td>36.87</td>				-, -		36.87	
Name							
KITCHEN KITCHEN SEPARATE 10,845 105 1,931 12,881 24,92 SHARED 7,935 107 2,654 10,696 20.69 NONE 15,865 231 12,015 28,111 54,39 BATHROOM SEPARATE 12,288 120 1,697 14,105 27,29 SHARED 8,144 91 2,774 11,009 21,30 NONE 14,213 232 12,129 26,574 51,41 LATRINE CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2,40 CONNECTED WITH SEPTIC TANK 1,501 17 144 1,662 3,22 CONNECTED WITH OPEN DRAIN 3,355 36 1,465 4,856 9,39 PIT WITH SLAB 9,209 57 2,157 11,423 22,10 OTHER 6,266 93 3,715 10,074 19,49 NONE 13,200 210 9,021 22,431 <t< td=""><td>PERCENT:</td><td>70.08</td><td></td><td>26.44</td><td>100</td><td></td></t<>	PERCENT:	70.08		26.44	100		
SEPARATE	KITCHEN		RURAL				
SHARED 7,935 107 2,654 10,696 20.69 NONE 15,865 231 12,015 28,111 54.39 BATHROOM SEPARATE 12,288 120 1,697 14,105 27.29 SHARED 8,144 91 2,774 11,009 21,30 NONE 14,213 232 12,129 26,574 51,41 LATRINE CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2,40 CONNECTED WITH SEPTIC TANK 1,501 17 144 1,662 3,22 CONNECTED WITH OPEN DRAIN 3,355 36 1,465 4,856 9,39 PIT WITH SLAB 9,209 57 2,157 11,423 22,10 OTHER 6,266 93 3,715 10,074 19,49 NONE 13,200 210 9,021 22,431 43,40 TOTAL: 67.03 20 87 113 5,052 40.05		10 845	105	1 031	12 881	24 92	
NONE 15,865 231 12,015 28,111 54,39 BATHROOM SEPARATE 12,288 120 1,697 14,105 27,29 SHARED 8,144 91 2,774 11,009 21,30 NONE 14,213 232 12,129 26,574 51,41 LATRINE CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2,40 CONNECTED WITH SEPTIC TANK 1,501 17 144 1,662 3,22 CONNECTED WITH OPEN DRAIN 3,355 36 1,465 4,856 9,39 PIT WITH SLAB 9,209 57 2,157 11,423 22,10 OTHER 6,266 93 3,715 10,074 19,49 NONE 13,200 210 9,021 22,431 43,40 TOTAL: 67.03 20 210 9,021 22,431 43,40 TOTAL: 4,052 887 113 5,052 40.05 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td></th<>							
BATHROOM SEPARATE 12,288 120 1,697 14,105 27.29 SHARED 8,144 91 2,774 11,009 21,30 NONE 14,213 232 12,129 26,574 51,41 LATRINE T 2000 20,574 51,41 CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2,40 CONNECTED WITH SEPTIC TANK 1,501 17 144 1,662 3,22 CONNECTED WITH OPEN DRAIN 3,355 36 1,465 4,856 9,39 PIT WITH SLAB 9,209 57 2,157 11,423 22.10 OTHER 6,266 93 3,715 10,074 19,49 NONE 13,200 210 9,021 22,431 43,40 TOTAL: 34,645 443 16,600 51,688 PERCENT: 67.03 0.86 32,12 100 KITCHEN 20 1,009 13,4 43,1		-					
SEPARATE 12,288 120 1,697 14,105 27.29 SHARED 8,144 91 2,774 11,009 21.30 NONE 14,213 232 12,129 26,574 51.41 LATRINE CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2.40 CONNECTED WITH SEPTIC TANK 1,501 17 144 1,662 3.22 CONNECTED WITH OPEN DRAIN 3,355 36 1,465 4,856 9.39 PIT WITH SLAB 9,209 57 2,157 11,423 22.10 OTHER 6,266 93 3,715 10,074 19.49 NONE 13,200 210 9,021 22,431 43.40 TOTAL : 34,645 443 16,600 51,688 PERCENT : 67.03 0.86 32.12 100 VIRBAN SEPARATE 4,052 887 113 5,052 40.05 SHARED 3,544 431 121 4,096 32.47 NONE 2,819 479 168 3,466 27.48 BATHROOM SEPARATE 4,621 1,007 124 5,752 45.60 SHARED 4,425 566 151 5,142 40.76 NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 308 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL : 10,415 1,797 402 12,614		10,000	201	12,010	20,111	01.00	
SHARED State		12,288	120	1,697	14,105	27.29	
LATRINE CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2.40 CONNECTED WITH SEPTIC TANK 1,501 17 144 1,662 3.22 CONNECTED WITH OPEN DRAIN 3,355 36 1,465 4,856 9.39 PIT WITH SLAB 9,209 57 2,157 11,423 22.10 OTHER 6,266 93 3,715 10,074 19,49 NONE 13,200 210 9,021 22,431 43.40 TOTAL: 34,645 443 16,600 51,688 PERCENT: 67.03 0.86 32.12 100 WIBAN SEPARATE 4,052 887 113 5,052 40.05 SHARED 3,544 431 121 4,096 32.47 NONE 2,819 479 168 3,466 27.48 BATHROOM SEPARATE 4,621 1,007 124	SHARED	,					
CONNECTED WITH SEWERAGE 1,114 30 98 1,242 2.40 CONNECTED WITH SEPTIC TANK 1,501 17 144 1,662 3.22 CONNECTED WITH OPEN DRAIN 3,355 36 1,465 4,856 9.39 PIT WITH SLAB 9,209 57 2,157 11,423 22.10 OTHER 6,266 93 3,715 10,074 19.49 NONE 13,200 210 9,021 22,431 43.40 TOTAL: 34,645 443 16,600 51,688 PERCENT: 67.03 0.86 32.12 100 URBAN KITCHEN SEPARATE 4,052 887 113 5,052 40.05 SHARED 3,544 431 121 4,096 32.47 NONE 2,819 479 168 3,466 27.48 BATHROOM SEPARATE 4,621 1,007 124 5,752 <td>NONE</td> <td>14,213</td> <td>232</td> <td>12,129</td> <td>26,574</td> <td>51.41</td>	NONE	14,213	232	12,129	26,574	51.41	
CONNECTED WITH SEPTIC TANK 1,501 17 144 1,662 3.22 CONNECTED WITH OPEN DRAIN 3,355 36 1,465 4,856 9.39 PIT WITH SLAB 9,209 57 2,157 11,423 22.10 OTHER 6,266 93 3,715 10,074 19.49 NONE 13,200 210 9,021 22,431 43.40 TOTAL: 34,645 443 16,600 51,688 PERCENT: 67.03 0.86 32.12 100 URBAN KITCHEN SEPARATE 4,052 887 113 5,052 40.05 SHARED 3,544 431 121 4,096 32.47 NONE 2,819 479 168 3,466 27.48 BATHROOM SEPARATE 4,621 1,007 124 5,752 45.60 SHARED 4,425 566 151 5,142 40.76	LATRINE						
CONNECTED WITH OPEN DRAIN PIT WITH SLAB PIT WITH SLAB POUNTER		1,114	30	98			
PIT WITH SLAB							
OTHER 6,266 93 3,715 10,074 19.49 NONE 13,200 210 9,021 22,431 43.40 TOTAL: 34,645 443 16,600 51,688 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 75,788 <th< td=""><td></td><td></td><td></td><td>•</td><td></td><td></td></th<>				•			
NONE 13,200 210 9,021 22,431 43.40 TOTAL: 34,645 443 16,600 51,688 PERCENT: 67.03 0.86 32.12 100 URBAN KITCHEN SEPARATE 4,052 887 113 5,052 40.05 SHARED 3,544 431 121 4,096 32.47 NONE 2,819 479 168 3,466 27.48 BATHROOM SEPARATE 4,621 1,007 124 5,752 45.60 SHARED 4,425 566 151 5,142 40.76 NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 735 1,193 219 8,770							
TOTAL : 34,645 443 16,600 51,688 PERCENT : 67.03 0.86 32.12 100 URBAN KITCHEN SEPARATE 4,052 887 113 5,052 40.05 SHARED 3,544 431 121 4,096 32.47 NONE 2,819 479 168 3,466 27.48 BATHROOM SEPARATE 4,621 1,007 124 5,752 45.60 SHARED 4,425 566 151 5,142 40.76 NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 <td></td> <td></td> <td></td> <td>•</td> <td></td> <td></td>				•			
PERCENT: 67.03 0.86 32.12 100 KITCHEN SEPARATE 4,052 887 113 5,052 40.05 SHARED 3,544 431 121 4,096 32.47 NONE 2,819 479 168 3,466 27.48 BATHROOM 2 887 124 5,752 45.60 SHARED 4,621 1,007 124 5,752 45.60 SHARED 4,425 566 151 5,142 40.76 NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308						43.40	
URBAN KITCHEN SEPARATE 4,052 887 113 5,052 40.05 SHARED 3,544 431 121 4,096 32.47 NONE 2,819 479 168 3,466 27.48 BATHROOM SEPARATE 4,621 1,007 124 5,752 45.60 SHARED 4,425 566 151 5,142 40.76 NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402							
KITCHEN SEPARATE 4,052 887 113 5,052 40.05 SHARED 3,544 431 121 4,096 32.47 NONE 2,819 479 168 3,466 27.48 BATHROOM SEPARATE 4,621 1,007 124 5,752 45.60 SHARED 4,425 566 151 5,142 40.76 NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614 <td>PERCENT:</td> <td>67.03</td> <td></td> <td>32.12</td> <td>100</td> <td></td>	PERCENT:	67.03		32.12	100		
SEPARATE 4,052 887 113 5,052 40.05 SHARED 3,544 431 121 4,096 32.47 NONE 2,819 479 168 3,466 27.48 BATHROOM SEPARATE 4,621 1,007 124 5,752 45.60 SHARED 4,425 566 151 5,142 40.76 NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614	KITCHEN		UKBAN				
SHARED 3,544 431 121 4,096 32.47 NONE 2,819 479 168 3,466 27.48 BATHROOM SEPARATE 4,621 1,007 124 5,752 45.60 SHARED 4,425 566 151 5,142 40.76 NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614		4 052	887	113	5 052	40.05	
NONE 2,819 479 168 3,466 27.48 BATHROOM SEPARATE 4,621 1,007 124 5,752 45.60 SHARED 4,425 566 151 5,142 40.76 NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614							
BATHROOM SEPARATE 4,621 1,007 124 5,752 45.60 SHARED 4,425 566 151 5,142 40.76 NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614							
SHARED 4,425 566 151 5,142 40.76 NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614		,			-,		
NONE 1,369 224 127 1,720 13.64 LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614	SEPARATE	4,621	1,007	124	5,752	45.60	
LATRINE CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614	SHARED	4,425	566	151	5,142	40.76	
CONNECTED WITH SEWERAGE 532 183 20 735 5.83 CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614	NONE	1,369	224	127	1,720	13.64	
CONNECTED WITH SEPTIC TANK 470 58 15 543 4.30 CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614							
CONNECTED WITH OPEN DRAIN 738 147 33 918 7.28 PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614							
PIT WITH SLAB 7,358 1,193 219 8,770 69.53 OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614							
OTHER 308 30 32 370 2.93 NONE 1,009 186 83 1,278 10.13 TOTAL: 10,415 1,797 402 12,614							
NONE 1,009 186 83 1,278 10.13 TOTAL : 10,415 1,797 402 12,614							
TOTAL : 10,415 1,797 402 12,614							
						10.13	
1 ENGLIST 14.20 3.19 100							
	. LIVELITI .	02.01	14.23	5.19	.00		