TABLE-37 HOUSING UNITS BY TENURE, KITCHEN, BATHROOM, LATRINE FACILITIES AND RURAL/URBAN

NUSING FACILITIES 1		ITS BY TENURE, KITCHEN, BATHROOM, LATRINE FACILITIES AND RURAL/URBAN HOUSING UNIT BY OWNERSHIP				
ALL LOCALITIES	HOUSING FACILITIES	OWNED				PERCENT
SEPARATE	1					
SEPARATE						
SEPARATE 46.862 1.243 331 48.436 67.6 SHARED 18.114 564 148 18.266 26.6 NONE 4.553 217 145 4.945 6.6 SATHROOM	· · · · · · · · · · · · · · · · · · ·					
SHARED		40,000	4.040	224	40.400	67.00
NONE		-,	,		·	
BATHROOM SEPARATE						6.85
SEPARATE		4,303	211	143	4,943	0.03
SHARED		47 454	1 364	327	49 145	68.06
NONE LATRINE CONNECTED WITH SEWERAGE 4,841 93 16 4,950 6.8 CONNECTED WITH SEPTIC TANK 14,765 76 61 14,213 51,118 110,206 211,000 211,0		· ·	·		,	22.56
LATRINE CONNECTED WITH SEWERAGE		· ·				9.38
CONNECTED WITH SEPTIC TANK CONNECTED WITH OPEN DRAIN 4,076 76 61 61 4,213 51,612 PIT WITH SLAB 27,642 1,183 220 29,045 40,0 OTHER 6,379 172 49 6,600 91 NONE 11,866 165 162 12,193 168, TOTAL: 69,569 2,024 624 72,207 11 PERCENT: 96,33 2,80 0,86 100 RURAL KITCHEN SEPARATE 43,825 774 309 44,908 67: SHARED 16,873 287 133 17,293 25,8 NONE 14,590 262 125 14,977 22.3 NONE SEPARATE 44,222 810 312 45,344 67: SHARED 14,590 262 125 14,977 22.3 NONE CONNECTED WITH SEWERAGE 4,410 59 121 CONNECTED WITH DPEN DRAIN 3,983 60 60 4,103 6: CONNECTED WITH DPEN DRAIN 11,835 14,99 155 12,139 158 1774 158 1777 158 1777 158 1777 158 1777 158 1777 178 178 178 178 178 178 178 178 1		.,			-,	
CONNECTED WITH OPEN DRAIN 4,076 76 61 4,213 5.5	CONNECTED WITH SEWERAGE	4,841	93	16	4,950	6.86
PIT WITH SLAB	CONNECTED WITH SEPTIC TANK	14,755	335	116	15,206	21.06
CTHER	CONNECTED WITH OPEN DRAIN	· ·		61	·	5.83
NONE		· ·			·	40.22
TOTAL					·	9.14
PERCENT: 96.33 2.80 0.86 100 RURAL						16.89
RURAL KITCHEN SEPARATE		•				100
Name		96.33	2.80	0.86	100	
SEPARATE	· · · · · · · · · · · · · · · · · · ·					
SHARED 16,873 287 133 17,293 25,88 NONE 4,437 147 135 4,719 7.0 SEPARATE 44,222 810 312 45,344 67,7 SHARED 14,590 262 125 14,977 22,3 NONE 6,323 136 140 6,599 9,8 LATRINE		12 925	774	300	44.008	67 11
NONE 4,437 147 135 4,719 7.0		,			,	25.84
BATHROOM SEPARATE		· ·			·	7.05
SEPARATE 44,222 810 312 45,344 67.3 SHARED 14,590 262 125 14,977 22.3 NONE 6,323 136 140 6,599 9.8 LATRINE CONNECTED WITH SEWERAGE 4,410 59 12 4,481 6.7 CONNECTED WITH SEPTIC TANK 14,449 296 116 14,881 22.0 CONNECTED WITH OPEN DRAIN 3,983 60 60 4,103 6.7 CONNECTED WITH SEMERAGE 24,805 601 203 25,609 38.3 OTHER 5,653 43 31 5,727 8.3 ONE 11,835 149 155 12,139 18.3 TOTAL: 65,135 1,208 577 66,920 10 PERCENT: 97.33 1.81 0.86 100 10 226 4.2 SEPARATE 3,037 469 22 3,528 66.7 SHARED 1,241		4,401	177	100	4,710	7.00
SHARED 14,590 262 125 14,977 22.3		44.222	810	312	45.344	67.76
LATRINE CONNECTED WITH SEWERAGE 4,410 59 12 4,481 6.3 CONNECTED WITH SEPTIC TANK 14,449 296 116 14,861 22.3 CONNECTED WITH OPEN DRAIN 3,983 60 60 4,103 6.3 PIT WITH SLAB 24,805 601 203 25,609 38.3 OTHER 5,653 43 31 5,727 8.5 NONE 11,835 149 155 12,139 18.3 TOTAL: 65,135 1,208 577 66,920 11. TOTAL: 97,33 1.81 0.86 100 URBAN KITCHEN SEPARATE 3,037 469 22 3,528 66.3 SHARED 1,241 277 15 1,533 29.0 NONE 146 70 10 226 4.3 BATHROOM SEPARATE 3,232 554 15 3,801 71. SHARED 1,077 213 21 1,311 24.5 SHARED 1,077 213 21 1,311 24.5 NONE 115 49 11 175 3.3 LATRINE CONNECTED WITH SEWERAGE 431 34 4 469 8.5 CONNECTED WITH SEWERAGE 431 34 4 469 8.5 CONNECTED WITH SEWERAGE 431 34 4 469 8.5 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.5 CONNECTED WITH SEPTIC TANK 306 30 - 345 6.5 CONNECTED WITH SEPTIC TANK 306 50 - 345 6.5 CONNECTED WITH SEPTIC TANK 306 50 - 345 6.5					·	22.38
CONNECTED WITH SEWERAGE 4,410 59 12 4,481 6.7 CONNECTED WITH SEPTIC TANK 14,449 296 116 14,861 22.2 CONNECTED WITH OPEN DRAIN 3,983 60 60 4,103 6.5 PIT WITH SLAB 24,805 601 203 25,609 38.3 OTHER 5,653 43 31 5,727 8.5 NONE 11,835 149 155 12,139 18.7 TOTAL: 65,135 1,208 577 66,920 10 PERCENT: 97.33 1.81 0.86 100 URBAN KITCHEN 5 15 1,503 29.0 SEPARATE 3,037 469 22 3,528 66.5 SHARED 1,241 277 15 1,533 29.0 NONE 146 70 10 226 4.2 SHARED 1,077 213 21 1,311 248 NONE <th>NONE</th> <th>· ·</th> <th>136</th> <th>140</th> <th>·</th> <th>9.86</th>	NONE	· ·	136	140	·	9.86
CONNECTED WITH SEPTIC TANK 14,449 296 116 14,861 22.2 CONNECTED WITH OPEN DRAIN 3,983 60 60 4,103 6.2 PIT WITH SLAB 24,805 601 203 25,609 38.2 OTHER 5,653 43 31 5,727 8.5 NONE 11,835 149 155 12,139 18.7 TOTAL: 65,135 1,208 577 66,920 10 PERCENT: 97.33 1.81 0.86 100 URBAN KITCHEN 8 577 66,920 11 SEPARATE 3,037 469 22 3,528 66.3 SHARED 1,241 277 15 1,533 29.0 NONE 146 70 10 226 4.2 BATHROOM 3 3,232 554 15 3,801 71.8 SHARED 1,077 213 21 1,311 24.8 N	LATRINE					
CONNECTED WITH OPEN DRAIN 3,983 60 60 4,103 6.7 PIT WITH SLAB 24,805 601 203 25,609 38.2 OTHER 5,653 43 31 5,727 8.8 NONE 11,835 149 155 12,139 18.6 TOTAL: 65,135 1,208 577 66,920 10 PERCENT: 97.33 1.81 0.86 100 URBAN KITCHEN 8 1.208 577 66,920 10 URBAN KITCHEN 97.33 1.81 0.86 100 10 URBAN KITCHEN 97.33 1.81 0.86 100 10 20 66,20 10 URBAN KITCHEN 300 469 22 3,528 66.3 66.3 66.3 66.3 66.3 66.3 66.3 66.3 66.3 66.3 66.3 66.3 70.2 10 226 4.2 4.2 4.2 8.8 8.2 11	CONNECTED WITH SEWERAGE	4,410	59	12	4,481	6.70
PIT WITH SLAB 24,805 601 203 25,609 38.2 OTHER 5,653 43 31 5,727 8.5 NONE 11,835 149 155 12,139 18.7 TOTAL: 65,135 1,208 577 66,920 10 PERCENT: 97.33 1.81 0.86 100 URBAN KITCHEN KITCHEN SEPARATE 3,037 469 22 3,528 66.3 SHARED 1,241 277 15 1,533 29.0 NONE 146 70 10 226 4.2 BATHROOM SEPARATE 3,232 554 15 3,801 71.8 SHARED 1,077 213 21 1,311 24.6 SHARED 1,077 213 21 1,311 24.6 NONE 115 49 11 175 3.3 CONNECTED WITH SEWERAGE 431 34<	CONNECTED WITH SEPTIC TANK	· ·	296	116	·	22.21
OTHER 5,653 43 31 5,727 8.5 NONE 11,835 149 155 12,139 18.7 TOTAL: 65,135 1,208 577 66,920 10 PERCENT: 97.33 1.81 0.86 100 URBAN KITCHEN SEPARATE 3,037 469 22 3,528 66.3 SHARED 1,241 277 15 1,533 29.0 BATHROOM 146 70 10 226 4.2 SEPARATE 3,232 554 15 3,801 71.8 SHARED 1,077 213 21 1,311 24.8 CONNECTED WITH SEWERAGE 431 34 4 469 8.8 CONNECT		· ·			·	6.13
NONE 11,835 149 155 12,139 18.7 TOTAL: 65,135 1,208 577 66,920 10 PERCENT: 97.33 1.81 0.86 100 URBAN KITCHEN SEPARATE 3,037 469 22 3,528 66.7 SHARED 1,241 277 15 1,533 29.0 NONE 146 70 10 226 4.2 BATHROOM SEPARATE 3,232 554 15 3,801 71.8 SHARED 1,077 213 21 1,311 24.8 NONE 115 49 11 175 3.3 LATRINE CONNECTED WITH SEWERAGE 431 34 4 469 8.8 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.8 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.8 CONNECTED WITH SLAB 2,837 582 17 3,436 64.8 NONE 31 16 7 5,487 16.8 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10		· ·			·	38.27
TOTAL : 65,135 1,208 577 66,920 100 PERCENT : 97.33 1.81 0.86 100 URBAN KITCHEN 8 1.81 0.86 100 SEPARATE 3,037 469 22 3,528 66.3 SHARED 1,241 277 15 1,533 29.0 NONE 146 70 10 226 4.2 BATHROOM 226 4.2 4.2 4.2 SHARED 1,077 213 21 1,311 24.8 LATRINE 2 6.9 1 1,55 3.3 3.8 CONNECTED WITH SEWERAGE 431 34 4		· ·			·	8.56
PERCENT: 97.33 1.81 0.86 100 URBAN KITCHEN SEPARATE 3,037 469 22 3,528 66.5 SHARED 1,241 277 15 1,533 29.0 NONE 146 70 10 226 4.2 BATHROOM SEPARATE 3,232 554 15 3,801 71.8 SHARED 1,077 213 21 1,311 24.8 NONE 115 49 11 175 3.3 LATRINE CONNECTED WITH SEWERAGE 431 34 4 469 8.8 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.5 CONNECTED WITH OPEN DRAIN 93 16 1 110 2.0 PIT WITH SLAB 2,837 582 17 3,436 64.5 OTHER 726 129 18 873 16.5 NONE		· ·			·	18.14 100
URBAN KITCHEN SEPARATE 3,037 469 22 3,528 66.7 SHARED 1,241 277 15 1,533 29.0 NONE 146 70 10 226 4.2 BATHROOM SEPARATE 3,232 554 15 3,801 71.8 SHARED 1,077 213 21 1,311 24.8 NONE 115 49 11 175 3.3 LATRINE CONNECTED WITH SEWERAGE 431 34 4 469 8.8 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.5 CONNECTED WITH OPEN DRAIN 93 16 1 110 2.0 PIT WITH SLAB 2,837 582 17 3,436 64.9 OTHER 726 129 18 873 16.5 NONE 31 16 7 54 1.5 TOTAL: 4,424 816 47 5,287 10		•	•		•	100
Name	. =	91.55	1.01	0.00	100	
SEPARATE 3,037 469 22 3,528 66.7 SHARED 1,241 277 15 1,533 29.0 NONE 146 70 10 226 4.2 BATHROOM SEPARATE 3,232 554 15 3,801 71.6 SHARED 1,077 213 21 1,311 24.6 NONE 115 49 11 175 3.3 LATRINE CONNECTED WITH SEWERAGE 431 34 4 469 8.8 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.5 CONNECTED WITH OPEN DRAIN 93 16 1 110 2.0 PIT WITH SLAB 2,837 582 17 3,436 64.5 OTHER 726 129 18 873 16.5 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10						
SHARED 1,241 277 15 1,533 29.0 NONE 146 70 10 226 4.2 BATHROOM SEPARATE 3,232 554 15 3,801 71.6 SHARED 1,077 213 21 1,311 24.6 NONE 115 49 11 175 3.3 LATRINE CONNECTED WITH SEWERAGE 431 34 4 469 8.6 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.5 CONNECTED WITH OPEN DRAIN 93 16 1 110 2.0 PIT WITH SLAB 2,837 582 17 3,436 64.5 OTHER 726 129 18 873 16.5 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10		3,037	469	22	3,528	66.73
NONE 146 70 10 226 4.2 BATHROOM SEPARATE 3,232 554 15 3,801 71.8 SHARED 1,077 213 21 1,311 24.8 NONE 115 49 11 175 3.3 LATRINE CONNECTED WITH SEWERAGE 431 34 4 469 8.8 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.8 CONNECTED WITH OPEN DRAIN 93 16 1 110 2.0 PIT WITH SLAB 2,837 582 17 3,436 64.9 OTHER 726 129 18 873 16.8 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10	SHARED	· ·	277			29.00
SEPARATE 3,232 554 15 3,801 71.8 SHARED 1,077 213 21 1,311 24.8 NONE 115 49 11 175 3.3 LATRINE CONNECTED WITH SEWERAGE 431 34 4 469 8.8 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.8 CONNECTED WITH OPEN DRAIN 93 16 1 110 2.0 PIT WITH SLAB 2,837 582 17 3,436 64.9 OTHER 726 129 18 873 16.8 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10	NONE		70	10	226	4.27
SHARED 1,077 213 21 1,311 24.8 NONE 115 49 11 175 3.3 LATRINE CONNECTED WITH SEWERAGE 431 34 4 469 8.8 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.8 CONNECTED WITH OPEN DRAIN 93 16 1 110 2.0 PIT WITH SLAB 2,837 582 17 3,436 64.9 OTHER 726 129 18 873 16.5 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10	BATHROOM					
NONE 115 49 11 175 3.3 LATRINE CONNECTED WITH SEWERAGE 431 34 4 469 8.8 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.8 CONNECTED WITH OPEN DRAIN 93 16 1 110 2.0 PIT WITH SLAB 2,837 582 17 3,436 64.9 OTHER 726 129 18 873 16.5 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10	SEPARATE				3,801	71.89
LATRINE CONNECTED WITH SEWERAGE 431 34 4 469 8.8 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.5 CONNECTED WITH OPEN DRAIN 93 16 1 110 2.0 PIT WITH SLAB 2,837 582 17 3,436 64.5 OTHER 726 129 18 873 16.5 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10	SHARED	1,077			1,311	24.80
CONNECTED WITH SEWERAGE 431 34 4 469 8.8 CONNECTED WITH SEPTIC TANK 306 39 - 345 6.5 CONNECTED WITH OPEN DRAIN 93 16 1 110 2.0 PIT WITH SLAB 2,837 582 17 3,436 64.5 OTHER 726 129 18 873 16.5 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10		115	49	11	175	3.31
CONNECTED WITH SEPTIC TANK 306 39 - 345 6.5 CONNECTED WITH OPEN DRAIN 93 16 1 110 2.6 PIT WITH SLAB 2,837 582 17 3,436 64.5 OTHER 726 129 18 873 16.5 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10						
CONNECTED WITH OPEN DRAIN 93 16 1 110 2.0 PIT WITH SLAB 2,837 582 17 3,436 64.5 OTHER 726 129 18 873 16.5 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10				4		8.87
PIT WITH SLAB 2,837 582 17 3,436 64.5 OTHER 726 129 18 873 16.5 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10				-		6.53
OTHER 726 129 18 873 16.5 NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10						2.08
NONE 31 16 7 54 1.0 TOTAL: 4,424 816 47 5,287 10					·	
TOTAL: 4,424 816 47 5,287 10						10.51
						100
						100
		00.00	10.40	0.00	100	