

# Collecting with Collector

## Organizing Water Infrastructure Data for the County of Prince Edward

### Project #2014

MEMBERS: <sup>a</sup>Allan Beldan, <sup>b</sup>Emily Kingdon and <sup>a</sup>Rebecca Sherwin  
[<sup>a</sup> Application Specialist | <sup>b</sup> Cartographic Specialist]

ADVISOR: Paige Wearing | Fleming College Professor

CLIENT: Grant Hopkins | GIS Supervisor

DATE: June 22<sup>nd</sup>, 2020

"This proposal is presented in partial fulfilment of the academic requirements for Geom68, GIS Collaborative Project Planning course, Fleming College."

# **Abstract**

---

Prince Edward County lies in Southern Ontario and has an unreliable form of water infrastructure data collection. The County currently uses paper, screenshots, and emails for updating data which can lead to interpretations and inconsistencies in the data. The client of this project has requested for a fully digital method to enable the water department workers to collect and update water infrastructure data. The client has recommended Collector for ArcGIS as it is used in other departments in the County. The deliverables of this project are documentation on how the client can set up Collector and a worker's user manual. The solution involved publishing the data as a feature service, adding it to a web map in ArcGIS Online and configuring through Collector. As Collector is a mobile app, it is recommended that water department employees update their version of the app regularly as Esri is known to update their products frequently. This configuration of Collector allows the user to easily update/add data with the visual aid of an attractive basemap and intuitive interface.

---

# Table of Contents

<b>Introduction .....</b>	1
Client Information.....	6
Study Area .....	7
Objectives .....	8
Deliverables .....	8
<b>Methodology.....</b>	8
Requirements .....	8
SQL Server.....	10
ArcGIS Server.....	16
ArcGIS Online.....	17
Collector .....	18
<b>Results .....</b>	19
Able to collect data while working outside on Infrastructure Projects .....	19
Optimization of User-interface in Collector .....	20
<b>Conclusion/Recommendations .....</b>	27
Project Summary .....	27
Risk Assessment and Limitations.....	28
Maintenance/Recommendations.....	28
<b>References.....</b>	29
<b>Appendix A .....</b>	30

# List of Figures

Figure 1. A map of Prince Edward County and surrounding area .....	7
Figure 2. A high-level overview of the workflow, from server to Collector .....	9
Figure 3. A diagram of the workflow for entering data into SQL Server .....	10
Figure 4. Title pages of the client (left) and worker (right) documentation .....	19
Figure 5. A screenshot of domains in mock data (left) and how they are displayed in Collector (right) .....	20
Figure 6. Screenshots of popups in ArcGIS Online (above) and in Collector (right).....	21
Figure 7. The symbology of mock and client data used in Collector .....	22
Figure 8. A screenshot of the mock data with symbology applied in ArcGIS Online .....	22
Figure 9. The basemap at 1:200 000 scale, with an inset at 1:50 000.....	24
Figure 10. The basemap at 1:50 000 scale, with an inset at 1:20 000.....	24
Figure 11. The basemap at 1:20 000 scale, with an inset at 1:12 000.....	25
Figure 12. The basemap at 1:12 000 scale, with an inset at 1:8 000.....	25
Figure 13. The basemap at 1:8 000 scale, with an inset at 1:4 000.....	26
Figure 14. A screenshot of symbology in Collector .....	27
Figure 15. A screenshot of a list of features after clicking on a location in Collector.....	27
Figure 16. A screenshot of a list of feature attributes in Collector.....	27
Figure 17. A screenshot of the data collection interface in Collector.....	27

# List of Tables

Table 1. A metadata table for feature classes in client data .....	12
Table 2. A metadata table for feature classes in mock data .....	12
Table 3. A metadata table of the Ontario Road Network data used for generating addresses for mock data .....	13
Table 4. A metadata table for feature classes in the basemap (continued on next page) .....	14

# Abbreviations

ABBREVIATION	DEFINITION
AGOL	ArcGIS Online
QA/QC	Quality Assurance/ Quality Control
HSV	Hue, Saturation and Value
WGS	World Geodetic System
WKID	Well-Known ID
OSM	Open Street Map
FC	Feature Class
SQL	Structure Query Language

# Technology Definitions

NAME	PURPOSE
Collector for ArcGIS	Mobile app used to collect, and update data
SQL Server	Database used for data storage
ArcGIS Server	Server for creating and managing services, applications, and data
ArcGIS Online (AGOL)	Web based platform to create, host and manage web maps.

# Introduction

The county's current form for collecting outdoor data for its water department is through paper, screenshots and emails, which leaves the GIS department constantly struggling to maintain and understand the data they receive. The client, Grant Hopkins, the GIS supervisor for the County, would like to be able to remove paper collection and find a fully digital way of collecting data from the water department. The goal is to develop a tool that is easy to use across a wide spectrum of users and allows in-field crews to update the geodatabase within SQL Server live. The County already uses Collector for ArcGIS for collecting data outside in other departments. However, the Water Department maintains a largely separate system, and thus has been resistant to more closely integrating their systems with the GIS department due to concerns over security, and the need to re-train some employees. This project investigated several alternative apps to Collector, and some did present certain advantages in flexibility, however, the client's preference is that this project maintains an Esri environment for the time being.

## Client Information

Grant Hopkins GISP | GIS Supervisor

Email: [ghopkins@pecounty.on.ca](mailto:ghopkins@pecounty.on.ca)

Phone: (613) 476-2148 ext. 1064

Fax: (613) 471-2050

Office: 332 Main Street, Picton, Ontario

The County of Prince Edward (corporately styled as “The County”) is a small island in southern Ontario, on Lake Ontario (Figure 1). The county holds a population of around 25,000 people and covers approximately 1,050.45 km<sup>2</sup> (The County of Prince Edward, n.d.).


## Study Area

The area of focus was in County’s largest community, Picton, which lies on the eastern shore. This is the location of the municipality office where the client works. It has a population of around 4700 and is 5 km<sup>2</sup> (Statistics Canada, 2017).



Figure 1. A map of Prince Edward County and surrounding area

# Objectives



# Methodology

## Requirements

Data Acquisition and/or Pre-processing

Client Data  
Mock Data  
Basemap Data

Database Design and/or Processing

Formatting Domains and Attachments  
SQL Server

Programming and/or Customization

Data Preparation Python Script  
Reverse Geocoding Python Script  
Popup Customization with Arcade Expressions

Visualization

Basemap  
Symbology of Client and Mock Data

Web Design

ArcGIS Online Popups  
Configuration of Collector for ArcGIS




Figure 2. A high-level overview of the workflow, from server to Collector

# SQL Server




Figure 3. A diagram of the workflow for entering data into SQL Server

## **C**lient Data (Figure 3A)

- Used as data structure template (Table 1)
- Attachments were enabled to allow pictures to be uploaded
- Use was restricted due to security concerns (not for use in final submission or archiving)

## **B**asemap Data (Figure 3C)

- Set multiple scales for zoom capabilities
- Altered symbology at each scale
- Copied and pasted data into SQL Server
- Downloaded data from Open Source websites (*Tables 4*)
- Clipped data to the study area
- Projected data to WGS 1984 Web Mercator Auxiliary Sphere

## **M**ock Data (Figure 3B)

- Created features from Naperville data structure (Table 2)
- Data was processed with a python script to reverse geocode the data, to match the client's data (Data used for address locator in Table 3)
- Copied and pasted data into SQL Server
- Attachments were enabled to allow pictures to be uploaded

Table 1. A metadata table for feature classes in client data

Collaboration #2014 Collecting with Collector Client Data Metadata		Projection and datum are the same through out the features: WGS_1984/Web/Mercator/Auxiliary_Sphere						
File Name	Feature Type	Number of Records	Scale Range	Author	Date of Creation	Date Acquired	Description	Comments
Water system Valves	Point	17	All	G.Hopkins	May 27 2020	May 29 2020		
Water Curb Stop Valves	Point	13	All	G.Hopkins	May 27 2020	May 29 2020		
Water Test Stations	Point	0	All	G.Hopkins	May 27 2020	May 29 2020		
Water Control Valves	Point	0	All	G.Hopkins	May 27 2020	May 29 2020		
Water Abandoned Points	Point	0	All	G.Hopkins	May 27 2020	May 29 2020		
Water Services Connections	Point	2	All	G.Hopkins	May 27 2020	May 29 2020		
Water Network Structures	Point	0	All	G.Hopkins	May 27 2020	May 29 2020		
Water Pumps	Point	0	All	G.Hopkins	May 27 2020	May 29 2020		
Water Hydrants	Point	6	All	G.Hopkins	May 27 2020	May 29 2020		
Water Elevation Points	Point	0	All	G.Hopkins	May 27 2020	May 29 2020		
Water Fittings	Point	23	All	G.Hopkins	May 27 2020	May 29 2020		
Water Sampling Stations	Point	1	All	G.Hopkins	May 27 2020	May 29 2020		
WaterDistribution_Net_1_Junctions	Point	1	All	G.Hopkins	May 27 2020	May 29 2020		
Water Lateral Lines	Line	14	All	G.Hopkins	May 27 2020	May 29 2020		
Water Construction Lines	Line	0	All	G.Hopkins	May 27 2020	May 29 2020		
Water Casings	Line	0	All	G.Hopkins	May 27 2020	May 29 2020		
Water Mains	Line	22	All	G.Hopkins	May 27 2020	May 29 2020		
Water Abandoned Lines	Line	0	All	G.Hopkins	May 27 2020	May 29 2020		
Water Pressure Zones	Polygon	0	All	G.Hopkins	May 27 2020	May 29 2020		
Water Operational Areas	Polygon	0	All	G.Hopkins	May 27 2020	May 29 2020		

Table 2. A metadata table for feature classes in mock data

Collaboration #2014 Collecting with Collector Student Data Metadata		Projection and datum are the same through out the features: WGS_1984/Web/Mercator/Auxiliary_Sphere						
File Name	Feature Type	Number of Records	Scale Range	Author	Date of Creation	Date Acquired	Description	Comments
SystemValve	Point	5	All	R.Sherwin	June 1 2020	May 29 2020	Water System Valve	
CurbStopValves	Point	5	All	A.Beldan	May 28 2020	May 29 2020	Water Curb Stop Valve	
ControlValve	Point	5	All	A.Beldan	May 28 2020	May 29 2020	Water Control Valve	
ServicesConnection	Point	5	All	R.Sherwin	June 1 2020	May 29 2020	Water Service Connection	
NetworkStructure	Point	5	All	E.Kingdon	May 29 2020	May 29 2020	Water Network Structure	
Pump	Point	5	All	R.Sherwin	June 1 2020	May 29 2020	Water Pump	
Hydrant	Point	14	All	E.Kingdon	May 28 2020	May 29 2020	Water Hydrant	
ElevationPt	Point	5	All			May 29 2020	Water Elevation Point	
Fitting	Point	5	All	A.Beldan	May 28 2020	May 29 2020	Water Fitting	
SamplingStation	Point	5	All	R.Sherwin	June 1 2020	May 29 2020	Water Sampling Station	
PictonWaterDistribution_Net_Junctions	Point	42	All			May 29 2020	Water Distribution Net Junction	
LateralLine	Line	12	All	E.Kingdon	May 29 2020	May 29 2020	Water Lateral Line	
Main	Line	10	All	E.Kingdon	May 29 2020	May 29 2020	Water Main	
Casing	Line	5	All	A.Beldan	May 28 2020	May 29 2020	Water Casing	
Structure	Polygon	1	All			May 29 2020	Water Structure	
PressureZone	Polygon	0	All			May 29 2020	Water Pressure Zone	

Table 3. A metadata table of the Ontario Road Network data used for generating addresses for mock data


<b>Collaboration 2014</b>	<i>Scale Range Options:</i> Full extent
<b>Collecting with Collector</b>	
<b>Reverse Geocoding Data</b>	
<i>Projection and datum are the same through out the features:</i>	
WGS_1984/Web/Mercator/Auxiliary_Sphere	
<b>File Name</b>	<b>Ontario_Road_Network__ORN__Segment_With_Address</b>
<b>Actual Name</b>	Ontario_Road_Network__ORN__Segment_With_Address
<b>Feature Type</b>	Line
<b>Number of Records</b>	601623
<b>Scale Range</b>	Full extent
<b>Author</b>	GeoHub
<b>Date of Creation</b>	March 17 2020
<b>Date Acquired</b>	June 5 2020
<b>Description</b>	Data was clipped to Prince Edward County boundaries and projected
<b>Comments</b>	Used only for reference data for creation of address locator

Table 4. A metadata table for feature classes in the basemap (continued on next page)

Collaboration #2014 Collecting with Collector Base Map Metadata (Part 1)		Projection and datum are the same through out the features: WGS_1984_Web_Mercator_Auxiliary_Sphere							
		Scale Ranges: <None> to 1:50000, 1:49999 to 1:20000, 1:19999 to 1:11000, 1:10999 to 1:8000, and 1:7999 to <None>							
Layer Order	File Name	Actual Name	Feature Type	Number	Scale Range	Author	Date of Creation	Date Acquired	Description
1	T1SmaleScale_LabelsAnno	SmallScale_Labels	Point	11	<None> to 1:150000	Emily Kingdon	June 5 2020	June 5 2020	Label markers were created for placing small scale city labels in the desired position at this specific scale to aid in the transition
2	T2SmaleScale_LabelsAnno	SmallScale_Labels	Point	10	1:149999 to 1:100000	Emily Kingdon	June 5 2020	June 5 2020	Label markers were created for placing small scale city labels in the desired position at this specific scale to aid in the transition
3	T3SmaleScale_LabelsAnno	SmallScale_Labels	Point	10	1:99999 to 1:60000	Emily Kingdon	June 5 2020	June 5 2020	Label markers were created for placing small scale city labels in the desired position at this specific scale to aid in the transition
4	T4SmaleScale_LabelsAnno	SmallScale_Labels	Point	10	1:59999 to 1:25000	Emily Kingdon	June 5 2020	June 5 2020	Label markers were created for placing small scale city labels in the desired position at this specific scale to aid in the transition
5	T5SmaleScale_LabelsAnno	SmallScale_Labels	Point	10	1:24999 to 1:15000	Emily Kingdon	June 5 2020	June 5 2020	Label markers were created for placing small scale city labels in the desired position at this specific scale to aid in the transition
6	T1Roads_1_Clip3aAnnoa	Roads_1_Clip	Line	221	1:300000 to 1: 175000	Emily Kingdon	June 5 2020	June 5 2020	Labels created at different scales to only display relavent information
7	T1Roads_1_Clip3bAnnob	Roads_1_Clip	Line	226	1: 174999 to 1:80000	Emily Kingdon	June 5 2020	June 5 2020	Labels created at different scales to only display relavent information
8	T1Roads_1_Clip3cAnnoc	Roads_1_Clip	Line	228	1:79999 to 1:40000	Emily Kingdon	June 5 2020	June 5 2020	Labels created at different scales to only display relavent information
9	T2Roads_1_Clip3Annoa	Roads_1_Clip	Line	393	1:39999 to 1:25000	Emily Kingdon	June 5 2020	June 5 2020	Labels created at different scales to only display relavent information
10	T2Roads_1_Clip3bAnnob	Roads_1_Clip	Line	404	1:24999 to 1:16001	Emily Kingdon	June 5 2020	June 5 2020	Labels created at different scales to only display relavent information

<b>Collaboration #2014</b> <b>Collecting with Collector</b> <b>Base Map Metadata (Part 2)</b>	<i>Projection and datum are the same through out the features: WGS_1984/Web/Mercator/Auxiliary_Sphere</i>								
	<i>Scale Ranges: &lt;None&gt; to 1:50000, 1:49999 to 1:20000, 1:19999 to 1:11000, 1:10999 to 1:8000, and 1:7999 to &lt;None&gt;</i>								
	File Name	Actual Name	Feature Type	Num	Scale Range	Author	Date of Creation	Date Acquired	Description
11	T3Roads_1_Clip3Anno	Roads_1_Clip	Line	382	1:16000 to 1:10000	Emily Kingdon	June 5 2020	June 5 2020	Labels created at different scales to only display relevant information
12	T4Roads_1_Clip3Anno	Roads_1_Clip	Line	2313	1:9999 to 1:8000	Emily Kingdon	June 5 2020	June 5 2020	Labels created at different scales to only display relevant information
13	T5Roads_1_ClipAnno	Roads_1_Clip	Line	4053	1:7999 to <None>	Emily Kingdon	June 5 2020	June 5 2020	Labels created at different scales to only display relevant information
14	Rivers_SM_Clip1	Rivers_SM_Clip1	Line	2093	All Scale Ranges	OSM	n.d.	February 13 2019	Feature is lighter at a small scale and darker at the larger scales
15	Roads_1_Clip3c	Roads_1_Clip	Line	8129	All Scale Ranges	OSM	n.d.	February 13 2020	n/a
16	Parcels1_Project	Parcels1_Project	Polygon	5518	All Scale Ranges	The County of Prince Edward	May, 2010	March 6 2020	Outline where land boundaries are located
17	Picton_Sim	Picton_Sim	Polygon	1	<None> to 1:50000, 1:49999 to 1:20000, and 1:19999 to 1:11000	The County of Prince Edward/ Emily Kingdon	n.d.	March 6 2020	The boundaries of Picton was symbolized as a dashed line with a dark outline and no fill
18	Lakes_smo_Clip	Lakes_smo_Clip	Polygon	575	All Scale Ranges	OSM	n.d.	February 13 2020	Polygon feature symbolized using a light blue colour
19	Landuse_SM_Clip	Landuse_SM_Clip	Polygon	4040	All Scale Ranges	OSM	n.d.	February 13 2020	Different types of landuse symbolized using Categories --> Unique Values
20	Background_1_Clip	Background_1_Clip	Polygon	1	All Scale Ranges	Emily Kingdon	February 13 2020	February 13 2020	Drawn rectangle over study area and converted to a graphic
21	Buildings_1_Clip	Buildings_1_Clip	Polygon	2609	1:10999 to 1:8000, and 1:7999 to <None>	OSM	n.d.	February 13 2020	Building foot prints within the town of picton
22	Picton_Boundary_1	CityLimits_PictonLG	Polygon	1	1:7999 to <None>	The County of Prince Edward	March 22 2020	March 22 2020	The boundaries of Picton was symbolized as a dashed line with a dark outline and no fill

# ArcGIS Server




## C Client Data in SQL Server (Figure 4A)/ M Mock Data in SQL Server (Figure 4B)

- Published to ArcGIS Server as feature service with feature access enabled

## B Basemap Data (Figure 4C)

- Published to ArcGIS Server as a cached map service
- For offline map use *Allow Clients to Export Tiles was* enabled

# ArcGIS Online




## Cli**n**t Data Feature Service (Figure 5A) / M*ock* Data Feature Service (Figure 5B)

- ArcGIS Server REST URL added to ArcGIS online
- Data added to a new web map
- ESRI standard for water infrastructure symbology was applied to data
- Pop-ups configured using arcade expressions to show relevant information

## C*ached* Map Service (Figure 5C)

- ArcGIS Server REST URL added to ArcGIS online
- Map was used as the basemap for the web map

## Collector



## C lient Data Feature Service (Figure 6A)/ M ock Data Feature Service (Figure 6B)

---

- Test synchronization from app to SQL Server
- Client data was not used in final submission or as project archive

# Results

1

## Able to collect data while working outside on Infrastructure Projects

Collector for ArcGIS User Manual for Water Department Workers  
Provided by Collaboration Project #2014  
Written By: Rebecca Sherwin

Note: This user manual is based on Collector for ArcGIS on Android. The interface may differ from iOS

### TABLE OF CONTENTS

Preparing for Offline Editing (Optional) .....	55
The Interface of Collector .....	58
Adding New Data with Collector .....	67
Editing Existing Data with Collector.....	71

1. Collector for ArcGIS requires a login to operate. Sign in with your credentials. Note: Make sure you have an internet connection as logging in cannot be done offline.

### CONFIGURATION OF COLLECTOR WITH SQL SERVER FOR GRANT HOPKINS PROVIDED BY COLLABORATION PROJECT #2014

Written By: Rebecca Sherwin

Note: Documentation assumes that data is already on server; screenshots may differ due to version differences

### TABLE OF CONTENTS

Enabling the use of Attachments in Collector .....	46
Publishing as a Feature Service.....	47
Configuration in ArcGIS Online .....	48
Using a Custom Basemap.....	53

The general structure of our solution is as follows:




Figure 4. Title pages of the client (left) and worker (right) documentation

Documentation for workers was supplied to facilitate a user-friendly experience with Collector, especially for workers who are not familiar with technology (Figure 4). Downloading the configuration of Collector is not possible, so the documentation provided for the client helps fulfill the main objective by instructing the client on how to configure this project's solution with the County's infrastructure (Appendix A)

# 2

## Optimization of User-interface in Collector




Figure 5. A screenshot of domains in mock data (left) and how they are displayed in Collector (right)

The domains provide a user-friendly interface when using Collector by allowing the user to choose from a list of coded values (Figure 5). These options are in the app as dropdown menus. As per the client's needs, dropdowns were implemented to support the water department employees' range of technological skills.





Figure 6. Screenshots of popups in ArcGIS Online (above) and in Collector (right)



The customization of popups in ArcGIS Online displays the information to the user with clarity. The title of the popup has the ID number and the address to aid in locating the feature (Figure 6, top). The Arcade expression tells the user if it has been greater than a year since an inspection. This is seen under the heading *Inspection Required* (Figure 6, right).

The symbology in the web map and in Collector was based on Esri's standard water utility symbology, specifically in ArcMap. This was to ensure that the user was familiar with the symbols and could associate them to the features. Since the symbology available in ArcGIS Online is slightly different than in ArcMap, the closest matching symbols were used (Figures 7 & 8).

## Legend

- System Valve
- Control Valve
- Fitting
- Service Connection
- Network Junctions
- Curb Stop Valve
- Hydrant
- Pump
- + Network Structure
- ▲ Elevation Point
- Sampling Station
- Mains
- Casings
- Lateral Lines

Figure 7. The symbology of mock and client data used in Collector




Figure 8. A screenshot of the mock data with symbology applied in ArcGIS Online




Figure 9. The basemap at 1:200 000 scale, with an inset at 1:50 000



Figure 10. The basemap at 1:50 000 scale, with an inset at 1:20 000




Figure 11. The basemap at 1:20 000 scale, with an inset at 1:12 000





Figure 12. The basemap at 1:12 000 scale, with an inset at 1:8 000



*Figure 13. The basemap at 1:8 000 scale, with an inset at 1:4 000*

The basemap was created to provide a foundation for the County's water department to use in conjunction with Collector. It is in a user-friendly format, that provides the user with the capability to zoom to street level. The colour scheme was based on a typical basic reference map colour scheme. Muted tones were used to avoid distracting the user from the data in Collector. This makes it ideal for large- and small-scale edits of features. Symbology was adjusted at each level to create smooth transitions from one scale to the next by changing the colour, HSV, width/size and shape of the features. Road features were grouped based on Canadian road hierarchy. The symbology was designed to reflect the hierarchy, with express/highway having the largest and darkest lines and on the other end residential, with the lightest and thinnest lines. The pedestrian features were symbolized to be recognizably different from the roads, with a deep red and dotted dashed line. Labels for road features were only created at appropriate scales so that the map was not cluttered.




Figure 14. A screenshot of symbology in Collector

9 Items	
Main (2 Items)	
•	Main (ID 55): 41 BOWERY S...
	Length 133.1 m
•	Main (ID ): 23 ELIZABETH S...
	Length 290.7 m
Lateral Line (1 Item)	
•	Lateral (ID 16): 35 KING ST...
	Length 32.3 m
System Valve (1 Item)	
•	System Valve (ID 888): 49...
	44.007637°N 77.145566°W
Hydrant (1 Item)	
•	Hydrant (ID 14): 17 KING S...

Figure 15. A screenshot of a list of features after clicking on a location in Collector

A screenshot of the Collector app showing the details for a specific feature. At the top, it says "Lateral (ID 16): 35 KING ST..." and "Length 32.3 m". Below this is a list of attributes:

- Facility Identifier: 16
- Install Date: 04/29/1958 08:00 PM
- Material: Cast Iron
- Line Type: Combined
- Location Description: -
- Water Type: Potable

At the bottom is a black navigation bar with three white icons: a pen, a square, and a trash can.

Figure 16. A screenshot of a list of feature attributes in Collector

A screenshot of the Collector app's data collection interface for a lateral line. At the top, it says "Collect" and "GPS accuracy null • 9 m required". Below this is a map showing the same area as Figure 14. In the center, it displays the same lateral line information as Figure 16. At the bottom, there are several buttons and fields:

- "ADD POINT" button (blue)
- "TAKE PHOTO" button (with camera icon)
- "ATTACH" button (with attachment icon)
- Text input field for "Facility Identifier \*

At the very bottom is a black navigation bar with three white icons: a left arrow, a circle, and a square.

Figure 17. A screenshot of the data collection interface in Collector

# Conclusion/Recommendations

## Project Summary

Prince Edward County is a single tier municipality in Southern Ontario that has an inconsistent process of updating and maintaining in-field water infrastructure data. The current process involves updating data by using paper, screenshots and emails sent by the water infrastructure crew. This leaves some of the data to be up for interpretation and can lead to inaccuracies. The client of this project, Grant Hopkins, the GIS supervisor for the County, has requested that a user-friendly in-field data collection tool be made in order to facilitate consistent data collection. The tool would provide a direct way for workers to collect and update water infrastructure data to the geodatabase in a straightforward and reliable manner.

This project provided the client with knowledge on how to customize the interface of Collector for ArcGIS for employees of all technological skill levels. It integrates most of the employees' workflow into a single mobile app that Collector which removes inefficient paper data collection. It has the option to

operate offline in areas with limited internet coverage. The app can update or add data to the geodatabase within SQL Server while workers are collecting data outdoors (Figures 9-12). These objectives fulfill the client's needs by providing the know-how on configuring a data collection app that replaces their old process of paper data collection. The result is a streamlined, fully digital method that promotes ease and user experience.

## Risk Assessment and Limitations

Some of the risks associated with this project include that Esri ceases to support Collector or moves to a new version of Collector that requires a reinstall of the app on each phone. The client also indicated plans to upgrade from their current version of ArcGIS, which may require updates to the setup. As Esri is attempting to move their clients away from Desktop and towards ArcGIS Pro and ArcGIS Online, it is likely that continued maintenance will be required as new software updates are released.

Some employees could be averse to the change and not adopt this project's solution as their workflow. Others may experience difficulty in understanding how the app functions. The worker documentation has been supplied to the client to help decrease these risks.

## Maintenance/Recommendations

The worker documentation will train current and new employees who are unfamiliar with Collector. In addition, all employees should be made aware of any updates to the app. Frequent updates to the software are recommended. The client will have to configure the County's infrastructure to be compatible with this project's solution. This is namely the app's connection to server and QA/QC of data being updated/added. The basemap may need to be changed if features become outdated. If the client switches to another mobile operating system, a different version of the app may need to be downloaded.

This project will allow Prince Edward County to efficiently collect data with a mobile app that is already familiar to the client. The app allows workers to collect data outside using predefined options for a streamlined workflow. The customized popups within Collector display valuable information for the user. The symbology of the data is standardized to simplify data interpretation for water utility. The basemap aids employees in navigating outdoors and locating infrastructure. Its zooming capabilities allow the workers to choose the level of detail to work with. This project fulfils the client's needs by eliminating paper data collection and providing a fully digital user-friendly experience to collect and update water infrastructure data.

# References

- APK4Fun (2019). All Screenshots for Collector for ArcGIS. Retrieved from <https://www.apk4fun.com/screenshot/517985/>
- Donia, K. (2018, December 4). Try Collector. Retrieved March 16, 2020, from <https://www.esri.com/arcgisblog/products/collector/field-mobility/try-collector/>
- ESRI. (n.d.). Collector for ArcGIS: Configure the form. Retrieved June 10, 2020 from [https://doc.arcgis.com/en/collector/ipad/help/formconfiguration.htm#ESRI\\_SECTION1\\_0935FA76D\\_3704C418778939C53AAD80D](https://doc.arcgis.com/en/collector/ipad/help/formconfiguration.htm#ESRI_SECTION1_0935FA76D_3704C418778939C53AAD80D)
- Esri. (2004). Understanding ArcSDE. Retrieved from [http://downloads.esri.com/support/documentation/sde/\\_706Understanding\\_ArcSDE.pdf](http://downloads.esri.com/support/documentation/sde/_706Understanding_ArcSDE.pdf)
- Esri. (n.d.). Data Collection App: Collector for ArcGIS - Capture Field Data. Retrieved March 16, 2020, from <https://www.esri.com/en-us/arcgis/products/collector-for-arcgis/overview>
- Esri. (n.d.). What's new. Retrieved March 16, 2020, from <https://doc.arcgis.com/en/collector/faq/whatsnew.htm>
- Esri Insider. (2016, April 27). What is Collector for ArcGIS? Retrieved March 16, 2020, from <https://www.esri.com/about/newsroom/insider/what-is-collector-for-arcgis/>
- Gnep, B. (2019). Use of QField for mapping breeding birds in the Wassen Sea. Retrieved from <https://qfield.org/docs/case-studies/mapping-breeding-birds-in-the-Wadden-Sea.html>
- Jon (2014). ArcSDE Geodatabase Transactional Version User Parameter? Retrieved from <https://knowledge.safe.com/questions/4733/arcsde-geodatabase-transactional-version-user-para.html>
- Ontario GeoHub (2020). Ontario Road Network (ORN) Segment with Address. Retrieved June 10, 2020 from [https://geohub.lio.gov.on.ca/datasets/923cb3294384488e8a4ffbeb3b8f6cb2\\_32?geometry=77.913%2C44.628%2C-73.741%2C45.308](https://geohub.lio.gov.on.ca/datasets/923cb3294384488e8a4ffbeb3b8f6cb2_32?geometry=77.913%2C44.628%2C-73.741%2C45.308)
- The Corporation of the County of Prince Edward. (n.d.). Welcome to Prince Edward County. Retrieved March 25, 2020, from <http://thecounty.ca/>
- OSM. (2018). Geofabrik Download Server. Retrieved February/March 2020, from <http://download.geofabrik.de/>
- Statistics Canada. (2017). Picton [Population centre], Ontario and Ontario [Province] (table). Census Profile. 2016. Released November 29, 2017. <https://www12.statcan.gc.ca/census-recensement/2016/dp-pd/prof/index.cfm?Lang=E> (accessed June 20, 2020).
- The QField Project (2019). QField User Guide. Retrieved from <https://qfield.org/docs/user-guide/index.html>


# Appendix A

## Configuration of Collector with SQL Server for Grant Hopkins Provided by Collaboration Project #2014

Written By: Rebecca Sherwin


**Note:** Documentation assumes that data is already on server; screenshots may differ due to version differences

The general structure of our solution is as follows:




## Enabling the use of Attachments in Collector


1. In order to use attachments in Collector, make sure that every feature has a global ID and has it enabled as its primary key.
2. Once global IDs are populated, attachments must be created to enable the attachment of pictures or media in Collector. This can be done in either ArcCatalog or ArcMap within the *Database Connection* of the server. This is done before it is published as a feature service.



3. Next, the dataset must be registered as versioned with the option **Register the selected objects with the option to move edits to base** checked. (**Note:** If there is a network or topology associated with the data, this option will not be available. As such, the edits performed in Collector will not appear in the data in the database. The contents of the feature service have to be merged with the base table in the database).
4. The database connection must be registered as a data store within the ArcGIS Manger site. First, generate a connection file (.sde) using the *Create Database Connection Tool* within ArcMap or ArcCatalog. The output is a text file with connection information for the database.




5. In the *Site Manager*, registering a data store is done on *Site* tab and in the *Data Store* tab. **Register** a managed database and the following window appears. **Import** the connection file to the database (.sde).



## Publishing as a Feature Service

6. The data can now be published as a feature service. In order to be editable, it must have the following Operations Allowed: **Create, Delete, Extract, Query, Sync, Update**.



## Configuration in ArcGIS Online

- Once the feature service has been published successfully, the rest URL can be used in ArcGIS Online. The service can be added in the *Content* section by selecting **Add Item** and **From a URL**.

## Content

Add Item

Create



Search res



From your computer

Publish a layer from a file; upload a document or image.



From a URL

Link to a layer or document on the web.



An application


Link to an application on the web.



From a cloud drive

Publish a layer from a file on a cloud drive.

8. The Type is **ArcGIS Server web service** and the URL is the REST URL of the feature service (**Note:** If one layer from the feature service is desired, specify the layer number at the end of the REST URL i.e. /5 for layer 5). The Title and Tags should auto-populate with what was input during the creation of the feature service.






9. The feature service item in ArcGIS Online can now be added to a map. Within the map, popups, symbology, layer names to be shown in Collector can be configured. Popups are what is used to edit data in Collector and they must be configured for every layer. The *Popup Title* is shown at the top of the popup in Collector. It can be configured to display certain attributes of the feature. The *Popup Contents* are what fields are displayed in Collector, the list order can be changed. Feature attachments can be shown as links by enabling **Show feature attachments as links**.

If viewing data in ArcGIS Online, the **Refresh Interval** can be enabled and set in the layer settings. This refreshes the data so that any updates to the data will be displayed.


The left screenshot shows the 'Configure Pop-up' dialog for a 'Water Hydrant'. It includes sections for 'Pop-up Title' (Hydrant (ID {FACILITYID}): 56 GREENVALE STREET), 'Pop-up Contents' (Display: A list of field attributes), 'Attribute Expressions' (adding 'Inspection Required {expression/expr0}'), and buttons for 'OK' and 'CANCEL'. The right screenshot shows the 'Collect' screen for a hydrant with ID 5977, displaying its location (44.007537°N 77.125110°W) and options to 'TAKE PHOTO' or 'ATTACH'.

10. *Attribute Expressions* allows for Arcade Expressions to use existing data to populate new information in popups. *Inspection Required* uses the Last Updated field to tell the user if a feature has been last inspected greater than a year ago. If so, it displays *Yes*, if not it displays *No*. (**Note:** Collector does not support some functions used in expressions). Other images or charts can also be put in Collector through *Popup Media*.





11. To enable this map to be used in Collector, in the *Item Details* of the map, in the *Settings*, in the *Application Settings*, make sure **Use in Collector for ArcGIS** is enabled. Offline editing can also be enabled (**Enable offline mode**) here in the *Offline* section of *Settings*. Offline map areas can be made ahead of time for use in Collector. (**Note:** More server backend configuration may be needed, please consult ESRI support)



## Offline

Enabling offline mode allows this map to be downloaded and used in locations where there may be no internet connectivity. When offline mode is enabled, a user can download the map in apps that support offline workflows. [Learn how.](#)

Enable offline mode

[Advanced Options](#)

### Map Areas


While not required, it is recommended that you create map areas ahead of time to package data for specific areas you expect to be used offline. Using map areas makes taking maps offline easier and faster.

You have no map areas yet, click Manage Areas to get started.

[Manage Areas](#)


[Save](#) [Cancel](#)

12. Any map with editable data should appear in Collector. (Refer to the Worker User Manual for Collector for explanation of how the app functions).



## Using a Custom Basemap

13. (Optional) If a custom basemap is wanted, the basemap should be published as a cached map service. To use it offline in Collector, **Allow clients to export cache tiles** should be enabled when publishing in the *Advanced Settings* in the *Advanced* section. This can also be done after the service is published in the *Service Properties*. After it is published, the REST URL can be added to ArcGIS Online and brought into the map containing the feature service.



## Collector for ArcGIS User Manual for Water Department Workers

Provided by Collaboration Project #2014

Written By: Rebecca Sherwin

**Note:** This user manual is based on Collector for ArcGIS on Android. The interface may differ from iOS

## Table of Contents

Preparing for Offline Editing (Optional).....	41
The Interface of Collector.....	44
Adding New Data with Collector.....	53
Editing Existing Data with Collector.....	57

1. Collector for ArcGIS requires a login to operate. Sign in with your credentials. **Note:** Make sure you have an internet connection as logging in cannot be done offline.



## **Preparing for Offline Editing (Optional)** - These steps must be completed when online

1.1. Once logged in, maps that contain editable data are displayed. If you require for data to be edited offline, tap the three dots ⋮ to the right of the map you wish to edit. A new tab appears, select Add Offline Area.

## Maps



## My maps



Collecting with  
Collector - Client Data  
Offline areas



Collecting with  
Collector - Student Data



Collecting with  
Collector - Student  
Data-Rebecca Arcade



## Groups



Collaboration Group # 2014  
3 Maps

## Maps



## My maps



Collecting with  
Collector - Client Data  
Map details

Add offline area



Collecting with  
Collector - Student Data



Collecting with  
Collector - Student  
Data-Rebecca Arcade







## Groups




Collaboration Group # 2014  
3 Maps

1.2. Zoom in/ out on the map to define the area to be downloaded. Hit **Download Area** when you are satisfied. The icon in the top left of the screen indicates that an offline area download is happening. It also says “Offline Areas” under the map to show that there are offline areas configured for that map. When the map with offline areas is selected, the offline areas for that map are shown. Click the three dots to the right of the area for a new tab for **Sync**, **Rename Area** or **Remove Area**



1.3. In order to sync data while offline, the **Sync** option must be selected when back offline on the offline area screen. Syncing can also be done on the map when editing/creating data.


1.4. **Rename Area** allows you to rename an offline area.



1.5. Remove Area allows you to remove an unwanted area.


## The Interface of Collector

2. Choose the map with the data you wish to edit. If there are offline areas for that map, select the offline area.
3. The map containing the data is displayed. Here is where the data edits will be made.




In the top left corner, there is an arrow pointing left ← that allows you to go back to the other maps.

The bar at the top varies if there is an offline map area. This icon ↲ is only present with an offline map area, it syncs the map's data. **Auto-sync** can be enabled here which automatically syncs data. **Auto-sync** is encouraged when multiple people are editing simultaneously.




Selecting this icon , displays all the map's data layers. Scroll down to view all layers. These can be toggled on/off by clicking the checkmarks to the right of them.




Layers	
Map layers	
Water System Valve	<input checked="" type="checkbox"/>
Water Curb Stop Valve	<input checked="" type="checkbox"/>
Water Test Station	<input checked="" type="checkbox"/>
Water Control Valve	<input checked="" type="checkbox"/>
Water Abandoned Point	<input checked="" type="checkbox"/>
Water Service Connection	<input checked="" type="checkbox"/>
Water Network Structure	<input checked="" type="checkbox"/>
Water Pump	<input checked="" type="checkbox"/>

Selecting this icon , allows to search for specific features by typing them in.



Selecting the three dots  , brings up a tab with several options.



**Basemap** allows you to change the basemap to another.



GPS accuracy null • 9 m required




## Basemap




Default


**Bookmarks** allows you to toggle different zoom levels on the map if they are configured.



Legend shows the symbology of each feature on the map.



**Measure** allows you to measure a distance on the map.




Selecting this icon  , makes the map center on your current GPS position.



Selecting this icon  , allows you to edit/ add features

## Adding New Data with Collector

4. The crosshair in the middle of the map is where your new feature will be placed. Select what the feature is below.



5. A picture can be added by selecting **TAKE PHOTO**. A previously taken video or photo can be added by selecting **ATTACH**. If mistakes are made, select the three dots to the right of the feature title and hit **Undo**. **Redo** can redo previous actions.



6. The attributes of the feature are be added here by selecting each field. Some of the fields have predetermined values to select. When the data of the new feature is completed, select the checkmark ✓ at the top right of the screen to submit. The X ✕ in the top left corner allows you to discard the feature.

23% 4:07 PM

**Collect**

Hydrant (ID 5977): 56 GREENVALE S...  
44.007537°N 77.125110°W

TAKE PHOTO ATTACH

Facility Identifier  
5977

4 / 20

Install Date

Location Description

Rotation

Manufacturer

22% 4:10 PM

**Filter**


No value

> 1500

1000 - 1499



500 - 999

< 500



## Editing Existing Data with Collector

7. To edit existing data with Collector, select a feature on the map. **Note:** The location you tap will display all features in the area if not sufficiently zoomed in.




8. When a feature is selected for editing, select the pencil in the bottom left corner to edit. There are also other options:

Selecting this icon , allows to make a new feature with the same data. This feature can be moved by panning around with the crosshair.

Selecting this icon , allows to delete a feature.

Selecting the three dots , has more options:




**Collect Here** makes a new feature in the exact location of the current selected feature.

**Directions** opens Google Maps and gives directions to the current selected feature.

**Compass** allows navigation with bearings and distance

**Add to my Places** allows to add the location of the current selected feature to “My Places” which is in bookmarks



9. After selecting the pencil, the process is the same as making a new feature. When done editing data, select the checkmark in the top left corner or hit **UPDATE**.