































Site Setup**Plone Configuration**



-  Add-ons
-  Calendar
-  Configuration Registry
-  Content Rules
-  Dexterity Content Types
-  Discussion
-  Editing
-  Errors
-  HTML Filtering
-  Image Handling
-  Language
-  Mail
-  Maintenance
-  Markup
-  Navigation

We're going to be testing in this area today

Site Setup**Plone Configuration**

-  Add-ons
-  Calendar
-  Configuration Registry
-  Content Rules
-  Dexterity Content Types
-  Discussion
-  Editing
-  Errors
-  HTML Filtering
-  Image Handling
-  Language
-  Mail
-  Maintenance
-  Markup
-  Navigation

Section A: Start Page




Site Setup**Plone Configuration** [Add-ons](#) [Calendar](#) [Configuration Registry](#) [Content Rules](#) [Dexterity Content Types](#) [Discussion](#) [Editing](#) [Errors](#) [HTML Filtering](#) [Image Handling](#) [Language](#) [Mail](#) [Maintenance](#) [Markup](#) [Navigation](#)You are here: [Home](#) / Dexterity Content Types

Dexterity content types

Dexterity allows you to create new custom content types for your site. News, Events and Page are examples of default Plone content types.

Click the "Add Content Type" button to begin creating a new custom content type.

[Add New Content Type...](#)

Site Setup**Plone Configuration** [Add-ons](#) [Calendar](#) [Configuration Registry](#) [Content Rules](#) [Dexterity Content Types](#) [Discussion](#) [Editing](#) [Errors](#) [HTML Filtering](#) [Image Handling](#) [Language](#) [Mail](#) [Maintenance](#) [Markup](#) [Navigation](#)You are here: [Home](#) / [Dexterity Content Types](#)

Dexterity content types

Dexterity allows you to create new custom content types for your site.



Click the "Add Content Type" button to create a new custom content type from scratch.

Or, duplicate a default Plone content type to edit.

[Collection](#)[Event](#)[File](#)[Folder](#)[Image](#)[Link](#)[News Item](#)

Site Setup

Plone Configuration

 [Add-ons](#) [Calendar](#) [Configuration Registry](#) [Content Rules](#) [Dexterity Content Types](#) [Discussion](#) [Editing](#) [Errors](#) [HTML Filtering](#) [Image Handling](#) [Language](#) [Mail](#) [Maintenance](#) [Markup](#) [Navigation](#)You are here: [Home](#) / [Dexterity Content Types](#)

Dexterity content types

Dexterity allows you to create new custom content types for your site.




Click the "Add Content Type" button to create a new custom content type from scratch.

Or, duplicate a default Plone content type to edit.

select	Type Name	Description	# in site
<input type="checkbox"/>	Collection	A Plone default content type.	12
<input type="checkbox"/>	Event	A Plone default content type.	20
<input type="checkbox"/>	File	A Plone default content type.	3
<input type="checkbox"/>	Folder	A Plone default content type.	15
<input type="checkbox"/>	Image	A Plone default content type.	22
<input type="checkbox"/>	Link	A Plone default content type.	12
<input type="checkbox"/>	News Item	A Plone default content type.	15

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Registry Content Rules Dexterity Content Types Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup NavigationYou are here: [Home](#) / Dexterity Content Types

Dexterity content types

Dexterity allows you to create new custom content types for your site.
















Click the "Add Content Type" button to create a new custom content type from scratch.

[Add New Content Type...](#)




Here are your existing content types. Only new-style content types can be edited.

select	Type Name	Type Style	Description	# in site
	Collection	Old Style	A Plone default content type.	12
	Event	Old Style	A Plone default content type.	20
	File	Old Style	A Plone default content type.	3
	Folder	Old Style	A Plone default content type.	15
	Image	Old Style	A Plone default content type.	22
	Link	Old Style	A Plone default content type.	12
	News Item	Old Style	A Plone default content type.	15

Site Setup**Plone Configuration**

-  Add-ons
-  Calendar
-  Configuration Registry
-  Content Rules
-  Dexterity Content Types
-  Discussion
-  Editing
-  Errors
-  HTML Filtering
-  Image Handling
-  Language
-  Mail
-  Maintenance
-  Markup
-  Navigation

Section B: Adding Sequence

Site Setup**Plone Configuration** [Add-ons](#) [Calendar](#) [Configuration Registry](#) [Content Rules](#) [Dexterity Content Types](#) [Discussion](#) [Editing](#) [Errors](#) [HTML Filtering](#) [Image Handling](#) [Language](#) [Mail](#) [Maintenance](#) [Markup](#) [Navigation](#)You are here: [Home](#) / Dexterity Content Types

Dexterity content types

Dexterity allows you to create new custom content types for your site. News, Events and Page are examples of default Plone content types.







Click the "Add Content Type" button to begin creating a new custom content type.

[Add New Content Type...](#)

Home

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Re Content Rules Dexterity Content Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup Navigation

Add Content Type

■ Type Name

■ Short Name (leave as default for better maintainability)

default text is auto-populated with ajax from name



Description

Add

Cancel

Site Setup

Plone Configuration


 Add-ons Calendar Configuration Registry Content Rules Dexterity Content Types Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup NavigationYou are here: [Home](#) / Dexterity Content Types

Dexterity content types

Click the "Add Content Type" button to begin creating a new custom content type.

[Add New Content Type...](#)

These are your available custom content types. Edit the fields and settings by clicking the title link.

select	Type Name	Description	# in site
	copy-of-page		0

Duplicate

Delete



Export



Type profiles

Schema models

Both

Site Setup**Plone Configuration** [Add-ons](#) [Calendar](#) [Configuration Registry](#) [Content Rules](#) [Dexterity Content Types](#) [Discussion](#) [Editing](#) [Errors](#) [HTML Filtering](#) [Image Handling](#) [Language](#) [Mail](#) [Maintenance](#) [Markup](#) [Navigation](#)You are here: [Home](#) / Dexterity Content Types

Dexterity content types

Dexterity allows you to create new custom content types for your site. News, Events and Page are examples of default Plone content types.





Click the "Add Content Type" button to begin creating a new custom content type.

[Add New Content Type...](#)

Home

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Re Content Rules Dexterity Content Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup Navigation

Add Content Type

■ Type Name

■ Short Name (leave as default for better maintainability)

default text is auto-populated with ajax from name

Description

Basic Behavior Settings




- ☐ Allow discussions on content type
- ☐ Assign an effective range or expiration date
- ☐ Allow items to have next previous navigation

Add

Cancel

Site Setup

Plone Configuration


 Add-ons Calendar Configuration Registry Content Rules Dexterity Content Types Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup NavigationYou are here: [Home](#) / Dexterity Content Types

Dexterity content types

Click the "Add Content Type" button to begin creating a new custom content type.

[Add New Content Type...](#)

These are your available custom content types. Edit the fields and settings by clicking the title link.

select	Type Name	Description	# in site
	copy-of-page		0

Duplicate

Delete




Export



Type profiles

Schema models

Both

Site Setup**Plone Configuration** [Add-ons](#) [Calendar](#) [Configuration Registry](#) [Content Rules](#) [Dexterity Content Types](#) [Discussion](#) [Editing](#) [Errors](#) [HTML Filtering](#) [Image Handling](#) [Language](#) [Mail](#) [Maintenance](#) [Markup](#) [Navigation](#)You are here: [Home](#) / Dexterity Content Types

Dexterity content types

Dexterity allows you to create new custom content types for your site. News, Events and Page are examples of default Plone content types.





Click the "Add Content Type" button to begin creating a new custom content type.

[Add New Content Type...](#)

Home

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Re Content Rules Dexterity Content Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup Navigation

Add Content Type

■ Type Name

■ Short Name (leave as default for better maintainability)

default text is auto-populated with ajax from name

Description


Next

Cancel

Home

Site Setup


Plone Configuration

 Add-ons

 Calendar


 Configuration Re

 Content Rules

 Dexterity Content

 Discussion

 Editing

 Errors

 HTML Filtering

 Image Handling

 Language

 Mail

 Maintenance

 Markup

 Navigation


Add Content Type

Metadata

Select Basic, Complete or Custom. Complete is the default as these features support SEO and other site functions.

- ☐ Basic Set (Adds Title and Description fields)
- ☒ Complete Set (Adds Title, Description, Categorization, Effective Range and Ownership fields)
The complete set uses the **Dublin Core standard**
- ☐ Build your own Metadata set by checking options. ***A custom set will not behave the same as the Dublin Core.***

☐ Title
 ☐ Description
 ☐ Categorization
 ☐ Effective Range
 ☐ Ownership

Standard Plone Features

These features are common to all Plone default content types and are added by default.


- ☒ Allow discussions on content type
- ☒ Allow items to be excluded from navigation

 Add

 Cancel

Site Setup

Plone Configuration


 Add-ons Calendar Configuration Registry Content Rules Dexterity Content Types Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup NavigationYou are here: [Home](#) / Dexterity Content Types

Dexterity content types

Click the "Add Content Type" button to begin creating a new custom content type.

[Add New Content Type...](#)

These are your available custom content types. Edit the fields and settings by clicking the title link.

select	Type Name	Description	# in site
	copy-of-page		0

Duplicate

Delete

Export


















Type profiles

Schema models

Both

Site Setup**Plone Configuration**

-  Add-ons
-  Calendar
-  Configuration Registry
-  Content Rules
-  Dexterity Content Types
-  Discussion
-  Editing
-  Errors
-  HTML Filtering
-  Image Handling
-  Language
-  Mail
-  Maintenance
-  Markup
-  Navigation

You are here: [Home](#) / Dexterity Content Types

Dexterity content types

Dexterity allows you to create new custom content types for your site.

Click the "Add Content Type" button to create a new custom content type from scratch.

[Add New Content Type...](#)

Or, duplicate a default Plone content type to edit.

Duplicate Type



Collection

Event

File

Folder

Image







Link

News Item

Home

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Re Content Rules Dexterity Content Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup Navigation

Duplicate Page Type



■ Type Name

■ Short Name (leave as default for better maintainability)

Description

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Registry Content Rules Dexterity Content Types Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup NavigationYou are here: [Home](#) / Dexterity Content Types

Dexterity content types

Click the "Add Content Type" button to create a new custom content type from scratch.

[Add New Content Type...](#)

Or, duplicate a default Plone content type to edit.

Duplicate Type



These are your available custom content types. Edit the fields and settings by clicking the title link.

select	Type Name	Description	# in site
<input type="checkbox"/>	copy-of-page		0

Duplicate

Delete



Export



Type profiles

Schema models

Both

Site Setup**Plone Configuration** [Add-ons](#) [Calendar](#) [Configuration Registry](#) [Content Rules](#) [Dexterity Content Types](#) [Discussion](#) [Editing](#) [Errors](#) [HTML Filtering](#) [Image Handling](#) [Language](#) [Mail](#) [Maintenance](#) [Markup](#) [Navigation](#)You are here: [Home](#) / [Dexterity Content Types](#)

Dexterity content types

Dexterity allows you to create new custom content types for your site.

Click the "Add Content Type" button to create a new custom content type from scratch.







Or, duplicate a default Plone content type to edit.

[Collection](#)[Event](#)[File](#)[Folder](#)[Image](#)[Link](#)[News Item](#)

Home

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Re Content Rules Dexterity Content Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup Navigation

Duplicate Page Type

■ Type Name

■ Short Name (leave as default for better maintainability)



Description

Basic Behavior Settings

- ☒ Allow discussions on content type
- ☐ Assign an effective range or expiration date
- ☒ Allow items to have next previous navigation

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Registry Content Rules Dexterity Content Types Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup NavigationYou are here: [Home](#) / Dexterity Content Types

Dexterity content types

Click the "Add Content Type" button to create a new custom content type from scratch.

[Add New Content Type...](#)

Or, duplicate a default Plone content type to edit.

[Duplicate Type](#)

These are your available custom content types. Edit the fields and settings by clicking the title link.

select	Type Name	Description	# in site
<input type="checkbox"/>	copy-of-page		0

[Duplicate](#)[Delete](#)[Export](#)



Type profiles

Schema models

Both

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Registry Content Rules Dexterity Content Types Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup NavigationYou are here: [Home](#) / Dexterity Content Types

Dexterity content types

Dexterity allows you to create new custom content types for your site.

Click the "Add Content Type" button to create a new custom content type from scratch.

[Add New Content Type...](#)
















Or, duplicate a default Plone content type to edit.

select	Type Name	Description	# in site
<input type="checkbox"/>	Collection	A Plone default content type.	12
<input type="checkbox"/>	Event	A Plone default content type.	20
<input type="checkbox"/>	File	A Plone default content type.	3
<input type="checkbox"/>	Folder	A Plone default content type.	15
<input type="checkbox"/>	Image	A Plone default content type.	22
<input type="checkbox"/>	Link	A Plone default content type.	12
<input type="checkbox"/>	News Item	A Plone default content type.	15

[Duplicate](#)

Site Setup

Plone Configuration

-  Add-ons
-  Calendar
-  Configuration Registry
-  Content Rules
-  Dexterity Content Types
-  Discussion
-  Editing
-  Errors
-  HTML Filtering
-  Image Handling
-  Language
-  Mail
-  Maintenance
-  Markup
-  Navigation

You are here: [Home](#) / Dexterity Content Types
















Dexterity content types

Click the "Add Content Type" button to create a new custom content type from scratch.

Duplicate then edit these available content types. Default Plone types cannot be edited or deleted.

select	Type Name	Description	# in site
<input type="checkbox"/>	Collection	A Plone default content type.	12
<input type="checkbox"/>	Event	A Plone default content type.	20
<input type="checkbox"/>	File	A Plone default content type.	3
<input type="checkbox"/>	Folder	A Plone default content type.	15
<input type="checkbox"/>	Image	A Plone default content type.	22
<input type="checkbox"/>	Link	A Plone default content type.	12
<input type="checkbox"/>	News Item	A Plone default content type.	15
<input type="checkbox"/>	copy-of-page		0

Site Setup**Plone Configuration**

-  [Add-ons](#)
-  [Calendar](#)
-  [Configuration Registry](#)
-  [Content Rules](#)
-  [Dexterity Content Types](#)
-  [Discussion](#)
-  [Editing](#)
-  [Errors](#)
-  [HTML Filtering](#)
-  [Image Handling](#)
-  [Language](#)
-  [Mail](#)
-  [Maintenance](#)
-  [Markup](#)
-  [Navigation](#)

You are here: [Home](#) / [Dexterity Content Types](#)

Dexterity content types

Dexterity allows you to create new custom content types for your site.

Click the "Add Content Type" button to create a new custom content type from scratch.






Here are your existing content types. Only new-style content types can be edited.

select	Type Name	Type Style	Description	# in site
	Collection	Old Style	A Plone default content type.	12
	Event	Old Style	A Plone default content type.	20
	File	Old Style	A Plone default content type.	3
	Folder	Old Style	A Plone default content type.	15
	Image	Old Style	A Plone default content type.	22
	Link	Old Style	A Plone default content type.	12
	News Item	Old Style	A Plone default content type.	15

Home

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Re Content Rules Dexterity Content Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup Navigation

Add Content Type

■ Type Name

■ Short Name (leave as default for better maintainability)
















default text is auto-populated with ajax from name

Description

Add

Cancel

Site Setup**Plone Configuration**

-  [Add-ons](#)
-  [Calendar](#)
-  [Configuration Registry](#)
-  [Content Rules](#)
-  [Dexterity Content Types](#)
-  [Discussion](#)
-  [Editing](#)
-  [Errors](#)
-  [HTML Filtering](#)
-  [Image Handling](#)
-  [Language](#)
-  [Mail](#)
-  [Maintenance](#)
-  [Markup](#)
-  [Navigation](#)

You are here: [Home](#) / [Dexterity Content Types](#)

Dexterity content types
















Dexterity allows you to create new custom content types for your site.

Click the "Add Content Type" button to create a new custom content type from scratch.

Here are your existing content types. Only new-style content types can be edited.

select	Type Name	Type Style	Description	# in site
<input type="checkbox"/>	Collection	Old Style	A Plone default content type.	12
<input type="checkbox"/>	Event	Old Style	A Plone default content type.	20
<input type="checkbox"/>	File	Old Style	A Plone default content type.	3
<input type="checkbox"/>	Folder	Old Style	A Plone default content type.	15
<input type="checkbox"/>	Image	Old Style	A Plone default content type.	22
<input type="checkbox"/>	Link	Old Style	A Plone default content type.	12
<input type="checkbox"/>	News Item	Old Style	A Plone default content type.	15
<input type="checkbox"/>	my Content	New Style		0
<div><input type="button" value="Duplicate"/> <input type="button" value="Delete"/> <input type="button" value="Export"/> ▼</div>				

Site Setup**Plone Configuration**





-  Add-ons
-  Calendar
-  Configuration Registry
-  Content Rules
-  Dexterity Content Types
-  Discussion
-  Editing
-  Errors
-  HTML Filtering
-  Image Handling
-  Language
-  Mail
-  Maintenance
-  Markup
-  Navigation

Section C: Editing Sequence

Home

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Re Content Rules Dexterity Content Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup Navigation

Add Content Type

■ Type Name

■ Short Name (leave as default for better maintainability)

default text is auto-populated with ajax from name




Description

Add

Cancel

Site Setup

Plone Configuration


 Add-ons Calendar Configuration Registry Content Rules Dexterity Content Types Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup NavigationYou are here: [Home](#) / Dexterity Content Types

Dexterity content types

Click the "Add Content Type" button to begin creating a new custom content type.

[Add New Content Type...](#)

These are your available custom content types. Edit the fields and settings by clicking the title link.

select	Type Name	Description	# in site
	my Content		0

Duplicate

Delete

Export






Type profiles

Schema models

Both

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Registry Content Rules Dexterity Content Types Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup NavigationYou are here: [Home](#) / Dexterity Content Types

Edit Settings

Edit Content Fields

Preview

Select the settings for your content type or edit the content fields.
Some behavior settings will generate associated field sets in your content type.

General Settings

■ Type Name

■ short name

description

Metadata

Select Basic, Complete or Custom. Complete is the default as these features support SEO and other site functions.



Basic Set (Adds Title and Description fields)



Complete Set (Adds Title, Description, Categorization, Effective Range and Ownership fields)
The complete set uses the **Dublin Core standard**



Build your own Metadata set by checking options. ***A custom set will not behave the same as the Dublin Core.***

☐

Title

☐

Description

☐

Categorization

☐



Effective Range

☐

Ownership

Site Setup

Plone Configuration

 Add-ons Calendar Configuration Registry Content Rules Dexterity Content Types Discussion Editing Errors HTML Filtering Image Handling Language Mail Maintenance Markup NavigationYou are here: [Home](#) / Dexterity Content Types

Edit Settings

Edit Content Fields

Preivew

Metadata

Select Basic, Complete or Custom. Complete is the default as these features support SEO and other site functions.

- ☐ Basic Set (Adds Title and Description fields)
- ☒ Complete Set (Adds Title, Description, Categorization, Effective Range and Ownership fields)
The complete set uses the **Dublin Core standard**
- ☐ Build your own Metadata set by checking options. ***A custom set will not behave the same as the Dublin Core.***

☐ Title ☐ Description ☐ Categorization ☐ Effective Range ☐ Ownership

Plone Default Features

These features are common to all Plone default content types and are added by default.

- ☒ Allow discussions on content type
- ☒ Allow items to be excluded from navigation

Advanced Features

Custom behaviors extending the basic set.