CONTACT INTELLIGENCE

Your agent knows who's calling.

Two kinds of memory, how to turn it on, and how to wire it to any CRM with webhooks.

IN THIS VIDEO

01 Two kinds of memory

02 What the agent sees

03 Turning it on

04 Any CRM: the inbound webhook

05 Data out: two post-call webhooks

06 GoHighLevel vs everything else

Leadlock.ai

TWO KINDS OF MEMORY

Your CRM's memory, and Leadlock's.

01 · GOHIGHLEVEL TODAY

What's in GoHighLevel

- Name, email, company
- Tags and notes
- Custom fields
- Upcoming and past appointments
- Pipeline stage and deal value

02 · EVERY ACCOUNT, ANY CRM

What happened on past calls

- Summaries of their last calls
- How many calls, and when
- Mood trend across calls
- How often they're reaching out
- Texts too, when GoHighLevel is connected

Contact Intelligence: GoHighLevel lookup by caller phone; calls, mood and pace from Leadlock's own call logs by phone.

Leadlock.ai

EXAMPLE · A RETURNING CALLER

Sarah calls back.

CALLER Hey, it's Sarah, I had a question about Thursday.

AGENT Hi Sarah! Calling about the water heater install on Thursday?

FROM GOHIGHLEVEL: NAME + UPCOMING APPOINTMENT

AGENT Last time you said the leak was under the kitchen sink. Is that fixed?

FROM LEADLOCK: LAST CALL'S SUMMARY

Made-up example. Line 2 uses the CRM context, line 3 uses Leadlock's call memory.

Leadlock.ai

MEMORY 1 · YOUR CRM

Looked up by phone, while it rings.

Caller's number

Matched to the GoHighLevel contact

Their calendar

Upcoming and past appointments

Their deal

Pipeline stage and value, top custom fields

What the agent reads before it speaks

```
## CALLER CONTEXT
Use the caller's name naturally: greet them by name, ...
- Caller: Sarah Miller
- Email: sarah@example.com
- Pipeline: Install booked ($2,400) in "Water Heaters"
- Tags: vip, water-heater
- Upcoming appointment: Oct 29, 2026 at 09:00 AM
- Past appointments: Oct 02, 2026 at 01:00 PM
- Previous notes: Wants a 50-gallon gas unit
- Gate code: 4417
```

The format the agent sees. Made-up contact. Custom fields: up to 5, by their GoHighLevel names.

Leadlock.ai

MEMORY 2 · LEADLOCK'S OWN

Leadlock remembers every call.

PAST CALLS

Summaries of the last 3

Previous call (inbound, 4m): Leak under the kitchen sink ...

HISTORY

How many calls, and when

Last called: 6 days ago · Previous calls: 2

MOOD

Getting happier or angrier

Sentiment: improving (was negative, now positive)

PACE

Calling a lot, or back after a while

Re-engagement: first contact in 45 days


Without GoHighLevel: call memory. With it: calls, texts and the contact profile.

Contact Intelligence: last 5 calls (3 summaries shown), mood over 5 calls, pace (3+ in 3 days, or 30+ days quiet). The format the agent sees.

Leadlock.ai

WHAT HAPPENS ON THE RING

Both lookups run before hello.



Both lookups run in parallel during the ring.

Leadlock.ai

TURN IT ON

One toggle, then update the prompt.

SHOW IT LIVE

Agents › your agent › Setup › Contact Intelligence

Flip the toggle on.

Prompts › Update Prompt › Update with Contact Intelligence

Adds the section, greets by {{caller_name}}

Added to your prompt

```
## Caller Intelligence

You have access to a CALLER CONTEXT section
above this prompt containing:
- Caller's name and company
- Number of previous calls and last call date
- Recent conversation topics
- Tags (e.g., VIP, Hot Lead)
- Notes from previous interactions
- Upcoming scheduled appointments

Use this information naturally throughout the
call. Don't read it back robotically: weave it
into conversation.
```

Update with Contact Intelligence: section goes after ## Role; greeting rewritten to {{caller_name}}.

Leadlock.ai

NOT ON GOHIGHLEVEL?

Use the inbound webhook.

Before it answers

Leadlock POSTs the caller's number to your URL

You look them up

Your server or n8n, in front of any CRM with an API

Send back {{variables}}

They fill the prompt. Or reject the call.

SHOW IT LIVE

Agents › your agent › Voice › Inbound webhook


Inbound or both-way agents. Paste your URL, set the timeout, press Test.

Inbound webhook: signed POST, 1 to 10 s timeout (default 5). Timeout or error: the call answers normally.

Leadlock.ai

THE INBOUND WEBHOOK

Any CRM, into the call.



Inbound webhook: one signed POST in the ring window; dynamic_variables fill {{variables}}.

Leadlock.ai

THE INBOUND WEBHOOK · SHAPE

What we send. What you send back.

Leadlock sends

```
POST https://your-crm.example.com/leadlock/inbound
X-Leadlock-Signature: sha256=<hmac>

{
  "event": "call_inbound",
  "call_inbound": {
    "from_number": "+15555550142",
    "to_number": "+15555550100",
    "agent_id": "...",
    "call_id": "CA...",
    "timestamp": "2026-10-23T14:02:11Z"
  }
}
```

You reply (within the timeout)

```
{
  "dynamic_variables": {
    "caller_name": "Sarah",
    "last_job": "Water heater install",
    "balance_due": "$0"
  }
}

// or turn the call away:
{ "reject": true,
  "reject_message": "We're closed today." }
```


Then in the prompt: Hi {{caller_name}}, calling about the {{last_job}}?

Webhook variables win over Contact Intelligence ones. Placeholder numbers.

Leadlock.ai

AFTER THE CALL

Then the data flows out.



EVENT: CALL.COMPLETED OR RECORDING.READY

Fires once per call, as call.completed, or recording.ready when recording is on. Test calls are skipped.

Leadlock.ai

TWO OUTBOUND WEBHOOKS

One agent, or the whole sub-account.

	AGENT POST-CALL WEBHOOK	SUB-ACCOUNT WEBHOOK
Where	Agent settings	Settings › Webhooks
Fires for	This agent's calls	Every agent, plus texts and bookings
Events	Call completed	Calls, recordings, texts, bookings, sequences
Payload	Flat, CRM-ready fields	Everything, nested under data
Use it for	A GoHighLevel workflow trigger	One catch-all into n8n, Zapier, Make

Agent webhook = one agent's calls; sub-account webhook = calls, recordings, texts, bookings, sequences. Both signed.

Leadlock.ai

WHERE THEY LIVE · SHOW IT LIVE

Same idea, two places.

AGENT · POST-CALL WEBHOOK

SHOW IT LIVE

Agents › your agent › Voice › Post-call webhook

Paste your GoHighLevel workflow's webhook trigger URL.

SUB-ACCOUNT · SETTINGS › WEBHOOKS

SHOW IT LIVE

Settings › Webhooks › Post-Call Webhook

Inside the sub-account. One URL for every agent.

Click paths in the Leadlock app: the agent's Voice tab, and Settings in the sub-account view.

Leadlock.ai

AGENT WEBHOOK · PAYLOAD

Branch your workflow on outcome.

POST to your workflow

```
{
  "event": "call.completed",
  "contact_id": "ghl contact id",
  "call_summary": "Sarah confirmed Thursday 9am ...",
  "full_transcript": "Agent: Hi Sarah!  ...",
  "recording_url": "https://...",
  "answered": true,
  "voicemail": false,
  "appointment_booked": true,
  "outcome": "booked",
  "tools_called": ["book_appointment"],
  "duration_seconds": 212
}
```

OUTCOME IS ONE OF

booked

Send the confirmation

answered

Talked, didn't book: nurture

voicemail · no_answer

Try again later

Agent post-call payload (also sends call_id, call_sid, direction, from/to number, status). Made-up values.

Leadlock.ai

GOHIGHLEVEL VS ANY OTHER CRM

Same agent, two ways to connect.

	GOHIGHLEVEL	ANY CRM WITH AN API
Context in	Built in: contact, calendar, pipeline	Inbound webhook, often via n8n
Data out	Contact sync, notes, conversation sync	Post-call webhook or n8n
Workflows	Leadlock actions inside GoHighLevel	Your own automation
Leadlock's memory	Calls, texts and profile	Calls

GoHighLevel works out of the box. Anything with an API can be connected through the webhooks.

Leadlock.ai

UP NEXT

It remembers.
Now make it dial.

Next video: outbound triggers. GoHighLevel or n8n tells your agent who to call.

TODAY

01 Toggle Contact Intelligence on

02 Update the prompt

03 Wire a post-call webhook

Leadlock.ai