

What You See is What You Get:

A Closer Look at Bias in the Visual World Paradigm

Collin Nolte

March 8, 2023



+



The field is itself exceptionally broad, ranging from sentence processing, priming, reading, and word formation:

“trink” \Rightarrow “trank” or “trinked”?

Troublesome when we commit too early:

“The horse raced past the barn fell”


Often can not be observed directly

Limit focus to single word recognition



el




el → ele



el → ele → elephant



TRACE Word Activation: 'party'



Why do we care?

Typically interested in comparing activation between groups or conditions

- Normal Hearing (NH) vs Cochlear Implants (CI)
- Differentiating cognitive, specific, and non-specific impairments

How do we measure this?

What's in a look?




Cohen 1983


Visual World Paradigm

Visual World Paradigm
introduced in 1995


Eye-tracking in conjunction with
spoken sentence

“Put the apple on the towel in
the box”






"Put the apple on the towel in the box."



"Put the apple that's on the towel in the box."




Time (ms)


Outline

- Eye-tracking and the VWP
- Methodology and Bias
- Simulation

VWP Trials



Eye-tracking as activation



So how does this relate to VWP


“Proportion of fixations” method

Letting z_{jt} represent an indicator of fixation at time t for trial $j = 1, \dots, J$, we have empirical curve

$$y_t = \frac{1}{J} \sum_j z_{jt}$$


and find

$$\hat{\theta} = \operatorname{argmin}_{\theta} \mathcal{L}(f_{\theta}, y)$$




Target – Logistic

$$f_{\theta}(t) = b + \frac{p - b}{1 + \exp\left(\frac{4s}{p-b}(c - t)\right)}$$



Collin's dissertation

Proportion of Fixations Method

A dramatic scene of a small green and white boat on a dark, turbulent sea. A massive, dark wave is crashing down from the left, creating a large, dark tunnel-like opening. The sky is dark and stormy. The boat is positioned in the lower right, facing the viewer.

The next 20 slides

Proportion of Fixations Method

“The default interpretation is greater fixation proportions indicate greater activation in the underlying processing system” (Magnuson 2019)


Specification of linking hypothesis

Despite visual similarities between the proportion of fixations and activation, there is an issue with the equivalence

$$y_{it} \equiv f(t|\theta_i).$$

Eye mechanics made up of distinct mechanisms that are differentially related to activation

Visualizing Eye Mechanics




Added Observation Bias


Added observation bias arises from the conflation of two distinct (though likely correlated) processes: the decision to initiate an eye movement to a particular place and the duration of a fixation

By including the entire length of the fixation as “observed” data relating to this process, we are both inflating the amount of data we have with data that is necessarily biased


Activation curve



Onset of look



...followed by fixation



Look Onset Method

Only the initial moment of look onset and its location, s_k , is considered relevant in the recovery of latent activation, where a look initiated at time t_k follows

$$s_k \sim \text{Bern}[f(t_k|\theta)].$$

This gives us instead a set of ordered pairs, $\mathcal{S} = \{(s_k, t_k)\}_{k=1}^K$ rather than a time ordered vector of proportions

We are able to use an identical procedure as before,

$$\hat{\theta} = \underset{\theta}{\operatorname{argmin}} \mathcal{L}(f_{\theta}, \mathcal{S})$$

Delayed Observation

Between the cognitive mechanism and the initiation of look onset is a period of oculomotor delay, ρ

This gives distribution of look onset,

$$s_j \sim \text{Bern}[f(t_j - \rho)|\theta)].$$

It is “roughly” estimated to be around 200ms, and this is typically accounted for by subtracting 200ms from observations

We show that varying degrees of randomness in this process and drastically impact error in recovery

Simulation


Create simulated VWP trials with eye mechanics oriented towards Target, the goal of recovering activation curve, $f(t|\theta)$

Each subject draws individual θ_i and performs 300 trials. 1,000 total subjects


Estimate generating function using both methods

Metric for efficacy is MISE between generating and recovered curve


Simulation Mechanics




Representative Curves, No Delay




No Delay




Representative Curves, Weibull Delay




Look Onset, No Delay vs. Weibull Delay



Look Onset, No Delay vs. Weibull Delay







What else?

- Rewrote `bdots` package (thanks Seedorff)
- Expand and improve upon underlying methodology


Bootstrapped differences in time series – bdot s




Curves — Fit - - - Observed




Curves — Fit - - - Observed



Curves — Fit - - - Observed



Curves — Fit - - - Observed



thanks

References

Magnuson, James S. **Fixations in the visual world paradigm: where, when, why?** 2019-09 *Journal of Cultural Cognitive Science*, Vol. 3, No. 2 Springer Science and Business Media LLC p. 113-139

McMurray, Bob **I'm not sure that curve means what you think it means: Towards a [more] realistic understanding of the role of eye-movement generation in the visual world paradigm** 2022 *Psychonomic Bulletin & Review* p 1-45

Oleson, Jacob J; Cavanaugh, Joseph E, McMurray, Bob; Brown, Grant **Detecting time-specific differences between temporal nonlinear curves: Analyzing data from the visual world paradigm** 2017 *Statistical Methods in Medical Research*, Vol. 26, No. 6 p 2708-2725

Paul D. Allopenna, James S. Magnuson, Michael K. Tanenhaus **Tracking the Time Course of Spoken Word Recognition Using Eye Movements: Evidence for Continuous Mapping Models** 1998 *Journal of Memory and Language*, Vol. 38, Issue 4 p 419-439