

CodeAnt AI Report

Repository: collinsfoam-a11y/Stock_final

Branch: main

Lines Analyzed: 228393

REPOSITORY REPORT



Analysis Type	Count
SAST (Security)	40
Secrets Detected	3
Infrastructure Security	40
SCA Vulnerabilities (Healthy Packages: 1188)	40
SBOM Components (Non-Permissive)	30
Antipatterns/Bugs	3105
Complex Functions	142
Docstrings Absent	1609
Duplicate Code	17440
Dead Code Detection	0

Security Issues (SAST)

Total Issues: 40 High: 10 Medium: 30 Low: 0

RegExp() called with a `query` function argument, this might allow an attacker to cause a Regular Expression Denial-of-Service (ReDoS) within your application as RegExP blocks the main thread. For this reason, it is recommended to use hardcoded regexes instead. If your regex is run on user-controlled input, consider performing input validation or use a regex checking/sanitization library such as <https://www.npmjs.com/package/recheck> to verify that the regex does not appear vulnerable to ReDoS.

File Path	Line	Severity	CWE	OWASP
frontend/src/utlis/search.ts	124	MEDIUM	CWE-1333: Inefficient Regular Expression Complexity	A05:2021 - Security Misconfiguration, A06:2017 - Security Misconfiguration, A02:2025 - Security Misconfiguration

Hardcoded password is used as a default argument to 'login'. This could be dangerous if a real password is not supplied.

File Path	Line	Severity	CWE	OWASP
scripts/find_missing_barcode.py	30	MEDIUM	CWE-798: Use of Hard-coded Credentials	A07:2021 - Identification and Authentication Failures, A07:2025 - Authentication Failures

Sensitive data such as passwords, tokens, API keys, or credit card numbers is being written to application logs. This can expose credentials and PII to anyone with access to log files, violating CWE-532. Use structured logging with sensitive field redaction, or mask values before logging.

File Path	Line	Severity	CWE	OWASP
backend/auth/dependencies.py	150	HIGH	CWE-532: Insertion of Sensitive Information into Log File	A09:2021 - Security Logging and Monitoring Failures
backend/auth/dependencies.py	183	HIGH	CWE-532: Insertion of Sensitive Information into Log File	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/session_management_api.py	1869	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/v2/items.py	472	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/locations_api.py	137	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/sql_verification_api.py	56	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/legacy_routes_impl.py	972	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/legacy_routes_impl.py	1409	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/item_verification_api.py	353	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/item_verification_api.py	414	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/item_verification_api.py	525	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

File Path	Line	Severity	CWE	OWASP
backend/api/item_verification_api.py	584	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/item_verification_api.py	603	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/item_verification_api.py	650	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/rack_api.py	162	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/rack_api.py	276	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/rack_api.py	290	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/rack_api.py	332	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/rack_api.py	360	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/rack_api.py	414	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/rack_api.py	479	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/error_reporting_api.py	104	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/enrichment_api.py	141	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/enrichment_api.py	169	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/variance_threshold_admin_api.py	120	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/reconciliation_api.py	141	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/count_lines_routes.py	1254	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/count_lines_routes.py	1802	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures
backend/api/count_lines_routes.py	1806	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Detected a logger that logs user input without properly neutralizing the output. The log message could contain characters like `` and `` and cause an attacker to forge log entries or include malicious content into the logs. Use proper input validation and/or output encoding to prevent log entries from being forged.

File Path	Line	Severity	CWE	OWASP
backend/api/supervisor_pin.py	82	MEDIUM	CWE-117: Improper Output Neutralization for Logs	A09:2021 - Security Logging and Monitoring Failures

Revoke and change this password, as it is compromised.

File Path	Line	Severity	CWE	OWASP
backend/utls/auth_utils.py	37	HIGH	CWE-798, CWE-259	A2
backend/utls/auth_utils.py	38	HIGH	CWE-798, CWE-259	A2

Sensitive data such as passwords, tokens, API keys, or credit card numbers is being written to application logs. This can expose credentials and PII to anyone with access to log files, violating CWE-532. Use structured logging with sensitive field redaction, or mask values before logging.

File Path	Line	Severity	CWE	OWASP
backend/utls/secret_generator.py	73	HIGH	CWE-532: Insertion of Sensitive Information into Log File	A09:2021 - Security Logging and Monitoring Failures
backend/utls/secret_generator.py	74	HIGH	CWE-532: Insertion of Sensitive Information into Log File	A09:2021 - Security Logging and Monitoring Failures

Revoke and change this password, as it is compromised.

File Path	Line	Severity	CWE	OWASP
backend/core/lifespan.py	216	HIGH	CWE-798, CWE-259	A2
backend/core/lifespan.py	217	HIGH	CWE-798, CWE-259	A2

Don't use a JWT token without verifying its signature.

File Path	Line	Severity	CWE	OWASP
backend/tests/verify_token_claims.py	18	HIGH	CWE-347	A3

Revoke and change this password, as it is compromised.

File Path	Line	Severity	CWE	OWASP
backend/tests/test_coverage_improvements.py	71	HIGH	CWE-798, CWE-259	A2

Infrastructure Security

Total Issues: 40 High: 0 Medium: 11 Low: 29

Minimize the admission of root containers

File Path	Lines	Severity
/k8s/deployment.yaml	1-90	MEDIUM
/k8s/deployment.yaml	91-136	MEDIUM

Containers should not run with allowPrivilegeEscalation

File Path	Lines	Severity
/k8s/deployment.yaml	91-136	MEDIUM

The default namespace should not be used

File Path	Lines	Severity
/k8s/secrets.example.yaml	1-10	LOW
/k8s/ingress.yaml	1-40	LOW
/k8s/service.yaml	1-14	LOW
/k8s/service.yaml	15-27	LOW
/k8s/deployment.yaml	1-90	LOW
/k8s/deployment.yaml	91-136	LOW
/k8s/configmap.yaml	1-24	LOW

Image should use digest

File Path	Lines	Severity
/k8s/deployment.yaml	1-90	LOW
/k8s/deployment.yaml	91-136	LOW

Image Tag should be fixed - not latest or blank

File Path	Lines	Severity
/k8s/deployment.yaml	1-90	LOW
/k8s/deployment.yaml	91-136	LOW

Apply security context to your pods and containers

File Path	Lines	Severity
/k8s/deployment.yaml	1-90	LOW
/k8s/deployment.yaml	91-136	LOW

Containers should run as a high UID to avoid host conflict

File Path	Lines	Severity
/k8s/deployment.yaml	1-90	LOW
/k8s/deployment.yaml	91-136	LOW

Ensure that the seccomp profile is set to docker/default or runtime/default

File Path	Lines	Severity
/k8s/deployment.yaml	1-90	LOW
/k8s/deployment.yaml	91-136	LOW

Prefer using secrets as files over secrets as environment variables

File Path	Lines	Severity
/k8s/deployment.yaml	1-90	LOW

Ensure that Service Account Tokens are only mounted where necessary

File Path	Lines	Severity
/k8s/deployment.yaml	1-90	LOW
/k8s/deployment.yaml	91-136	LOW

Apply security context to your containers

File Path	Lines	Severity
/k8s/deployment.yaml	91-136	LOW

Minimize the admission of containers with the NET_RAW capability

File Path	Lines	Severity
/k8s/deployment.yaml	91-136	LOW

Minimize the admission of containers with capabilities assigned

File Path	Lines	Severity
/k8s/deployment.yaml	91-136	LOW

Use read-only filesystem for containers where possible

File Path	Lines	Severity
/k8s/deployment.yaml	91-136	LOW

Ensure that HEALTHCHECK instructions have been added to container images

File Path	Lines	Severity
/nginx/Dockerfile	1-21	LOW
/frontend/Dockerfile	1-23	LOW
/backend/Dockerfile	1-29	LOW

Ensure that a user for the container has been created

File Path	Lines	Severity
/nginx/Dockerfile	1-21	LOW
/frontend/Dockerfile	1-23	LOW

Minimize the admission of pods which lack an associated NetworkPolicy

File Path	Lines	Severity
/k8s/deployment.yaml	1-90	MEDIUM
/k8s/deployment.yaml	91-136	MEDIUM

The build output cannot be affected by user parameters other than the build entry point and the top-level source location. GitHub Actions workflow_dispatch inputs MUST be empty.

File Path	Lines	Severity
./github/workflows/release.yml	12-17	MEDIUM

Ensure top-level permissions are not set to write-all

File Path	Lines	Severity
/backend/.github/workflows/dependency-audit.yml	0-1	MEDIUM
./github/workflows/pr-checks.yml	0-1	MEDIUM
./github/workflows/release.yml	28-29	MEDIUM
./github/workflows/scheduled.yml	0-1	MEDIUM
./github/workflows/main.yml	366-367	MEDIUM

Secrets Detection

Total Secrets: 3 High: 2 Medium: 1

Type	File	Line	Confidence
JSON Web Token	backend/tests/evaluation/test_security_evaluation.py	97	HIGH
Basic Auth Credentials	k8s/secrets.example.yaml	7	HIGH
Secret Keyword	backend/scripts/create_staff_users.py	50	MEDIUM

Software Bill of Materials (SBOM)

Metric	Count
Total Languages	2
Total Packages	1197
Permissive Packages	1167
Non-Permissive Packages	30
Python (Total/Perm/Non-Perm)	63 / 55 / 8
JavaScript (Total/Perm/Non-Perm)	1134 / 1112 / 22

Python Packages (63)

Package Name	Version	License	Copyleft	Policy Note
fastapi	0.135.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
uvicorn	0.41.0	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
gunicorn	25.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
python-dotenv	1.2.2	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
pydantic	2.12.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
pydantic-settings	2.13.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
motor	3.7.1	Apache License Version 2.0, January 2004 http://www.apache.org/licenses/	permissive	Permissive license: keep license and notices (Apache

Package Name	Version	License	Copyright	Policy Note
		TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION 1. Definitions. "License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document. "Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License. "Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity. "You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License. "Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files. "Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types. "Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below). "Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof. "Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally		also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.

Package Name	Version	License	Copyright	Policy Note
		submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution." "Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work. 2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form. 3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed. 4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions: (a) You must give any other recipients of the		

Package Name	Version	License	Copyleft	Policy Note
		Work or Derivative Works a copy of this License; and (b) You must cause any modified files to carry prominent notices stating that You changed the files; and (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License. You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License. 5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions. 6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or		

Package Name	Version	License	Copyright	Policy Note
		product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file. 7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License. 8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages. 9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability. END OF TERMS AND CONDITIONS APPENDIX: How to apply the Apache License to your work. To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying		

Package Name	Version	License	Copyleft	Policy Note
		information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives. Copyright [yyyy] [name of copyright owner] Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0 Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.		
pymongo	4.16.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
pyodbc	5.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
redis	7.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
passlib	1.7.4	BSD	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
bcrypt	4.0.1	Apache License, Version 2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking

Package Name	Version	License	Copyleft	Policy Note
				typically avoids reciprocity.
python-multipart	0.0.22	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
authlib	1.6.9	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
pyjwt	2.12.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
cryptography	46.0.5	Apache-2.0 OR BSD-3-Clause	permissive	Dual/multi-licensed (Apache-2.0 OR BSD-3-Clause). You may choose a license; the least restrictive option is permissive.
prometheus-client	0.24.1	Apache-2.0 AND BSD-2-Clause	permissive	Dual/multi-licensed (Apache-2.0 AND BSD-2-Clause). All obligations apply; overall behavior is permissive.
python-json-logger	4.0.0	BSD-2-Clause License	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
sentry-sdk	2.54.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
aiocache	0.12.3	UNKNOWN	unknown	Custom/unknown terms — needs manual review before shipping.
ujson	5.12.0	BSD-3-Clause AND TCL	permissive	Dual/multi-licensed (BSD-3-Clause AND TCL). All obligations apply; overall behavior is permissive.
orjson	3.11.7	MPL-2.0 AND (Apache-2.0 OR MIT)	weak_copyleft	Dual/multi-licensed (MPL-2.0). All obligations apply; overall behavior is weak copyleft.

Package Name	Version	License	Copyleft	Policy Note
httpx	0.28.1	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
requests	2.32.3	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
urllib3	2.0	MIT License	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
chardet	5.0	LGPL	weak_copyleft	LGPL (weak copyleft): obligations mainly apply to the library itself — static linking or vendoring can require relinking or publishing changes; dynamic linking is typically OK.
python-dateutil	2.9.0.post0	Dual License	unknown	Custom/unknown terms — needs manual review before shipping.
email-validator	2.3.0	Unlicense	proprietary	Custom/unknown terms — needs manual review before shipping. Non-commercial restriction — not OSI-compatible; blocks commercial use.
rapidfuzz	3.14.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
pillow	12.1.1	MIT-CMU	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
tenacity	9.1.4	Apache 2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library;

Package Name	Version	License	Copyleft	Policy Note
				dynamic linking typically avoids reciprocity.
zeroconf	0.148.0	LGPL-2.1-or-later	weak_copyleft	LGPL (weak copyleft): obligations mainly apply to the library itself — static linking or vendoring can require relinking or publishing changes; dynamic linking is typically OK.
setuptools	82.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
wheel	0.46.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
psutil	7.2.2	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
pandas	2.2.0	BSD 3-Clause License Copyright (c) 2008-2011, AQR Capital Management, LLC, Lambda Foundry, Inc. and PyData Development Team All rights reserved. Copyright (c) 2011-2023, Open source contributors. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. * Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyleft	Policy Note
		SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.		
openpyxl	3.1.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
xlswriter	3.2.9	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
reportlab	4.4.10	BSD license (see license.txt for details), Copyright (c) 2000-2025, ReportLab Inc.	unknown	Custom/unknown terms — needs manual review before shipping.
pytest	9.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
pytest-asyncio	1.3.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
pytest-cov	7.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
respx	0.22.0	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
pymssql	2.2.0	LGPL	weak_copyleft	LGPL (weak copyleft): obligations mainly apply to the library itself — static linking or vendoring can require relinking or publishing changes; dynamic linking is typically OK.
pyyaml	6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the

Package Name	Version	License	Copyleft	Policy Note
				covered files/libraries must be published on distribution.
black	24.10.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
isort	5.13.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
flake8	7.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
mypy	1.13.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
bandit	1.8.6	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
locust	2.34.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
aiohttp	3.9.0	Apache 2	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.

Package Name	Version	License	Copyright	Policy Note
memory-profiler	0.61.0	BSD	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
copilotkit	0.1.79	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
numpy	2.0.2	Copyright (c) 2005-2024, NumPy Developers. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. * Neither the name of the NumPy Developers nor the names of any contributors may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. ---- The NumPy repository and source distributions bundle several libraries that are compatibly licensed. We list these here. Name: lapack-lite Files: numpy/linalg/lapack_lite/* License: BSD-3-Clause For details, see numpy/linalg/lapack_lite/LICENSE.txt Name: dragon4 Files: numpy/_core/src/multiarray/dragon4.c License: MIT For license text, see numpy/_core/src/multiarray/dragon4.c Name: libdivide Files: numpy/_core/include/numpy/libdivide/* License: Zlib For license text, see numpy/_core/include/numpy/libdivide/LICENSE.txt Note that the following files are vendored in the repository and sdists but not installed in built numpy packages: Name: Meson Files: vendored-meson/meson/* License: Apache 2.0 For license text, see vendored-meson/meson/COPYING Name: spin Files: .spin/cmds.py License: BSD-3 For license text, see .spin/LICENSE ---- This binary distribution of NumPy also bundles the following software: Name: OpenBLAS Files: numpy/.dylibs/libscipy_openblas*.so Description: bundled as a dynamically linked library Availability: https://github.com/OpenMathLib/OpenBLAS/ License: BSD-3-Clause Copyright (c) 2011-2014, The OpenBLAS Project All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyleft	Policy Note
		that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3. Neither the name of the OpenBLAS project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. Name: LAPACK Files: numpy/.dylibs/libscipy_openblas*.so Description: bundled in OpenBLAS Availability: https://github.com/OpenMathLib/OpenBLAS/ License: BSD-3-Clause-Attribution Copyright (c) 1992-2013 The University of Tennessee and The University of Tennessee Research Foundation. All rights reserved. Copyright (c) 2000-2013 The University of California Berkeley. All rights reserved. Copyright (c) 2006-2013 The University of Colorado Denver. All rights reserved. \$COPYRIGHT\$ Additional copyrights may follow \$HEADER\$ Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: - Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. - Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer listed in this license in the documentation and/or other materials provided with the distribution. - Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission. The copyright holders provide no reassurances that the source code provided does not infringe any patent, copyright, or any other intellectual property rights of third parties. The copyright holders disclaim any liability to any recipient for claims brought against recipient by any third party for infringement of that parties intellectual property rights. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN		

Package Name	Version	License	Copyright	Policy Note
		CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. Name: GCC runtime library Files: numpy/.dylibs/libgfortran*, numpy/.dylibs/libgcc* Description: dynamically linked to files compiled with gcc Availability: https://gcc.gnu.org/git/?p=gcc.git;a=tree;f=libgfortran License: GPL-3.0-with-GCC-exception Copyright (C) 2002-2017 Free Software Foundation, Inc. Libgfortran is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3, or (at your option) any later version. Libgfortran is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details. Under Section 7 of GPL version 3, you are granted additional permissions described in the GCC Runtime Library Exception, version 3.1, as published by the Free Software Foundation. You should have received a copy of the GNU General Public License and a copy of the GCC Runtime Library Exception along with this program; see the files COPYING3 and COPYING.RUNTIME respectively. If not, see <http://www.gnu.org/licenses/>. ---- Full text of license texts referred to above follows (that they are listed below does not necessarily imply the conditions apply to the present binary release): ---- GCC RUNTIME LIBRARY EXCEPTION Version 3.1, 31 March 2009 Copyright (C) 2009 Free Software Foundation, Inc. <http://fsf.org/> Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception. When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception. 0. Definitions. A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library. "GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF. "GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC. "Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation. The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process,		

Package Name	Version	License	Copyleft	Policy Note
		since the Compilation Process can be understood as starting with the output of the generators or preprocessors. A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process. 1. Grant of Additional Permission. You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules. 2. No Weakening of GCC Copyleft. The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC. ---- GNU GENERAL PUBLIC LICENSE Version 3, 29 June 2007 Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/> Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. Preamble The GNU General Public License is a free, copyleft license for software and other kinds of works. The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too. When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things. To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others. For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights. Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it. For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions. Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems		

Package Name	Version	License	Copyright	Policy Note
		arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users. Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free. The precise terms and conditions for copying, distribution and modification follow. TERMS AND CONDITIONS 0. Definitions. "This License" refers to version 3 of the GNU General Public License. "Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks. "The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations. To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work. A "covered work" means either the unmodified Program or a work based on the Program. To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well. To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying. An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion. 1. Source Code. The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work. A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language. The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it. The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose		

Package Name	Version	License	Copyright	Policy Note
		tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work. The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source. The Corresponding Source for a work in source code form is that same work. 2. Basic Permissions. All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law. You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you. Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary. 3. Protecting Users' Legal Rights From Anti-Circumvention Law. No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures. When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures. 4. Conveying Verbatim Copies. You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program. You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee. 5. Conveying Modified Source Versions. You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions: a) The work must carry prominent notices stating that you modified it, and giving a relevant date. b) The work must carry prominent notices stating that it is released under this License		

Package Name	Version	License	Copyright	Policy Note
		and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices". c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it. d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so. A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate. 6. Conveying Non-Source Forms. You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways: a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange. b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge. c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b. d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements. e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d. A separable portion of the object code, whose source code is excluded from the Corresponding		

Package Name	Version	License	Copyright	Policy Note
		Source as a System Library, need not be included in conveying the object code work. A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product. "Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made. If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM). The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network. Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying. 7. Additional Terms. "Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions. When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission. Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms: a) Disclaiming		

Package Name	Version	License	Copyright	Policy Note
		warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or d) Limiting the use for publicity purposes of names of licensors or authors of the material; or e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors. All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying. If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms. Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way. 8. Termination. You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11). However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation. Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice. Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10. 9. Acceptance Not Required for Having Copies. You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so. 10. Automatic Licensing of Downstream Recipients. Each time you convey a covered work, the recipient automatically		

Package Name	Version	License	Copyright	Policy Note
		receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License. An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts. You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it. 11. Patents. A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version". A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License. Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version. In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party. If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid. If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it. A patent		

Package Name	Version	License	Copyright	Policy Note
		license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007. Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law. 12. No Surrender of Others' Freedom. If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program. 13. Use with the GNU Affero General Public License. Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such. 14. Revised Versions of this License. The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation. If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program. Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version. 15. Disclaimer of Warranty. THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF		

Package Name	Version	License	Copyright	Policy Note
		ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION. 16. Limitation of Liability. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. 17. Interpretation of Sections 15 and 16. If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee. END OF TERMS AND CONDITIONS How to Apply These Terms to Your New Programs If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms. To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found. <one line to give the program's name and a brief idea of what it does.> Copyright (C) <year> <name of author> This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version. This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details. You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>. Also add information on how to contact you by electronic and paper mail. If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode: <pre><program> Copyright (C) <year> <name of author> This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.</pre> The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box". You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>. The GNU General		

Package Name	Version	License	Copyleft	Policy Note
		Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read < http://www.gnu.org/philosophy/why-not-lgpl.html >. Name: libquadmath Files: numpy/.dylibs/libquadmath*.so Description: dynamically linked to files compiled with gcc Availability: https://gcc.gnu.org/git/?p=gcc.git;a=tree;f=libquadmath License: LGPL-2.1-or-later GCC Quad-Precision Math Library Copyright (C) 2010-2019 Free Software Foundation, Inc. Written by Francois-Xavier Coudert < fxcoudert@gcc.gnu.org > This file is part of the libquadmath library. Libquadmath is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. Libquadmath is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. https://www.gnu.org/licenses/old-licenses/lgpl-2.1.html		
sentence-transformers	2.2.2	Apache License 2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
opentelemetry-api	1.25.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
opentelemetry-sdk	1.25.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
opentelemetry-exporter-otlp-proto-http	1.25.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
opentelemetry-instrumentation-fastapi	0.46b0	Apache Software License	permissive	Permissive license:

Package Name	Version	License	Copyleft	Policy Note
				keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
opentelemetry-instrumentation-requests	0.46b0	Apache Software License	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
opentelemetry-instrumentation-logging	0.46b0	Apache Software License	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
opentelemetry-instrumentation-pymongo	0.46b0	Apache Software License	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.

JavaScript Packages (1134)

Package Name	Version	License	Copyleft	Policy Note
@expo-google-fonts/inter	0.4.2	MIT AND OFL-1.1	weak_copyleft	Dual/multi-licensed (MIT AND OFL-1.1). All obligations apply; overall behavior is weak copyleft.
@expo/vector-icons	15.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native-async-storage/async-storage	2.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native-community/datetimepicker	8.4.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native-community/netinfo	11.4.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyleft	Policy Note
				must be published on distribution.
@react-native-community/slider	5.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@shopify/flash-list	2.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@tanstack/react-query	5.99.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
axios	1.15.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo	54.0.33	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-background-task	1.0.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-blur	15.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-brightness	14.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-camera	17.0.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-clipboard	8.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-constants	18.0.13	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-crypto	15.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-file-system	19.0.21	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-font	14.0.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-haptics	15.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
expo-image	3.0.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-keep-awake	15.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-linear-gradient	15.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-linking	8.0.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-local-authentication	17.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-notifications	0.32.16	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-router	6.0.23	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-secure-store	15.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-sharing	14.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-speech	14.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-splash-screen	31.0.13	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-sqlite	16.0.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-status-bar	3.0.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-system-ui	6.0.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-task-manager	14.0.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lottie-react-native	7.3.6	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyright	Policy Note
				Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
react	19.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-dom	19.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-error-boundary	6.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-hook-form	7.72.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-native	0.81.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-native-gesture-handler	2.28.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-native-reanimated	4.1.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-native-safe-area-context	5.6.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-native-screens	4.16.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-native-svg	15.12.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-native-web	0.21.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-native-worklets	0.5.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
use-debounce	10.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
zod	4.3.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
zustand	5.0.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
				must be published on distribution.
@babel/core	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/runtime	7.29.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/cli	54.0.23	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/metro-runtime	6.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@playwright/test	1.59.1	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@storybook/addon-essentials	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/react	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@testing-library/jest-dom	6.9.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@testing-library/react	16.3.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@testing-library/react-native	13.3.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@tootallnate/once	3.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/jest	29.5.14	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/node	25.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/react	19.1.17	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/react-dom	19.1.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
babel-jest	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-plugin-module-resolver	5.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-plugin-transform-import-meta	2.3.3	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
babel-plugin-transform-remove-console	6.9.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint	9.39.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint-config-expo	10.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint-import-resolver-typescript	4.4.4	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
husky	9.1.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-environment-jsdom	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-expo	54.0.17	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lint-staged	16.4.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
npm-run-all2	7.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
patch-package	8.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
playwright	1.59.1	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
postinstall-postinstall	2.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
prettier	3.8.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
storybook	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
typescript	5.9.3	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@0no-co/graphql.web	1.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@adobe/css-tools	4.4.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@asamuzakjp/css-color	3.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lru-cache	10.4.3	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@babel/code-frame	7.10.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/compat-data	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/generator	7.29.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-annotate-as-pure	7.27.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-compilation-targets	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-create-class-features-plugin	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-create-regexp-features-plugin	7.28.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-define-polyfill-provider	0.6.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-globals	7.28.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyright	Policy Note
				must be published on distribution.
@babel/helper-member-expression-to-functions	7.28.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-module-imports	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-module-transforms	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-optimise-call-expression	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-plugin-utils	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-remap-async-to-generator	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-replace-supers	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-skip-transparent-expression-wrappers	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-string-parser	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-validator-identifier	7.28.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-validator-option	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-wrap-function	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helpers	7.29.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/highlight	7.25.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ansi-styles	6.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
chalk	2.4.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
color-convert	1.9.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
color-name	1.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
escape-string-regexp	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
has-flag	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
supports-color	7.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/parser	7.29.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-proposal-decorators	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-proposal-export-default-from	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-async-generators	7.8.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-bigint	7.8.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-class-properties	7.12.13	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-class-static-block	7.14.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-decorators	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-dynamic-import	7.8.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-export-default-from	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyleft	Policy Note
				Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-flow	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-import-attributes	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-import-meta	7.10.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-json-strings	7.8.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-jsx	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-logical-assignment-operators	7.10.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-nullish-coalescing-operator	7.8.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-numeric-separator	7.10.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-object-rest-spread	7.8.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-optional-catch-binding	7.8.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-optional-chaining	7.8.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-private-property-in-object	7.14.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-top-level-await	7.14.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-syntax-typescript	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-arrow-functions	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
@babel/plugin-transform-async-generator-functions	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-async-to-generator	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-block-scoping	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-class-properties	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-class-static-block	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-classes	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-computed-properties	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-destructuring	7.28.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-export-namespace-from	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-flow-strip-types	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-for-of	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-function-name	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-literals	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-logical-assignment-operators	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-modules-commonjs	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-named-capturing-groups-regex	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyleft	Policy Note
				Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-nullish-coalescing-operator	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-numeric-separator	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-object-rest-spread	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-optional-catch-binding	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-optional-chaining	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-parameters	7.27.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-private-methods	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-private-property-in-object	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-react-display-name	7.28.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-react-jsx	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-react-jsx-development	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-react-jsx-self	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-react-jsx-source	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-react-pure-annotations	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-regenerator	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
@babel/plugin-transform-runtime	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-shorthand-properties	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-spread	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-sticky-regex	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-template-literals	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-typescript	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-unicode-regex	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/preset-react	7.28.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/preset-typescript	7.28.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/template	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/traverse	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/traverse--for-generate-function-map	7.29.0	UNKNOWN	unknown	Custom/unknown terms — needs manual review before shipping.
@babel/types	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@bcoe/v8-coverage	0.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@csstools/color-helpers	5.1.0	MIT-0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@csstools/css-calc	2.1.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@csstools/css-color-parser	3.1.0	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyleft	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@csstools/css-parser-algorithms	3.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@csstools/css-tokenizer	3.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@egjs/hammerjs	2.0.17	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@emnapi/core	1.10.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@emnapi/runtime	1.10.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@emnapi/wasi-threads	1.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/aix-ppc64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/android-arm	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/android-arm64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/android-x64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/darwin-arm64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/darwin-x64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/freebsd-arm64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/freebsd-x64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-arm	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyright	Policy Note
				must be published on distribution.
@esbuild/linux-arm64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-ia32	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-loong64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-mips64el	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-ppc64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-riscv64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-s390x	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-x64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/netbsd-arm64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/netbsd-x64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/openbsd-arm64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/openbsd-x64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/openharmony-arm64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/sunos-x64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/win32-arm64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
@esbuild/win32-ia32	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/win32-x64	0.25.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@eslint-community/eslint-utils	4.9.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@eslint-community/regexpp	4.12.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@eslint/config-array	0.21.2	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
brace-expansion	1.1.14	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
minimatch	3.1.5	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@eslint/config-helpers	0.4.2	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@eslint/core	0.17.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@eslint/eslintrc	3.3.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@eslint/js	9.39.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@eslint/object-schema	2.1.7	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@eslint/plugin-kit	0.4.1	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
semver	6.3.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@expo/code-signing-certificates	0.0.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/config	12.0.13	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyright	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/config-plugins	54.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/config-types	54.0.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/devcert	1.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
debug	2.6.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/devtools	0.1.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/env	2.0.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/fingerprint	0.15.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
balanced-match	4.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
glob	7.2.3	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
path-scurry	1.11.1	BlueOak-1.0.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@expo/image-utils	0.8.13	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/json-file	10.0.13	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/metro	54.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/metro-config	54.0.14	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/osascript	2.4.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
@expo/package-manager	1.10.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/plist	0.4.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/prebuild-config	54.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/require-utils	55.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/schema-utils	0.1.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/sdk-runtime-versions	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/spawn-async	1.7.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/sudo-prompt	9.3.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/ws-tunnel	1.0.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@expo/xcpretty	4.4.3	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@humanfs/core	0.19.1	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@humanfs/node	0.16.7	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@humanwhocodes/config-array	0.13.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@humanwhocodes/module-importer	1.0.1	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@humanwhocodes/object-schema	2.0.3	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@humanwhocodes/retry	0.4.3	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyright	Policy Note
				Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@ide/backoff	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@isaacs/cliui	8.0.2	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
ansi-regex	6.2.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
strip-ansi	6.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
wrap-ansi	7.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@isaacs/fs-minipass	4.0.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@isaacs/ttlcache	1.4.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@istanbuljs/load-nyc-config	1.1.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
argparse	2.0.1	Python-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
js-yaml	4.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@istanbuljs/schema	0.1.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/console	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/core	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/create-cache-key-function	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/diff-sequences	30.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/environment	30.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/environment-jsdom-abstract	30.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyright	Policy Note
				must be published on distribution.
@jest/fake-timers	30.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/schemas	30.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/types	30.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@sinclair/typebox	0.34.49	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@sinonjs/fake-timers	15.3.2	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
ci-info	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-message-util	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-mock	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-util	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
picomatch	4.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
pretty-format	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-is	19.2.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/expect	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/expect-utils	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/get-type	30.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/globals	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyleft	Policy Note
				Changes to the covered files/libraries must be published on distribution.
@jest/pattern	30.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-regex-util	29.6.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/reporters	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
istanbul-lib-instrument	5.2.1	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@jest/source-map	29.6.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/test-result	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/test-sequencer	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jest/transform	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jridgewell/gen-mapping	0.3.13	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jridgewell/remapping	2.3.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jridgewell/resolve-uri	3.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jridgewell/source-map	0.3.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jridgewell/sourcemap-codec	1.5.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jridgewell/trace-mapping	0.3.31	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@mdx-js/react	3.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@napi-rs/wasm-runtime	0.2.12	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyleft	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@nodelib/fs.scandir	2.1.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@nodelib/fs.stat	2.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@nodelib/fs.walk	1.2.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@nolyfill/is-core-module	1.0.39	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@pkgjs/parseargs	0.11.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/primitive	1.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-collection	1.1.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-slot	1.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-compose-refs	1.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-context	1.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-dialog	1.1.15	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-direction	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-dismissable-layer	1.1.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-focus-guards	1.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-focus-scope	1.1.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyright	Policy Note
				must be published on distribution.
@radix-ui/react-id	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-portal	1.1.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-presence	1.1.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-primitive	2.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-roving-focus	1.1.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-tabs	1.1.13	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-use-callback-ref	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-use-controllable-state	1.2.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-use-effect-event	0.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-use-escape-keydown	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@radix-ui/react-use-layout-effect	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native/assets-registry	0.81.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native/babel-plugin-codegen	0.81.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native/babel-preset	0.81.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native/codegen	0.81.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
@react-native/community-cli-plugin	0.81.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native/debugger-frontend	0.81.5	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@react-native/dev-middleware	0.81.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ws	8.20.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ms	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native/gradle-plugin	0.81.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native/js-polyfills	0.81.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native/normalize-colors	0.81.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-native/virtualized-lists	0.81.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-navigation/bottom-tabs	7.15.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-navigation/core	7.17.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-navigation/elements	2.9.14	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-navigation/native	7.2.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-navigation/native-stack	7.14.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@react-navigation/routers	7.5.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@rtsao/scc	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
@sinonjs/commons	3.0.1	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@storybook/addon-actions	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/addon-backgrounds	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/addon-controls	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/addon-docs	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/addon-highlight	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/addon-measure	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/addon-outline	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/addon-toolbars	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/addon-viewport	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/blocks	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/components	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/core	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/csf-plugin	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/global	5.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/icons	1.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
@storybook/manager-api	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/preview-api	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/react-dom-shim	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@storybook/theming	8.6.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@tanstack/query-core	5.99.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@testing-library/dom	10.4.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
aria-query	5.3.2	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
dom-accessibility-api	0.6.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@tybys/wasm-util	0.10.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/aria-query	5.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/babel__core	7.20.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/babel__generator	7.27.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/babel__template	7.4.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/babel__traverse	7.28.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/estree	1.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/graceful-fs	4.1.9	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyleft	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/hammerjs	2.0.46	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/istanbul-lib-coverage	2.0.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/istanbul-lib-report	3.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/istanbul-reports	3.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/jsdom	20.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/json-schema	7.0.15	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/json5	0.0.29	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/mdx	2.0.13	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/stack-utils	2.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/tough-cookie	4.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/uuid	9.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/yargs	17.0.35	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/yargs-parser	21.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@typescript-eslint/eslint-plugin	8.58.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ignore	5.3.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyleft	Policy Note
				must be published on distribution.
@typescript-eslint/parser	8.58.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@typescript-eslint/project-service	8.58.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@typescript-eslint/scope-manager	8.58.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@typescript-eslint/tsconfig-utils	8.58.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@typescript-eslint/type-utils	8.58.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@typescript-eslint/types	8.58.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@typescript-eslint/typescript-estree	8.58.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@typescript-eslint/utils	8.58.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@typescript-eslint/visitor-keys	8.58.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint-visitor-keys	3.4.3	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@ungap/structured-clone	1.3.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
@unrs/resolver-binding-android-arm-eabi	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-android-arm64	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-darwin-arm64	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-darwin-x64	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-freebsd-x64	1.11.1	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyleft	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-linux-arm-gnueabihf	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-linux-arm-musleabihf	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-linux-arm64-gnu	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-linux-arm64-musl	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-linux-ppc64-gnu	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-linux-riscv64-gnu	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-linux-riscv64-musl	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-linux-s390x-gnu	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-linux-x64-gnu	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-linux-x64-musl	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-wasm32-wasi	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-win32-arm64-msvc	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-win32-ia32-msvc	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@unrs/resolver-binding-win32-x64-msvc	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@urql/core	5.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyright	Policy Note
				must be published on distribution.
@urql/exchange-retry	1.3.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@xmldom/xmldom	0.8.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@yarnpkg/lockfile	1.1.0	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
abab	2.0.6	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
abort-controller	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
accepts	1.3.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
acorn	8.16.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
acorn-globals	7.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
acorn-jsx	5.3.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
acorn-walk	8.3.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
agent-base	6.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ajv	6.14.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
anser	1.4.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ansi-escapes	7.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
type-fest	0.20.2	(MIT OR CC0-1.0)	unknown	Custom/unknown terms — needs manual review before shipping.
any-promise	1.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
anymatch	3.1.3	ISC	permissive	Permissive license: keep license and

Package Name	Version	License	Copyleft	Policy Note
				notices (Apache also keep NOTICE).
arg	5.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
aria-hidden	1.2.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
array-buffer-byte-length	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
array-includes	3.1.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
array.prototype.findlast	1.2.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
array.prototype.findlastindex	1.2.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
array.prototype.flat	1.3.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
array.prototype.flatmap	1.3.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
array.prototype.tosorted	1.1.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
arraybuffer.prototype.slice	1.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
asap	2.0.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
assert	2.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ast-types	0.16.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
async-function	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
async-limiter	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
asynckit	0.4.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
available-typed-arrays	1.0.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
await-lock	2.2.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-plugin-istanbul	6.1.1	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
babel-plugin-jest-hoist	29.6.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
minipass	7.1.3	BlueOak-1.0.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
babel-plugin-polyfill-corejs2	0.4.17	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-plugin-polyfill-corejs3	0.13.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-plugin-polyfill-regenerator	0.6.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-plugin-react-compiler	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-plugin-react-native-web	0.21.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-plugin-syntax-hermes-parser	0.29.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-plugin-transform-flow-enums	0.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-preset-current-node-syntax	1.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-preset-expo	54.0.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
babel-preset-jest	29.6.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyright	Policy Note
				must be published on distribution.
badgin	1.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
base64-js	1.5.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
baseline-browser-mapping	2.10.19	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
better-opn	3.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
open	7.4.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
big-integer	1.6.52	Unlicense	proprietary	Custom/unknown terms — needs manual review before shipping. Non-commercial restriction — not OSI-compatible; blocks commercial use.
boolbase	1.0.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
bplist-creator	0.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
bplist-parser	0.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
braces	3.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
browser-assert	1.2.1	UNKNOWN	unknown	Custom/unknown terms — needs manual review before shipping.
browserslist	4.28.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
bser	2.1.1	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
buffer	5.7.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
buffer-from	1.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
bytes	3.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyleft	Policy Note
				Changes to the covered files/libraries must be published on distribution.
call-bind	1.0.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
call-bind-apply-helpers	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
call-bound	1.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
callsites	3.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
camelcase	6.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
caniuse-lite	1.0.30001788	CC-BY-4.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
char-regex	2.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
chownr	3.0.0	BlueOak-1.0.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
chrome-launcher	0.15.2	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
chromium-edge-launcher	0.2.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
cjs-module-lexer	1.4.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
cli-cursor	2.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
cli-spinners	2.9.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
cli-truncate	5.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
string-width	4.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyright	Policy Note
				must be published on distribution.
client-only	0.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
cliui	8.0.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
emoji-regex	8.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-fullwidth-code-point	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
clone	1.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
co	4.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
collect-v8-coverage	1.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
color	4.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
color-string	1.9.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
colorette	2.0.20	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
combined-stream	1.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
commander	2.20.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
compressible	2.0.18	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
compression	1.8.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
negotiator	0.6.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
concat-map	0.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyright	Policy Note
				Changes to the covered files/libraries must be published on distribution.
connect	3.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
convert-source-map	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
core-js-compat	3.49.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
create-jest	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
cross-fetch	3.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
cross-spawn	7.0.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
crypto-random-string	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
css-in-js-utils	3.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
css-select	5.2.2	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
css-tree	1.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
css-what	6.2.2	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
css.escape	1.5.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
cssom	0.3.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
cssstyle	2.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
csstype	3.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
data-urls	3.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyleft	Policy Note
				must be published on distribution.
data-view-buffer	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
data-view-byte-length	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
data-view-byte-offset	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
decimal.js	10.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
decode-uri-component	0.2.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
dedent	1.7.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
deep-extend	0.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
deep-is	0.1.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
deepmerge	4.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
defaults	1.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
define-data-property	1.1.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
define-lazy-prop	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
define-properties	1.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
delayed-stream	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
depd	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
dequal	2.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
destroy	1.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
detect-libc	2.1.2	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
detect-newline	3.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
detect-node-es	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
diff-sequences	29.6.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
doctrine	2.1.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
dom-serializer	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
entities	6.0.1	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
domelementtype	2.3.0	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
domexception	4.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
domhandler	5.0.3	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
domutils	3.2.2	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
dotenv	16.4.7	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
dotenv-expand	11.0.7	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
dunder-proto	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eastasianwidth	0.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ee-first	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyright	Policy Note
				Changes to the covered files/libraries must be published on distribution.
electron-to-chromium	1.5.339	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
emittery	0.13.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
encodeurl	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
env-editor	0.4.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
environment	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
error-ex	1.3.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
error-stack-parser	2.1.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
es-abstract	1.24.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
es-define-property	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
es-errors	1.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
es-iterator-helpers	1.3.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
es-object-atoms	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
es-set-tostringtag	2.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
es-shim-unscopables	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
es-to-primitive	1.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
esbuild	0.25.12	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyleft	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
esbuild-register	3.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
escalade	3.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
escape-html	1.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
escodegen	2.1.0	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
globals	13.24.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint-import-context	0.1.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint-import-resolver-node	0.3.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
resolve	1.22.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint-module-utils	2.12.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint-plugin-expo	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint-scope	7.2.2	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
espre	9.6.1	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
file-entry-cache	6.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
find-up	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
flat-cache	3.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
locate-path	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
p-locate	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint-plugin-import	2.32.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint-plugin-react	7.37.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eslint-plugin-react-hooks	5.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
esprima	4.0.1	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
esquery	1.7.0	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
esrecurse	4.3.0	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
estraverse	5.3.0	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
esutils	2.0.3	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
etag	1.8.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
event-target-shim	5.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eventemitter3	5.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
execa	5.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
signal-exit	3.0.7	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
exit	0.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expect	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-diff	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-matcher-utils	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
expo-application	7.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-asset	12.0.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
sucrase	3.35.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-modules-autolinking	3.0.24	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-modules-core	3.0.29	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
expo-server	1.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lightningcss	1.27.0	MPL-2.0	weak_copyright	MPL-2.0 (file-level copyright): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.
lightningcss-darwin-arm64	1.27.0	MPL-2.0	weak_copyright	MPL-2.0 (file-level copyright): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.
lightningcss-darwin-x64	1.27.0	MPL-2.0	weak_copyright	MPL-2.0 (file-level copyright): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.
lightningcss-freebsd-x64	1.27.0	MPL-2.0	weak_copyright	MPL-2.0 (file-level copyright): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.
lightningcss-linux-arm-gnueabihf	1.27.0	MPL-2.0	weak_copyright	MPL-2.0 (file-level copyright): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.
lightningcss-linux-arm64-gnu	1.27.0	MPL-2.0	weak_copyright	MPL-2.0 (file-level copyright): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.

Package Name	Version	License	Copyleft	Policy Note
lightningcss-linux-arm64-musl	1.27.0	MPL-2.0	weak_copyleft	MPL-2.0 (file-level copyleft): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.
lightningcss-linux-x64-gnu	1.27.0	MPL-2.0	weak_copyleft	MPL-2.0 (file-level copyleft): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.
lightningcss-linux-x64-musl	1.27.0	MPL-2.0	weak_copyleft	MPL-2.0 (file-level copyleft): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.
lightningcss-win32-arm64-msvc	1.27.0	MPL-2.0	weak_copyleft	MPL-2.0 (file-level copyleft): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.
lightningcss-win32-x64-msvc	1.27.0	MPL-2.0	weak_copyleft	MPL-2.0 (file-level copyleft): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.
exponential-backoff	3.1.3	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
fast-deep-equal	3.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fast-json-stable-stringify	2.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fast-levenshtein	2.0.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fastq	1.20.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
fb-watchman	2.0.2	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
fbjs	3.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fbjs-css-vars	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyright	Policy Note
				must be published on distribution.
promise	8.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fdir	6.5.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fill-range	7.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
filter-obj	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
finalhandler	1.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
find-babel-config	2.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
find-yarn-workspace-root	2.0.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
flatted	3.4.2	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
flow-enums-runtime	0.0.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
follow-redirects	1.16.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fontfaceobserver	2.3.0	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
for-each	0.3.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
foreground-child	3.3.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
form-data	4.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
freeport-async	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fresh	0.5.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
fs-extra	10.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fs.realpath	1.0.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
fsevents	2.3.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
function-bind	1.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
function.prototype.name	1.1.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
functions-have-names	1.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
generator-function	2.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
gensync	1.0.0-beta.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
get-caller-file	2.0.5	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
get-east-asian-width	1.5.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
get-intrinsic	1.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
get-nonce	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
get-package-type	0.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
get-proto	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
get-stream	6.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
get-symbol-description	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
get-tsconfig	4.14.0	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyright	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
getenv	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
glob-parent	6.0.2	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
globalthis	1.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
gopd	1.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
graceful-fs	4.2.11	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
graphemer	1.4.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
has-bigints	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
has-property-descriptors	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
has-proto	1.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
has-symbols	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
has-tostringtag	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
hasown	2.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
hermes-estree	0.32.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
hermes-parser	0.32.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
hoist-non-react-statics	3.3.2	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
hosted-git-info	7.0.2	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
html-encoding-sniffer	3.0.0	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyleft	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
html-escaper	2.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
http-errors	2.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
statuses	1.5.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
http-proxy-agent	5.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
https-proxy-agent	5.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
human-signals	2.1.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
hyphenate-style-name	1.1.0	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
iconv-lite	0.6.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ieee754	1.2.1	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
image-size	1.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
import-fresh	3.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
resolve-from	5.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
import-local	3.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
imurmurhash	0.1.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
indent-string	4.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
inflight	1.0.6	ISC	permissive	Permissive license: keep license and

Package Name	Version	License	Copyright	Policy Note
				notices (Apache also keep NOTICE).
inherits	2.0.4	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
ini	1.3.8	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
inline-style-prefixer	7.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
internal-slot	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
invariant	2.2.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-arguments	1.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-array-buffer	3.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-arrayish	0.3.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-async-function	2.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-bigint	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-boolean-object	1.2.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-bun-module	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-callable	1.2.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-core-module	2.16.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-data-view	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-date-object	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
is-docker	2.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-extglob	2.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-finalizationregistry	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-generator-fn	2.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-generator-function	1.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-glob	4.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-map	2.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-nan	1.3.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-negative-zero	2.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-number	7.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-number-object	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-path-inside	3.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-plain-obj	2.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-potential-custom-element-name	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-regex	1.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-set	2.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyright	Policy Note
				Changes to the covered files/libraries must be published on distribution.
is-shared-array-buffer	1.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-stream	2.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-string	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-symbol	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-typed-array	1.1.15	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-weakmap	2.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-weakref	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-weakset	2.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-wsl	2.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
isarray	2.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
isexe	3.1.5	BlueOak-1.0.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
istanbul-lib-coverage	3.2.2	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
istanbul-lib-report	3.0.1	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
istanbul-lib-source-maps	4.0.1	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
istanbul-reports	3.2.0	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
iterator.prototype	1.1.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jackspeak	3.4.3	BlueOak-1.0.0	permissive	Permissive license: keep license and

Package Name	Version	License	Copyright	Policy Note
				notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
jest-changed-files	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-circus	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-cli	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-config	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-docblock	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-each	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-environment-node	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jsdom	26.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
tough-cookie	5.1.2	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
tr46	5.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
universalify	2.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
w3c-xmlserializer	5.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
whatwg-encoding	3.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
whatwg-mimetype	4.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
whatwg-url	14.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
xml-name-validator	5.0.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
jest-get-type	29.6.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-haste-map	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-leak-detector	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-pnp-resolver	1.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-resolve	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-resolve-dependencies	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-runner	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
source-map-support	0.5.21	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-runtime	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-snapshot	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-validate	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-watch-select-projects	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-watch-typeahead	2.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
slash	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
string-length	4.0.2	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyright	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-watcher	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jest-worker	29.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jpeg-js	0.16.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
js-tokens	4.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jsch-safe-url	0.2.4	0BSD	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
jsdoc-type-pratt-parser	4.8.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jsesc	3.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
json-buffer	3.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
json-parse-even-better-errors	4.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
json-schema-traverse	0.4.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
json-stable-stringify	1.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
json-stable-stringify-without-jsonify	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
json5	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jsonfile	6.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jsonify	0.0.1	Public Domain	proprietary	Custom/unknown terms — needs manual review before shipping. Non-commercial restriction — not OSI-compatible; blocks commercial use.

Package Name	Version	License	Copyright	Policy Note
jsx-ast-utils	3.3.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
keyv	4.5.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
klaw-sync	6.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
kleur	3.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lan-network	0.1.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
leven	3.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
levn	0.4.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lighthouse-logger	1.4.2	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
lightningcss-android-arm64	1.32.0	MPL-2.0	weak_copyright	MPL-2.0 (file-level copyright): if you modify MPL-covered files and distribute, you must publish those file changes; your application may remain under your license. If you offer the software as a network service, you must make the source available to users.
lines-and-columns	1.2.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
listr2	9.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lodash	4.18.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lodash.debounce	4.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lodash.merge	4.6.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lodash.throttle	4.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyright	Policy Note
				must be published on distribution.
log-symbols	2.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
log-update	6.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
slice-ansi	8.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
loose-envify	1.4.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lz-string	1.5.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
make-dir	4.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
makeerror	1.0.12	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
map-or-similar	1.5.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
marky	1.3.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
math-intrinsics	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
mdn-data	2.0.14	CC0-1.0	unknown	Custom/unknown terms — needs manual review before shipping.
memoize-one	6.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
memoizerific	1.11.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
memorystream	0.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
merge-options	3.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
merge-stream	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries

Package Name	Version	License	Copyright	Policy Note
				must be published on distribution.
metro	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-babel-transformer	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-cache	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-cache-key	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-config	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-core	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-file-map	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-minify-terser	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-resolver	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-runtime	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-source-map	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
source-map	0.5.6	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
metro-symbolicate	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-transform-plugins	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
metro-transform-worker	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
micromatch	4.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyright	Policy Note
				Changes to the covered files/libraries must be published on distribution.
mime	1.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
mime-db	1.52.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
mime-types	2.1.35	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
mimic-fn	1.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
mimic-function	5.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
min-indent	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
minimist	1.2.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
minizlib	3.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
mkdirp	1.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
mz	2.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
nanoid	3.3.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
napi-postinstall	0.3.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
natural-compare	1.4.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
nested-error-stacks	2.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
node-exports-info	1.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
node-fetch	2.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
webidl-conversions	5.0.0	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
node-forge	1.4.0	(BSD-3-Clause OR GPL-2.0)	unknown	Custom/unknown terms — needs manual review before shipping.
node-int64	0.4.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
node-releases	2.0.37	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
normalize-path	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
npm-normalize-package-bin	4.0.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
npm-package-arg	11.0.3	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
which	2.0.2	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
npm-run-path	4.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
nth-check	2.1.1	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
nullthrows	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
nwsapi	2.2.23	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ob1	0.83.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
object-assign	4.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
object-inspect	1.13.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
object-is	1.1.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
object-keys	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
object.assign	4.1.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
object.entries	1.1.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
object.fromentries	2.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
object.groupby	1.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
object.values	1.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
on-finished	2.4.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
on-headers	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
once	1.4.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
onetime	7.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
optionator	0.9.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ora	3.4.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
restore-cursor	5.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
own-keys	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
p-limit	2.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
p-try	2.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
package-json-from-dist	1.0.1	BlueOak-1.0.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic

Package Name	Version	License	Copyleft	Policy Note
				linking typically avoids reciprocity.
parent-module	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
parse-json	5.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
parse-png	2.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
parse5	7.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
parseurl	1.3.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
path-exists	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
path-is-absolute	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
path-key	3.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
path-parse	1.0.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
picocolors	1.1.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
pidtree	0.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
pirates	4.0.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
pkg-dir	4.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
pkg-up	3.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
playwright-core	1.59.1	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
plist	3.1.0	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyleft	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
pngjs	3.4.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
polished	4.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
possible-typed-array-names	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
postcss	8.4.49	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
postcss-value-parser	4.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
prelude-ls	1.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
pretty-bytes	5.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
proc-log	4.2.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
process	0.11.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
progress	2.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
prompts	2.4.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
prop-types	15.8.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
proxy-from-env	2.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
psl	1.15.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
punycode	2.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
pure-rand	6.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
qrcode-terminal	0.11.0	Apache 2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
query-string	7.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
querystringify	2.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
queue	6.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
queue-microtask	1.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
range-parser	1.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
rc	1.2.8	(BSD-2-Clause OR MIT OR Apache-2.0)	permissive	Dual/multi-licensed (MIT). You may choose a license; the least restrictive option is permissive.
strip-json-comments	3.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-devtools-core	6.1.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-fast-compare	3.2.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-freeze	1.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-native-is-edge-to-edge	1.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-refresh	0.14.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-remove-scroll	2.7.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-remove-scroll-bar	2.3.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyright	Policy Note
				Changes to the covered files/libraries must be published on distribution.
react-style-singleton	2.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-test-renderer	19.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
read-package-json-fast	4.0.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
recast	0.23.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
redent	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
reflect.getprototypeof	1.0.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
regenerate	1.4.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
regenerate-unicode-properties	10.2.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
regenerator-runtime	0.13.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
regexp.prototype.flags	1.5.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
regexpu-core	6.4.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
regjsgen	0.8.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
regjsparser	0.13.1	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
require-directory	2.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
require-from-string	2.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
requireg	0.2.2	UNKNOWN	unknown	Custom/unknown terms — needs manual review before shipping.

Package Name	Version	License	Copyright	Policy Note
requires-port	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
reselect	4.1.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
resolve-cwd	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
resolve-pkg-maps	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
resolve-workspace-root	2.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
resolve.exports	2.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
reusify	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
rfdc	1.4.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
rimraf	3.0.2	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
rrweb-cssom	0.8.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
run-parallel	1.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
safe-array-concat	1.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
safe-buffer	5.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
safe-push-apply	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
safe-regex-test	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
safer-buffer	2.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
sax	1.6.0	BlueOak-1.0.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
saxes	6.0.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
scheduler	0.26.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
send	0.19.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
serialize-error	2.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
serve-static	1.16.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
server-only	0.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
set-function-length	1.2.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
set-function-name	2.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
set-proto	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
setimmediate	1.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
setprototypeof	1.2.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
sf-symbols-typescript	2.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
shallowequal	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
shebang-command	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
shebang-regex	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
shell-quote	1.8.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
side-channel	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
side-channel-list	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
side-channel-map	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
side-channel-weakmap	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
simple-plist	1.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
simple-swizzle	0.2.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
sisteransi	1.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
slugify	1.6.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
source-map-js	1.2.1	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
split-on-first	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
sprintf-js	1.0.3	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
stable-hash	0.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
stable-hash-x	0.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
stack-generator	2.0.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
stack-utils	2.0.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
stackframe	1.3.4	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyright	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
stacktrace-gps	3.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
stacktrace-js	2.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
stacktrace-parser	0.1.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
stop-iteration-iterator	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
stream-buffers	2.2.0	Unlicense	proprietary	Custom/unknown terms — needs manual review before shipping. Non-commercial restriction — not OSI-compatible; blocks commercial use.
strict-uri-encode	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
string-argv	0.3.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
string-width-cjs	4.2.3	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
string.prototype.matchall	4.0.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
string.prototype.repeat	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
string.prototype.trim	1.2.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
string.prototype.trimend	1.0.9	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
string.prototype.trimstart	1.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
strip-ansi-cjs	6.0.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
strip-bom	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
strip-final-newline	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyright	Policy Note
				Changes to the covered files/libraries must be published on distribution.
strip-indent	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
structured-headers	0.4.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
styleq	0.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
supports-hyperlinks	2.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
supports-preserve-symlinks-flag	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
symbol-tree	3.2.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
tar	7.5.13	BlueOak-1.0.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
yallist	3.1.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
temp-dir	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
terminal-link	2.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
terser	5.46.1	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
test-exclude	6.0.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
text-table	0.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
thenify	3.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
thenify-all	1.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
throat	5.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
tiny-invariant	1.3.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
tinyexec	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
tinyglobby	0.2.16	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
tldts	6.1.86	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
tldts-core	6.1.86	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
tmp	0.2.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
tmpl	1.0.5	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
to-regexp-range	5.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
toidentifier	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ts-api-utils	2.5.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ts-dedent	2.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ts-interface-checker	0.1.13	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
tsconfig-paths	3.15.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
tslib	2.8.1	0BSD	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
type-check	0.4.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
type-detect	4.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyright	Policy Note
typed-array-buffer	1.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
typed-array-byte-length	1.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
typed-array-byte-offset	1.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
typed-array-length	1.0.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ua-parser-js	1.0.41	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
unbox-primitive	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
undici	6.25.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
undici-types	7.19.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
unicode-canonical-property-names-ecmascript	2.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
unicode-match-property-ecmascript	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
unicode-match-property-value-ecmascript	2.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
unicode-property-aliases-ecmascript	2.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
unimodules-app-loader	6.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
unique-string	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
unpipe	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
unplugin	1.16.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyleft	Policy Note
				Changes to the covered files/libraries must be published on distribution.
unrs-resolver	1.11.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
update-browserslist-db	1.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
uri-js	4.4.1	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
url-parse	1.5.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
use-callback-ref	1.3.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
use-latest-callback	0.2.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
use-sidecar	1.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
use-sync-external-store	1.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
util	0.12.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
utils-merge	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
uuid	7.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
v8-to-istanbul	9.3.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
validate-npm-package-name	5.0.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
vary	1.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
vaul	1.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
vlq	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
walker	1.0.8	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
warn-once	0.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
wcwidth	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
webpack-virtual-modules	0.6.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
whatwg-fetch	3.6.20	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
whatwg-url-without-unicode	8.0.0-3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
which-boxed-primitive	1.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
which-builtin-type	1.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
which-collection	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
which-typed-array	1.1.20	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
wonka	6.3.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
word-wrap	1.2.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
wrap-ansi-cjs	7.0.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
wrappy	1.0.2	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
write-file-atomic	4.0.2	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
xcode	3.0.1	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
xml2js	0.6.0	MIT	permissive	Permissive license: keep license and

Package Name	Version	License	Copyleft	Policy Note
				notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
xmlbuilder	15.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
xmlchars	2.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
y18n	5.0.8	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
yaml	2.8.3	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
yargs	17.7.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
yargs-parser	21.1.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
yocto-queue	0.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Software Composition Analysis (SCA)

Total Vulnerabilities: 40 High: 9 Medium: 19 Low: 12

Package	CVE/ID	Severity	CVSS	Fix Version
python-multipart@0.0.22	CVE-2026-40347	Medium	5.3	0.0.26
authlib@1.6.9	GHSA-jj8c-mmj3-mmj3-v	Medium	5.4	1.6.11
cryptography@46.0.5	CVE-2026-39892	Medium	0.0	46.0.7
cryptography@46.0.5	CVE-2026-34073	Low	5.3	46.0.6
requests@2.32.3	CVE-2026-25645	Medium	4.4	2.33.0
requests@2.32.3	CVE-2024-47081	Medium	5.3	2.32.4
urllib3@2.0	CVE-2026-21441	High	7.5	2.6.3
urllib3@2.0	CVE-2025-66471	High	0.0	2.6.0
urllib3@2.0	CVE-2025-66418	High	0.0	2.6.0
urllib3@2.0	CVE-2025-50181	Medium	5.3	2.5.0
urllib3@2.0	CVE-2024-37891	Medium	4.4	2.2.2
urllib3@2.0	CVE-2023-45803	Medium	4.2	2.0.7
urllib3@2.0	CVE-2023-43804	High	5.9	2.0.6
pillow@12.1.1	CVE-2026-40192	High	0.0	12.2.0
pytest@9.0.2	CVE-2025-71176	Medium	6.8	9.0.3
black@24.10.0	CVE-2026-32274	High	0.0	26.3.1
aiohttp@3.9.0	CVE-2026-34525	Medium	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-34520	Low	9.1	3.13.4
aiohttp@3.9.0	CVE-2026-34519	Low	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-34518	Low	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-34517	Low	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-34516	Medium	7.5	3.13.4
aiohttp@3.9.0	CVE-2026-34515	Medium	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-34514	Low	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-34513	Low	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-22815	Medium	0.0	3.13.4
aiohttp@3.9.0	CVE-2025-69230	Low	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69229	Medium	0.0	3.13.3

Package	CVE/ID	Severity	CVSS	Fix Version
aiohttp@3.9.0	CVE-2025-69228	Medium	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69227	Medium	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69226	Low	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69225	Low	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69224	Low	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69223	High	7.5	3.13.3
aiohttp@3.9.0	CVE-2025-53643	Low	0.0	3.12.14
aiohttp@3.9.0	CVE-2024-52304	Medium	0.0	3.10.11
aiohttp@3.9.0	CVE-2024-30251	High	7.5	3.9.4
aiohttp@3.9.0	CVE-2024-27306	Medium	6.1	3.9.4
aiohttp@3.9.0	CVE-2024-23334	High	5.9	3.9.2
aiohttp@3.9.0	CVE-2024-23829	Medium	6.5	3.9.2

Healthy Packages (1188)

Package Name	Version	Ecosystem
fastapi	0.135.1	PIP
uvicorn	0.41.0	PIP
gunicorn	25.1.0	PIP
python-dotenv	1.2.2	PIP
pydantic	2.12.5	PIP
pydantic-settings	2.13.1	PIP
motor	3.7.1	PIP
pymongo	4.16.0	PIP
pyodbc	5.3.0	PIP
redis	7.3.0	PIP
passlib	1.7.4	PIP
bcrypt	4.0.1	PIP
pyjwt	2.12.1	PIP
prometheus-client	0.24.1	PIP
python-json-logger	4.0.0	PIP

Package Name	Version	Ecosystem
sentry-sdk	2.54.0	PIP
aiocache	0.12.3	PIP
ujson	5.12.0	PIP
orjson	3.11.7	PIP
httpx	0.28.1	PIP
chardet	5.0	PIP
python-dateutil	2.9.0.post0	PIP
email-validator	2.3.0	PIP
rapidfuzz	3.14.3	PIP
tenacity	9.1.4	PIP
zeroconf	0.148.0	PIP
setuptools	82.0.1	PIP
wheel	0.46.3	PIP
psutil	7.2.2	PIP
pandas	2.2.0	PIP
openpyxl	3.1.5	PIP
xlsxwriter	3.2.9	PIP
reportlab	4.4.10	PIP
pytest-asyncio	1.3.0	PIP
pytest-cov	7.0.0	PIP
respx	0.22.0	PIP
pymssql	2.2.0	PIP
pyyaml	6.0	PIP
isort	5.13.2	PIP
flake8	7.1.1	PIP
mypy	1.13.0	PIP
bandit	1.8.6	PIP
locust	2.34.0	PIP
memory-profiler	0.61.0	PIP
copilotkit	0.1.79	PIP
numpy	2.0.2	PIP

Package Name	Version	Ecosystem
sentence-transformers	2.2.2	PIP
opentelemetry-api	1.25.0	PIP
opentelemetry-sdk	1.25.0	PIP
opentelemetry-exporter-otlp-proto-http	1.25.0	PIP
opentelemetry-instrumentation-fastapi	0.46b0	PIP
opentelemetry-instrumentation-requests	0.46b0	PIP
opentelemetry-instrumentation-logging	0.46b0	PIP
opentelemetry-instrumentation-pymongo	0.46b0	PIP
@expo-google-fonts/inter	0.4.2	NPM
@expo/vector-icons	15.1.1	NPM
@react-native-async-storage/async-storage	2.2.0	NPM
@react-native-community/datetimepicker	8.4.4	NPM
@react-native-community/netinfo	11.4.1	NPM
@react-native-community/slider	5.0.1	NPM
@shopify/flash-list	2.0.2	NPM
@tanstack/react-query	5.99.0	NPM
axios	1.15.0	NPM
expo	54.0.33	NPM
expo-background-task	1.0.10	NPM
expo-blur	15.0.8	NPM
expo-brightness	14.0.8	NPM
expo-camera	17.0.10	NPM
expo-clipboard	8.0.8	NPM
expo-constants	18.0.13	NPM
expo-crypto	15.0.8	NPM
expo-file-system	19.0.21	NPM
expo-font	14.0.11	NPM
expo-haptics	15.0.8	NPM
expo-image	3.0.11	NPM
expo-keep-awake	15.0.8	NPM
expo-linear-gradient	15.0.8	NPM

Package Name	Version	Ecosystem
expo-linking	8.0.11	NPM
expo-local-authentication	17.0.8	NPM
expo-notifications	0.32.16	NPM
expo-router	6.0.23	NPM
expo-secure-store	15.0.8	NPM
expo-sharing	14.0.8	NPM
expo-speech	14.0.8	NPM
expo-splash-screen	31.0.13	NPM
expo-sqlite	16.0.10	NPM
expo-status-bar	3.0.9	NPM
expo-system-ui	6.0.9	NPM
expo-task-manager	14.0.9	NPM
lottie-react-native	7.3.6	NPM
react	19.1.0	NPM
react-dom	19.1.0	NPM
react-error-boundary	6.1.1	NPM
react-hook-form	7.72.1	NPM
react-native	0.81.5	NPM
react-native-gesture-handler	2.28.0	NPM
react-native-reanimated	4.1.7	NPM
react-native-safe-area-context	5.6.2	NPM
react-native-screens	4.16.0	NPM
react-native-svg	15.12.1	NPM
react-native-web	0.21.2	NPM
react-native-worklets	0.5.1	NPM
use-debounce	10.1.1	NPM
zod	4.3.6	NPM
zustand	5.0.12	NPM
@babel/core	7.29.0	NPM
@babel/runtime	7.29.2	NPM
@expo/cli	54.0.23	NPM

Package Name	Version	Ecosystem
@expo/metro-runtime	6.1.2	NPM
@playwright/test	1.59.1	NPM
@storybook/addon-essentials	8.6.18	NPM
@storybook/react	8.6.18	NPM
@testing-library/jest-dom	6.9.1	NPM
@testing-library/react	16.3.2	NPM
@testing-library/react-native	13.3.3	NPM
@tootallnate/once	3.0.1	NPM
@types/jest	29.5.14	NPM
@types/node	25.6.0	NPM
@types/react	19.1.17	NPM
@types/react-dom	19.1.11	NPM
babel-jest	29.7.0	NPM
babel-plugin-module-resolver	5.0.3	NPM
babel-plugin-transform-import-meta	2.3.3	NPM
babel-plugin-transform-remove-console	6.9.4	NPM
eslint	9.39.4	NPM
eslint-config-expo	10.0.0	NPM
eslint-import-resolver-typescript	4.4.4	NPM
husky	9.1.7	NPM
jest	29.7.0	NPM
jest-environment-jsdom	29.7.0	NPM
jest-expo	54.0.17	NPM
lint-staged	16.4.0	NPM
npm-run-all2	7.0.2	NPM
patch-package	8.0.1	NPM
playwright	1.59.1	NPM
postinstall-postinstall	2.1.0	NPM
prettier	3.8.3	NPM
storybook	8.6.18	NPM
typescript	5.9.3	NPM

Package Name	Version	Ecosystem
@0no-co/graphql.web	1.2.0	NPM
@adobe/css-tools	4.4.4	NPM
@asamuzakjp/css-color	3.2.0	NPM
lru-cache	10.4.3	NPM
@babel/code-frame	7.10.4	NPM
@babel/compat-data	7.29.0	NPM
@babel/generator	7.29.1	NPM
@babel/helper-annotate-as-pure	7.27.3	NPM
@babel/helper-compilation-targets	7.28.6	NPM
@babel/helper-create-class-features-plugin	7.28.6	NPM
@babel/helper-create-regexp-features-plugin	7.28.5	NPM
@babel/helper-define-polyfill-provider	0.6.8	NPM
@babel/helper-globals	7.28.0	NPM
@babel/helper-member-expression-to-functions	7.28.5	NPM
@babel/helper-module-imports	7.28.6	NPM
@babel/helper-module-transforms	7.28.6	NPM
@babel/helper-optimise-call-expression	7.27.1	NPM
@babel/helper-plugin-utils	7.28.6	NPM
@babel/helper-remap-async-to-generator	7.27.1	NPM
@babel/helper-replace-supers	7.28.6	NPM
@babel/helper-skip-transparent-expression-wrappers	7.27.1	NPM
@babel/helper-string-parser	7.27.1	NPM
@babel/helper-validator-identifier	7.28.5	NPM
@babel/helper-validator-option	7.27.1	NPM
@babel/helper-wrap-function	7.28.6	NPM
@babel/helpers	7.29.2	NPM
@babel/highlight	7.25.9	NPM
ansi-styles	6.2.3	NPM
chalk	2.4.2	NPM
color-convert	1.9.3	NPM
color-name	1.1.3	NPM

Package Name	Version	Ecosystem
escape-string-regexp	2.0.0	NPM
has-flag	3.0.0	NPM
supports-color	7.2.0	NPM
@babel/parser	7.29.2	NPM
@babel/plugin-proposal-decorators	7.29.0	NPM
@babel/plugin-proposal-export-default-from	7.27.1	NPM
@babel/plugin-syntax-async-generators	7.8.4	NPM
@babel/plugin-syntax-bigint	7.8.3	NPM
@babel/plugin-syntax-class-properties	7.12.13	NPM
@babel/plugin-syntax-class-static-block	7.14.5	NPM
@babel/plugin-syntax-decorators	7.28.6	NPM
@babel/plugin-syntax-dynamic-import	7.8.3	NPM
@babel/plugin-syntax-export-default-from	7.28.6	NPM
@babel/plugin-syntax-flow	7.28.6	NPM
@babel/plugin-syntax-import-attributes	7.28.6	NPM
@babel/plugin-syntax-import-meta	7.10.4	NPM
@babel/plugin-syntax-json-strings	7.8.3	NPM
@babel/plugin-syntax-jsx	7.28.6	NPM
@babel/plugin-syntax-logical-assignment-operators	7.10.4	NPM
@babel/plugin-syntax-nullish-coalescing-operator	7.8.3	NPM
@babel/plugin-syntax-numeric-separator	7.10.4	NPM
@babel/plugin-syntax-object-rest-spread	7.8.3	NPM
@babel/plugin-syntax-optional-catch-binding	7.8.3	NPM
@babel/plugin-syntax-optional-chaining	7.8.3	NPM
@babel/plugin-syntax-private-property-in-object	7.14.5	NPM
@babel/plugin-syntax-top-level-await	7.14.5	NPM
@babel/plugin-syntax-typescript	7.28.6	NPM
@babel/plugin-transform-arrow-functions	7.27.1	NPM
@babel/plugin-transform-async-generator-functions	7.29.0	NPM
@babel/plugin-transform-async-to-generator	7.28.6	NPM
@babel/plugin-transform-block-scoping	7.28.6	NPM

Package Name	Version	Ecosystem
@babel/plugin-transform-class-properties	7.28.6	NPM
@babel/plugin-transform-class-static-block	7.28.6	NPM
@babel/plugin-transform-classes	7.28.6	NPM
@babel/plugin-transform-computed-properties	7.28.6	NPM
@babel/plugin-transform-destructuring	7.28.5	NPM
@babel/plugin-transform-export-namespace-from	7.27.1	NPM
@babel/plugin-transform-flow-strip-types	7.27.1	NPM
@babel/plugin-transform-for-of	7.27.1	NPM
@babel/plugin-transform-function-name	7.27.1	NPM
@babel/plugin-transform-literals	7.27.1	NPM
@babel/plugin-transform-logical-assignment-operators	7.28.6	NPM
@babel/plugin-transform-modules-commonjs	7.28.6	NPM
@babel/plugin-transform-named-capturing-groups-regex	7.29.0	NPM
@babel/plugin-transform-nullish-coalescing-operator	7.28.6	NPM
@babel/plugin-transform-numeric-separator	7.28.6	NPM
@babel/plugin-transform-object-rest-spread	7.28.6	NPM
@babel/plugin-transform-optional-catch-binding	7.28.6	NPM
@babel/plugin-transform-optional-chaining	7.28.6	NPM
@babel/plugin-transform-parameters	7.27.7	NPM
@babel/plugin-transform-private-methods	7.28.6	NPM
@babel/plugin-transform-private-property-in-object	7.28.6	NPM
@babel/plugin-transform-react-display-name	7.28.0	NPM
@babel/plugin-transform-react-jsx	7.28.6	NPM
@babel/plugin-transform-react-jsx-development	7.27.1	NPM
@babel/plugin-transform-react-jsx-self	7.27.1	NPM
@babel/plugin-transform-react-jsx-source	7.27.1	NPM
@babel/plugin-transform-react-pure-annotations	7.27.1	NPM
@babel/plugin-transform-regenerator	7.29.0	NPM
@babel/plugin-transform-runtime	7.29.0	NPM
@babel/plugin-transform-shorthand-properties	7.27.1	NPM
@babel/plugin-transform-spread	7.28.6	NPM

Package Name	Version	Ecosystem
@babel/plugin-transform-sticky-regex	7.27.1	NPM
@babel/plugin-transform-template-literals	7.27.1	NPM
@babel/plugin-transform-typescript	7.28.6	NPM
@babel/plugin-transform-unicode-regex	7.27.1	NPM
@babel/preset-react	7.28.5	NPM
@babel/preset-typescript	7.28.5	NPM
@babel/template	7.28.6	NPM
@babel/traverse	7.29.0	NPM
@babel/traverse--for-generate-function-map	7.29.0	NPM
@babel/types	7.29.0	NPM
@bcoe/v8-coverage	0.2.3	NPM
@csstools/color-helpers	5.1.0	NPM
@csstools/css-calc	2.1.4	NPM
@csstools/css-color-parser	3.1.0	NPM
@csstools/css-parser-algorithms	3.0.5	NPM
@csstools/css-tokenizer	3.0.4	NPM
@egjs/hammerjs	2.0.17	NPM
@emnapi/core	1.10.0	NPM
@emnapi/runtime	1.10.0	NPM
@emnapi/wasi-threads	1.2.1	NPM
@esbuild/aix-ppc64	0.25.12	NPM
@esbuild/android-arm	0.25.12	NPM
@esbuild/android-arm64	0.25.12	NPM
@esbuild/android-x64	0.25.12	NPM
@esbuild/darwin-arm64	0.25.12	NPM
@esbuild/darwin-x64	0.25.12	NPM
@esbuild/freebsd-arm64	0.25.12	NPM
@esbuild/freebsd-x64	0.25.12	NPM
@esbuild/linux-arm	0.25.12	NPM
@esbuild/linux-arm64	0.25.12	NPM
@esbuild/linux-ia32	0.25.12	NPM

Package Name	Version	Ecosystem
@esbuild/linux-loong64	0.25.12	NPM
@esbuild/linux-mips64el	0.25.12	NPM
@esbuild/linux-ppc64	0.25.12	NPM
@esbuild/linux-riscv64	0.25.12	NPM
@esbuild/linux-s390x	0.25.12	NPM
@esbuild/linux-x64	0.25.12	NPM
@esbuild/netbsd-arm64	0.25.12	NPM
@esbuild/netbsd-x64	0.25.12	NPM
@esbuild/openbsd-arm64	0.25.12	NPM
@esbuild/openbsd-x64	0.25.12	NPM
@esbuild/openharmony-arm64	0.25.12	NPM
@esbuild/sunos-x64	0.25.12	NPM
@esbuild/win32-arm64	0.25.12	NPM
@esbuild/win32-ia32	0.25.12	NPM
@esbuild/win32-x64	0.25.12	NPM
@eslint-community/eslint-utils	4.9.1	NPM
@eslint-community/regexpp	4.12.2	NPM
@eslint/config-array	0.21.2	NPM
brace-expansion	1.1.14	NPM
minimatch	3.1.5	NPM
@eslint/config-helpers	0.4.2	NPM
@eslint/core	0.17.0	NPM
@eslint/eslintrc	3.3.5	NPM
@eslint/js	9.39.4	NPM
@eslint/object-schema	2.1.7	NPM
@eslint/plugin-kit	0.4.1	NPM
semver	6.3.1	NPM
@expo/code-signing-certificates	0.0.6	NPM
@expo/config	12.0.13	NPM
@expo/config-plugins	54.0.4	NPM
@expo/config-types	54.0.10	NPM

Package Name	Version	Ecosystem
@expo/devcert	1.2.1	NPM
debug	2.6.9	NPM
@expo/devtools	0.1.8	NPM
@expo/env	2.0.11	NPM
@expo/fingerprint	0.15.4	NPM
balanced-match	4.0.4	NPM
glob	7.2.3	NPM
path-scurry	1.11.1	NPM
@expo/image-utils	0.8.13	NPM
@expo/json-file	10.0.13	NPM
@expo/metro	54.2.0	NPM
@expo/metro-config	54.0.14	NPM
@expo/osascript	2.4.2	NPM
@expo/package-manager	1.10.4	NPM
@expo/plist	0.4.8	NPM
@expo/prebuild-config	54.0.8	NPM
@expo/require-utils	55.0.4	NPM
@expo/schema-utils	0.1.8	NPM
@expo/sdk-runtime-versions	1.0.0	NPM
@expo/spawn-async	1.7.2	NPM
@expo/sudo-prompt	9.3.2	NPM
@expo/ws-tunnel	1.0.6	NPM
@expo/xcpretty	4.4.3	NPM
@humanfs/core	0.19.1	NPM
@humanfs/node	0.16.7	NPM
@humanwhocodes/config-array	0.13.0	NPM
@humanwhocodes/module-importer	1.0.1	NPM
@humanwhocodes/object-schema	2.0.3	NPM
@humanwhocodes/retry	0.4.3	NPM
@ide/backoff	1.0.0	NPM
@isaacs/cliui	8.0.2	NPM

Package Name	Version	Ecosystem
ansi-regex	6.2.2	NPM
strip-ansi	6.0.1	NPM
wrap-ansi	7.0.0	NPM
@isaacs/fs-minipass	4.0.1	NPM
@isaacs/ttlcache	1.4.1	NPM
@istanbuljs/load-nyc-config	1.1.0	NPM
argparse	2.0.1	NPM
js-yaml	4.1.1	NPM
@istanbuljs/schema	0.1.6	NPM
@jest/console	29.7.0	NPM
@jest/core	29.7.0	NPM
@jest/create-cache-key-function	29.7.0	NPM
@jest/diff-sequences	30.3.0	NPM
@jest/environment	30.3.0	NPM
@jest/environment-jsdom-abstract	30.3.0	NPM
@jest/fake-timers	30.3.0	NPM
@jest/schemas	30.0.5	NPM
@jest/types	30.3.0	NPM
@sinclair/typebox	0.34.49	NPM
@sinonjs/fake-timers	15.3.2	NPM
ci-info	2.0.0	NPM
jest-message-util	29.7.0	NPM
jest-mock	29.7.0	NPM
jest-util	29.7.0	NPM
picomatch	4.0.4	NPM
pretty-format	29.7.0	NPM
react-is	19.2.5	NPM
@jest/expect	29.7.0	NPM
@jest/expect-utils	29.7.0	NPM
@jest/get-type	30.1.0	NPM
@jest/globals	29.7.0	NPM

Package Name	Version	Ecosystem
@jest/pattern	30.0.1	NPM
jest-regex-util	29.6.3	NPM
@jest/reporters	29.7.0	NPM
istanbul-lib-instrument	5.2.1	NPM
@jest/source-map	29.6.3	NPM
@jest/test-result	29.7.0	NPM
@jest/test-sequencer	29.7.0	NPM
@jest/transform	29.7.0	NPM
@jridgewell/gen-mapping	0.3.13	NPM
@jridgewell/remapping	2.3.5	NPM
@jridgewell/resolve-uri	3.1.2	NPM
@jridgewell/source-map	0.3.11	NPM
@jridgewell/sourcemap-codec	1.5.5	NPM
@jridgewell/trace-mapping	0.3.31	NPM
@mdx-js/react	3.1.1	NPM
@napi-rs/wasm-runtime	0.2.12	NPM
@nodelib/fs.scandir	2.1.5	NPM
@nodelib/fs.stat	2.0.5	NPM
@nodelib/fs.walk	1.2.8	NPM
@nolyfill/is-core-module	1.0.39	NPM
@pkgjs/parseargs	0.11.0	NPM
@radix-ui/primitive	1.1.3	NPM
@radix-ui/react-collection	1.1.7	NPM
@radix-ui/react-slot	1.2.0	NPM
@radix-ui/react-compose-refs	1.1.2	NPM
@radix-ui/react-context	1.1.2	NPM
@radix-ui/react-dialog	1.1.15	NPM
@radix-ui/react-direction	1.1.1	NPM
@radix-ui/react-dismissable-layer	1.1.11	NPM
@radix-ui/react-focus-guards	1.1.3	NPM
@radix-ui/react-focus-scope	1.1.7	NPM

Package Name	Version	Ecosystem
@radix-ui/react-id	1.1.1	NPM
@radix-ui/react-portal	1.1.9	NPM
@radix-ui/react-presence	1.1.5	NPM
@radix-ui/react-primitive	2.1.3	NPM
@radix-ui/react-roving-focus	1.1.11	NPM
@radix-ui/react-tabs	1.1.13	NPM
@radix-ui/react-use-callback-ref	1.1.1	NPM
@radix-ui/react-use-controllable-state	1.2.2	NPM
@radix-ui/react-use-effect-event	0.0.2	NPM
@radix-ui/react-use-escape-keydown	1.1.1	NPM
@radix-ui/react-use-layout-effect	1.1.1	NPM
@react-native/assets-registry	0.81.5	NPM
@react-native/babel-plugin-codegen	0.81.5	NPM
@react-native/babel-preset	0.81.5	NPM
@react-native/codegen	0.81.5	NPM
@react-native/community-cli-plugin	0.81.5	NPM
@react-native/debugger-frontend	0.81.5	NPM
@react-native/dev-middleware	0.81.5	NPM
ws	8.20.0	NPM
ms	2.0.0	NPM
@react-native/gradle-plugin	0.81.5	NPM
@react-native/js-polyfills	0.81.5	NPM
@react-native/normalize-colors	0.81.5	NPM
@react-native/virtualized-lists	0.81.5	NPM
@react-navigation/bottom-tabs	7.15.9	NPM
@react-navigation/core	7.17.2	NPM
@react-navigation/elements	2.9.14	NPM
@react-navigation/native	7.2.2	NPM
@react-navigation/native-stack	7.14.11	NPM
@react-navigation/routers	7.5.3	NPM
@rtsao/scc	1.1.0	NPM

Package Name	Version	Ecosystem
@sinonjs/commons	3.0.1	NPM
@storybook/addon-actions	8.6.18	NPM
@storybook/addon-backgrounds	8.6.18	NPM
@storybook/addon-controls	8.6.18	NPM
@storybook/addon-docs	8.6.18	NPM
@storybook/addon-highlight	8.6.18	NPM
@storybook/addon-measure	8.6.18	NPM
@storybook/addon-outline	8.6.18	NPM
@storybook/addon-toolbars	8.6.18	NPM
@storybook/addon-viewport	8.6.18	NPM
@storybook/blocks	8.6.18	NPM
@storybook/components	8.6.18	NPM
@storybook/core	8.6.18	NPM
@storybook/csf-plugin	8.6.18	NPM
@storybook/global	5.0.0	NPM
@storybook/icons	1.6.0	NPM
@storybook/manager-api	8.6.18	NPM
@storybook/preview-api	8.6.18	NPM
@storybook/react-dom-shim	8.6.18	NPM
@storybook/theming	8.6.18	NPM
@tanstack/query-core	5.99.0	NPM
@testing-library/dom	10.4.1	NPM
aria-query	5.3.2	NPM
dom-accessibility-api	0.6.3	NPM
@tybys/wasm-util	0.10.1	NPM
@types/aria-query	5.0.4	NPM
@types/babel__core	7.20.5	NPM
@types/babel__generator	7.27.0	NPM
@types/babel__template	7.4.4	NPM
@types/babel__traverse	7.28.0	NPM
@types/estree	1.0.8	NPM

Package Name	Version	Ecosystem
@types/graceful-fs	4.1.9	NPM
@types/hammerjs	2.0.46	NPM
@types/istanbul-lib-coverage	2.0.6	NPM
@types/istanbul-lib-report	3.0.3	NPM
@types/istanbul-reports	3.0.4	NPM
@types/jsdom	20.0.1	NPM
@types/json-schema	7.0.15	NPM
@types/json5	0.0.29	NPM
@types/mdx	2.0.13	NPM
@types/stack-utils	2.0.3	NPM
@types/tough-cookie	4.0.5	NPM
@types/uuid	9.0.8	NPM
@types/yargs	17.0.35	NPM
@types/yargs-parser	21.0.3	NPM
@typescript-eslint/eslint-plugin	8.58.2	NPM
ignore	5.3.2	NPM
@typescript-eslint/parser	8.58.2	NPM
@typescript-eslint/project-service	8.58.2	NPM
@typescript-eslint/scope-manager	8.58.2	NPM
@typescript-eslint/tsconfig-utils	8.58.2	NPM
@typescript-eslint/type-utils	8.58.2	NPM
@typescript-eslint/types	8.58.2	NPM
@typescript-eslint/typescript-estree	8.58.2	NPM
@typescript-eslint/utils	8.58.2	NPM
@typescript-eslint/visitor-keys	8.58.2	NPM
eslint-visitor-keys	3.4.3	NPM
@ungap/structured-clone	1.3.0	NPM
@unrs/resolver-binding-android-arm-eabi	1.11.1	NPM
@unrs/resolver-binding-android-arm64	1.11.1	NPM
@unrs/resolver-binding-darwin-arm64	1.11.1	NPM
@unrs/resolver-binding-darwin-x64	1.11.1	NPM

Package Name	Version	Ecosystem
@unrs/resolver-binding-freebsd-x64	1.11.1	NPM
@unrs/resolver-binding-linux-arm-gnueabihf	1.11.1	NPM
@unrs/resolver-binding-linux-arm-musleabihf	1.11.1	NPM
@unrs/resolver-binding-linux-arm64-gnu	1.11.1	NPM
@unrs/resolver-binding-linux-arm64-musl	1.11.1	NPM
@unrs/resolver-binding-linux-ppc64-gnu	1.11.1	NPM
@unrs/resolver-binding-linux-riscv64-gnu	1.11.1	NPM
@unrs/resolver-binding-linux-riscv64-musl	1.11.1	NPM
@unrs/resolver-binding-linux-s390x-gnu	1.11.1	NPM
@unrs/resolver-binding-linux-x64-gnu	1.11.1	NPM
@unrs/resolver-binding-linux-x64-musl	1.11.1	NPM
@unrs/resolver-binding-wasm32-wasi	1.11.1	NPM
@unrs/resolver-binding-win32-arm64-msvc	1.11.1	NPM
@unrs/resolver-binding-win32-ia32-msvc	1.11.1	NPM
@unrs/resolver-binding-win32-x64-msvc	1.11.1	NPM
@urql/core	5.2.0	NPM
@urql/exchange-retry	1.3.2	NPM
@xmldom/xmldom	0.8.12	NPM
@yarnpkg/lockfile	1.1.0	NPM
abab	2.0.6	NPM
abort-controller	3.0.0	NPM
accepts	1.3.8	NPM
acorn	8.16.0	NPM
acorn-globals	7.0.1	NPM
acorn-jsx	5.3.2	NPM
acorn-walk	8.3.5	NPM
agent-base	6.0.2	NPM
ajv	6.14.0	NPM
anser	1.4.10	NPM
ansi-escapes	7.3.0	NPM
type-fest	0.20.2	NPM

Package Name	Version	Ecosystem
any-promise	1.3.0	NPM
anymatch	3.1.3	NPM
arg	5.0.2	NPM
aria-hidden	1.2.6	NPM
array-buffer-byte-length	1.0.2	NPM
array-includes	3.1.9	NPM
array.prototype.findlast	1.2.5	NPM
array.prototype.findlastindex	1.2.6	NPM
array.prototype.flat	1.3.3	NPM
array.prototype.flatmap	1.3.3	NPM
array.prototype.tosorted	1.1.4	NPM
arraybuffer.prototype.slice	1.0.4	NPM
asap	2.0.6	NPM
assert	2.1.0	NPM
ast-types	0.16.1	NPM
async-function	1.0.0	NPM
async-limiter	1.0.1	NPM
asynckit	0.4.0	NPM
available-typed-arrays	1.0.7	NPM
await-lock	2.2.2	NPM
babel-plugin-istanbul	6.1.1	NPM
babel-plugin-jest-hoist	29.6.3	NPM
minipass	7.1.3	NPM
babel-plugin-polyfill-corejs2	0.4.17	NPM
babel-plugin-polyfill-corejs3	0.13.0	NPM
babel-plugin-polyfill-regenerator	0.6.8	NPM
babel-plugin-react-compiler	1.0.0	NPM
babel-plugin-react-native-web	0.21.2	NPM
babel-plugin-syntax-hermes-parser	0.29.1	NPM
babel-plugin-transform-flow-enums	0.0.2	NPM
babel-preset-current-node-syntax	1.2.0	NPM

Package Name	Version	Ecosystem
babel-preset-expo	54.0.10	NPM
babel-preset-jest	29.6.3	NPM
badgin	1.2.3	NPM
base64-js	1.5.1	NPM
baseline-browser-mapping	2.10.19	NPM
better-opn	3.0.2	NPM
open	7.4.2	NPM
big-integer	1.6.52	NPM
boolbase	1.0.0	NPM
bplist-creator	0.1.0	NPM
bplist-parser	0.3.1	NPM
braces	3.0.3	NPM
browser-assert	1.2.1	NPM
browserslist	4.28.2	NPM
bser	2.1.1	NPM
buffer	5.7.1	NPM
buffer-from	1.1.2	NPM
bytes	3.1.2	NPM
call-bind	1.0.9	NPM
call-bind-apply-helpers	1.0.2	NPM
call-bound	1.0.4	NPM
callsites	3.1.0	NPM
camelcase	6.3.0	NPM
caniuse-lite	1.0.30001788	NPM
char-regex	2.0.2	NPM
chownr	3.0.0	NPM
chrome-launcher	0.15.2	NPM
chromium-edge-launcher	0.2.0	NPM
cjs-module-lexer	1.4.3	NPM
cli-cursor	2.1.0	NPM
cli-spinners	2.9.2	NPM

Package Name	Version	Ecosystem
cli-truncate	5.2.0	NPM
string-width	4.2.3	NPM
client-only	0.0.1	NPM
cliui	8.0.1	NPM
emoji-regex	8.0.0	NPM
is-fullwidth-code-point	3.0.0	NPM
clone	1.0.4	NPM
co	4.6.0	NPM
collect-v8-coverage	1.0.3	NPM
color	4.2.3	NPM
color-string	1.9.1	NPM
colorette	2.0.20	NPM
combined-stream	1.0.8	NPM
commander	2.20.3	NPM
compressible	2.0.18	NPM
compression	1.8.1	NPM
negotiator	0.6.3	NPM
concat-map	0.0.1	NPM
connect	3.7.0	NPM
convert-source-map	2.0.0	NPM
core-js-compat	3.49.0	NPM
create-jest	29.7.0	NPM
cross-fetch	3.2.0	NPM
cross-spawn	7.0.6	NPM
crypto-random-string	2.0.0	NPM
css-in-js-utils	3.1.0	NPM
css-select	5.2.2	NPM
css-tree	1.1.3	NPM
css-what	6.2.2	NPM
css.escape	1.5.1	NPM
cssom	0.3.8	NPM

Package Name	Version	Ecosystem
cssstyle	2.3.0	NPM
csstype	3.2.3	NPM
data-urls	3.0.2	NPM
data-view-buffer	1.0.2	NPM
data-view-byte-length	1.0.2	NPM
data-view-byte-offset	1.0.1	NPM
decimal.js	10.6.0	NPM
decode-uri-component	0.2.2	NPM
dedent	1.7.2	NPM
deep-extend	0.6.0	NPM
deep-is	0.1.4	NPM
deepmerge	4.3.1	NPM
defaults	1.0.4	NPM
define-data-property	1.1.4	NPM
define-lazy-prop	2.0.0	NPM
define-properties	1.2.1	NPM
delayed-stream	1.0.0	NPM
depd	2.0.0	NPM
dequal	2.0.3	NPM
destroy	1.2.0	NPM
detect-libc	2.1.2	NPM
detect-newline	3.1.0	NPM
detect-node-es	1.1.0	NPM
diff-sequences	29.6.3	NPM
doctrine	2.1.0	NPM
dom-serializer	2.0.0	NPM
entities	6.0.1	NPM
domelementtype	2.3.0	NPM
domexception	4.0.0	NPM
domhandler	5.0.3	NPM
domutils	3.2.2	NPM

Package Name	Version	Ecosystem
dotenv	16.4.7	NPM
dotenv-expand	11.0.7	NPM
dunder-proto	1.0.1	NPM
eastasianwidth	0.2.0	NPM
ee-first	1.1.1	NPM
electron-to-chromium	1.5.339	NPM
emittery	0.13.1	NPM
encodeurl	2.0.0	NPM
env-editor	0.4.2	NPM
environment	1.1.0	NPM
error-ex	1.3.4	NPM
error-stack-parser	2.1.4	NPM
es-abstract	1.24.2	NPM
es-define-property	1.0.1	NPM
es-errors	1.3.0	NPM
es-iterator-helpers	1.3.2	NPM
es-object-atoms	1.1.1	NPM
es-set-tostringtag	2.1.0	NPM
es-shim-unscopables	1.1.0	NPM
es-to-primitive	1.3.0	NPM
esbuild	0.25.12	NPM
esbuild-register	3.6.0	NPM
escalade	3.2.0	NPM
escape-html	1.0.3	NPM
escodegen	2.1.0	NPM
globals	13.24.0	NPM
eslint-import-context	0.1.9	NPM
eslint-import-resolver-node	0.3.10	NPM
resolve	1.22.12	NPM
eslint-module-utils	2.12.1	NPM
eslint-plugin-expo	1.0.0	NPM

Package Name	Version	Ecosystem
eslint-scope	7.2.2	NPM
espreen	9.6.1	NPM
file-entry-cache	6.0.1	NPM
find-up	3.0.0	NPM
flat-cache	3.2.0	NPM
locate-path	3.0.0	NPM
p-locate	3.0.0	NPM
eslint-plugin-import	2.32.0	NPM
eslint-plugin-react	7.37.5	NPM
eslint-plugin-react-hooks	5.2.0	NPM
esprima	4.0.1	NPM
esquery	1.7.0	NPM
esrecurse	4.3.0	NPM
estaverse	5.3.0	NPM
esutils	2.0.3	NPM
etag	1.8.1	NPM
event-target-shim	5.0.1	NPM
eventemitter3	5.0.4	NPM
execa	5.1.1	NPM
signal-exit	3.0.7	NPM
exit	0.1.2	NPM
expect	29.7.0	NPM
jest-diff	29.7.0	NPM
jest-matcher-utils	29.7.0	NPM
expo-application	7.0.8	NPM
expo-asset	12.0.12	NPM
sucrase	3.35.0	NPM
expo-modules-autolinking	3.0.24	NPM
expo-modules-core	3.0.29	NPM
expo-server	1.0.5	NPM
lightningcss	1.27.0	NPM

Package Name	Version	Ecosystem
lightningcss-darwin-arm64	1.27.0	NPM
lightningcss-darwin-x64	1.27.0	NPM
lightningcss-freebsd-x64	1.27.0	NPM
lightningcss-linux-arm-gnueabihf	1.27.0	NPM
lightningcss-linux-arm64-gnu	1.27.0	NPM
lightningcss-linux-arm64-musl	1.27.0	NPM
lightningcss-linux-x64-gnu	1.27.0	NPM
lightningcss-linux-x64-musl	1.27.0	NPM
lightningcss-win32-arm64-msvc	1.27.0	NPM
lightningcss-win32-x64-msvc	1.27.0	NPM
exponential-backoff	3.1.3	NPM
fast-deep-equal	3.1.3	NPM
fast-json-stable-stringify	2.1.0	NPM
fast-levenshtein	2.0.6	NPM
fastq	1.20.1	NPM
fb-watchman	2.0.2	NPM
fbjs	3.0.5	NPM
fbjs-css-vars	1.0.2	NPM
promise	8.3.0	NPM
fdir	6.5.0	NPM
fill-range	7.1.1	NPM
filter-obj	1.1.0	NPM
finalhandler	1.1.2	NPM
find-babel-config	2.1.2	NPM
find-yarn-workspace-root	2.0.0	NPM
flatted	3.4.2	NPM
flow-enums-runtime	0.0.6	NPM
follow-redirects	1.16.0	NPM
fontfaceobserver	2.3.0	NPM
for-each	0.3.5	NPM
foreground-child	3.3.1	NPM

Package Name	Version	Ecosystem
form-data	4.0.5	NPM
freeport-async	2.0.0	NPM
fresh	0.5.2	NPM
fs-extra	10.1.0	NPM
fs.realpath	1.0.0	NPM
fsevents	2.3.2	NPM
function-bind	1.1.2	NPM
function.prototype.name	1.1.8	NPM
functions-have-names	1.2.3	NPM
generator-function	2.0.1	NPM
gensync	1.0.0-beta.2	NPM
get-caller-file	2.0.5	NPM
get-east-asian-width	1.5.0	NPM
get-intrinsic	1.3.0	NPM
get-nonce	1.0.1	NPM
get-package-type	0.1.0	NPM
get-proto	1.0.1	NPM
get-stream	6.0.1	NPM
get-symbol-description	1.1.0	NPM
get-tsconfig	4.14.0	NPM
getenv	2.0.0	NPM
glob-parent	6.0.2	NPM
globalthis	1.0.4	NPM
gopd	1.2.0	NPM
graceful-fs	4.2.11	NPM
graphemer	1.4.0	NPM
has-bigints	1.1.0	NPM
has-property-descriptors	1.0.2	NPM
has-proto	1.2.0	NPM
has-symbols	1.1.0	NPM
has-tostringtag	1.0.2	NPM

Package Name	Version	Ecosystem
hasown	2.0.2	NPM
hermes-estree	0.32.0	NPM
hermes-parser	0.32.0	NPM
hoist-non-react-statics	3.3.2	NPM
hosted-git-info	7.0.2	NPM
html-encoding-sniffer	3.0.0	NPM
html-escaper	2.0.2	NPM
http-errors	2.0.1	NPM
statuses	1.5.0	NPM
http-proxy-agent	5.0.0	NPM
https-proxy-agent	5.0.1	NPM
human-signals	2.1.0	NPM
hyphenate-style-name	1.1.0	NPM
iconv-lite	0.6.3	NPM
ieee754	1.2.1	NPM
image-size	1.2.1	NPM
import-fresh	3.3.1	NPM
resolve-from	5.0.0	NPM
import-local	3.2.0	NPM
imurmurhash	0.1.4	NPM
indent-string	4.0.0	NPM
inflight	1.0.6	NPM
inherits	2.0.4	NPM
ini	1.3.8	NPM
inline-style-prefixer	7.0.1	NPM
internal-slot	1.1.0	NPM
invariant	2.2.4	NPM
is-arguments	1.2.0	NPM
is-array-buffer	3.0.5	NPM
is-arrayish	0.3.4	NPM
is-async-function	2.1.1	NPM

Package Name	Version	Ecosystem
is-bigint	1.1.0	NPM
is-boolean-object	1.2.2	NPM
is-bun-module	2.0.0	NPM
is-callable	1.2.7	NPM
is-core-module	2.16.1	NPM
is-data-view	1.0.2	NPM
is-date-object	1.1.0	NPM
is-docker	2.2.1	NPM
is-extglob	2.1.1	NPM
is-finalizationregistry	1.1.1	NPM
is-generator-fn	2.1.0	NPM
is-generator-function	1.1.2	NPM
is-glob	4.0.3	NPM
is-map	2.0.3	NPM
is-nan	1.3.2	NPM
is-negative-zero	2.0.3	NPM
is-number	7.0.0	NPM
is-number-object	1.1.1	NPM
is-path-inside	3.0.3	NPM
is-plain-obj	2.1.0	NPM
is-potential-custom-element-name	1.0.1	NPM
is-regex	1.2.1	NPM
is-set	2.0.3	NPM
is-shared-array-buffer	1.0.4	NPM
is-stream	2.0.1	NPM
is-string	1.1.1	NPM
is-symbol	1.1.1	NPM
is-typed-array	1.1.15	NPM
is-weakmap	2.0.2	NPM
is-weakref	1.1.1	NPM
is-weakset	2.0.4	NPM

Package Name	Version	Ecosystem
is-wsl	2.2.0	NPM
isarray	2.0.5	NPM
isexe	3.1.5	NPM
istanbul-lib-coverage	3.2.2	NPM
istanbul-lib-report	3.0.1	NPM
istanbul-lib-source-maps	4.0.1	NPM
istanbul-reports	3.2.0	NPM
iterator.prototype	1.1.5	NPM
jackspeak	3.4.3	NPM
jest-changed-files	29.7.0	NPM
jest-circus	29.7.0	NPM
jest-cli	29.7.0	NPM
jest-config	29.7.0	NPM
jest-docblock	29.7.0	NPM
jest-each	29.7.0	NPM
jest-environment-node	29.7.0	NPM
jsdom	26.1.0	NPM
tough-cookie	5.1.2	NPM
tr46	5.1.1	NPM
universalify	2.0.1	NPM
w3c-xmlserializer	5.0.0	NPM
whatwg-encoding	3.1.1	NPM
whatwg-mimetype	4.0.0	NPM
whatwg-url	14.2.0	NPM
xml-name-validator	5.0.0	NPM
jest-get-type	29.6.3	NPM
jest-haste-map	29.7.0	NPM
jest-leak-detector	29.7.0	NPM
jest-pnp-resolver	1.2.3	NPM
jest-resolve	29.7.0	NPM
jest-resolve-dependencies	29.7.0	NPM

Package Name	Version	Ecosystem
jest-runner	29.7.0	NPM
source-map-support	0.5.21	NPM
jest-runtime	29.7.0	NPM
jest-snapshot	29.7.0	NPM
jest-validate	29.7.0	NPM
jest-watch-select-projects	2.0.0	NPM
jest-watch-typeahead	2.2.1	NPM
slash	3.0.0	NPM
string-length	4.0.2	NPM
jest-watcher	29.7.0	NPM
jest-worker	29.7.0	NPM
jimp-compact	0.16.1	NPM
js-tokens	4.0.0	NPM
jsc-safe-url	0.2.4	NPM
jsdoc-type-pratt-parser	4.8.0	NPM
jsesc	3.1.0	NPM
json-buffer	3.0.1	NPM
json-parse-even-better-errors	4.0.0	NPM
json-schema-traverse	0.4.1	NPM
json-stable-stringify	1.3.0	NPM
json-stable-stringify-without-jsonify	1.0.1	NPM
json5	1.0.2	NPM
jsonfile	6.2.0	NPM
jsonify	0.0.1	NPM
jsx-ast-utils	3.3.5	NPM
keyv	4.5.4	NPM
klaw-sync	6.0.0	NPM
kleur	3.0.3	NPM
lan-network	0.1.7	NPM
leven	3.1.0	NPM
levn	0.4.1	NPM

Package Name	Version	Ecosystem
lighthouse-logger	1.4.2	NPM
lightningcss-android-arm64	1.32.0	NPM
lines-and-columns	1.2.4	NPM
listr2	9.0.5	NPM
lodash	4.18.1	NPM
lodash.debounce	4.0.8	NPM
lodash.merge	4.6.2	NPM
lodash.throttle	4.1.1	NPM
log-symbols	2.2.0	NPM
log-update	6.1.0	NPM
slice-ansi	8.0.0	NPM
loose-envify	1.4.0	NPM
lz-string	1.5.0	NPM
make-dir	4.0.0	NPM
makeerror	1.0.12	NPM
map-or-similar	1.5.0	NPM
marky	1.3.0	NPM
math-intrinsics	1.1.0	NPM
mdn-data	2.0.14	NPM
memoize-one	6.0.0	NPM
memoizerific	1.11.3	NPM
memorystream	0.3.1	NPM
merge-options	3.0.4	NPM
merge-stream	2.0.0	NPM
metro	0.83.3	NPM
metro-babel-transformer	0.83.3	NPM
metro-cache	0.83.3	NPM
metro-cache-key	0.83.3	NPM
metro-config	0.83.3	NPM
metro-core	0.83.3	NPM
metro-file-map	0.83.3	NPM

Package Name	Version	Ecosystem
metro-minify-terser	0.83.3	NPM
metro-resolver	0.83.3	NPM
metro-runtime	0.83.3	NPM
metro-source-map	0.83.3	NPM
source-map	0.5.6	NPM
metro-symbolicate	0.83.3	NPM
metro-transform-plugins	0.83.3	NPM
metro-transform-worker	0.83.3	NPM
micromatch	4.0.8	NPM
mime	1.6.0	NPM
mime-db	1.52.0	NPM
mime-types	2.1.35	NPM
mimic-fn	1.2.0	NPM
mimic-function	5.0.1	NPM
min-indent	1.0.1	NPM
minimist	1.2.8	NPM
minizlib	3.1.0	NPM
mkdirp	1.0.4	NPM
mz	2.7.0	NPM
nanoid	3.3.11	NPM
napi-postinstall	0.3.4	NPM
natural-compare	1.4.0	NPM
nested-error-stacks	2.0.1	NPM
node-exports-info	1.6.0	NPM
node-fetch	2.7.0	NPM
webidl-conversions	5.0.0	NPM
node-forge	1.4.0	NPM
node-int64	0.4.0	NPM
node-releases	2.0.37	NPM
normalize-path	3.0.0	NPM
npm-normalize-package-bin	4.0.0	NPM

Package Name	Version	Ecosystem
npm-package-arg	11.0.3	NPM
which	2.0.2	NPM
npm-run-path	4.0.1	NPM
nth-check	2.1.1	NPM
nullthrows	1.1.1	NPM
nwsapi	2.2.23	NPM
ob1	0.83.3	NPM
object-assign	4.1.1	NPM
object-inspect	1.13.4	NPM
object-is	1.1.6	NPM
object-keys	1.1.1	NPM
object.assign	4.1.7	NPM
object.entries	1.1.9	NPM
object.fromentries	2.0.8	NPM
object.groupby	1.0.3	NPM
object.values	1.2.1	NPM
on-finished	2.4.1	NPM
on-headers	1.1.0	NPM
once	1.4.0	NPM
onetime	7.0.0	NPM
optionator	0.9.4	NPM
ora	3.4.0	NPM
restore-cursor	5.1.0	NPM
own-keys	1.0.1	NPM
p-limit	2.3.0	NPM
p-try	2.2.0	NPM
package-json-from-dist	1.0.1	NPM
parent-module	1.0.1	NPM
parse-json	5.2.0	NPM
parse-png	2.1.0	NPM
parse5	7.3.0	NPM

Package Name	Version	Ecosystem
parseurl	1.3.3	NPM
path-exists	3.0.0	NPM
path-is-absolute	1.0.1	NPM
path-key	3.1.1	NPM
path-parse	1.0.7	NPM
picocolors	1.1.1	NPM
pidtree	0.6.0	NPM
pirates	4.0.7	NPM
pkg-dir	4.2.0	NPM
pkg-up	3.1.0	NPM
playwright-core	1.59.1	NPM
plist	3.1.0	NPM
pngjs	3.4.0	NPM
polished	4.3.1	NPM
possible-typed-array-names	1.1.0	NPM
postcss	8.4.49	NPM
postcss-value-parser	4.2.0	NPM
prelude-ls	1.2.1	NPM
pretty-bytes	5.6.0	NPM
proc-log	4.2.0	NPM
process	0.11.10	NPM
progress	2.0.3	NPM
prompts	2.4.2	NPM
prop-types	15.8.1	NPM
proxy-from-env	2.1.0	NPM
psl	1.15.0	NPM
punycode	2.3.1	NPM
pure-rand	6.1.0	NPM
qrcode-terminal	0.11.0	NPM
query-string	7.1.3	NPM
querystringify	2.2.0	NPM

Package Name	Version	Ecosystem
queue	6.0.2	NPM
queue-microtask	1.2.3	NPM
range-parser	1.2.1	NPM
rc	1.2.8	NPM
strip-json-comments	3.1.1	NPM
react-devtools-core	6.1.5	NPM
react-fast-compare	3.2.2	NPM
react-freeze	1.0.4	NPM
react-native-is-edge-to-edge	1.3.1	NPM
react-refresh	0.14.2	NPM
react-remove-scroll	2.7.2	NPM
react-remove-scroll-bar	2.3.8	NPM
react-style-singleton	2.2.3	NPM
react-test-renderer	19.1.0	NPM
read-package-json-fast	4.0.0	NPM
recast	0.23.11	NPM
redent	3.0.0	NPM
reflect.getprototypeof	1.0.10	NPM
regenerate	1.4.2	NPM
regenerate-unicode-properties	10.2.2	NPM
regenerator-runtime	0.13.11	NPM
regexp.prototype.flags	1.5.4	NPM
regexpu-core	6.4.0	NPM
regjsgen	0.8.0	NPM
regjsparser	0.13.1	NPM
require-directory	2.1.1	NPM
require-from-string	2.0.2	NPM
requireg	0.2.2	NPM
requires-port	1.0.0	NPM
reselect	4.1.8	NPM
resolve-cwd	3.0.0	NPM

Package Name	Version	Ecosystem
resolve-pkg-maps	1.0.0	NPM
resolve-workspace-root	2.0.1	NPM
resolve.exports	2.0.3	NPM
reusify	1.1.0	NPM
rfdc	1.4.1	NPM
rimraf	3.0.2	NPM
rrweb-cssom	0.8.0	NPM
run-parallel	1.2.0	NPM
safe-array-concat	1.1.3	NPM
safe-buffer	5.2.1	NPM
safe-push-apply	1.0.0	NPM
safe-regex-test	1.1.0	NPM
safer-buffer	2.1.2	NPM
sax	1.6.0	NPM
saxes	6.0.0	NPM
scheduler	0.26.0	NPM
send	0.19.2	NPM
serialize-error	2.1.0	NPM
serve-static	1.16.3	NPM
server-only	0.0.1	NPM
set-function-length	1.2.2	NPM
set-function-name	2.0.2	NPM
set-proto	1.0.0	NPM
setimmediate	1.0.5	NPM
setprototypeof	1.2.0	NPM
sf-symbols-typescript	2.2.0	NPM
shallowequal	1.1.0	NPM
shebang-command	2.0.0	NPM
shebang-regex	3.0.0	NPM
shell-quote	1.8.3	NPM
side-channel	1.1.0	NPM

Package Name	Version	Ecosystem
side-channel-list	1.0.1	NPM
side-channel-map	1.0.1	NPM
side-channel-weakmap	1.0.2	NPM
simple-plist	1.3.1	NPM
simple-swizzle	0.2.4	NPM
sisteransi	1.0.5	NPM
slugify	1.6.9	NPM
source-map-js	1.2.1	NPM
split-on-first	1.1.0	NPM
sprintf-js	1.0.3	NPM
stable-hash	0.0.5	NPM
stable-hash-x	0.2.0	NPM
stack-generator	2.0.10	NPM
stack-utils	2.0.6	NPM
stackframe	1.3.4	NPM
stacktrace-gps	3.1.2	NPM
stacktrace-js	2.0.2	NPM
stacktrace-parser	0.1.11	NPM
stop-iteration-iterator	1.1.0	NPM
stream-buffers	2.2.0	NPM
strict-uri-encode	2.0.0	NPM
string-argv	0.3.2	NPM
string-width-cjs	4.2.3	NPM
string.prototype.matchall	4.0.12	NPM
string.prototype.repeat	1.0.0	NPM
string.prototype.trim	1.2.10	NPM
string.prototype.trimend	1.0.9	NPM
string.prototype.trimstart	1.0.8	NPM
strip-ansi-cjs	6.0.1	NPM
strip-bom	3.0.0	NPM
strip-final-newline	2.0.0	NPM

Package Name	Version	Ecosystem
strip-indent	3.0.0	NPM
structured-headers	0.4.1	NPM
styleq	0.1.3	NPM
supports-hyperlinks	2.3.0	NPM
supports-preserve-symlinks-flag	1.0.0	NPM
symbol-tree	3.2.4	NPM
tar	7.5.13	NPM
yallist	3.1.1	NPM
temp-dir	2.0.0	NPM
terminal-link	2.1.1	NPM
terser	5.46.1	NPM
test-exclude	6.0.0	NPM
text-table	0.2.0	NPM
thenify	3.3.1	NPM
thenify-all	1.6.0	NPM
throat	5.0.0	NPM
tiny-invariant	1.3.3	NPM
tinyexec	1.1.1	NPM
tinyglobby	0.2.16	NPM
tldts	6.1.86	NPM
tldts-core	6.1.86	NPM
tmp	0.2.5	NPM
tmpl	1.0.5	NPM
to-regex-range	5.0.1	NPM
toidentifier	1.0.1	NPM
ts-api-utils	2.5.0	NPM
ts-dedent	2.2.0	NPM
ts-interface-checker	0.1.13	NPM
tsconfig-paths	3.15.0	NPM
tslib	2.8.1	NPM
type-check	0.4.0	NPM

Package Name	Version	Ecosystem
type-detect	4.0.8	NPM
typed-array-buffer	1.0.3	NPM
typed-array-byte-length	1.0.3	NPM
typed-array-byte-offset	1.0.4	NPM
typed-array-length	1.0.7	NPM
ua-parser-js	1.0.41	NPM
unbox-primitive	1.1.0	NPM
undici	6.25.0	NPM
undici-types	7.19.2	NPM
unicode-canonical-property-names-ecmascript	2.0.1	NPM
unicode-match-property-ecmascript	2.0.0	NPM
unicode-match-property-value-ecmascript	2.2.1	NPM
unicode-property-aliases-ecmascript	2.2.0	NPM
unimodules-app-loader	6.0.8	NPM
unique-string	2.0.0	NPM
unpipe	1.0.0	NPM
unplugin	1.16.1	NPM
unrs-resolver	1.11.1	NPM
update-browserslist-db	1.2.3	NPM
uri-js	4.4.1	NPM
url-parse	1.5.10	NPM
use-callback-ref	1.3.3	NPM
use-latest-callback	0.2.6	NPM
use-sidecar	1.1.3	NPM
use-sync-external-store	1.6.0	NPM
util	0.12.5	NPM
utils-merge	1.0.1	NPM
uuid	7.0.3	NPM
v8-to-istanbul	9.3.0	NPM
validate-npm-package-name	5.0.1	NPM
vary	1.1.2	NPM

Package Name	Version	Ecosystem
vaul	1.1.2	NPM
vlq	1.0.1	NPM
walker	1.0.8	NPM
warn-once	0.1.1	NPM
wcwidth	1.0.1	NPM
webpack-virtual-modules	0.6.2	NPM
whatwg-fetch	3.6.20	NPM
whatwg-url-without-unicode	8.0.0-3	NPM
which-boxed-primitive	1.1.1	NPM
which-builtin-type	1.2.1	NPM
which-collection	1.0.2	NPM
which-typed-array	1.1.20	NPM
wonka	6.3.6	NPM
word-wrap	1.2.5	NPM
wrap-ansi-cjs	7.0.0	NPM
wrappy	1.0.2	NPM
write-file-atomic	4.0.2	NPM
xcode	3.0.1	NPM
xml2js	0.6.0	NPM
xmlbuilder	15.1.1	NPM
xmlchars	2.2.0	NPM
y18n	5.0.8	NPM
yaml	2.8.3	NPM
yargs	17.7.2	NPM
yargs-parser	21.1.1	NPM
yocto-queue	0.1.0	NPM

Antipatterns/Bugs

Total Issues: 3,105 Bugs: 91 Code Smells: 3014

frontend/test_config.js (1 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	1	Code Smell	Minor

frontend/scripts/update-ip.js (5 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	1	Code Smell	Minor
Require statement not part of import statement.	2	Code Smell	Minor
Require statement not part of import statement.	3	Code Smell	Minor
Require statement not part of import statement.	4	Code Smell	Minor
Require statement not part of import statement.	5	Code Smell	Minor

frontend/src/hooks/useDomainAction.ts (1 issues)

Issue	Line	Type	Severity
Unexpected if as the only statement in an else block.	59	Code Smell	Minor

frontend/src/hooks/useResponsive.ts (1 issues)

Issue	Line	Type	Severity
Update this function so that its implementation is not identical to the one on line 186.	193	Code Smell	Major

frontend/jest.setup.js (10 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	87	Code Smell	Minor
Require statement not part of import statement.	88	Code Smell	Minor
Arrow function used ambiguously with a conditional expression.	220	Code Smell	Minor
Require statement not part of import statement.	272	Code Smell	Minor
Require statement not part of import statement.	285	Code Smell	Minor
Require statement not part of import statement.	298	Code Smell	Minor
Require statement not part of import statement.	312	Code Smell	Minor
Require statement not part of import statement.	313	Code Smell	Minor
Require statement not part of import statement.	345	Code Smell	Minor

Issue	Line	Type	Severity
Require statement not part of import statement.	346	Code Smell	Minor

frontend/src/hooks/usePerformanceMonitor.ts (2 issues)

Issue	Line	Type	Severity
Use object destructuring.	70	Code Smell	Minor
Unary operator '++' used.	80	Code Smell	Minor

frontend/src/hooks/useVoiceControl.ts (1 issues)

Issue	Line	Type	Severity
useState call is not destructured into value + setter pair	29	Code Smell	Minor

frontend/src/hooks/useFormValidation.ts (1 issues)

Issue	Line	Type	Severity
Merge this if statement with the nested one.	88	Code Smell	Minor

frontend/src/hooks/useWebSocket.ts (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	44	Code Smell	Minor

frontend/src/hooks/useAppVersion.ts (2 issues)

Issue	Line	Type	Severity
Use object destructuring.	15	Code Smell	Minor
Use object destructuring.	16	Code Smell	Minor

frontend/src/hooks/useAutoConnection.ts (5 issues)

Issue	Line	Type	Severity
This branch's code block is the same as the block for the branch on line 118.	120	Code Smell	Major
Unary operator '++' used.	165	Code Smell	Minor
Use the '**' operator instead of 'Math.pow'.	167	Code Smell	Minor
Return values from promise executor functions cannot be read.	170	Code Smell	Major
Unnecessary 'else' after 'return'.	172	Code Smell	Minor

frontend/src/services/backendUrl.ts (3 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	49	Code Smell	Minor
Use array destructuring.	117	Code Smell	Minor
Unexpected `await` inside a loop.	173	Code Smell	Critical

frontend/src/services/aiBarcodeRecognition.ts (4 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	119	Code Smell	Minor
Unexpected `await` inside a loop.	120	Code Smell	Critical
Unexpected `await` inside a loop.	123	Code Smell	Critical
Arrow function used ambiguously with a conditional expression.	200	Code Smell	Minor

frontend/src/services/devtools/reactotron.ts (1 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	21	Code Smell	Minor

frontend/src/services/connectionManager.ts (2 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	225	Code Smell	Critical
Missing radix parameter.	429	Code Smell	Major

frontend/src/services/exportService.ts (6 issues)

Issue	Line	Type	Severity
Use array destructuring.	41	Code Smell	Minor
Unexpected string concatenation.	48	Code Smell	Minor
Unexpected string concatenation.	67	Code Smell	Minor
Use array destructuring.	118	Code Smell	Minor
Unexpected string concatenation.	124	Code Smell	Minor
Unexpected string concatenation.	131	Code Smell	Minor

frontend/src/services/sessionManager.ts (2 issues)

Issue	Line	Type	Severity
Unnecessary 'else' after 'return'.	169	Code Smell	Minor
Unary operator '++' used.	175	Code Smell	Minor

frontend/src/services/selfTestService.tsx (4 issues)

Issue	Line	Type	Severity
Promise constructor parameters must be named to match " <code>^_?resolve\$</code> "	218	Code Smell	Minor
Return values from promise executor functions cannot be read.	219	Code Smell	Major
Replace this if-then-else flow by a single return statement.	251	Code Smell	Minor
Replace this if-then-else flow by a single return statement.	446	Code Smell	Minor

frontend/src/services/httpClient.ts (10 issues)

Issue	Line	Type	Severity
Use '===' to compare with null.	83	Code Smell	Major
Expected '===' and instead saw '=='.	83	Code Smell	Major
Use '===' to compare with null.	114	Code Smell	Major
Expected '===' and instead saw '=='.	114	Code Smell	Major
use <code>`Boolean(authHeader)`</code> instead.	223	Code Smell	Minor
Unary operator '++' used.	300	Code Smell	Minor
Avoid using promises inside of callbacks.	314	Code Smell	Major
Avoid using promises inside of callbacks.	315	Code Smell	Major
Avoid using promises inside of callbacks.	370	Code Smell	Major
Expected throw instead of Promise.reject	386	Code Smell	Minor

frontend/src/services/session/heartbeatService.ts (2 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	158	Code Smell	Minor
Use object destructuring.	205	Code Smell	Minor

frontend/src/services/backupService.ts (2 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	87	Code Smell	Critical
Unexpected `await` inside a loop.	242	Code Smell	Critical

frontend/src/services/enhancedSearchService.ts (1 issues)

Issue	Line	Type	Severity
Use object destructuring.	133	Code Smell	Minor

frontend/src/services/microInteractions.ts (5 issues)

Issue	Line	Type	Severity
This case's code block is the same as the block for the case on line 40.	76	Code Smell	Major
Unary operator '++' used.	152	Code Smell	Minor
Unexpected `await` inside a loop.	155	Code Smell	Critical
Return values from promise executor functions cannot be read.	155	Code Smell	Major
Unexpected `await` inside a loop.	158	Code Smell	Critical

frontend/src/services/batchOperationsService.ts (4 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	84	Code Smell	Minor
Unary operator '++' used.	89	Code Smell	Minor
Unary operator '++' used.	179	Code Smell	Minor
Unary operator '++' used.	181	Code Smell	Minor

frontend/src/services/sentry.ts (1 issues)

Issue	Line	Type	Severity
Avoid using promises inside of callbacks.	139	Code Smell	Major

frontend/src/services/api/sessionManagementApi.ts (4 issues)

Issue	Line	Type	Severity
Use object destructuring.	197	Code Smell	Minor
Use object destructuring.	286	Code Smell	Minor
Unary operator '++' used.	352	Code Smell	Minor
Refactor this code to not use nested template literals.	389	Code Smell	Minor

frontend/src/services/api/inventoryWorkflowApi.ts (5 issues)

Issue	Line	Type	Severity
Replace this if-then-else flow by a single return statement.	102	Code Smell	Minor
use `Boolean(result.has_more)` instead.	285	Code Smell	Minor
Unexpected `await` inside a loop.	401	Code Smell	Critical
Replace this if-then-else flow by a single return statement.	608	Code Smell	Minor
Use object destructuring.	663	Code Smell	Minor

frontend/src/services/api/enhancedDatabaseApi.ts (4 issues)

Issue	Line	Type	Severity
Use '===' to compare with null.	237	Code Smell	Major
Expected '!==' and instead saw '!='.	237	Code Smell	Major
Use '===' to compare with null.	238	Code Smell	Major
Expected '!==' and instead saw '!='.	238	Code Smell	Major

frontend/src/services/api/adminOperationsApi.ts (1 issues)

Issue	Line	Type	Severity
Unnecessary escape character: `\"`.	604	Code Smell	Minor

frontend/src/services/pinAuth.tsx (3 issues)

Issue	Line	Type	Severity
Missing radix parameter.	55	Code Smell	Major
Missing radix parameter.	66	Code Smell	Major
Unary operator '++' used.	139	Code Smell	Minor

frontend/src/services/monitoring/performanceService.ts (3 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	134	Code Smell	Critical
Unexpected `await` inside a loop.	143	Code Smell	Critical
Return values from promise executor functions cannot be read.	143	Code Smell	Major

frontend/src/services/utls/errorRecovery.ts (1 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	90	Code Smell	Critical

frontend/src/services/utls/autoErrorFinder.ts (15 issues)

Issue	Line	Type	Severity
Missing radix parameter.	98	Code Smell	Major
Unnecessary escape character: \.	101	Code Smell	Minor
Unexpected `await` inside a loop.	193	Code Smell	Critical
Unary operator '++' used.	196	Code Smell	Minor
Unary operator '++' used.	202	Code Smell	Minor
Unary operator '++' used.	208	Code Smell	Minor
Use the '**' operator instead of 'Math.pow'.	215	Code Smell	Minor
Unexpected `await` inside a loop.	216	Code Smell	Critical
Return values from promise executor functions cannot be read.	216	Code Smell	Major
Unary operator '++' used.	224	Code Smell	Minor
Unary operator '++' used.	227	Code Smell	Minor
Unary operator '++' used.	232	Code Smell	Minor
Unary operator '++' used.	246	Code Smell	Minor
Unary operator '++' used.	252	Code Smell	Minor
Merge this if statement with the nested one.	319	Code Smell	Minor

frontend/src/services/utls/haptics.ts (6 issues)

Issue	Line	Type	Severity
Empty block statement.	20	Code Smell	Major
Empty block statement.	26	Code Smell	Major
Empty block statement.	32	Code Smell	Major
Empty block statement.	38	Code Smell	Major
Empty block statement.	44	Code Smell	Major
Empty block statement.	50	Code Smell	Major

frontend/src/services/utls/toastService.ts (1 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	46	Code Smell	Minor

frontend/src/services/utls/errorHandler.ts (8 issues)

Issue	Line	Type	Severity
Use object destructuring.	41	Code Smell	Minor
Use object destructuring.	42	Code Smell	Minor
Use object destructuring.	43	Code Smell	Minor
Use object destructuring.	44	Code Smell	Minor
Unary operator '++' used.	283	Code Smell	Minor
Unexpected `await` inside a loop.	285	Code Smell	Critical
Unexpected `await` inside a loop.	291	Code Smell	Critical
Return values from promise executor functions cannot be read.	291	Code Smell	Major

frontend/src/services/utls/notificationService.ts (5 issues)

Issue	Line	Type	Severity
Use object destructuring.	69	Code Smell	Minor
Use object destructuring.	93	Code Smell	Minor
Use object destructuring.	124	Code Smell	Minor
Use object destructuring.	183	Code Smell	Minor
Refactor this code to not use nested template literals.	287	Code Smell	Minor

frontend/src/services/storage/asyncStorageService.ts (3 issues)

Issue	Line	Type	Severity
Unexpected confirm.	185	Code Smell	Minor
Unexpected confirm.	185	Code Smell	Major
Unnecessary 'else' after 'return'.	215	Code Smell	Minor

frontend/src/services/storage/tokenStore.ts (1 issues)

Issue	Line	Type	Severity
use `Boolean(cachedAccessToken)` instead.	62	Code Smell	Minor

frontend/src/services/storage/secureStorage.ts (5 issues)

Issue	Line	Type	Severity
Use '===' to compare with null.	59	Code Smell	Major
Expected '!==' and instead saw '!='.	59	Code Smell	Major
Use '===' to compare with null.	64	Code Smell	Major
Expected '!==' and instead saw '!='.	64	Code Smell	Major
Return values from promise executor functions cannot be read.	76	Code Smell	Major

frontend/src/services/mmkvStorage.ts (1 issues)

Issue	Line	Type	Severity
Each then() should return a value or throw	44	Code Smell	Major

frontend/src/services/wifiConnectionService.ts (1 issues)

Issue	Line	Type	Severity
Expected catch() or return	201	Code Smell	Major

frontend/src/services/sync/enhancedSyncManager.ts (7 issues)

Issue	Line	Type	Severity
Each then() should return a value or throw	192	Code Smell	Major
Unexpected `await` inside a loop.	233	Code Smell	Critical
Unexpected `await` inside a loop.	237	Code Smell	Critical
Unexpected `await` inside a loop.	269	Code Smell	Critical
Unexpected `await` inside a loop.	291	Code Smell	Critical
Return values from promise executor functions cannot be read.	291	Code Smell	Major
Use the '**' operator instead of 'Math.pow'.	320	Code Smell	Minor

frontend/src/services/offline/offlineCountLine.ts (1 issues)

Issue	Line	Type	Severity
Use object destructuring.	86	Code Smell	Minor

frontend/src/services/offline/offlineQueue.ts (12 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	110	Code Smell	Critical
Unexpected `await` inside a loop.	115	Code Smell	Critical
Unexpected `await` inside a loop.	136	Code Smell	Critical
Unexpected `await` inside a loop.	143	Code Smell	Critical
Unexpected `await` inside a loop.	152	Code Smell	Critical
Unexpected `await` inside a loop.	159	Code Smell	Critical
Each then() should return a value or throw	193	Code Smell	Major
Empty block statement.	196	Code Smell	Major
Empty block statement.	218	Code Smell	Major
Empty block statement.	249	Code Smell	Major
Empty block statement.	261	Code Smell	Major
Empty block statement.	282	Code Smell	Major

frontend/src/services/offline/offlineStorage.ts (6 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	273	Code Smell	Minor
Use object destructuring.	290	Code Smell	Minor
Use object destructuring.	323	Code Smell	Minor
Use object destructuring.	395	Code Smell	Minor
Arrow function used ambiguously with a conditional expression.	461	Code Smell	Minor
Arrow function used ambiguously with a conditional expression.	485	Code Smell	Minor

frontend/src/services/offline/unifiedSyncStorage.ts (4 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	144	Code Smell	Critical
Unexpected `await` inside a loop.	155	Code Smell	Critical
Unexpected `await` inside a loop.	162	Code Smell	Critical
Unexpected `await` inside a loop.	168	Code Smell	Critical

frontend/src/services/syncQueue.ts (4 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	46	Code Smell	Critical
Missing radix parameter.	46	Code Smell	Major
Unexpected `await` inside a loop.	53	Code Smell	Critical
Missing radix parameter.	54	Code Smell	Major

frontend/src/services/audit/auditLogger.ts (1 issues)

Issue	Line	Type	Severity
Use object destructuring.	15	Code Smell	Minor

frontend/src/services/syncService.ts (11 issues)

Issue	Line	Type	Severity
Use object destructuring.	63	Code Smell	Minor
Use object destructuring.	120	Code Smell	Minor
'errors' is never reassigned. Use 'const' instead.	149	Code Smell	Minor
Unexpected `await` inside a loop.	171	Code Smell	Critical
Unary operator '++' used.	180	Code Smell	Minor
Unary operator '++' used.	182	Code Smell	Minor
Unexpected `await` inside a loop.	188	Code Smell	Critical
Unexpected `await` inside a loop.	198	Code Smell	Critical
Unexpected `await` inside a loop.	214	Code Smell	Critical
Unexpected `await` inside a loop.	234	Code Smell	Critical
Unexpected `await` inside a loop.	250	Code Smell	Critical

frontend/src/services/__tests__/sentry.test.ts (1 issues)

Issue	Line	Type	Severity
Use array destructuring.	34	Code Smell	Minor

frontend/src/services/__tests__/syncBatch.test.ts (1 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	57	Code Smell	Minor

frontend/src/services/__tests__/healthRequest.test.ts (1 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	51	Code Smell	Minor

frontend/src/services/__tests__/sessionManagementApi.test.ts (2 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	63	Code Smell	Minor
Require statement not part of import statement.	99	Code Smell	Minor

frontend/src/services/__tests__/api.misc.test.ts (2 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	23	Code Smell	Minor
Require statement not part of import statement.	52	Code Smell	Minor

frontend/src/scanner/serialScanRules.ts (1 issues)

Issue	Line	Type	Severity
Use object destructuring.	99	Code Smell	Minor

frontend/src/db/localDb.ts (1 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	102	Code Smell	Critical

frontend/src/components/navigation/AdminSidebar.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	59	Code Smell	Minor

frontend/src/components/navigation/StaffTabBar.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	70	Code Smell	Minor

frontend/src/components/navigation/SupervisorSidebar.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	149	Code Smell	Minor

frontend/src/components/navigation/BottomNavBar.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	75	Code Smell	Minor

frontend/src/components/navigation/__tests__/BottomNavBar.test.tsx (4 issues)

Issue	Line	Type	Severity
Use array destructuring.	52	Code Smell	Minor
Use array destructuring.	67	Code Smell	Minor
Unexpected string concatenation.	172	Code Smell	Minor
Use array destructuring.	189	Code Smell	Minor

frontend/src/components/navigation/QuickActions.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	52	Code Smell	Minor

frontend/src/components/modals/serialScannerState.ts (1 issues)

Issue	Line	Type	Severity
Unnecessary use of boolean literals in conditional expression.	44	Code Smell	Minor

frontend/src/components/modals/SerialScannerModal.tsx (3 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	124	Code Smell	Critical
Unary operator '++' used.	133	Code Smell	Minor
This conditional operation returns the same value whether the condition is "true" or "false".	538	Code Smell	Major

frontend/src/components/analytics/MetricCard.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	76	Code Smell	Minor

frontend/src/components/auth/AuthGuard.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	71	Code Smell	Minor

frontend/src/components/supervisor/dashboard/CreateSessionModal.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	246	Code Smell	Minor

frontend/src/components/supervisor/dashboard/supervisorDashboardShared.ts (1 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	52	Code Smell	Minor

frontend/src/components/supervisor/dashboard/SupervisorStatsSection.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	95	Code Smell	Minor

frontend/src/components/DataTable.stories.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	158	Code Smell	Minor

frontend/src/components/ui/QuickStatCard.tsx (1 issues)

Issue	Line	Type	Severity
Unnecessary 'else' after 'return'.	115	Code Smell	Minor

frontend/src/components/ui/AnimatedCounter.tsx (1 issues)

Issue	Line	Type	Severity
Use the '**' operator instead of 'Math.pow'.	48	Code Smell	Minor

frontend/src/components/ui/ScreenContainer.tsx (3 issues)

Issue	Line	Type	Severity
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	160	Code Smell	Major
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	169	Code Smell	Major
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	177	Code Smell	Major

frontend/src/components/ui/MultiSelectList.tsx (1 issues)

Issue	Line	Type	Severity
Unnecessary 'else' after 'return'.	162	Code Smell	Minor

frontend/src/components/ui/UnifiedView.tsx (3 issues)

Issue	Line	Type	Severity
'../theme/unified' imported multiple times.	28	Code Smell	Minor
'../theme/unified' imported multiple times.	29	Code Smell	Minor
'../theme/unified' imported multiple times.	30	Code Smell	Minor

frontend/src/components/ui/Skeleton.tsx (3 issues)

Issue	Line	Type	Severity
Unnecessary 'else' after 'return'.	44	Code Smell	Minor
This conditional operation returns the same value whether the condition is "true" or "false".	94	Code Smell	Major
This conditional operation returns the same value whether the condition is "true" or "false".	133	Code Smell	Major

frontend/src/components/ui/ModernInput.tsx (5 issues)

Issue	Line	Type	Severity
Use array destructuring.	101	Code Smell	Minor
Use array destructuring.	102	Code Smell	Minor
Use array destructuring.	104	Code Smell	Minor
Use array destructuring.	105	Code Smell	Minor
Use array destructuring.	107	Code Smell	Minor

frontend/src/components/ui/AnimatedCard.tsx (1 issues)

Issue	Line	Type	Severity
use `Boolean(onPress)` instead.	75	Code Smell	Minor

frontend/src/components/ui/ScreenHeader.tsx (2 issues)

Issue	Line	Type	Severity
Unexpected confirm.	195	Code Smell	Minor
Unexpected confirm.	195	Code Smell	Major

frontend/src/components/ui/ModernButton.tsx (2 issues)

Issue	Line	Type	Severity
Expected a `const` instead of a literal type assertion.	299	Code Smell	Minor
Expected a `const` instead of a literal type assertion.	315	Code Smell	Minor

frontend/src/components/ui/RippleButton.tsx (2 issues)

Issue	Line	Type	Severity
Use the `**` operator instead of 'Math.pow'.	171	Code Smell	Minor
Use the `**` operator instead of 'Math.pow'.	172	Code Smell	Minor

frontend/src/components/ui/StickyFooter.tsx (2 issues)

Issue	Line	Type	Severity
use `Boolean(disabled)` instead.	32	Code Smell	Minor
use `Boolean(loading)` instead.	33	Code Smell	Minor

frontend/src/components/ui/SuccessFeedback.tsx (1 issues)

Issue	Line	Type	Severity
Unnecessary 'else' after 'return'.	225	Code Smell	Minor

frontend/src/components/ui/PatternBackground.tsx (1 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	466	Code Smell	Minor

frontend/src/components/ui/ModernHeader.tsx (1 issues)

Issue	Line	Type	Severity
use `Boolean(user)` instead.	89	Code Smell	Minor

frontend/src/components/ui/AuroraBackground.tsx (2 issues)

Issue	Line	Type	Severity
use `Number(width)` instead.	217	Code Smell	Minor
use `Number(width)` instead.	218	Code Smell	Minor

frontend/src/components/ui/ScanFeedback.tsx (5 issues)

Issue	Line	Type	Severity
Remove this redundant jump.	168	Code Smell	Minor
Unnecessary return statement.	168	Code Smell	Minor
Unnecessary 'else' after 'return'.	169	Code Smell	Minor
Remove this redundant jump.	174	Code Smell	Minor
Unnecessary return statement.	174	Code Smell	Minor

frontend/src/components/ui/SyncStatusPill.tsx (1 issues)

Issue	Line	Type	Severity
Use array destructuring.	91	Code Smell	Minor

frontend/src/components/LottieAnimation.tsx (2 issues)

Issue	Line	Type	Severity
useState call is not destructured into value + setter pair	33	Code Smell	Minor
Each then() should return a value or throw	39	Code Smell	Major

frontend/src/components/ui/EnhancedButton.tsx (1 issues)

Issue	Line	Type	Severity
This conditional operation returns the same value whether the condition is "true" or "false".	203	Code Smell	Major

frontend/src/components/layout/SupervisorLayout.tsx (3 issues)

Issue	Line	Type	Severity
Unexpected confirm.	52	Code Smell	Minor
Unexpected confirm.	52	Code Smell	Major
Expected catch() or return	54	Code Smell	Major

frontend/src/components/settings/UserSettingsSections.tsx (1 issues)

Issue	Line	Type	Severity
Use object destructuring.	271	Code Smell	Minor

frontend/src/components/filters/FilterPanel.tsx (2 issues)

Issue	Line	Type	Severity
This conditional operation returns the same value whether the condition is "true" or "false".	184	Code Smell	Major
This conditional operation returns the same value whether the condition is "true" or "false".	185	Code Smell	Major

frontend/src/components/settings/__tests__/UserSettingsSections.test.tsx (2 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	98	Code Smell	Minor
Require statement not part of import statement.	114	Code Smell	Minor

frontend/src/components/admin/dashboard/dashboardWebShared.ts (6 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	9	Code Smell	Minor
Unexpected string concatenation.	276	Code Smell	Minor
Unexpected string concatenation.	298	Code Smell	Minor
Unexpected string concatenation.	435	Code Smell	Minor
Unexpected string concatenation.	501	Code Smell	Minor
Unexpected string concatenation.	567	Code Smell	Minor

frontend/src/components/admin/dashboard/DashboardPanels.tsx (5 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	105	Code Smell	Minor
Unexpected string concatenation.	129	Code Smell	Minor
Unexpected string concatenation.	152	Code Smell	Minor
Unexpected string concatenation.	563	Code Smell	Minor
Unexpected string concatenation.	564	Code Smell	Minor

frontend/src/components/admin/realtime-dashboard/RealtimeDashboardTable.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	183	Code Smell	Minor

frontend/src/components/admin/realtime-dashboard/RealtimeStatsStrip.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	87	Code Smell	Minor

frontend/src/components/admin/realtime-dashboard/realtimeDashboardShared.ts (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	73	Code Smell	Minor

frontend/src/components/admin/ErrorLogsPanel.tsx (3 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	74	Code Smell	Minor
Unexpected string concatenation.	80	Code Smell	Minor
Unexpected string concatenation.	86	Code Smell	Minor

frontend/src/components/admin/users/userManagementShared.ts (1 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	95	Code Smell	Minor

frontend/src/components/admin/SystemStatusPanel.tsx (2 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	247	Code Smell	Minor
Unexpected string concatenation.	329	Code Smell	Minor

frontend/src/components/admin/KPICard.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	134	Code Smell	Minor

frontend/src/components/common/VirtualList.tsx (1 issues)

Issue	Line	Type	Severity
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	27	Code Smell	Major

frontend/src/components/admin/ActiveUsersPanel.tsx (2 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	211	Code Smell	Minor
Unary operator '++' used.	212	Code Smell	Minor

frontend/src/components/charts/SimpleBarChart.tsx (1 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	60	Code Smell	Minor

frontend/src/components/charts/SimpleLineChart.tsx (1 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	89	Code Smell	Minor

frontend/src/components/charts/SimplePieChart.tsx (2 issues)

Issue	Line	Type	Severity
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	85	Code Smell	Major
Unnecessary 'else' after 'return'.	91	Code Smell	Minor

frontend/src/components/charts/LineChart.tsx (1 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	96	Code Smell	Minor

frontend/src/components/scan/QuantityInputForm.tsx (4 issues)

Issue	Line	Type	Severity
use `Boolean(manufacturingDate)` instead.	86	Code Smell	Minor
use `Boolean(expiryDate)` instead.	87	Code Smell	Minor
use `Boolean(remark)` instead.	89	Code Smell	Minor
use `Boolean(markLocation)` instead.	89	Code Smell	Minor

frontend/src/components/scan/MRPVariantSelector.tsx (1 issues)

Issue	Line	Type	Severity
Refactor this code to not use nested template literals.	93	Code Smell	Minor

frontend/src/components/scan/LocationVerificationSection.tsx (1 issues)

Issue	Line	Type	Severity
use `Boolean(recentRacks)` instead.	163	Code Smell	Minor

frontend/src/components/scan/RackProgressCard.tsx (1 issues)

Issue	Line	Type	Severity
Use array destructuring.	28	Code Smell	Minor

frontend/src/components/scan/ScanFeedback.tsx (2 issues)

Issue	Line	Type	Severity
Unnecessary 'else' after 'return'.	204	Code Smell	Minor
Unnecessary 'else' after 'return'.	267	Code Smell	Minor

frontend/src/components/feedback/Toast.tsx (2 issues)

Issue	Line	Type	Severity
Unnecessary 'else' after 'return'.	71	Code Smell	Minor
Unexpected string concatenation.	120	Code Smell	Minor

frontend/src/components/feedback/ErrorState.tsx (1 issues)

Issue	Line	Type	Severity
use `Boolean(description)` instead.	92	Code Smell	Minor

frontend/src/components/LogoutButton.tsx (3 issues)

Issue	Line	Type	Severity
Unexpected confirm.	28	Code Smell	Minor
Unexpected confirm.	28	Code Smell	Major
Expected catch() or return	33	Code Smell	Major

frontend/src/components/sync/ConflictResolutionModal.tsx (2 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	112	Code Smell	Minor
Unexpected string concatenation.	137	Code Smell	Minor

frontend/src/components/forms/SearchAutocomplete.tsx (4 issues)

Issue	Line	Type	Severity
Use object destructuring.	156	Code Smell	Minor
Unexpected string concatenation.	164	Code Smell	Minor
Unexpected string concatenation.	186	Code Smell	Minor
Unexpected string concatenation.	206	Code Smell	Minor

frontend/src/components/suggestions/SmartSuggestionsPanel.tsx (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	528	Code Smell	Minor

frontend/src/components/forms/___tests___/SearchAutocomplete.test.tsx (1 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	46	Code Smell	Minor

frontend/src/components/premium/PremiumInput.tsx (1 issues)

Issue	Line	Type	Severity
Do not use a triple slash reference for react, use `import` style instead.	6	Code Smell	Minor

frontend/src/config/environment.ts (2 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	203	Code Smell	Critical
Unexpected `await` inside a loop.	210	Code Smell	Critical

frontend/src/config/scannerConfig.ts (1 issues)

Issue	Line	Type	Severity
Replace this if-then-else flow by a single return statement.	169	Code Smell	Minor

frontend/src/bootstrap/withTimeout.ts (1 issues)

Issue	Line	Type	Severity
Promise constructor parameters must be named to match "^_?resolve\$"	8	Code Smell	Minor

frontend/src/bootstrap/initAuthAndSettings.test.ts (2 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	38	Code Smell	Minor
Unexpected `await` inside a loop.	39	Code Smell	Critical

frontend/src/bootstrap/initDevTools.ts (2 issues)

Issue	Line	Type	Severity
Each then() should return a value or throw	3	Code Smell	Major
Each then() should return a value or throw	17	Code Smell	Major

frontend/src/utils/validation.ts (1 issues)

Issue	Line	Type	Severity
Unnecessary escape character: \-.	133	Code Smell	Minor

frontend/src/utils/portDetection.ts (7 issues)

Issue	Line	Type	Severity
Use object destructuring.	35	Code Smell	Minor
Use array destructuring.	54	Code Smell	Minor
Unexpected `await` inside a loop.	74	Code Smell	Critical
Use object destructuring.	119	Code Smell	Minor
Use array destructuring.	132	Code Smell	Minor
Use array destructuring.	162	Code Smell	Minor
Use array destructuring.	177	Code Smell	Minor

frontend/src/utils/clipboard.ts (1 issues)

Issue	Line	Type	Severity
Replace this if-then-else flow by a single return statement.	22	Code Smell	Minor

frontend/src/utls/search.ts (2 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	33	Code Smell	Minor
Unary operator '++' used.	37	Code Smell	Minor

frontend/src/utls/retry.ts (4 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	24	Code Smell	Minor
Unexpected `await` inside a loop.	26	Code Smell	Critical
Unexpected `await` inside a loop.	36	Code Smell	Critical
Return values from promise executor functions cannot be read.	36	Code Smell	Major

frontend/src/utls/scanUtils.ts (2 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	3	Code Smell	Minor
Unnecessary escape character: \-.	22	Code Smell	Minor

frontend/src/utls/itemBatchUtils.ts (1 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	24	Code Smell	Minor

frontend/src/utls/algorithms.ts (12 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	23	Code Smell	Minor
Unary operator '++' used.	28	Code Smell	Minor
Unary operator '++' used.	33	Code Smell	Minor
Unary operator '++' used.	34	Code Smell	Minor
Unary operator '++' used.	71	Code Smell	Minor
Unary operator '++' used.	72	Code Smell	Minor
Unary operator '--' used.	88	Code Smell	Minor
Unary operator '--' used.	89	Code Smell	Minor
Unary operator '--' used.	91	Code Smell	Minor
Unary operator '--' used.	93	Code Smell	Minor
Unary operator '++' used.	112	Code Smell	Minor
Unary operator '++' used.	114	Code Smell	Minor

frontend/src/context/ThemeContext.tsx (4 issues)

Issue	Line	Type	Severity
useState call is not destructured into value + setter pair	209	Code Smell	Minor
useState call is not destructured into value + setter pair	210	Code Smell	Minor
useState call is not destructured into value + setter pair	211	Code Smell	Minor
useState call is not destructured into value + setter pair	212	Code Smell	Minor

frontend/src/store/notificationStore.ts (1 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	77	Code Smell	Minor

frontend/src/store/settingsStore.ts (1 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	182	Code Smell	Minor

frontend/src/store/authStore.ts (8 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	27	Code Smell	Minor
use `Boolean(get().user)` instead.	306	Code Smell	Minor
Use object destructuring.	430	Code Smell	Minor
Empty block statement.	512	Code Smell	Major
Empty block statement.	521	Code Smell	Major
Empty block statement.	550	Code Smell	Major
Use object destructuring.	613	Code Smell	Minor
Unary operator '++' used.	775	Code Smell	Minor

frontend/src/store/__tests__/filterStore.scope.test.ts (1 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	20	Code Smell	Minor

frontend/src/store/__tests__/authStore.loadStoredAuthRace.test.ts (1 issues)

Issue	Line	Type	Severity
Promise constructor parameters must be named to match <code>"^_?resolve\$"</code>	3	Code Smell	Minor

frontend/src/theme/enhancedColors.ts (1 issues)

Issue	Line	Type	Severity
Use the <code>***</code> operator instead of <code>Math.pow</code> .	98	Code Smell	Minor

frontend/src/domains/inventory/hooks/useItemByBarcodeQuery.ts (1 issues)

Issue	Line	Type	Severity
use <code>`Boolean(barcode)`</code> instead.	34	Code Smell	Minor

frontend/src/domains/inventory/hooks/scan/useWorkflowState.ts (1 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	56	Code Smell	Minor

frontend/src/domains/inventory/hooks/scan/useItemDetailData.ts (1 issues)

Issue	Line	Type	Severity
Replace this if-then-else flow by a single return statement.	87	Code Smell	Minor

frontend/src/domains/inventory/hooks/scan/useItemEvidenceState.ts (1 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	56	Code Smell	Minor

frontend/src/domains/inventory/hooks/scan/useQuantityCountManager.ts (1 issues)

Issue	Line	Type	Severity
Use object destructuring.	124	Code Smell	Minor

frontend/src/domains/inventory/hooks/scan/useItemSubmission.ts (1 issues)

Issue	Line	Type	Severity
Use array destructuring.	76	Code Smell	Minor

frontend/src/domains/inventory/hooks/scan/useItemForm.ts (3 issues)

Issue	Line	Type	Severity
Missing radix parameter.	50	Code Smell	Major
Merge this if statement with the nested one.	51	Code Smell	Minor
Unary operator '++' used.	57	Code Smell	Minor

frontend/src/domains/inventory/hooks/scan/useFlexibleDateField.ts (3 issues)

Issue	Line	Type	Severity
Replace this if-then-else flow by a single return statement.	92	Code Smell	Minor
Replace this if-then-else flow by a single return statement.	106	Code Smell	Minor
Replace this if-then-else flow by a single return statement.	113	Code Smell	Minor

frontend/src/domains/inventory/hooks/scan/useSerialEntryManager.ts (2 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	152	Code Smell	Minor
Missing radix parameter.	163	Code Smell	Major

frontend/src/domains/inventory/hooks/useOptimizedSearch.ts (1 issues)

Issue	Line	Type	Severity
useState call is not destructured into value + setter pair	168	Code Smell	Minor

frontend/src/domains/inventory/hooks/__tests__/offlineInventoryHooks.test.tsx (2 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	67	Code Smell	Minor
Require statement not part of import statement.	92	Code Smell	Minor

frontend/src/domains/inventory/services/itemVerificationApi.ts (1 issues)

Issue	Line	Type	Severity
Use array destructuring.	493	Code Smell	Minor

frontend/src/domains/inventory/components/ItemFilters.tsx (1 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	185	Code Smell	Minor

frontend/src/domains/inventory/services/__tests__/itemVerificationApi.export.test.ts (2 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	22	Code Smell	Minor
Require statement not part of import statement.	46	Code Smell	Minor

frontend/playwright.config.ts (1 issues)

Issue	Line	Type	Severity
use `Boolean(process.env.CI)` instead.	24	Code Smell	Minor

frontend/e2e/helpers/auth.ts (1 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	168	Code Smell	Critical

frontend/e2e/recount-assignment-ui.spec.ts (1 issues)

Issue	Line	Type	Severity
Unexpected `await` inside a loop.	138	Code Smell	Critical

frontend/plugins/withQuotedReactNativeBundlePhase.js (3 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	1	Code Smell	Minor
Refactor this function to not always return the same value.	29	Code Smell	Blocker
Group parts of the regex together to make the intended operator precedence explicit.	39	Bug	Major

frontend/e2e/core-flow.spec.ts (1 issues)

Issue	Line	Type	Severity
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	36	Code Smell	Major

frontend/metro.config.js (1 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	2	Code Smell	Minor

frontend/app/staff/scan.screen.tsx (5 issues)

Issue	Line	Type	Severity
Unnecessary try/catch wrapper.	385	Code Smell	Minor
Unnecessary try/catch wrapper.	385	Code Smell	Minor
Add logic to this catch clause or eliminate it and rethrow the exception automatically.	387	Code Smell	Minor
Unnecessary 'else' after 'return'.	434	Code Smell	Minor
Refactor this code to not use nested template literals.	534	Code Smell	Minor

frontend/app/staff/serial-scanner.tsx (1 issues)

Issue	Line	Type	Severity
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	186	Code Smell	Major

frontend/app/staff/item-detail.screen.tsx (1 issues)

Issue	Line	Type	Severity
useState call is not destructured into value + setter pair	66	Code Smell	Minor

frontend/app/staff/home.tsx (4 issues)

Issue	Line	Type	Severity
Refactor this code to not use nested template literals.	592	Code Smell	Minor
Unexpected confirm.	612	Code Smell	Minor
Unexpected confirm.	612	Code Smell	Major
Expected catch() or return	616	Code Smell	Major

frontend/app/staff/settings.tsx (3 issues)

Issue	Line	Type	Severity
Unexpected confirm.	161	Code Smell	Minor
Unexpected confirm.	161	Code Smell	Major
Each then() should return a value or throw	164	Code Smell	Major

frontend/app/staff/history.tsx (1 issues)

Issue	Line	Type	Severity
use `Boolean(initialApproved)` instead.	57	Code Smell	Minor

frontend/app/supervisor/session/[id].tsx (3 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	568	Code Smell	Minor
Unexpected string concatenation.	589	Code Smell	Minor
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	778	Code Smell	Major

frontend/app/supervisor/_layout.tsx (1 issues)

Issue	Line	Type	Severity
Use array destructuring.	66	Code Smell	Minor

frontend/app/supervisor/sessions.tsx (3 issues)

Issue	Line	Type	Severity
Use object destructuring.	51	Code Smell	Minor
Unexpected string concatenation.	158	Code Smell	Minor
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	327	Code Smell	Major

frontend/app/supervisor/sync-conflicts.tsx (1 issues)

Issue	Line	Type	Severity
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	441	Code Smell	Major

frontend/app/supervisor/offline-queue.tsx (2 issues)

Issue	Line	Type	Severity
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	336	Code Smell	Major
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	367	Code Smell	Major

frontend/app/supervisor/activity-logs.tsx (1 issues)

Issue	Line	Type	Severity
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	321	Code Smell	Major

frontend/app/supervisor/dashboard.tsx (5 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	136	Code Smell	Minor
Unary operator '++' used.	137	Code Smell	Minor
Unary operator '++' used.	138	Code Smell	Minor
Unary operator '++' used.	139	Code Smell	Minor
Unary operator '++' used.	151	Code Smell	Minor

frontend/app/supervisor/user-workflows.tsx (1 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	107	Code Smell	Minor

frontend/app/supervisor/variances.tsx (2 issues)

Issue	Line	Type	Severity
use `Boolean(id)` instead.	75	Code Smell	Minor
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	571	Code Smell	Major

frontend/app/supervisor/items.tsx (1 issues)

Issue	Line	Type	Severity
Use "@ts-expect-error" instead of "@ts-ignore", as "@ts-ignore" will do nothing if the following line is error-free.	441	Code Smell	Major

frontend/app/supervisor/__tests__/sessionDetail.offlineMode.test.tsx (6 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	25	Code Smell	Minor
Require statement not part of import statement.	27	Code Smell	Minor
Require statement not part of import statement.	68	Code Smell	Minor
Require statement not part of import statement.	70	Code Smell	Minor
Require statement not part of import statement.	80	Code Smell	Minor
Require statement not part of import statement.	82	Code Smell	Minor

frontend/app/_layout.tsx (1 issues)

Issue	Line	Type	Severity
Each then() should return a value or throw	76	Code Smell	Major

frontend/app/supervisor/__tests__/layout.offlineGate.test.tsx (4 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	18	Code Smell	Minor
Require statement not part of import statement.	20	Code Smell	Minor
Require statement not part of import statement.	46	Code Smell	Minor
Require statement not part of import statement.	48	Code Smell	Minor

frontend/app/admin/sql-config.tsx (3 issues)

Issue	Line	Type	Severity
Missing radix parameter.	226	Code Smell	Major
Unexpected string concatenation.	284	Code Smell	Minor
Unexpected string concatenation.	285	Code Smell	Minor

frontend/app/admin/settings.tsx (1 issues)

Issue	Line	Type	Severity
Missing radix parameter.	125	Code Smell	Major

frontend/app/admin/dashboard-web.screen.tsx (3 issues)

Issue	Line	Type	Severity
useState call is not destructured into value + setter pair	70	Code Smell	Minor
Unexpected alert.	346	Code Smell	Minor
Unexpected alert.	346	Code Smell	Major

frontend/app/admin/_layout.tsx (1 issues)

Issue	Line	Type	Severity
Use array destructuring.	27	Code Smell	Minor

frontend/app/admin/permissions.tsx (2 issues)

Issue	Line	Type	Severity
Use object destructuring.	139	Code Smell	Minor
Arrow function used ambiguously with a conditional expression.	192	Code Smell	Minor

frontend/app/admin/security.tsx (5 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	136	Code Smell	Minor
Unexpected string concatenation.	153	Code Smell	Minor
Unexpected string concatenation.	172	Code Smell	Minor
Unexpected string concatenation.	189	Code Smell	Minor
Unexpected string concatenation.	244	Code Smell	Minor

frontend/app/admin/realtime-dashboard.screen.tsx (1 issues)

Issue	Line	Type	Severity
Arrow function used ambiguously with a conditional expression.	293	Code Smell	Minor

frontend/app/admin/users.screen.tsx (1 issues)

Issue	Line	Type	Severity
useState call is not destructured into value + setter pair	51	Code Smell	Minor

frontend/app/admin/__tests__/logs.offlineMode.test.tsx (2 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	45	Code Smell	Minor
Require statement not part of import statement.	47	Code Smell	Minor

frontend/typescript-plugin-filter-text-errors.js (2 issues)

Issue	Line	Type	Severity
Use the spread operator instead of '.apply()'	17	Code Smell	Minor
Use the spread operator instead of '.apply()'	17	Code Smell	Minor

frontend/.eslinttrc.js (1 issues)

Issue	Line	Type	Severity
Unexpected string concatenation.	11	Code Smell	Minor

frontend/__tests__/home.test.tsx (5 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	104	Code Smell	Minor
Require statement not part of import statement.	126	Code Smell	Minor
Require statement not part of import statement.	137	Code Smell	Minor
Require statement not part of import statement.	153	Code Smell	Minor
Require statement not part of import statement.	164	Code Smell	Minor

frontend/__tests__/login.test.tsx (1 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	81	Code Smell	Minor

frontend/__tests__/staff/home.test.tsx (3 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	13	Code Smell	Minor
Require statement not part of import statement.	15	Code Smell	Minor
Arrow function used ambiguously with a conditional expression.	16	Code Smell	Minor

scripts/verify_and_sync_item.py (1 issues)

Issue	Line	Type	Severity
Swaps explicit if-else branches where beneficial	49	Code Smell	Minor

scripts/test_incremental_sync.py (1 issues)

Issue	Line	Type	Severity
Unused variable 'args'	60	Code Smell	Minor

scripts/clear_sessions.py (1 issues)

Issue	Line	Type	Severity
Unused variable 'client'	16	Code Smell	Minor

scripts/sync_erp_full.py (14 issues)

Issue	Line	Type	Severity
Redefining name 'e' from outer scope (line 186)	140	Code Smell	Minor
Use lazy % formatting in logging functions	110	Code Smell	Minor
Use lazy % formatting in logging functions	138	Code Smell	Minor
Use lazy % formatting in logging functions	142	Code Smell	Minor
Use lazy % formatting in logging functions	145	Code Smell	Minor
Use lazy % formatting in logging functions	152	Code Smell	Minor
Use lazy % formatting in logging functions	153	Code Smell	Minor
Use lazy % formatting in logging functions	154	Code Smell	Minor
Use lazy % formatting in logging functions	155	Code Smell	Minor
Use lazy % formatting in logging functions	156	Code Smell	Minor
Use lazy % formatting in logging functions	161	Code Smell	Minor

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	164	Code Smell	Minor
Use lazy % formatting in logging functions	167	Code Smell	Minor
Use lazy % formatting in logging functions	187	Code Smell	Minor

scripts/test_sql_conn_v2.py (2 issues)

Issue	Line	Type	Severity
Using an f-string that does not have any interpolated variables	14	Code Smell	Minor
Add replacement fields or use a normal string instead of an f-string.	14	Code Smell	Major

scripts/check_db_indexes.py (1 issues)

Issue	Line	Type	Severity
Consider using an in-place tuple instead of list	8	Code Smell	Major

scripts/legacy/fix_whitespace.py (2 issues)

Issue	Line	Type	Severity
Redefining name 'file_path' from outer scope (line 35)	9	Code Smell	Minor
Instead of string concatenation use f-strings	19	Code Smell	Minor

scripts/fix_default_users_pin.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	27	Code Smell	Minor
Use lazy % formatting in logging functions	31	Code Smell	Minor
Use lazy % formatting in logging functions	44	Code Smell	Minor
Use lazy % formatting in logging functions	46	Code Smell	Minor

scripts/generate_workspace_code_report.py (6 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	245	Code Smell	Minor
Instead of string concatenation use f-strings	246	Code Smell	Minor
Instead of string concatenation use f-strings	248	Code Smell	Minor
Use collection literals for adding or updating collections	290	Code Smell	Minor
Use concise character class syntax 'w' instead of '[A-Za-z0-9_]'	153	Code Smell	Minor
Use concise character class syntax 'w' instead of '[A-Za-z0-9_]'	157	Code Smell	Minor

scripts/check_kit_items.py (2 issues)

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "\$options" 3 times.	11	Code Smell	Critical
Define a constant instead of duplicating this literal "\$regex" 3 times.	11	Code Smell	Critical

scripts/migrate_batch_id.py (6 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	35	Code Smell	Minor
Use lazy % formatting in logging functions	42	Code Smell	Minor
Use lazy % formatting in logging functions	45	Code Smell	Minor
Use lazy % formatting in logging functions	84	Code Smell	Minor
Use lazy % formatting in logging functions	86	Code Smell	Minor
Use lazy % formatting in logging functions	88	Code Smell	Minor

scripts/find_missing_barcodes.py (15 issues)

Issue	Line	Type	Severity
Missing timeout argument for method 'requests.post' can cause your program to hang indefinitely	33	Code Smell	Minor
Using an f-string that does not have any interpolated variables	52	Code Smell	Minor
Consider using an in-place tuple instead of list	75	Code Smell	Major
Unused variable 'e'	99	Code Smell	Minor
Consecutive elif with differing indentation level, consider creating a function to separate the inner elif	117	Code Smell	Major
Consider using "elif" instead of "else" then "if" to remove one indentation level	117	Code Smell	Major
No exception type(s) specified	264	Code Smell	Critical
Using an f-string that does not have any interpolated variables	280	Code Smell	Minor

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	187	Code Smell	Minor
Instead of string concatenation use f-strings	198	Code Smell	Minor
Instead of string concatenation use f-strings	238	Code Smell	Minor
Instead of string concatenation use f-strings	243	Code Smell	Minor
Specify exception type	256	Code Smell	Critical
Add replacement fields or use a normal string instead of an f-string.	52	Code Smell	Major
Add replacement fields or use a normal string instead of an f-string.	280	Code Smell	Major

scripts/test_sql_conn.py (2 issues)

Issue	Line	Type	Severity
Using an f-string that does not have any interpolated variables	13	Code Smell	Minor
Add replacement fields or use a normal string instead of an f-string.	13	Code Smell	Major

scripts/detect-frontend-port.js (2 issues)

Issue	Line	Type	Severity
Require statement not part of import statement.	8	Code Smell	Minor
Require statement not part of import statement.	9	Code Smell	Minor

scripts/db_audit_dupes.py (4 issues)

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "\$group" 3 times.	33	Code Smell	Critical
Define a constant instead of duplicating this literal "\$push" 3 times.	33	Code Smell	Critical
Define a constant instead of duplicating this literal "\$match" 4 times.	32	Code Smell	Critical
Define a constant instead of duplicating this literal "\$item_code" 3 times.	33	Code Smell	Critical

scripts/check_sessions.py (2 issues)

Issue	Line	Type	Severity
Consider using set for membership test	23	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	23	Code Smell	Minor

scripts/agent_approval_log.py (2 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	64	Code Smell	Minor
Refactor this method to not always return the same value.	90	Code Smell	Blocker

backend/scripts/add_performance_indexes.py (7 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	66	Code Smell	Minor
Use lazy % formatting in logging functions	79	Code Smell	Minor
Use lazy % formatting in logging functions	82	Code Smell	Minor
Use lazy % formatting in logging functions	84	Code Smell	Minor
Use lazy % formatting in logging functions	105	Code Smell	Minor
Use lazy % formatting in logging functions	114	Code Smell	Minor
Use lazy % formatting in logging functions	122	Code Smell	Minor

backend/scripts/discover_tables.py (14 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	47	Code Smell	Minor
Use lazy % formatting in logging functions	50	Code Smell	Minor
Use lazy % formatting in logging functions	53	Code Smell	Minor
Use lazy % formatting in logging functions	153	Code Smell	Minor
Consider using an in-place tuple instead of list	220	Code Smell	Major
Instead of string concatenation use f-strings	236	Code Smell	Minor
Instead of string concatenation use f-strings	247	Code Smell	Minor
Instead of string concatenation use f-strings	263	Code Smell	Minor
Instead of string concatenation use f-strings	265	Code Smell	Minor
Instead of string concatenation use f-strings	269	Code Smell	Minor
Instead of string concatenation use f-strings	275	Code Smell	Minor
Replace sorted calls with heapq for performance in large collections	223	Code Smell	Major
Use concise character class syntax 'w' instead of '[a-zA-Z0-9_]'	144	Code Smell	Minor
Use concise character class syntax 'w' instead of '[a-zA-Z0-9_]'	146	Code Smell	Minor

backend/scripts/codebase_upgrade_checker.py (5 issues)

Issue	Line	Type	Severity
Redefining name 'project_root' from outer scope (line 212)	31	Code Smell	Minor
Consider using an in-place tuple instead of list	44	Code Smell	Major
Use lazy % formatting in logging functions	51	Code Smell	Minor
Use lazy % formatting in logging functions	67	Code Smell	Minor
Invert negated any/all	44	Code Smell	Minor

backend/scripts/sync_sql_to_mongo.py (6 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	28	Code Smell	Minor
Use lazy % formatting in logging functions	35	Code Smell	Minor
Use lazy % formatting in logging functions	46	Code Smell	Minor
Use lazy % formatting in logging functions	58	Code Smell	Minor
Use lazy % formatting in logging functions	69	Code Smell	Minor
Use lazy % formatting in logging functions	71	Code Smell	Minor

backend/scripts/repair_count_line_item_names.py (1 issues)

Issue	Line	Type	Severity
Fix if statements with unnecessary return	45	Code Smell	Minor

backend/scripts/barcode_analyzer.py (6 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	130	Code Smell	Minor
Use lazy % formatting in logging functions	140	Code Smell	Minor
Unnecessary "elif" after "return", remove the leading "el" from "elif"	190	Code Smell	Major
Unnecessary "elif" after "return", remove the leading "el" from "elif"	281	Code Smell	Major
Remove unnecessary else statements	192	Code Smell	Minor
Remove unnecessary else statements	283	Code Smell	Minor

backend/scripts/optimize_session_indexes.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	54	Code Smell	Minor
Use lazy % formatting in logging functions	60	Code Smell	Minor
Use lazy % formatting in logging functions	62	Code Smell	Minor
Use lazy % formatting in logging functions	67	Code Smell	Minor

backend/scripts/set_supervisor_pin.py (2 issues)

Issue	Line	Type	Severity
Redefining name 'username' from outer scope (line 45)	15	Code Smell	Minor
Redefining name 'pin' from outer scope (line 46)	15	Code Smell	Minor

backend/scripts/generate_secrets.py (10 issues)

Issue	Line	Type	Severity
Redefining name 'secrets_map' from outer scope (line 91)	33	Code Smell	Minor
Redefining name 'k' from outer scope (line 98)	54	Code Smell	Minor
Redefining name 'v' from outer scope (line 98)	54	Code Smell	Minor
Use lazy % formatting in logging functions	39	Code Smell	Minor
Use lazy % formatting in logging functions	56	Code Smell	Minor
Use lazy % formatting in logging functions	79	Code Smell	Minor
Unused variable 'rest'	67	Code Smell	Minor
Use lazy % formatting in logging functions	99	Code Smell	Minor
Use lazy % formatting in logging functions	105	Code Smell	Minor
Instead of string concatenation use f-strings	78	Code Smell	Minor

backend/scripts/check_sql_barcodes.py (1 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	80	Code Smell	Minor

backend/scripts/setup_server_localhost.py (1 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	69	Code Smell	Minor

backend/scripts/migrate_user_settings.py (6 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	84	Code Smell	Minor
Use lazy % formatting in logging functions	96	Code Smell	Minor
Use lazy % formatting in logging functions	100	Code Smell	Minor
Use lazy % formatting in logging functions	102	Code Smell	Minor
Use lazy % formatting in logging functions	112	Code Smell	Minor
Use lazy % formatting in logging functions	143	Code Smell	Minor

backend/scripts/verify_reconciliation.py (5 issues)

Issue	Line	Type	Severity
Using variable 'datetime' before assignment	53	Bug	Blocker
Imports from package datetime are not grouped	157	Code Smell	Minor
Instead of string concatenation use f-strings	44	Code Smell	Minor
Do not perform equality checks with floating point values.	142	Bug	Major
Do not perform equality checks with floating point values.	142	Bug	Major

backend/scripts/sync_bridge_agent.py (11 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	28	Code Smell	Minor
Parameter 'o' has been renamed to 'obj' in overriding 'DateTimeEncoder.default' method	35	Code Smell	Minor
Redefining name 'e' from outer scope (line 27)	93	Code Smell	Minor
Use lazy % formatting in logging functions	60	Code Smell	Minor
Use lazy % formatting in logging functions	81	Code Smell	Minor
Use lazy % formatting in logging functions	94	Code Smell	Minor
Use lazy % formatting in logging functions	97	Code Smell	Minor
Use lazy % formatting in logging functions	111	Code Smell	Minor
Use lazy % formatting in logging functions	113	Code Smell	Minor
Use lazy % formatting in logging functions	118	Code Smell	Minor
Use lazy % formatting in logging functions	124	Code Smell	Minor

backend/scripts/validate_env.py (7 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	15	Code Smell	Minor
Use lazy % formatting in logging functions	46	Code Smell	Minor
Use lazy % formatting in logging functions	52	Code Smell	Minor
Use lazy % formatting in logging functions	54	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	56	Code Smell	Major
Use lazy % formatting in logging functions	57	Code Smell	Minor
Remove unnecessary else statements	59	Code Smell	Minor

backend/scripts/report_generator.py (2 issues)

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "Item Name" 4 times.	127	Code Smell	Critical
Define a constant instead of duplicating this literal "ERP Qty" 3 times.	129	Code Smell	Critical

backend/scripts/batch_condition_manager.py (6 issues)

Issue	Line	Type	Severity
Consider using namedtuple or dataclass for dictionary values	47	Code Smell	Major
Unnecessary "elif" after "return", remove the leading "el" from "elif"	123	Code Smell	Major
Consider using set for membership test	279	Code Smell	Major
Remove unnecessary else statements	133	Code Smell	Minor
Use defaultdict for cleaner default value handling	271	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	279	Code Smell	Minor

backend/scripts/restore_mongodb_backup.py (2 issues)

Issue	Line	Type	Severity
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	44	Code Smell	Major
Swaps explicit if-else branches where beneficial	43	Code Smell	Minor

backend/scripts/create_feature_indexes.py (2 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	92	Code Smell	Minor
Instead of string concatenation use f-strings	101	Code Smell	Minor

backend/scripts/stress_test_concurrent_users.py (15 issues)

Issue	Line	Type	Severity
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	176	Code Smell	Major
Use lazy % formatting in logging functions	262	Code Smell	Minor
Use lazy % formatting in logging functions	274	Code Smell	Minor
Use lazy % formatting in logging functions	277	Code Smell	Minor
Use lazy % formatting in logging functions	303	Code Smell	Minor
Unused variable 'data'	310	Code Smell	Minor
Use lazy % formatting in logging functions	348	Code Smell	Minor
Use lazy % formatting in logging functions	354	Code Smell	Minor
Use lazy % formatting in logging functions	357	Code Smell	Minor
Use lazy % formatting in logging functions	374	Code Smell	Minor
Use lazy % formatting in logging functions	513	Code Smell	Minor
Instead of string concatenation use f-strings	403	Code Smell	Minor
Instead of string concatenation use f-strings	435	Code Smell	Minor
Remove unnecessary else statements	181	Code Smell	Minor
Swaps explicit if-else branches where beneficial	225	Code Smell	Minor

backend/scripts/check_sql_barcodes_v2.py (1 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	66	Code Smell	Minor

backend/scripts/load_test_search.py (1 issues)

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "/api/items/search/optimized" 3 times.	39	Code Smell	Critical

backend/scripts/create_staff_users.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	21	Code Smell	Minor
Use lazy % formatting in logging functions	29	Code Smell	Minor
Use lazy % formatting in logging functions	45	Code Smell	Minor
Unused variable 'client'	23	Code Smell	Minor

backend/scripts/generate_api_docs.py (7 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	762	Code Smell	Minor
Define a constant instead of duplicating this literal "2024-01-15T10:30:00Z" 4 times.	148	Code Smell	Critical
Define a constant instead of duplicating this literal "Warehouse A - Shelf 3B" 5 times.	247	Code Smell	Critical
Define a constant instead of duplicating this literal "application/json" 12 times.	106	Code Smell	Critical
Define a constant instead of duplicating this literal "Wireless Bluetooth Headphones" 3 times.	244	Code Smell	Critical
Define a constant instead of duplicating this literal "john.doe@company.com" 4 times.	113	Code Smell	Critical
Define a constant instead of duplicating this literal "SecurePass123!" 3 times.	114	Code Smell	Critical

backend/scripts/update_config_from_ssms.py (2 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	60	Code Smell	Minor
Instead of string concatenation use f-strings	66	Code Smell	Minor

backend/error_messages.py (1 issues)

Issue	Line	Type	Severity
Consider using namedtuple or dataclass for dictionary values	24	Code Smell	Major

backend/services/lock_service.py (10 issues)

Issue	Line	Type	Severity
Unnecessary pass statement	21	Code Smell	Minor
Unnecessary pass statement	27	Code Smell	Minor
Use lazy % formatting in logging functions	64	Code Smell	Minor
Unnecessary pass statement	82	Code Smell	Minor
Use lazy % formatting in logging functions	89	Code Smell	Minor
Consider explicitly re-raising using 'except DuplicateKeyError as exc' and 'raise ResourceLockedError(f'Resource {key} is currently locked.') from exc'	92	Code Smell	Critical
Use lazy % formatting in logging functions	101	Code Smell	Minor
Use lazy % formatting in logging functions	103	Code Smell	Minor
Refactor this method to not always return the same value.	44	Code Smell	Blocker
Remove this unneeded "pass".	82	Code Smell	Minor

backend/services/auto_diagnosis.py (14 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	288	Code Smell	Minor
Unnecessary "elif" after "return", remove the leading "el" from "elif"	353	Code Smell	Major
Unnecessary "elif" after "return", remove the leading "el" from "elif"	392	Code Smell	Major
Unnecessary "elif" after "return", remove the leading "el" from "elif"	419	Code Smell	Major
Unnecessary "elif" after "return", remove the leading "el" from "elif"	461	Code Smell	Major
Use lazy % formatting in logging functions	581	Code Smell	Minor
Use lazy % formatting in logging functions	677	Code Smell	Minor
Use lazy % formatting in logging functions	690	Code Smell	Minor
Use lazy % formatting in logging functions	696	Code Smell	Minor
Remove unnecessary else statements	364	Code Smell	Minor
Remove unnecessary else statements	402	Code Smell	Minor
Remove unnecessary else statements	429	Code Smell	Minor
Remove unnecessary else statements	472	Code Smell	Minor
Define a constant instead of duplicating this literal "Check network connectivity" 4 times.	127	Code Smell	Critical

backend/services/auto_error_finder.py (6 issues)

Issue	Line	Type	Severity
Consider using an in-place tuple instead of list	60	Code Smell	Major
Use lazy % formatting in logging functions	67	Code Smell	Minor
Use lazy % formatting in logging functions	93	Code Smell	Minor
Use lazy % formatting in logging functions	118	Code Smell	Minor
Consider merging these isinstance calls to isinstance(node, (ast.Import, ast.ImportFrom))	204	Code Smell	Major
Invert negated any/all	60	Code Smell	Minor

backend/services/variance_service.py (8 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	121	Code Smell	Minor
Use lazy % formatting in logging functions	149	Code Smell	Minor
Use lazy % formatting in logging functions	173	Code Smell	Minor
Use lazy % formatting in logging functions	185	Code Smell	Minor
Use lazy % formatting in logging functions	197	Code Smell	Minor
Define a constant instead of duplicating this literal "Default Variance Thresholds" 3 times.	202	Code Smell	Critical
Either merge this branch with the identical one on line "127" or change one of the implementations.	129	Code Smell	Major
Either merge this branch with the identical one on line "127" or change one of the implementations.	131	Code Smell	Major

backend/services/sql_connection_optimizer.py (5 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	104	Code Smell	Minor
Use lazy % formatting in logging functions	110	Code Smell	Minor
Use lazy % formatting in logging functions	123	Code Smell	Minor
Use lazy % formatting in logging functions	167	Code Smell	Minor
Use lazy % formatting in logging functions	176	Code Smell	Minor

backend/services/sync_conflicts_service.py (8 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	101	Code Smell	Minor
Use lazy % formatting in logging functions	210	Code Smell	Minor
Use lazy % formatting in logging functions	223	Code Smell	Minor
Use lazy % formatting in logging functions	265	Code Smell	Minor
Use lazy % formatting in logging functions	274	Code Smell	Minor
Use lazy % formatting in logging functions	276	Code Smell	Minor
Use lazy % formatting in logging functions	297	Code Smell	Minor
Use lazy % formatting in logging functions	300	Code Smell	Minor

backend/services/pubsub_service.py (10 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	55	Code Smell	Minor
Use lazy % formatting in logging functions	88	Code Smell	Minor
Use lazy % formatting in logging functions	91	Code Smell	Minor
Use lazy % formatting in logging functions	131	Code Smell	Minor
Use lazy % formatting in logging functions	151	Code Smell	Minor
Consecutive elif with differing indentation level, consider creating a function to separate the inner elif	170	Code Smell	Major
Consider using "elif" instead of "else" then "if" to remove one indentation level	170	Code Smell	Major
Use lazy % formatting in logging functions	176	Code Smell	Minor
Use lazy % formatting in logging functions	194	Code Smell	Minor
Using the global statement	266	Code Smell	Minor

backend/services/watchdog_service.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	53	Code Smell	Minor
Use lazy % formatting in logging functions	80	Code Smell	Minor
Use lazy % formatting in logging functions	104	Code Smell	Minor
Use lazy % formatting in logging functions	112	Code Smell	Minor

backend/services/rate_limiter.py (2 issues)

Issue	Line	Type	Severity
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	117	Code Smell	Major
Swaps explicit if-else branches where beneficial	117	Code Smell	Minor

backend/services/advanced_report_service.py (15 issues)

Issue	Line	Type	Severity
Consider explicitly re-raising using 'except ImportError as exc' and 'raise ImportError('openpyxl required for Excel export') from exc'	782	Code Smell	Critical
Fix raise statements to include missing 'from'	779	Code Smell	Minor
Define a constant instead of duplicating this literal "\$variance" 19 times.	297	Code Smell	Critical
Define a constant instead of duplicating this literal "\$limit" 3 times.	343	Code Smell	Critical
Define a constant instead of duplicating this literal "\$skip" 3 times.	342	Code Smell	Critical
Define a constant instead of duplicating this literal "\$cond" 8 times.	292	Code Smell	Critical
Define a constant instead of duplicating this literal "\$options" 4 times.	230	Code Smell	Critical
Define a constant instead of duplicating this literal "\$project" 3 times.	344	Code Smell	Critical
Define a constant instead of duplicating this literal "\$multiply" 8 times.	296	Code Smell	Critical
Define a constant instead of duplicating this literal "\$sort" 3 times.	341	Code Smell	Critical
Define a constant instead of duplicating this literal "\$divide" 3 times.	297	Code Smell	Critical
Define a constant instead of duplicating this literal "\$ifNull" 10 times.	193	Code Smell	Critical
Define a constant instead of duplicating this literal "\$mrp_erp" 8 times.	303	Code Smell	Critical
Define a constant instead of duplicating this literal "\$match" 5 times.	340	Code Smell	Critical
Define a constant instead of duplicating this literal "\$regex" 4 times.	230	Code Smell	Critical

backend/services/count_state_machine.py (6 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	82	Code Smell	Minor
Use lazy % formatting in logging functions	173	Code Smell	Minor
Consider using set for membership test	199	Code Smell	Major
Use lazy % formatting in logging functions	298	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	199	Code Smell	Minor
Fix if statements with unnecessary return	203	Code Smell	Minor

backend/services/cache/redis_service.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	28	Code Smell	Minor
Use lazy % formatting in logging functions	37	Code Smell	Minor
Use lazy % formatting in logging functions	45	Code Smell	Minor
Use lazy % formatting in logging functions	55	Code Smell	Minor

backend/services/data_governance.py (7 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	141	Code Smell	Minor
Use lazy % formatting in logging functions	146	Code Smell	Minor
Use lazy % formatting in logging functions	201	Code Smell	Minor
Use lazy % formatting in logging functions	207	Code Smell	Minor
Use lazy % formatting in logging functions	241	Code Smell	Minor
Use lazy % formatting in logging functions	343	Code Smell	Minor
Use lazy % formatting in logging functions	374	Code Smell	Minor

backend/services/errors.py (4 issues)

Issue	Line	Type	Severity
Redefining built-in 'ConnectionError'	25	Code Smell	Minor
Unnecessary pass statement	22	Code Smell	Minor
Unnecessary pass statement	28	Code Smell	Minor
Unnecessary pass statement	34	Code Smell	Minor

backend/services/enrichment_service.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	204	Code Smell	Minor
Use lazy % formatting in logging functions	218	Code Smell	Minor
Use lazy % formatting in logging functions	221	Code Smell	Minor
Use lazy % formatting in logging functions	462	Code Smell	Minor

backend/services/batch_operations.py (5 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	75	Code Smell	Minor
Use lazy % formatting in logging functions	98	Code Smell	Minor
Use lazy % formatting in logging functions	156	Code Smell	Minor
Use lazy % formatting in logging functions	195	Code Smell	Minor
Use lazy % formatting in logging functions	272	Code Smell	Minor

backend/services/advanced_erp_sync_DISABLED_DO_NOT_USE.py (10 issues)

Issue	Line	Type	Severity
Unreachable code	5	Code Smell	Minor
String statement has no effect	5	Code Smell	Minor
Use lazy % formatting in logging functions	141	Code Smell	Minor
Use lazy % formatting in logging functions	149	Code Smell	Minor
Use lazy % formatting in logging functions	166	Code Smell	Minor
Use lazy % formatting in logging functions	209	Code Smell	Minor
Use lazy % formatting in logging functions	234	Code Smell	Minor
Use lazy % formatting in logging functions	260	Code Smell	Minor
Use lazy % formatting in logging functions	305	Code Smell	Minor
Use lazy % formatting in logging functions	315	Code Smell	Minor

backend/services/variant_service.py (1 issues)

Issue	Line	Type	Severity
Refactor this method to not always return the same value.	47	Code Smell	Blocker

backend/services/canonical_inventory.py (1 issues)

Issue	Line	Type	Severity
Fix if statements with unnecessary return	223	Code Smell	Minor

backend/services/error_log.py (9 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	180	Code Smell	Minor
Use lazy % formatting in logging functions	192	Code Smell	Minor
Use lazy % formatting in logging functions	302	Code Smell	Minor
Use lazy % formatting in logging functions	316	Code Smell	Minor
Use lazy % formatting in logging functions	339	Code Smell	Minor
Use lazy % formatting in logging functions	429	Code Smell	Minor
Instead of string concatenation use f-strings	55	Code Smell	Minor
Define a constant instead of duplicating this literal "\$match" 4 times.	377	Code Smell	Critical
Method "log_error" has 14 parameters, which is greater than the 13 authorized.	91	Code Smell	Major

backend/services/config_version_service.py (2 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	55	Code Smell	Minor
Use lazy % formatting in logging functions	59	Code Smell	Minor

backend/services/dynamic_fields_service.py (29 issues)

Issue	Line	Type	Severity
Consider using set for membership test	87	Code Smell	Major
Use lazy % formatting in logging functions	113	Code Smell	Minor
Use lazy % formatting in logging functions	117	Code Smell	Minor
Use lazy % formatting in logging functions	137	Code Smell	Minor
Use lazy % formatting in logging functions	156	Code Smell	Minor
Use lazy % formatting in logging functions	160	Code Smell	Minor
Use lazy % formatting in logging functions	179	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	211	Code Smell	Major
Use lazy % formatting in logging functions	257	Code Smell	Minor
Use lazy % formatting in logging functions	279	Code Smell	Minor
Use lazy % formatting in logging functions	350	Code Smell	Minor
Consider explicitly re-raising using 'except (ValueError, TypeError) as exc' and 'raise ValueError("Value must be a number") from exc'	362	Code Smell	Critical

Issue	Line	Type	Severity
Consider explicitly re-raising using 'except ValueError as exc' and 'raise ValueError('Invalid date format. Use ISO format (YYYY-MM-DD)') from exc'	381	Code Smell	Critical
Unnecessary "elif" after "return", remove the leading "el" from "elif"	390	Code Smell	Major
Consider using set for membership test	398	Code Smell	Major
Consider using set for membership test	401	Code Smell	Major
Use lazy % formatting in logging functions	410	Code Smell	Minor
Use lazy % formatting in logging functions	412	Code Smell	Minor
Consecutive elif with differing indentation level, consider creating a function to separate the inner elif	449	Code Smell	Major
Consider using set for membership test	449	Code Smell	Major
Use lazy % formatting in logging functions	462	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	87	Code Smell	Minor
Remove unnecessary else statements	231	Code Smell	Minor
Fix raise statements to include missing 'from'	378	Code Smell	Minor
Remove unnecessary else statements	393	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	449	Code Smell	Minor
Define a constant instead of duplicating this literal "\$group" 3 times.	316	Code Smell	Critical
Define a constant instead of duplicating this literal "\$match" 3 times.	310	Code Smell	Critical
Define a constant instead of duplicating this literal "\$value" 6 times.	321	Code Smell	Critical

backend/services/reporting/snapshot_engine.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	98	Code Smell	Minor
Declare all known key/values when initializing the dictionary.	103	Code Smell	Minor
Use lazy % formatting in logging functions	169	Code Smell	Minor
Either merge this branch with the identical one on line "220" or change one of the implementations.	226	Code Smell	Major

backend/services/reporting/compare_engine.py (2 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	97	Code Smell	Minor
Extract this nested conditional expression into an independent statement.	131	Code Smell	Major

backend/services/reporting/export_engine.py (7 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	79	Code Smell	Minor
Use lazy % formatting in logging functions	136	Code Smell	Minor
Consider explicitly re-raising using 'except ImportError as exc' and 'raise ImportError('openpyxl is required for XLSX export') from exc'	148	Code Smell	Critical
Use lazy % formatting in logging functions	170	Code Smell	Minor
Redefining built-in 'format'	189	Code Smell	Minor
Fix raise statements to include missing 'from'	145	Code Smell	Minor
Add a nested comment explaining why this method is empty, or complete the implementation.	89	Code Smell	Critical

backend/services/lock_manager.py (19 issues)

Issue	Line	Type	Severity
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	45	Code Smell	Major
Use lazy % formatting in logging functions	46	Code Smell	Minor
Use lazy % formatting in logging functions	50	Code Smell	Minor
Use lazy % formatting in logging functions	54	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	93	Code Smell	Major
Use lazy % formatting in logging functions	94	Code Smell	Minor
Use lazy % formatting in logging functions	98	Code Smell	Minor
Use lazy % formatting in logging functions	104	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	126	Code Smell	Major
Use lazy % formatting in logging functions	127	Code Smell	Minor
Use lazy % formatting in logging functions	131	Code Smell	Minor
Use lazy % formatting in logging functions	137	Code Smell	Minor
Use lazy % formatting in logging functions	169	Code Smell	Minor
Use lazy % formatting in logging functions	240	Code Smell	Minor
Use lazy % formatting in logging functions	242	Code Smell	Minor
Use lazy % formatting in logging functions	246	Code Smell	Minor
Use lazy % formatting in logging functions	301	Code Smell	Minor
Use lazy % formatting in logging functions	321	Code Smell	Minor

Issue	Line	Type	Severity
Using the global statement	335	Code Smell	Minor

backend/services/reporting/query_builder.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	208	Code Smell	Minor
Consider using namedtuple or dataclass for dictionary values	297	Code Smell	Major
Define a constant instead of duplicating this literal "\$group" 5 times.	237	Code Smell	Critical
Add a nested comment explaining why this method is empty, or complete the implementation.	103	Code Smell	Critical

backend/services/auto_sync_manager.py (6 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	127	Code Smell	Minor
Use lazy % formatting in logging functions	144	Code Smell	Minor
Use lazy % formatting in logging functions	171	Code Smell	Minor
Use lazy % formatting in logging functions	186	Code Smell	Minor
Use lazy % formatting in logging functions	200	Code Smell	Minor
Use lazy % formatting in logging functions	230	Code Smell	Minor

backend/services/ai_search.py (3 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	49	Code Smell	Minor
Use lazy % formatting in logging functions	63	Code Smell	Minor
Use lazy % formatting in logging functions	109	Code Smell	Minor

backend/services/database_manager.py (18 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	121	Code Smell	Minor
Use lazy % formatting in logging functions	136	Code Smell	Minor
Use lazy % formatting in logging functions	175	Code Smell	Minor
Use lazy % formatting in logging functions	216	Code Smell	Minor
Use lazy % formatting in logging functions	245	Code Smell	Minor
Use lazy % formatting in logging functions	260	Code Smell	Minor
Use lazy % formatting in logging functions	265	Code Smell	Minor
Use lazy % formatting in logging functions	291	Code Smell	Minor

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	301	Code Smell	Minor
Use lazy % formatting in logging functions	306	Code Smell	Minor
Use lazy % formatting in logging functions	353	Code Smell	Minor
Use lazy % formatting in logging functions	377	Code Smell	Minor
Use lazy % formatting in logging functions	394	Code Smell	Minor
Consider using set for membership test	422	Code Smell	Major
Use lazy % formatting in logging functions	458	Code Smell	Minor
Use lazy % formatting in logging functions	511	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	422	Code Smell	Minor
Extract this nested conditional expression into an independent statement.	203	Code Smell	Major

backend/services/item_service.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	23	Code Smell	Minor
Use lazy % formatting in logging functions	38	Code Smell	Minor
Use lazy % formatting in logging functions	47	Code Smell	Minor
Use lazy % formatting in logging functions	61	Code Smell	Minor

backend/services/refresh_token.py (7 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	109	Code Smell	Minor
Use lazy % formatting in logging functions	118	Code Smell	Minor
Use lazy % formatting in logging functions	120	Code Smell	Minor
Use lazy % formatting in logging functions	173	Code Smell	Minor
Use lazy % formatting in logging functions	186	Code Smell	Minor
Use lazy % formatting in logging functions	204	Code Smell	Minor
Use lazy % formatting in logging functions	223	Code Smell	Minor

backend/services/websocket_service.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	33	Code Smell	Minor
Use lazy % formatting in logging functions	44	Code Smell	Minor
Use lazy % formatting in logging functions	53	Code Smell	Minor
Use lazy % formatting in logging functions	62	Code Smell	Minor

backend/services/database_optimizer.py (12 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	136	Code Smell	Minor
Use lazy % formatting in logging functions	141	Code Smell	Minor
Use lazy % formatting in logging functions	143	Code Smell	Minor
Use lazy % formatting in logging functions	148	Code Smell	Minor
Use lazy % formatting in logging functions	185	Code Smell	Minor
Use lazy % formatting in logging functions	194	Code Smell	Minor
Use lazy % formatting in logging functions	218	Code Smell	Minor
Use lazy % formatting in logging functions	231	Code Smell	Minor
Use lazy % formatting in logging functions	252	Code Smell	Minor
Use lazy % formatting in logging functions	254	Code Smell	Minor
Use lazy % formatting in logging functions	257	Code Smell	Minor
Use lazy % formatting in logging functions	294	Code Smell	Minor

backend/services/enterprise_audit.py (5 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	277	Code Smell	Minor
Use lazy % formatting in logging functions	285	Code Smell	Minor
Use lazy % formatting in logging functions	459	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	276	Code Smell	Minor
Method "log" has 18 parameters, which is greater than the 13 authorized.	218	Code Smell	Major

backend/services/notification_service.py (2 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	94	Code Smell	Minor
Use lazy % formatting in logging functions	99	Code Smell	Minor

backend/services/redis_service.py (3 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	64	Code Smell	Minor
Use lazy % formatting in logging functions	70	Code Smell	Minor
Use lazy % formatting in logging functions	106	Code Smell	Minor

backend/services/auto_recovery.py (10 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	80	Code Smell	Minor
Use lazy % formatting in logging functions	86	Code Smell	Minor
Use lazy % formatting in logging functions	99	Code Smell	Minor
Use lazy % formatting in logging functions	145	Code Smell	Minor
Use lazy % formatting in logging functions	187	Code Smell	Minor
Use lazy % formatting in logging functions	212	Code Smell	Minor
Redefining name 'asyncio' from outer scope (line 6)	248	Code Smell	Minor
Reimport 'asyncio' (imported line 6)	248	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	250	Code Smell	Major
Remove unnecessary else statements	284	Code Smell	Minor

backend/services/database_health.py (10 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	83	Code Smell	Minor
Use lazy % formatting in logging functions	101	Code Smell	Minor
Use lazy % formatting in logging functions	105	Code Smell	Minor
Use lazy % formatting in logging functions	127	Code Smell	Minor
Use lazy % formatting in logging functions	182	Code Smell	Minor
Use lazy % formatting in logging functions	199	Code Smell	Minor
Use lazy % formatting in logging functions	204	Code Smell	Minor
Use lazy % formatting in logging functions	225	Code Smell	Minor
Use lazy % formatting in logging functions	256	Code Smell	Minor
Use lazy % formatting in logging functions	268	Code Smell	Minor

backend/services/scheduled_export_service.py (6 issues)

Issue	Line	Type	Severity
Redefining built-in 'format'	49	Code Smell	Minor
Use lazy % formatting in logging functions	73	Code Smell	Minor
Use lazy % formatting in logging functions	176	Code Smell	Minor
Use lazy % formatting in logging functions	186	Code Smell	Minor
Consecutive elif with differing indentation level, consider creating a function to separate the inner elif	351	Code Smell	Major
Use lazy % formatting in logging functions	403	Code Smell	Minor

backend/services/mdns_service.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	53	Code Smell	Minor
Use lazy % formatting in logging functions	68	Code Smell	Minor
Use lazy % formatting in logging functions	72	Code Smell	Minor
Using the global statement	104	Code Smell	Minor

backend/services/ai_variance.py (11 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	149	Code Smell	Minor
Use lazy % formatting in logging functions	189	Code Smell	Minor
Use lazy % formatting in logging functions	230	Code Smell	Minor
Access to member 'initialized' before its definition line 114	96	Bug	Blocker
Replace for loops with dictionary comprehensions	241	Code Smell	Minor
Define a constant instead of duplicating this literal "\$ifNull" 4 times.	18	Code Smell	Critical
Define a constant instead of duplicating this literal "\$group" 4 times.	13	Code Smell	Critical
Define a constant instead of duplicating this literal "\$cond" 4 times.	18	Code Smell	Critical
Define a constant instead of duplicating this literal "\$variance_reason" 4 times.	18	Code Smell	Critical
Define a constant instead of duplicating this literal "\$match" 4 times.	10	Code Smell	Critical
Do not perform equality checks with floating point values.	65	Bug	Major

backend/services/enhanced_connection_pool.py (12 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	137	Code Smell	Minor
Use lazy % formatting in logging functions	146	Code Smell	Minor
Use lazy % formatting in logging functions	161	Code Smell	Minor
Use lazy % formatting in logging functions	167	Code Smell	Minor
Use lazy % formatting in logging functions	211	Code Smell	Minor
Use lazy % formatting in logging functions	214	Code Smell	Minor
Use lazy % formatting in logging functions	223	Code Smell	Minor
Use lazy % formatting in logging functions	305	Code Smell	Minor
Use lazy % formatting in logging functions	336	Code Smell	Minor
Use lazy % formatting in logging functions	369	Code Smell	Minor
Use lazy % formatting in logging functions	477	Code Smell	Minor
Swaps explicit if-else branches where beneficial	159	Code Smell	Minor

backend/services/circuit_breaker.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	93	Code Smell	Minor
Use lazy % formatting in logging functions	99	Code Smell	Minor
Consecutive elif with differing indentation level, consider creating a function to separate the inner elif	111	Code Smell	Major
Unnecessary pass statement	250	Code Smell	Minor

backend/services/sql_verification_service.py (34 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	100	Code Smell	Minor
Use lazy % formatting in logging functions	125	Code Smell	Minor
Use lazy % formatting in logging functions	136	Code Smell	Minor
Use lazy % formatting in logging functions	145	Code Smell	Minor
Use lazy % formatting in logging functions	162	Code Smell	Minor
Use lazy % formatting in logging functions	173	Code Smell	Minor
Use lazy % formatting in logging functions	184	Code Smell	Minor
Use lazy % formatting in logging functions	201	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	245	Code Smell	Major
Use lazy % formatting in logging functions	246	Code Smell	Minor
Use lazy % formatting in logging functions	272	Code Smell	Minor
Use lazy % formatting in logging functions	282	Code Smell	Minor
Use lazy % formatting in logging functions	302	Code Smell	Minor
Use lazy % formatting in logging functions	311	Code Smell	Minor

Issue	Line	Type	Severity
Redefinition of mongo_qty type from int to float	160	Code Smell	Major
Use lazy % formatting in logging functions	363	Code Smell	Minor
Use lazy % formatting in logging functions	384	Code Smell	Minor
Use lazy % formatting in logging functions	404	Code Smell	Minor
Use lazy % formatting in logging functions	424	Code Smell	Minor
Use lazy % formatting in logging functions	444	Code Smell	Minor
Use lazy % formatting in logging functions	464	Code Smell	Minor
Use lazy % formatting in logging functions	484	Code Smell	Minor
Use lazy % formatting in logging functions	504	Code Smell	Minor
Consider using an in-place tuple instead of list	507	Code Smell	Major
Access to a protected member _get_formatted_query of a client class	540	Code Smell	Minor
Use lazy % formatting in logging functions	565	Code Smell	Minor
Use lazy % formatting in logging functions	603	Code Smell	Minor
Use lazy % formatting in logging functions	610	Code Smell	Minor
Use lazy % formatting in logging functions	617	Code Smell	Minor
Use lazy % formatting in logging functions	624	Code Smell	Minor
Use lazy % formatting in logging functions	631	Code Smell	Minor
Use lazy % formatting in logging functions	836	Code Smell	Minor
Remove unnecessary else statements	270	Code Smell	Minor
Define a constant instead of duplicating this literal "ERP system is temporarily unavailable. Please try again later." 3 times.	366	Code Smell	Critical

backend/services/activity_log.py (6 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	122	Code Smell	Minor
Use lazy % formatting in logging functions	125	Code Smell	Minor
Use lazy % formatting in logging functions	187	Code Smell	Minor
Use lazy % formatting in logging functions	202	Code Smell	Minor
Use lazy % formatting in logging functions	261	Code Smell	Minor
Define a constant instead of duplicating this literal "\$match" 4 times.	232	Code Smell	Critical

backend/services/search_service.py (10 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	128	Code Smell	Minor
Use lazy % formatting in logging functions	131	Code Smell	Minor
Use lazy % formatting in logging functions	165	Code Smell	Minor
Use lazy % formatting in logging functions	217	Code Smell	Minor
Use lazy % formatting in logging functions	362	Code Smell	Minor
Using the global statement	379	Code Smell	Minor
Using the global statement	398	Code Smell	Minor
Define a constant instead of duplicating this literal "\$options" 5 times.	187	Code Smell	Critical
Define a constant instead of duplicating this literal "\$regex" 6 times.	184	Code Smell	Critical
Remove this commented out code.	322	Code Smell	Major

backend/services/data_validation_service.py (5 issues)

Issue	Line	Type	Severity
Consecutive elif with differing indentation level, consider creating a function to separate the inner elif	197	Code Smell	Major
Consider using "elif" instead of "else" then "if" to remove one indentation level	197	Code Smell	Major
Use lazy % formatting in logging functions	247	Code Smell	Minor
Use lazy % formatting in logging functions	344	Code Smell	Minor
Use lazy % formatting in logging functions	394	Code Smell	Minor

backend/services/sql_sync_service.py (38 issues)

Issue	Line	Type	Severity
Consider using set for membership test	25	Code Smell	Major
Consider using set for membership test	53	Code Smell	Major
Declare all known key/values when initializing the dictionary.	135	Code Smell	Minor
Consider using set for membership test	161	Code Smell	Major
Consider using set for membership test	206	Code Smell	Major
Use lazy % formatting in logging functions	295	Code Smell	Minor
Use lazy % formatting in logging functions	345	Code Smell	Minor
Use lazy % formatting in logging functions	387	Code Smell	Minor
Use lazy % formatting in logging functions	393	Code Smell	Minor
Use lazy % formatting in logging functions	401	Code Smell	Minor
Use lazy % formatting in logging functions	413	Code Smell	Minor
Use lazy % formatting in logging functions	451	Code Smell	Minor
Use lazy % formatting in logging functions	475	Code Smell	Minor
Use lazy % formatting in logging functions	485	Code Smell	Minor

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	487	Code Smell	Minor
Use lazy % formatting in logging functions	496	Code Smell	Minor
Use lazy % formatting in logging functions	504	Code Smell	Minor
Use lazy % formatting in logging functions	566	Code Smell	Minor
Use lazy % formatting in logging functions	585	Code Smell	Minor
Use lazy % formatting in logging functions	594	Code Smell	Minor
Use lazy % formatting in logging functions	605	Code Smell	Minor
Use lazy % formatting in logging functions	646	Code Smell	Minor
Use lazy % formatting in logging functions	654	Code Smell	Minor
Use lazy % formatting in logging functions	665	Code Smell	Minor
Use lazy % formatting in logging functions	684	Code Smell	Minor
Use lazy % formatting in logging functions	732	Code Smell	Minor
Use lazy % formatting in logging functions	839	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	843	Code Smell	Major
Consider using "elif" instead of "else" then "if" to remove one indentation level	878	Code Smell	Major
Use lazy % formatting in logging functions	894	Code Smell	Minor
Use lazy % formatting in logging functions	927	Code Smell	Minor
Use lazy % formatting in logging functions	978	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	25	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	53	Code Smell	Minor
Replace dictionary assignments with literals	135	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	161	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	206	Code Smell	Minor
Remove unnecessary else statements	852	Code Smell	Minor

backend/services/cache_service.py (18 issues)

Issue	Line	Type	Severity
Parameter 'o' has been renamed to 'obj' in overriding 'CustomJSONEncoder.default' method	21	Code Smell	Minor
Use lazy % formatting in logging functions	70	Code Smell	Minor
Use lazy % formatting in logging functions	86	Code Smell	Minor
Use lazy % formatting in logging functions	103	Code Smell	Minor
Consider using "elif" instead of "else" then "if" to remove one indentation level	109	Code Smell	Major
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	111	Code Smell	Major
Use lazy % formatting in logging functions	127	Code Smell	Minor
Use lazy % formatting in logging functions	135	Code Smell	Minor

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	164	Code Smell	Minor
Consider using "elif" instead of "else" then "if" to remove one indentation level	167	Code Smell	Major
Use lazy % formatting in logging functions	186	Code Smell	Minor
Consider iterating the dictionary directly instead of calling .keys()	189	Code Smell	Minor
Use lazy % formatting in logging functions	240	Code Smell	Minor
Consider iterating the dictionary directly instead of calling .keys()	247	Code Smell	Minor
Use lazy % formatting in logging functions	275	Code Smell	Minor
Remove unnecessary else statements	112	Code Smell	Minor
Swaps explicit if-else branches where beneficial	130	Code Smell	Minor
Swaps explicit if-else branches where beneficial	175	Code Smell	Minor

backend/services/runtime.py (2 issues)

Issue	Line	Type	Severity
Using the global statement	17	Code Smell	Minor
Using the global statement	28	Code Smell	Minor

backend/services/snapshot_service.py (2 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	40	Code Smell	Minor
Use lazy % formatting in logging functions	61	Code Smell	Minor

backend/services/dynamic_report_service.py (26 issues)

Issue	Line	Type	Severity
Redefining built-in 'format'	38	Code Smell	Minor
Use lazy % formatting in logging functions	80	Code Smell	Minor
Use lazy % formatting in logging functions	84	Code Smell	Minor
Use lazy % formatting in logging functions	100	Code Smell	Minor
Consecutive elif with differing indentation level, consider creating a function to separate the inner elif	128	Code Smell	Major
Use lazy % formatting in logging functions	194	Code Smell	Minor
Use lazy % formatting in logging functions	199	Code Smell	Minor
Unnecessary "elif" after "return", remove the leading "el" from "elif"	212	Code Smell	Major
Use lazy % formatting in logging functions	226	Code Smell	Minor
Use lazy % formatting in logging functions	272	Code Smell	Minor

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	307	Code Smell	Minor
Use lazy % formatting in logging functions	364	Code Smell	Minor
Use lazy % formatting in logging functions	389	Code Smell	Minor
Consider using set for membership test	435	Code Smell	Major
Redefining built-in 'format'	447	Code Smell	Minor
Unnecessary "elif" after "return", remove the leading "el" from "elif"	455	Code Smell	Major
Use lazy % formatting in logging functions	467	Code Smell	Minor
Unnecessary "elif" after "return", remove the leading "el" from "elif"	537	Code Smell	Major
Use lazy % formatting in logging functions	661	Code Smell	Minor
Use lazy % formatting in logging functions	683	Code Smell	Minor
Remove unnecessary else statements	214	Code Smell	Minor
Replace for loops with dictionary comprehensions	433	Code Smell	Minor
Remove unnecessary else statements	457	Code Smell	Minor
Remove unnecessary else statements	539	Code Smell	Minor
Replace list append in a loop with concatenation	602	Code Smell	Minor
Define a constant instead of duplicating this literal "\$first" 4 times.	337	Code Smell	Critical

backend/services/system_report_service.py (3 issues)

Issue	Line	Type	Severity
Redefining built-in 'format'	17	Code Smell	Minor
Instead of string concatenation use f-strings	377	Code Smell	Minor
Fix if statements with unnecessary return	409	Code Smell	Minor

backend/services/heatmap_service.py (1 issues)

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "\$cond" 3 times.	36	Code Smell	Critical

backend/services/feature_flags.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	97	Code Smell	Minor
Use lazy % formatting in logging functions	178	Code Smell	Minor
Use lazy % formatting in logging functions	196	Code Smell	Minor
Use lazy % formatting in logging functions	207	Code Smell	Minor

backend/services/whatsapp_service.py (1 issues)

Issue	Line	Type	Severity
Fix if statements with unnecessary return	54	Code Smell	Minor

backend/services/analytics_service.py (3 issues)

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "\$group" 4 times.	26	Code Smell	Critical
Define a constant instead of duplicating this literal "\$sort" 3 times.	31	Code Smell	Critical
Define a constant instead of duplicating this literal "\$match" 5 times.	24	Code Smell	Critical

backend/services/enterprise_security.py (6 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	115	Code Smell	Minor
Use lazy % formatting in logging functions	190	Code Smell	Minor
Use lazy % formatting in logging functions	194	Code Smell	Minor
Use lazy % formatting in logging functions	212	Code Smell	Minor
Use lazy % formatting in logging functions	343	Code Smell	Minor
Use lazy % formatting in logging functions	497	Code Smell	Minor

backend/services/change_detection_sync.py (1 issues)

Issue	Line	Type	Severity
Redefining built-in 'ConnectionError'	22	Code Smell	Minor

backend/services/error_notification_service.py (9 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	71	Code Smell	Minor
Use lazy % formatting in logging functions	123	Code Smell	Minor
Use lazy % formatting in logging functions	145	Code Smell	Minor
Use lazy % formatting in logging functions	169	Code Smell	Minor
Use lazy % formatting in logging functions	192	Code Smell	Minor
Use lazy % formatting in logging functions	210	Code Smell	Minor
Use lazy % formatting in logging functions	228	Code Smell	Minor
Use lazy % formatting in logging functions	252	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	115	Code Smell	Minor

backend/services/pin_auth_service.py (14 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	34	Code Smell	Minor
Use lazy % formatting in logging functions	66	Code Smell	Minor
Use lazy % formatting in logging functions	69	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	91	Code Smell	Major
Use lazy % formatting in logging functions	92	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	107	Code Smell	Major
Use lazy % formatting in logging functions	118	Code Smell	Minor
Use lazy % formatting in logging functions	132	Code Smell	Minor
Use lazy % formatting in logging functions	138	Code Smell	Minor
Use lazy % formatting in logging functions	148	Code Smell	Minor
Use lazy % formatting in logging functions	151	Code Smell	Minor
Use lazy % formatting in logging functions	175	Code Smell	Minor
Remove unnecessary else statements	93	Code Smell	Minor
Remove unnecessary else statements	119	Code Smell	Minor

backend/config_governance.py (2 issues)

Issue	Line	Type	Severity
Consider using set for membership test	15	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	15	Code Smell	Minor

backend/models/user.py (2 issues)

Issue	Line	Type	Severity
Lambda may not be necessary	26	Code Smell	Minor
Remove redundant lambdas and use direct function calls	26	Code Smell	Minor

backend/auth/jwt_provider.py (6 issues)

Issue	Line	Type	Severity
Consider explicitly re-raising using 'raise ExpiredSignatureError(str(exc)) from exc'	62	Code Smell	Critical
Consider explicitly re-raising using 'raise InvalidTokenError(str(exc)) from exc'	64	Code Smell	Critical
Consider explicitly re-raising using 'raise InvalidTokenError(str(exc)) from exc'	66	Code Smell	Critical
Merge except handlers	47	Code Smell	Minor
Rename this field "ExpiredSignatureError" to match the regular expression <code>^[_a-z][_a-z0-9]*\$</code> .	72	Code Smell	Minor
Rename this field "InvalidTokenError" to match the regular expression <code>^[_a-z][_a-z0-9]*\$</code> .	73	Code Smell	Minor

backend/auth/dependencies.py (19 issues)

Issue	Line	Type	Severity
Consider using set for membership test	40	Code Smell	Major
Use lazy % formatting in logging functions	141	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=error['status_code'], detail=error) from e'	145	Code Smell	Critical
Use lazy % formatting in logging functions	150	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=error['status_code'], detail=error) from e'	154	Code Smell	Critical
Use lazy % formatting in logging functions	179	Code Smell	Minor
Use lazy % formatting in logging functions	180	Code Smell	Minor
Use lazy % formatting in logging functions	183	Code Smell	Minor
Use lazy % formatting in logging functions	186	Code Smell	Minor
Use lazy % formatting in logging functions	190	Code Smell	Minor
Use lazy % formatting in logging functions	193	Code Smell	Minor
Use lazy % formatting in logging functions	196	Code Smell	Minor

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	207	Code Smell	Minor
Use lazy % formatting in logging functions	218	Code Smell	Minor
Use lazy % formatting in logging functions	226	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=error['status_code'], detail=error) from e'	230	Code Smell	Critical
Optimize type checks within 'in' and 'not in' expressions	40	Code Smell	Minor
Define a constant instead of duplicating this literal "Authentication not initialized" 3 times.	63	Code Smell	Critical
Refactor this method to not always return the same value.	287	Code Smell	Blocker

backend/api/v2/connection_status.py (1 issues)

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "Connection pool is not initialized" 3 times.	28	Code Smell	Critical

backend/api/admin_dashboard_api.py (18 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	95	Code Smell	Minor
Use lazy % formatting in logging functions	110	Code Smell	Minor
Use lazy % formatting in logging functions	131	Code Smell	Minor
Use lazy % formatting in logging functions	158	Code Smell	Minor
Use lazy % formatting in logging functions	168	Code Smell	Minor
Use lazy % formatting in logging functions	185	Code Smell	Minor
Use lazy % formatting in logging functions	204	Code Smell	Minor
Use lazy % formatting in logging functions	214	Code Smell	Minor
Use lazy % formatting in logging functions	228	Code Smell	Minor
Use lazy % formatting in logging functions	307	Code Smell	Minor
Use lazy % formatting in logging functions	389	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail='Failed to fetch active users') from e'	390	Code Smell	Critical
Use lazy % formatting in logging functions	434	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail='Failed to fetch error logs') from e'	435	Code Smell	Critical
Use lazy % formatting in logging functions	501	Code Smell	Minor
Define a constant instead of duplicating this literal "\$group" 4 times.	84	Code Smell	Critical
Define a constant instead of duplicating this literal "\$match" 3 times.	82	Code Smell	Critical

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "\$exists" 5 times.	82	Code Smell	Critical

backend/api/session_management_api.py (19 issues)

Issue	Line	Type	Severity
Redefining name 'datetime' from outer scope (line 11)	825	Code Smell	Minor
Redefining name 'timezone' from outer scope (line 11)	825	Code Smell	Minor
Reimport 'datetime' (imported line 11)	825	Code Smell	Minor
Reimport 'timezone' (imported line 11)	825	Code Smell	Minor
Unused variable 'items_payload'	932	Code Smell	Minor
Use lazy % formatting in logging functions	1273	Code Smell	Minor
Use lazy % formatting in logging functions	1417	Code Smell	Minor
Use lazy % formatting in logging functions	1869	Code Smell	Minor
Consider using set for membership test	1928	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	1928	Code Smell	Minor
Define a constant instead of duplicating this literal "Not your session" 3 times.	1388	Code Smell	Critical
Define a constant instead of duplicating this literal "Access denied" 5 times.	772	Code Smell	Critical
Define a constant instead of duplicating this literal "\$exists" 7 times.	212	Code Smell	Critical
Define a constant instead of duplicating this literal "\$updated_at" 3 times.	1064	Code Smell	Critical
Define a constant instead of duplicating this literal "\$total_variance" 3 times.	688	Code Smell	Critical
Define a constant instead of duplicating this literal "\$group" 7 times.	684	Code Smell	Critical
Define a constant instead of duplicating this literal "\$ifNull" 7 times.	1064	Code Smell	Critical
Define a constant instead of duplicating this literal "\$match" 3 times.	1056	Code Smell	Critical
Define a constant instead of duplicating this literal "\$counted_at" 5 times.	1064	Code Smell	Critical

backend/api/sync_status_api.py (8 issues)

Issue	Line	Type	Severity
Using the global statement	20	Code Smell	Minor
Use lazy % formatting in logging functions	37	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=str(e)) from e'	38	Code Smell	Critical
Use lazy % formatting in logging functions	54	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=str(e)) from e'	55	Code Smell	Critical
Use lazy % formatting in logging functions	71	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=str(e)) from e'	72	Code Smell	Critical
Define a constant instead of duplicating this literal "Auto-sync manager not available" 3 times.	31	Code Smell	Critical

backend/api/v2/sessions.py (4 issues)

Issue	Line	Type	Severity
Redefining name 'datetime' from outer scope (line 6)	272	Code Smell	Minor
Reimport 'datetime' (imported line 6)	272	Code Smell	Minor
Define a constant instead of duplicating this literal "\$group" 5 times.	185	Code Smell	Critical
Define a constant instead of duplicating this literal "\$match" 7 times.	184	Code Smell	Critical

backend/api/recount_api.py (9 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	176	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	177	Code Smell	Critical
Use lazy % formatting in logging functions	299	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	300	Code Smell	Critical
Use lazy % formatting in logging functions	360	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	361	Code Smell	Critical
Use lazy % formatting in logging functions	395	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	396	Code Smell	Critical
Define a constant instead of duplicating this literal "Recount request not found" 4 times.	225	Code Smell	Critical

backend/api/v2/items.py (3 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	472	Code Smell	Minor
Define a constant instead of duplicating this literal "\$options" 8 times.	137	Code Smell	Critical
Define a constant instead of duplicating this literal "\$regex" 8 times.	137	Code Smell	Critical

backend/api/pin_auth_api.py (1 issues)

Issue	Line	Type	Severity
Access to a protected member _error of a client class	74	Code Smell	Minor

backend/api/security_api.py (22 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	99	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to retrieve failed logins: {str(e)}') from e'	100	Code Smell	Critical
Use lazy % formatting in logging functions	171	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to retrieve suspicious activity: {str(e)}') from e'	172	Code Smell	Critical
Use lazy % formatting in logging functions	255	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to retrieve sessions: {str(e)}') from e'	256	Code Smell	Critical
Use lazy % formatting in logging functions	327	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to retrieve audit log: {str(e)}') from e'	328	Code Smell	Critical
Use lazy % formatting in logging functions	392	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to retrieve IP tracking: {str(e)}') from e'	393	Code Smell	Critical
Use lazy % formatting in logging functions	478	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to retrieve security summary: {str(e)}') from e'	479	Code Smell	Critical
Define a constant instead of duplicating this literal "\$group" 6 times.	69	Code Smell	Critical
Define a constant instead of duplicating this literal "\$limit" 3 times.	71	Code Smell	Critical
Define a constant instead of duplicating this literal "\$sort" 5 times.	70	Code Smell	Critical
Define a constant instead of duplicating this literal "\$match" 9 times.	68	Code Smell	Critical
Define a constant instead of duplicating this literal "Number of records to return" 3 times.	30	Code Smell	Critical

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "\$username" 4 times.	78	Code Smell	Critical
Define a constant instead of duplicating this literal "\$timestamp" 4 times.	125	Code Smell	Critical
Define a constant instead of duplicating this literal "\$ip_address" 5 times.	69	Code Smell	Critical
Define a constant instead of duplicating this literal "Hours to look back" 5 times.	31	Code Smell	Critical
Define a constant instead of duplicating this literal "\$addToSet" 3 times.	124	Code Smell	Critical

backend/api/count_submission_api.py (4 issues)

Issue	Line	Type	Severity
Consider using set for membership test	51	Code Smell	Major
Use lazy % formatting in logging functions	144	Code Smell	Minor
Use lazy % formatting in logging functions	164	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	51	Code Smell	Minor

backend/api/enhanced_item_api.py (32 issues)

Issue	Line	Type	Severity
Using the global statement	44	Code Smell	Minor
Use lazy % formatting in logging functions	54	Code Smell	Minor
Consider using "elif" instead of "else" then "if" to remove one indentation level	125	Code Smell	Major
Use lazy % formatting in logging functions	144	Code Smell	Minor
Use lazy % formatting in logging functions	149	Code Smell	Minor
Use lazy % formatting in logging functions	158	Code Smell	Minor
Use lazy % formatting in logging functions	170	Code Smell	Minor
Use lazy % formatting in logging functions	235	Code Smell	Minor
Use lazy % formatting in logging functions	254	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail={'message': 'Enhanced barcode lookup failed', 'barcode': barcode, 'source': 'error', 'response_time_ms': response_time, 'error': str(e)}) from e'	258	Code Smell	Critical
Unnecessary "elif" after "return", remove the leading "el" from "elif"	284	Code Smell	Major
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	302	Code Smell	Major
Use lazy % formatting in logging functions	347	Code Smell	Minor
Use lazy % formatting in logging functions	439	Code Smell	Minor
Positional arguments appear to be out of order	502	Code Smell	Minor

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	631	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail={'message': 'Advanced search failed', 'query': query, 'response_time_ms': response_time, 'error': str(e)}) from e'	633	Code Smell	Critical
Use lazy % formatting in logging functions	671	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Failed to fetch locations: {str(e)}') from e'	672	Code Smell	Critical
Use lazy % formatting in logging functions	712	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Performance analysis failed: {str(e)}') from e'	713	Code Smell	Critical
Use lazy % formatting in logging functions	752	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Database status failed: {str(e)}') from e'	753	Code Smell	Critical
Use lazy % formatting in logging functions	783	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Optimization failed: {str(e)}') from e'	784	Code Smell	Critical
Remove unnecessary else statements	301	Code Smell	Minor
Define a constant instead of duplicating this literal "\$regexMatch" 4 times.	362	Code Smell	Critical
Define a constant instead of duplicating this literal "\$cond" 4 times.	360	Code Smell	Critical
Define a constant instead of duplicating this literal "Supervisor access required" 3 times.	680	Code Smell	Critical
Define a constant instead of duplicating this literal "\$match" 3 times.	505	Code Smell	Critical
Define a constant instead of duplicating this literal "\$options" 8 times.	285	Code Smell	Critical
Define a constant instead of duplicating this literal "\$regex" 8 times.	285	Code Smell	Critical

backend/api/permissions_api.py (1 issues)

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "User not found or no changes made" 4 times.	143	Code Smell	Critical

backend/api/mapping_api.py (5 issues)

Issue	Line	Type	Severity
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	181	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	226	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	287	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	343	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	371	Code Smell	Critical

backend/api/locations_api.py (3 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	161	Code Smell	Minor
Use lazy % formatting in logging functions	182	Code Smell	Minor
Either merge this branch with the identical one on line "108" or change one of the implementations.	110	Code Smell	Major

backend/api/master_settings_api.py (9 issues)

Issue	Line	Type	Severity
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	75	Code Smell	Major
Use lazy % formatting in logging functions	89	Code Smell	Minor
Use lazy % formatting in logging functions	152	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to update system parameters: {str(e)}') from e'	153	Code Smell	Critical
Use lazy % formatting in logging functions	265	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to reset settings: {str(e)}') from e'	266	Code Smell	Critical
Instead of string concatenation use f-strings	237	Code Smell	Minor
Instead of string concatenation use f-strings	262	Code Smell	Minor
Remove unnecessary else statements	80	Code Smell	Minor

backend/api/supervisor_workflow_api.py (17 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	181	Code Smell	Minor
Use lazy % formatting in logging functions	195	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	196	Code Smell	Critical
Use lazy % formatting in logging functions	280	Code Smell	Minor
Use lazy % formatting in logging functions	294	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	295	Code Smell	Critical
Use lazy % formatting in logging functions	374	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	375	Code Smell	Critical
Use lazy % formatting in logging functions	404	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	405	Code Smell	Critical
Use lazy % formatting in logging functions	472	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	473	Code Smell	Critical
Use lazy % formatting in logging functions	554	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	555	Code Smell	Critical
Extract this nested conditional expression into an independent statement.	357	Code Smell	Major
Extract this nested conditional expression into an independent statement.	360	Code Smell	Major
Extract this nested conditional expression into an independent statement.	362	Code Smell	Major

backend/api/preferences_api.py (2 issues)

Issue	Line	Type	Severity
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	52	Code Smell	Major
Remove unnecessary else statements	59	Code Smell	Minor

backend/api/sql_verification_api.py (4 issues)

Issue	Line	Type	Severity
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	35	Code Smell	Major
Use lazy % formatting in logging functions	56	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail={'code': 'INTERNAL_ERROR', 'message': f'An unexpected error occurred: {str(e)}'}) from e'	57	Code Smell	Critical
Remove unnecessary else statements	38	Code Smell	Minor

backend/api/reporting_api.py (5 issues)

Issue	Line	Type	Severity
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	191	Code Smell	Major
Consider explicitly re-raising using 'raise HTTPException(status_code=403, detail=str(e)) from e'	197	Code Smell	Critical
Redefining built-in 'format'	219	Code Smell	Minor
Remove unnecessary else statements	192	Code Smell	Minor
Define a constant instead of duplicating this literal "Snapshot not found" 3 times.	171	Code Smell	Critical

backend/api/notifications_api.py (16 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	104	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	105	Code Smell	Critical
Use lazy % formatting in logging functions	123	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	124	Code Smell	Critical
Use lazy % formatting in logging functions	151	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	152	Code Smell	Critical
Use lazy % formatting in logging functions	170	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	171	Code Smell	Critical
Use lazy % formatting in logging functions	198	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	199	Code Smell	Critical
Use lazy % formatting in logging functions	219	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	220	Code Smell	Critical
Use lazy % formatting in logging functions	239	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	240	Code Smell	Critical
Use lazy % formatting in logging functions	278	Code Smell	Minor

Issue	Line	Type	Severity
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	279	Code Smell	Critical

backend/api/auth_routes.py (53 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	69	Code Smell	Minor
Use lazy % formatting in logging functions	89	Code Smell	Minor
Use lazy % formatting in logging functions	99	Code Smell	Minor
Use lazy % formatting in logging functions	111	Code Smell	Minor
Use lazy % formatting in logging functions	123	Code Smell	Minor
Use lazy % formatting in logging functions	179	Code Smell	Minor
Use lazy % formatting in logging functions	310	Code Smell	Minor
Use lazy % formatting in logging functions	325	Code Smell	Minor
Use lazy % formatting in logging functions	348	Code Smell	Minor
Use lazy % formatting in logging functions	364	Code Smell	Minor
Use lazy % formatting in logging functions	428	Code Smell	Minor
Use lazy % formatting in logging functions	472	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=error['status_code'], detail={'message': error['message'], 'detail': f'{error["detail"]}'}, Original error: {str(e)}', 'code': error['code'], 'category': error['category']}) from e'	473	Code Smell	Critical
Use lazy % formatting in logging functions	485	Code Smell	Minor
Use lazy % formatting in logging functions	494	Code Smell	Minor
Use lazy % formatting in logging functions	521	Code Smell	Minor
Access to a protected member _error of a client class	578	Code Smell	Minor
Use lazy % formatting in logging functions	641	Code Smell	Minor
Use lazy % formatting in logging functions	658	Code Smell	Minor
Use lazy % formatting in logging functions	660	Code Smell	Minor
Use lazy % formatting in logging functions	716	Code Smell	Minor
Use lazy % formatting in logging functions	737	Code Smell	Minor
Use lazy % formatting in logging functions	804	Code Smell	Minor
Use lazy % formatting in logging functions	825	Code Smell	Minor
Use lazy % formatting in logging functions	841	Code Smell	Minor
Use lazy % formatting in logging functions	843	Code Smell	Minor
Use lazy % formatting in logging functions	847	Code Smell	Minor
Use lazy % formatting in logging functions	886	Code Smell	Minor
Redefining name 'datetime' from outer scope (line 3)	933	Code Smell	Minor
Redefining name 'timezone' from outer scope (line 3)	933	Code Smell	Minor
Reimport 'datetime' (imported line 3)	933	Code Smell	Minor

Issue	Line	Type	Severity
Reimport 'timezone' (imported line 3)	933	Code Smell	Minor
Redefining name 'get_pin_lookup_hash' from outer scope (line 38)	1067	Code Smell	Minor
Consecutive elif with differing indentation level, consider creating a function to separate the inner elif	1026	Code Smell	Major
Consecutive elif with differing indentation level, consider creating a function to separate the inner elif	1047	Code Smell	Major
Unnecessary "else" after "raise", remove the "else" and de-indent the code inside it	1047	Code Smell	Major
Consider using "elif" instead of "else" then "if" to remove one indentation level	1047	Code Smell	Major
Reimport 'get_pin_lookup_hash' (imported line 38)	1067	Code Smell	Minor
Use lazy % formatting in logging functions	1084	Code Smell	Minor
Use lazy % formatting in logging functions	1099	Code Smell	Minor
Use lazy % formatting in logging functions	1169	Code Smell	Minor
Use lazy % formatting in logging functions	1242	Code Smell	Minor
Use lazy % formatting in logging functions	1249	Code Smell	Minor
Use lazy % formatting in logging functions	1255	Code Smell	Minor
Use lazy % formatting in logging functions	1298	Code Smell	Minor
Use lazy % formatting in logging functions	1338	Code Smell	Minor
Use lazy % formatting in logging functions	1343	Code Smell	Minor
Use lazy % formatting in logging functions	1352	Code Smell	Minor
Use lazy % formatting in logging functions	1366	Code Smell	Minor
Use lazy % formatting in logging functions	1371	Code Smell	Minor
Remove unnecessary else statements	1054	Code Smell	Minor
Define a constant instead of duplicating this literal "If an account exists, an OTP has been sent." 3 times.	1211	Code Smell	Critical
Define a constant instead of duplicating this literal "User not found" 4 times.	120	Code Smell	Critical

backend/api/self_diagnosis_api.py (15 issues)

Issue	Line	Type	Severity
Using the global statement	22	Code Smell	Minor
Use lazy % formatting in logging functions	43	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Health check failed: {str(e)}') from e'	44	Code Smell	Critical
Use lazy % formatting in logging functions	60	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Statistics failed: {str(e)}') from e'	61	Code Smell	Critical
Use lazy % formatting in logging functions	103	Code Smell	Minor
Consider explicitly re-raising using 'raise	104	Code Smell	Critical

Issue	Line	Type	Severity
HTTPException(status_code=500, detail=f'Diagnosis failed: {str(e)}') from e'			
Access to a protected member _error_message of a client class	163	Code Smell	Minor
Use lazy % formatting in logging functions	168	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Auto-fix failed: {str(e)}') from e'	169	Code Smell	Critical
Access to a protected member _error_patterns of a client class	180	Code Smell	Minor
Access to a protected member _auto_fix_registry of a client class	181	Code Smell	Minor
Access to a protected member _error_patterns of a client class	182	Code Smell	Minor
Use lazy % formatting in logging functions	185	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Pattern retrieval failed: {str(e)}') from e'	186	Code Smell	Critical

backend/api/search_api.py (12 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	209	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=503, detail='Search service unavailable') from e'	210	Code Smell	Critical
Use lazy % formatting in logging functions	215	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Search failed') from e'	216	Code Smell	Critical
Use lazy % formatting in logging functions	277	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=503, detail='Search service unavailable') from e'	278	Code Smell	Critical
Use lazy % formatting in logging functions	283	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Failed to get suggestions') from e'	284	Code Smell	Critical
Use lazy % formatting in logging functions	320	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=503, detail='Search filters unavailable') from e'	321	Code Smell	Critical
Use lazy % formatting in logging functions	326	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Failed to load search filters') from e'	327	Code Smell	Critical

backend/api/realtime_dashboard_api.py (11 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	100	Code Smell	Minor
Use lazy % formatting in logging functions	105	Code Smell	Minor
Use lazy % formatting in logging functions	112	Code Smell	Minor
Use lazy % formatting in logging functions	439	Code Smell	Minor
Unnecessary "elif" after "return", remove the leading "el" from "elif"	534	Code Smell	Major
Use lazy % formatting in logging functions	578	Code Smell	Minor
Remove unnecessary else statements	536	Code Smell	Minor
Define a constant instead of duplicating this literal "\$variance" 6 times.	283	Code Smell	Critical
Define a constant instead of duplicating this literal "\$group" 3 times.	281	Code Smell	Critical
Define a constant instead of duplicating this literal "\$match" 3 times.	272	Code Smell	Critical
Define a constant instead of duplicating this literal "\$count" 4 times.	270	Code Smell	Critical

backend/api/sync_batch_api.py (10 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	320	Code Smell	Minor
Use lazy % formatting in logging functions	451	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"Batch sync failed: {str(e)}") from e'	452	Code Smell	Critical
Use lazy % formatting in logging functions	456	Code Smell	Minor
Consider using an in-place tuple instead of list	557	Code Smell	Major
Use lazy % formatting in logging functions	839	Code Smell	Minor
Use lazy % formatting in logging functions	952	Code Smell	Minor
Swaps explicit if-else branches where beneficial	239	Code Smell	Minor
Use collection literals for adding or updating collections	463	Code Smell	Minor
Merge this if statement with the enclosing one.	809	Code Smell	Major

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	94	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	270	Code Smell	Minor
Use lazy % formatting in logging functions	271	Code Smell	Minor
Use lazy % formatting in logging functions	399	Code Smell	Minor
Use lazy % formatting in logging functions	419	Code Smell	Minor
Use lazy % formatting in logging functions	429	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	442	Code Smell	Minor
Use lazy % formatting in logging functions	443	Code Smell	Minor
Redefining name 'refresh_token' from outer scope (line 541)	462	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	483	Code Smell	Minor
Use lazy % formatting in logging functions	484	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	503	Code Smell	Minor
Use lazy % formatting in logging functions	504	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	535	Code Smell	Minor
Use lazy % formatting in logging functions	536	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	566	Code Smell	Minor
Use lazy % formatting in logging functions	567	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	590	Code Smell	Minor
Use lazy % formatting in logging functions	591	Code Smell	Minor
Use lazy % formatting in logging functions	602	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	759	Code Smell	Minor
Use lazy % formatting in logging functions	769	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	809	Code Smell	Minor
Use lazy % formatting in logging functions	819	Code Smell	Minor
Redefining built-in 'format'	826	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	860	Code Smell	Minor
Use lazy % formatting in logging functions	861	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	944	Code Smell	Minor
Use lazy % formatting in logging functions	945	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	971	Code Smell	Minor
Use lazy % formatting in logging functions	972	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	1203	Code Smell	Minor
Use lazy % formatting in logging functions	1204	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	1376	Code Smell	Minor
Use lazy % formatting in logging functions	1377	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	1408	Code Smell	Minor
Use lazy % formatting in logging functions	1409	Code Smell	Minor
Redefining name 'e' from outer scope (line 91)	1430	Code Smell	Minor

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	1431	Code Smell	Minor
Define a constant instead of duplicating this literal "Insufficient permissions" 6 times.	729	Code Smell	Critical
Define a constant instead of duplicating this literal "\$total_variance" 3 times.	879	Code Smell	Critical
Define a constant instead of duplicating this literal "Count line not found" 4 times.	1260	Code Smell	Critical
Define a constant instead of duplicating this literal "\$group" 5 times.	875	Code Smell	Critical
Define a constant instead of duplicating this literal "Personal Care" 3 times.	322	Code Smell	Critical

backend/api/enterprise_api.py (7 issues)

Issue	Line	Type	Severity
Unnecessary "elif" after "return", remove the leading "el" from "elif"	570	Code Smell	Major
Remove unnecessary else statements	576	Code Smell	Minor
Define a constant instead of duplicating this literal "Feature flag not found" 4 times.	385	Code Smell	Critical
Define a constant instead of duplicating this literal "Audit service not available" 3 times.	90	Code Smell	Critical
Define a constant instead of duplicating this literal "Feature flag service not available" 8 times.	302	Code Smell	Critical
Define a constant instead of duplicating this literal "Security service not available" 9 times.	150	Code Smell	Critical
Define a constant instead of duplicating this literal "Data governance service not available" 8 times.	450	Code Smell	Critical

backend/api/sync_conflicts_api.py (8 issues)

Issue	Line	Type	Severity
Redefining name 'status' from outer scope (line 8)	44	Code Smell	Minor
Consider explicitly re-raising using 'except ValueError as exc' and 'raise HTTPException(status_code=status.HTTP_400_BAD_REQUEST, detail={'success': False, 'error': {'message': f'Invalid resolution: {resolution_request.resolution}', 'code': 'INVALID_RESOLUTION'}}) from exc'	103	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_400_BAD_REQUEST, detail={'success': False, 'error': {'message': str(e), 'code': 'RESOLUTION_FAILED'}}) from e'	125	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail={'success': False, 'error': {'message': f'Failed to resolve conflict: {str(e)}', 'code': 'INTERNAL_ERROR'}}) from e'	133	Code Smell	Critical
Consider explicitly re-raising using 'except ValueError as exc' and 'raise HTTPException(status_code=status.HTTP_400_BAD_REQUEST, detail={'success': False, 'error': {'message': f'Invalid resolution: {request.resolution}', 'code': 'INVALID_RESOLUTION'}}) from exc'	157	Code Smell	Critical

Issue	Line	Type	Severity
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail={'success': False, 'error': {'message': f'Failed to batch resolve: {str(e)}', 'code': 'INTERNAL_ERROR'}}) from e'	191	Code Smell	Critical
Fix raise statements to include missing 'from'	100	Code Smell	Minor
Fix raise statements to include missing 'from'	154	Code Smell	Minor

backend/api/unknown_items_api.py (1 issues)

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "Unknown item report not found" 3 times.	133	Code Smell	Critical

backend/api/rack_api.py (9 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	94	Code Smell	Minor
Use lazy % formatting in logging functions	162	Code Smell	Minor
Use lazy % formatting in logging functions	276	Code Smell	Minor
Use lazy % formatting in logging functions	290	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Failed to claim rack: {str(e)}') from e'	291	Code Smell	Critical
Use lazy % formatting in logging functions	332	Code Smell	Minor
Use lazy % formatting in logging functions	360	Code Smell	Minor
Use lazy % formatting in logging functions	414	Code Smell	Minor
Use lazy % formatting in logging functions	479	Code Smell	Minor

backend/api/item_verification_api.py (38 issues)

Issue	Line	Type	Severity
Using the global statement	34	Code Smell	Minor
Use lazy % formatting in logging functions	353	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	354	Code Smell	Critical
Use lazy % formatting in logging functions	414	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Refresh failed: {str(e)}') from e'	415	Code Smell	Critical
Consider using set for membership test	466	Code Smell	Major
Consider using set for membership test	470	Code Smell	Major
Use lazy % formatting in logging functions	525	Code Smell	Minor
Use lazy % formatting in logging functions	584	Code Smell	Minor

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	603	Code Smell	Minor
Use lazy % formatting in logging functions	650	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"Verification failed: {str(e)}") from e'	651	Code Smell	Critical
Use lazy % formatting in logging functions	720	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"Failed to get items: {str(e)}") from e'	721	Code Smell	Critical
Use lazy % formatting in logging functions	773	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"Failed to sync items: {str(e)}") from e'	774	Code Smell	Critical
Use lazy % formatting in logging functions	838	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"CSV export failed: {str(e)}") from e'	839	Code Smell	Critical
Use lazy % formatting in logging functions	882	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"JSON export failed: {str(e)}") from e'	883	Code Smell	Critical
Use lazy % formatting in logging functions	926	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"Excel export failed: {str(e)}") from e'	927	Code Smell	Critical
Use lazy % formatting in logging functions	993	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"Failed to get variances: {str(e)}") from e'	994	Code Smell	Critical
Use lazy % formatting in logging functions	1061	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"Variance CSV export failed: {str(e)}") from e'	1062	Code Smell	Critical
Use lazy % formatting in logging functions	1096	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"Variance Excel export failed: {str(e)}") from e'	1097	Code Smell	Critical
Use lazy % formatting in logging functions	1145	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"Failed to get live users: {str(e)}") from e'	1146	Code Smell	Critical
Use lazy % formatting in logging functions	1192	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f"Failed to get live verifications: {str(e)}") from e'	1193	Code Smell	Critical
Optimize type checks within 'in' and 'not in' expressions	466	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	470	Code Smell	Minor
Define a constant instead of duplicating this literal "Maximum rows to export" 5 times.	786	Code Smell	Critical
Define a constant instead of duplicating this literal "\$exists" 3	738	Code Smell	Critical

Issue	Line	Type	Severity
times.			
Define a constant instead of duplicating this literal "\$options" 12 times.	46	Code Smell	Critical
Define a constant instead of duplicating this literal "\$regex" 12 times.	46	Code Smell	Critical

backend/api/sync_management_api.py (2 issues)

Issue	Line	Type	Severity
Using the global statement	18	Code Smell	Minor
Using the global statement	24	Code Smell	Minor

backend/api/notes_api.py (5 issues)

Issue	Line	Type	Severity
Consider explicitly re-raising using 'raise create_safe_error_response(500, 'Failed to fetch notes', 'NOTES_LIST_ERROR', str(e)) from e'	96	Code Smell	Critical
Consider explicitly re-raising using 'raise create_safe_error_response(500, 'Failed to create note', 'NOTES_CREATE_ERROR', str(e)) from e'	118	Code Smell	Critical
Consider explicitly re-raising using 'except Exception as exc' and 'raise HTTPException(status_code=400, detail={'success': False, 'error': {'message': 'Invalid note id', 'code': 'INVALID_NOTE_ID'}}) from exc'	134	Code Smell	Critical
Consider explicitly re-raising using 'raise create_safe_error_response(500, 'Failed to delete note', 'NOTES_DELETE_ERROR', str(e)) from e'	163	Code Smell	Critical
Fix raise statements to include missing 'from'	131	Code Smell	Minor

backend/api/count_state_api.py (18 issues)

Issue	Line	Type	Severity
Consider explicitly re-raising using 'raise HTTPException(status_code=400, detail=str(e)) from e'	127	Code Smell	Critical
Use lazy % formatting in logging functions	129	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	130	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=400, detail=str(e)) from e'	169	Code Smell	Critical
Use lazy % formatting in logging functions	171	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	172	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=400, detail=str(e)) from e'	214	Code Smell	Critical
Use lazy % formatting in logging functions	216	Code Smell	Minor
Consider explicitly re-raising using 'raise	217	Code Smell	Critical

Issue	Line	Type	Severity
HTTPException(status_code=500, detail=str(e)) from e'			
Consider explicitly re-raising using 'raise HTTPException(status_code=400, detail=str(e)) from e'	267	Code Smell	Critical
Use lazy % formatting in logging functions	269	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	270	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=400, detail=str(e)) from e'	309	Code Smell	Critical
Use lazy % formatting in logging functions	311	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	312	Code Smell	Critical
Use lazy % formatting in logging functions	346	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	347	Code Smell	Critical
Instead of string concatenation use f-strings	263	Code Smell	Minor

backend/api/auth.py (1 issues)

Issue	Line	Type	Severity
Wildcard import backend.api.auth_routes	6	Code Smell	Critical

backend/api/admin_control_api.py (43 issues)

Issue	Line	Type	Severity
Redefining name 'status' from outer scope (line 24)	170	Code Smell	Minor
Redefining name 'status' from outer scope (line 24)	193	Code Smell	Minor
Access to a protected member _initialized of a client class	216	Code Smell	Minor
Use lazy % formatting in logging functions	226	Code Smell	Minor
Use lazy % formatting in logging functions	243	Code Smell	Minor
Use lazy % formatting in logging functions	393	Code Smell	Minor
Use lazy % formatting in logging functions	439	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to start backend: {str(e)}') from e'	440	Code Smell	Critical
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	448	Code Smell	Major
Use lazy % formatting in logging functions	467	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to stop backend: {str(e)}') from e'	468	Code Smell	Critical
Use lazy % formatting in logging functions	502	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to start frontend: {str(e)}') from e'	503	Code Smell	Critical

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	528	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to stop frontend: {str(e)}') from e'	529	Code Smell	Critical
Use lazy % formatting in logging functions	563	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to get system issues: {str(e)}') from e'	564	Code Smell	Critical
Use lazy % formatting in logging functions	620	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to get devices: {str(e)}') from e'	621	Code Smell	Critical
Redefining built-in 'format'	672	Code Smell	Minor
Unnecessary "elif" after "return", remove the leading "el" from "elif"	685	Code Smell	Major
Use lazy % formatting in logging functions	718	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to generate report: {str(e)}') from e'	719	Code Smell	Critical
Use lazy % formatting in logging functions	774	Code Smell	Minor
Consider merging these comparisons with 'in' by using 'service in ('backend', 'sql_server)'. Use a set instead if elements are hashable.	790	Code Smell	Major
Use lazy % formatting in logging functions	829	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to get logs: {str(e)}') from e'	830	Code Smell	Critical
Consider merging these comparisons with 'in' by using 'service in ('backend', 'sql_server)'. Use a set instead if elements are hashable.	843	Code Smell	Major
Use lazy % formatting in logging functions	853	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to clear logs: {str(e)}') from e'	854	Code Smell	Critical
Use lazy % formatting in logging functions	906	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to update configuration: {str(e)}') from e'	907	Code Smell	Critical
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	919	Code Smell	Major
Use lazy % formatting in logging functions	965	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to calculate health score: {str(e)}') from e'	966	Code Smell	Critical
Use lazy % formatting in logging functions	1004	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to get system stats: {str(e)}') from e'	1005	Code Smell	Critical
Use lazy % formatting in logging functions	1028	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Watchdog execution failed: {str(e)}') from e'	1029	Code Smell	Critical

Issue	Line	Type	Severity
Remove unnecessary else statements	452	Code Smell	Minor
Remove unnecessary else statements	691	Code Smell	Minor
Swaps explicit if-else branches where beneficial	919	Code Smell	Minor
Remove this redundant Exception class; it derives from another which is already caught.	281	Code Smell	Minor

backend/api/pi_api.py (9 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	43	Code Smell	Minor
Consider explicitly re-raising using 'except Exception as exc' and 'raise HTTPException(status_code=400, detail='Invalid JSON body') from exc'	61	Code Smell	Critical
Use lazy % formatting in logging functions	90	Code Smell	Minor
Use lazy % formatting in logging functions	117	Code Smell	Minor
Consider explicitly re-raising using 'except Exception as exc' and 'raise HTTPException(status_code=503, detail='AI Assistant sidecar is not running. Please contact the administrator.') from exc'	124	Code Smell	Critical
Use lazy % formatting in logging functions	129	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal AI error') from e'	130	Code Smell	Critical
Fix raise statements to include missing 'from'	58	Code Smell	Minor
Invert negated any/all	67	Code Smell	Minor

backend/api/exports_api.py (1 issues)

Issue	Line	Type	Severity
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_400_BAD_REQUEST, detail={'success': False, 'error': {'message': str(e), 'code': 'INVALID_INPUT'}}) from e'	92	Code Smell	Critical

backend/api/logs_api.py (4 issues)

Issue	Line	Type	Severity
Consider explicitly re-raising using 'except (InvalidId, TypeError) as exc' and 'raise HTTPException(status_code=400, detail='Invalid ID') from exc'	191	Code Smell	Critical
Fix raise statements to include missing 'from'	188	Code Smell	Minor
Define a constant instead of duplicating this literal "\$options" 4 times.	92	Code Smell	Critical
Define a constant instead of duplicating this literal "\$regex" 4 times.	92	Code Smell	Critical

backend/api/variance_threshold_admin_api.py (6 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	120	Code Smell	Minor
Use lazy % formatting in logging functions	174	Code Smell	Minor
Use lazy % formatting in logging functions	230	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	231	Code Smell	Critical
Use lazy % formatting in logging functions	233	Code Smell	Minor
Define a constant instead of duplicating this literal "Configuration not found" 3 times.	56	Code Smell	Critical

backend/api/health.py (18 issues)

Issue	Line	Type	Severity
Consider using set for membership test	29	Code Smell	Major
Use lazy % formatting in logging functions	55	Code Smell	Minor
Use lazy % formatting in logging functions	90	Code Smell	Minor
Use lazy % formatting in logging functions	108	Code Smell	Minor
Use lazy % formatting in logging functions	130	Code Smell	Minor
Use lazy % formatting in logging functions	147	Code Smell	Minor
Use lazy % formatting in logging functions	168	Code Smell	Minor
Use lazy % formatting in logging functions	174	Code Smell	Minor
Use lazy % formatting in logging functions	196	Code Smell	Minor
Use lazy % formatting in logging functions	205	Code Smell	Minor
Use lazy % formatting in logging functions	267	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	293	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	303	Code Smell	Minor
Use lazy % formatting in logging functions	575	Code Smell	Minor
Instead of string concatenation use f-strings	360	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	29	Code Smell	Minor
Define a constant instead of duplicating this literal "Health service not initialized" 4 times.	81	Code Smell	Critical

Issue	Line	Type	Severity
Extract this nested conditional expression into an independent statement.	220	Code Smell	Major

backend/api/service_logs_api.py (17 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	104	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to get backend logs: {str(e)}') from e'	105	Code Smell	Critical
Use lazy % formatting in logging functions	137	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to get frontend logs: {str(e)}') from e'	138	Code Smell	Critical
Use lazy % formatting in logging functions	185	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to get MongoDB logs: {str(e)}') from e'	186	Code Smell	Critical
Use lazy % formatting in logging functions	213	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to get system logs: {str(e)}') from e'	214	Code Smell	Critical
Consider using set for membership test	229	Code Smell	Major
Consider using set for membership test	235	Code Smell	Major
Use lazy % formatting in logging functions	247	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail=f'Failed to clear logs: {str(e)}') from e'	248	Code Smell	Critical
Optimize type checks within 'in' and 'not in' expressions	229	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	235	Code Smell	Minor
Define a constant instead of duplicating this literal " <code>^(INFO WARN ERROR DEBUG)\$</code> " 4 times.	77	Code Smell	Critical
Define a constant instead of duplicating this literal " <code>backend.log</code> " 3 times.	84	Code Smell	Critical
Define a constant instead of duplicating this literal " <code>app.log</code> " 3 times.	202	Code Smell	Critical

backend/api/enrichment_api.py (16 issues)

Issue	Line	Type	Severity
Using the global statement	27	Code Smell	Minor
Use lazy % formatting in logging functions	141	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Failed to record enrichment: {str(e)}') from e'	142	Code Smell	Critical
Use lazy % formatting in logging functions	169	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Failed to check completeness: {str(e)}') from e'	170	Code Smell	Critical
Use lazy % formatting in logging functions	195	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Failed to get enrichment stats: {str(e)}') from e'	196	Code Smell	Critical
Use lazy % formatting in logging functions	221	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Failed to get incomplete items: {str(e)}') from e'	222	Code Smell	Critical
Use lazy % formatting in logging functions	247	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Failed to get leaderboard: {str(e)}') from e'	248	Code Smell	Critical
Use lazy % formatting in logging functions	278	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Bulk import failed: {str(e)}') from e'	279	Code Smell	Critical
Use lazy % formatting in logging functions	314	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Validation failed: {str(e)}') from e'	315	Code Smell	Critical
Define a constant instead of duplicating this literal "Enrichment service not initialized" 7 times.	94	Code Smell	Critical

backend/api/legacy_routes.py (1 issues)

Issue	Line	Type	Severity
Wildcard import backend.api.legacy_routes_impl	6	Code Smell	Critical

backend/api/count_lines_api.py (1 issues)

Issue	Line	Type	Severity
Wildcard import backend.api.count_lines_routes	6	Code Smell	Critical

backend/api/error_reporting_api.py (19 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	104	Code Smell	Minor
Use lazy % formatting in logging functions	148	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Failed to report error') from e'	149	Code Smell	Critical
Use lazy % formatting in logging functions	185	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Failed to fetch errors') from e'	186	Code Smell	Critical
Use lazy % formatting in logging functions	247	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Failed to get dashboard') from e'	248	Code Smell	Critical
Use lazy % formatting in logging functions	273	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Failed to get error detail') from e'	274	Code Smell	Critical
Use lazy % formatting in logging functions	301	Code Smell	Minor
Use lazy % formatting in logging functions	314	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Failed to update error status') from e'	315	Code Smell	Critical
Use lazy % formatting in logging functions	335	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Failed to delete error') from e'	336	Code Smell	Critical
Use lazy % formatting in logging functions	378	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Failed to get error summary') from e'	379	Code Smell	Critical
Use lazy % formatting in logging functions	388	Code Smell	Minor
Use lazy % formatting in logging functions	420	Code Smell	Minor
Define a constant instead of duplicating this literal "Admin access required" 6 times.	168	Code Smell	Critical

backend/api/reconciliation_api.py (3 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	141	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Reconciliation failed: {str(e)}') from e'	142	Code Smell	Critical
Define a constant instead of duplicating this literal "\$ifNull" 4 times.	81	Code Smell	Critical

backend/api/dynamic_reports_api.py (20 issues)

Issue	Line	Type	Severity
Using the global statement	29	Code Smell	Minor
Use lazy % formatting in logging functions	132	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	133	Code Smell	Critical
Use lazy % formatting in logging functions	154	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	155	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=400, detail=str(e)) from e'	230	Code Smell	Critical
Use lazy % formatting in logging functions	232	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	233	Code Smell	Critical
Use lazy % formatting in logging functions	261	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	262	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=404, detail=str(e)) from e'	289	Code Smell	Critical
Use lazy % formatting in logging functions	291	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	292	Code Smell	Critical
Redefining built-in 'format'	297	Code Smell	Minor
Use lazy % formatting in logging functions	353	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	354	Code Smell	Critical
Redefining built-in 'format'	362	Code Smell	Minor
Use lazy % formatting in logging functions	418	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	419	Code Smell	Critical
Define a constant instead of duplicating this literal "Internal server error" 7 times.	133	Code Smell	Critical

Issue	Line	Type	Severity
Using the global statement	79	Code Smell	Minor
Consider explicitly re-raising using 'except RuntimeError as exc' and 'raise HTTPException(status_code=500, detail='Database is not initialized') from exc'	93	Code Smell	Critical
Use lazy % formatting in logging functions	308	Code Smell	Minor
Consider explicitly re-raising using 'except DuplicateKeyError as exc' and 'raise HTTPException(status_code=409, detail='Draft conflict detected') from exc'	384	Code Smell	Critical
Use lazy % formatting in logging functions	394	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=423, detail=lock_error_detail) from e'	561	Code Smell	Critical
Use lazy % formatting in logging functions	764	Code Smell	Minor
Use lazy % formatting in logging functions	776	Code Smell	Minor
Use lazy % formatting in logging functions	788	Code Smell	Minor
Use lazy % formatting in logging functions	792	Code Smell	Minor
Use lazy % formatting in logging functions	827	Code Smell	Minor
Use lazy % formatting in logging functions	1152	Code Smell	Minor
Use lazy % formatting in logging functions	1158	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	1159	Code Smell	Critical
Use lazy % formatting in logging functions	1254	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	1255	Code Smell	Critical
Use lazy % formatting in logging functions	1279	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	1280	Code Smell	Critical
Use lazy % formatting in logging functions	1417	Code Smell	Minor
Use lazy % formatting in logging functions	1491	Code Smell	Minor
Use lazy % formatting in logging functions	1507	Code Smell	Minor
Use lazy % formatting in logging functions	1567	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	1568	Code Smell	Critical
Use lazy % formatting in logging functions	1661	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	1662	Code Smell	Critical
Use lazy % formatting in logging functions	1767	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	1768	Code Smell	Critical
Use lazy % formatting in logging functions	1802	Code Smell	Minor
Use lazy % formatting in logging functions	1806	Code Smell	Minor
Use lazy % formatting in logging functions	1810	Code Smell	Minor
Use lazy % formatting in logging functions	1886	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=f'Failed to fetch item batches: {str(e)}') from e'	1887	Code Smell	Critical

Issue	Line	Type	Severity
Fix raise statements to include missing 'from'	90	Code Smell	Minor
Define a constant instead of duplicating this literal "Count line not found" 15 times.	846	Code Smell	Critical
Define a constant instead of duplicating this literal "Insufficient permissions" 6 times.	1075	Code Smell	Critical

backend/api/dynamic_fields_api.py (26 issues)

Issue	Line	Type	Severity
Using the global statement	26	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=400, detail=str(e)) from e'	136	Code Smell	Critical
Use lazy % formatting in logging functions	138	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	139	Code Smell	Critical
Use lazy % formatting in logging functions	164	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	165	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=404, detail=str(e)) from e'	196	Code Smell	Critical
Use lazy % formatting in logging functions	198	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	199	Code Smell	Critical
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	216	Code Smell	Major
Use lazy % formatting in logging functions	222	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	223	Code Smell	Critical
Consider explicitly re-raising using 'raise HTTPException(status_code=400, detail=str(e)) from e'	259	Code Smell	Critical
Use lazy % formatting in logging functions	261	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	262	Code Smell	Critical
Use lazy % formatting in logging functions	319	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	320	Code Smell	Critical
Use lazy % formatting in logging functions	359	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	360	Code Smell	Critical
Use lazy % formatting in logging functions	395	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	396	Code Smell	Critical

Issue	Line	Type	Severity
Consider explicitly re-raising using 'raise HTTPException(status_code=404, detail=str(e)) from e'	419	Code Smell	Critical
Use lazy % formatting in logging functions	421	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Internal server error') from e'	422	Code Smell	Critical
Remove unnecessary else statements	217	Code Smell	Minor
Define a constant instead of duplicating this literal "Internal server error" 9 times.	139	Code Smell	Critical

backend/api/user_management_api.py (19 issues)

Issue	Line	Type	Severity
Consider using set for membership test	232	Code Smell	Major
Consider explicitly re-raising using 'except Exception as exc' and 'raise HTTPException(status_code=status.HTTP_400_BAD_REQUEST, detail={'success': False, 'error': {'message': 'Invalid user ID', 'code': 'INVALID_ID'}}) from exc'	312	Code Smell	Critical
Consider explicitly re-raising using 'except Exception as exc' and 'raise HTTPException(status_code=status.HTTP_400_BAD_REQUEST, detail={'success': False, 'error': {'message': 'Invalid user ID', 'code': 'INVALID_ID'}}) from exc'	453	Code Smell	Critical
Consider explicitly re-raising using 'except Exception as exc' and 'raise HTTPException(status_code=status.HTTP_400_BAD_REQUEST, detail={'success': False, 'error': {'message': 'Invalid user ID', 'code': 'INVALID_ID'}}) from exc'	605	Code Smell	Critical
Consider explicitly re-raising using 'except Exception as exc' and 'raise HTTPException(status_code=status.HTTP_400_BAD_REQUEST, detail={'success': False, 'error': {'message': 'Invalid user ID', 'code': 'INVALID_ID'}}) from exc'	792	Code Smell	Critical
Consider explicitly re-raising using 'except Exception as exc' and 'raise HTTPException(status_code=status.HTTP_400_BAD_REQUEST, detail={'success': False, 'error': {'message': 'Invalid user ID', 'code': 'INVALID_ID'}}) from exc'	852	Code Smell	Critical
Optimize type checks within 'in' and 'not in' expressions	232	Code Smell	Minor
Fix raise statements to include missing 'from'	309	Code Smell	Minor
Fix raise statements to include missing 'from'	450	Code Smell	Minor
Fix raise statements to include missing 'from'	602	Code Smell	Minor
Swaps explicit if-else branches where beneficial	696	Code Smell	Minor
Fix raise statements to include missing 'from'	789	Code Smell	Minor
Fix raise statements to include missing 'from'	849	Code Smell	Minor
Define a constant instead of duplicating this literal "Invalid user ID" 5 times.	317	Code Smell	Critical
Define a constant instead of duplicating this literal r"^(staff supervisor admin)\$" 3 times.	93	Code Smell	Critical
Define a constant instead of duplicating this literal "User not found" 6 times.	331	Code Smell	Critical
Define a constant instead of duplicating this literal "\$options" 3 times.	216	Code Smell	Critical
Define a constant instead of duplicating this literal "\$regex" 3 times.	216	Code Smell	Critical

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal r"^\d{4}\$" 3 times.	90	Code Smell	Critical

backend/api/websocket_api.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	85	Code Smell	Minor
Use lazy % formatting in logging functions	103	Code Smell	Minor
Use lazy % formatting in logging functions	127	Code Smell	Minor
Use lazy % formatting in logging functions	129	Code Smell	Minor

backend/api/metrics_api.py (1 issues)

Issue	Line	Type	Severity
Using the global statement	18	Code Smell	Minor

backend/api/user_settings_api.py (9 issues)

Issue	Line	Type	Severity
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	262	Code Smell	Major
Use lazy % formatting in logging functions	276	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Error retrieving user settings') from e'	277	Code Smell	Critical
Use lazy % formatting in logging functions	353	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Error updating user settings') from e'	354	Code Smell	Critical
Use lazy % formatting in logging functions	383	Code Smell	Minor
Use lazy % formatting in logging functions	392	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail='Error resetting user settings') from e'	393	Code Smell	Critical
Remove unnecessary else statements	267	Code Smell	Minor

backend/api/erp_api.py (11 issues)

Issue	Line	Type	Severity
Using the global statement	25	Code Smell	Minor
Use lazy % formatting in logging functions	46	Code Smell	Minor
Use lazy % formatting in logging functions	143	Code Smell	Minor
Use lazy % formatting in logging functions	161	Code Smell	Minor
Use lazy % formatting in logging functions	176	Code Smell	Minor
Use lazy % formatting in logging functions	297	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	361	Code Smell	Major
Remove unnecessary else statements	365	Code Smell	Minor
Define a constant instead of duplicating this literal "\$options" 11 times.	147	Code Smell	Critical
Define a constant instead of duplicating this literal "\$regex" 11 times.	147	Code Smell	Critical
Define a constant instead of duplicating this literal "Service not initialized" 5 times.	133	Code Smell	Critical

backend/api/report_generation_api.py (19 issues)

Issue	Line	Type	Severity
Consider using namedtuple or dataclass for dictionary values	26	Code Smell	Major
Consider using an in-place tuple instead of list	281	Code Smell	Major
Use lazy % formatting in logging functions	511	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail='Failed to generate report') from e'	512	Code Smell	Critical
Use lazy % formatting in logging functions	550	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail='Failed to generate report') from e'	551	Code Smell	Critical
Consider explicitly re-raising using 'except ImportError as exc' and 'raise HTTPException(status_code=status.HTTP_501_NOT_IMPLEMENTED, detail='Excel export not available. Install openpyxl package.') from exc'	593	Code Smell	Critical
Use lazy % formatting in logging functions	608	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail='Failed to generate report') from e'	609	Code Smell	Critical
Consider using set for membership test	665	Code Smell	Major
Use lazy % formatting in logging functions	688	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail='Failed to fetch filter options') from e'	689	Code Smell	Critical
Fix raise statements to include missing 'from'	590	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	665	Code Smell	Minor
Define a constant instead of duplicating this literal "Invalid report type" 3 times.	540	Code Smell	Critical
Define a constant instead of duplicating this literal "Failed to	514	Code Smell	Critical

Issue	Line	Type	Severity
generate report" 3 times.			
Define a constant instead of duplicating this literal "\$cond" 3 times.	313	Code Smell	Critical
Define a constant instead of duplicating this literal "\$ifNull" 4 times.	333	Code Smell	Critical
Define a constant instead of duplicating this literal "\$action" 3 times.	313	Code Smell	Critical

backend/db/migrations.py (14 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	43	Code Smell	Minor
Use lazy % formatting in logging functions	66	Code Smell	Minor
Use lazy % formatting in logging functions	82	Code Smell	Minor
Use lazy % formatting in logging functions	200	Code Smell	Minor
Use lazy % formatting in logging functions	278	Code Smell	Minor
Use lazy % formatting in logging functions	280	Code Smell	Minor
Use lazy % formatting in logging functions	285	Code Smell	Minor
Use lazy % formatting in logging functions	289	Code Smell	Minor
Use lazy % formatting in logging functions	291	Code Smell	Minor
Use lazy % formatting in logging functions	319	Code Smell	Minor
Use lazy % formatting in logging functions	325	Code Smell	Minor
Use lazy % formatting in logging functions	327	Code Smell	Minor
Use lazy % formatting in logging functions	353	Code Smell	Minor
Remove this commented out code.	156	Code Smell	Major

backend/api/supervisor_pin.py (1 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	82	Code Smell	Minor

backend/api/sql_connection_api.py (1 issues)

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal "SQL Server integration is disabled." 3 times.	39	Code Smell	Critical

backend/db/runtime.py (3 issues)

Issue	Line	Type	Severity
Using the global statement	20	Code Smell	Minor
Using the global statement	55	Code Smell	Minor
Using the global statement	61	Code Smell	Minor

backend/api/dashboard_analytics_api.py (16 issues)

Issue	Line	Type	Severity
Consider using set for membership test	136	Code Smell	Major
Use lazy % formatting in logging functions	217	Code Smell	Minor
Use lazy % formatting in logging functions	226	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	227	Code Smell	Critical
Use lazy % formatting in logging functions	273	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=500, detail=str(e)) from e'	274	Code Smell	Critical
Remove unnecessary casts of comprehensions	132	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	136	Code Smell	Minor
Remove unnecessary casts of comprehensions	313	Code Smell	Minor
Remove unnecessary casts of comprehensions	329	Code Smell	Minor
Remove unnecessary casts of comprehensions	396	Code Smell	Minor
Remove unnecessary casts of comprehensions	410	Code Smell	Minor
Remove unnecessary casts of comprehensions	483	Code Smell	Minor
Remove unnecessary casts of comprehensions	545	Code Smell	Minor
Remove unnecessary casts of comprehensions	556	Code Smell	Minor
Inline comprehensions in mathematical expressions	575	Code Smell	Minor

backend/db/indexes.py (8 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	258	Code Smell	Minor
Use lazy % formatting in logging functions	262	Code Smell	Minor
Use lazy % formatting in logging functions	267	Code Smell	Minor
Use lazy % formatting in logging functions	270	Code Smell	Minor
Consider iterating the dictionary directly instead of calling .keys()	292	Code Smell	Minor
Use lazy % formatting in logging functions	297	Code Smell	Minor
Use lazy % formatting in logging functions	299	Code Smell	Minor
Consider iterating the dictionary directly instead of calling .keys()	317	Code Smell	Minor

backend/config/governance.py (2 issues)

Issue	Line	Type	Severity
Consider using set for membership test	29	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	29	Code Smell	Minor

backend/db/initialization.py (6 issues)

Issue	Line	Type	Severity
Consider using "elif" instead of "else" then "if" to remove one indentation level	41	Code Smell	Major
Consider using "elif" instead of "else" then "if" to remove one indentation level	69	Code Smell	Major
Consider using "elif" instead of "else" then "if" to remove one indentation level	97	Code Smell	Major
Use lazy % formatting in logging functions	105	Code Smell	Minor
Use lazy % formatting in logging functions	217	Code Smell	Minor
Define a constant instead of duplicating this literal "Personal Care" 3 times.	156	Code Smell	Critical

backend/server.py (2 issues)

Issue	Line	Type	Severity
Wildcard import backend.app.factory	10	Code Smell	Critical
Import only needed names or import the module and then use its members.	10	Code Smell	Critical

backend/middleware/request_size_limit.py (2 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	27	Code Smell	Minor
Use lazy % formatting in logging functions	71	Code Smell	Minor

backend/middleware/request_id.py (1 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	104	Code Smell	Minor

backend/middleware/compression_middleware.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	86	Code Smell	Minor
Swaps explicit if-else branches where beneficial	50	Code Smell	Minor
Invert negated any/all	102	Code Smell	Minor
Fix if statements with unnecessary return	106	Code Smell	Minor

backend/middleware/lan_enforcement.py (2 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	52	Code Smell	Minor
Use lazy % formatting in logging functions	62	Code Smell	Minor

backend/middleware/logging_middleware.py (3 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	177	Code Smell	Minor
Use lazy % formatting in logging functions	206	Code Smell	Minor
Instead of string concatenation use f-strings	177	Code Smell	Minor

backend/middleware/input_sanitization.py (10 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	72	Code Smell	Minor
Consider using set for membership test	90	Code Smell	Major
Use lazy % formatting in logging functions	95	Code Smell	Minor
Use lazy % formatting in logging functions	117	Code Smell	Minor
`for` loop could be `any(re.search(pattern, value_lower, re.IGNORECASE   re.DOTALL) for (pattern, _description) in self.DANGEROUS_PATTERNS)`	161	Code Smell	Minor
Unnecessary "elif" after "return", remove the leading "el" from "elif"	169	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	90	Code Smell	Minor
Remove unnecessary else statements	171	Code Smell	Minor
Define a constant instead of duplicating this literal "Invalid input detected" 3 times.	80	Code Smell	Critical
Define a constant instead of duplicating this literal "Path Traversal" 3 times.	44	Code Smell	Critical

backend/middleware/security.py (2 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	68	Code Smell	Minor
Use lazy % formatting in logging functions	110	Code Smell	Minor

backend/app/settings_runtime.py (1 issues)

Issue	Line	Type	Severity
os.getenv default type is builtins.int. Expected str or None.	34	Code Smell	Minor

backend/app/static.py (1 issues)

Issue	Line	Type	Severity
Consider using an in-place tuple instead of list	25	Code Smell	Major

backend/app/factory.py (2 issues)

Issue	Line	Type	Severity
Wildcard import backend.app_factory	8	Code Smell	Critical
Import only needed names or import the module and then use its members.	8	Code Smell	Critical

backend/utls/db_connection.py (11 issues)

Issue	Line	Type	Severity
Unnecessary use of a comprehension, use list(pyodbc.drivers()) instead.	34	Code Smell	Major
Use lazy % formatting in logging functions	35	Code Smell	Minor
Use lazy % formatting in logging functions	41	Code Smell	Minor
Use lazy % formatting in logging functions	48	Code Smell	Minor
Use lazy % formatting in logging functions	54	Code Smell	Minor
Use lazy % formatting in logging functions	92	Code Smell	Minor
Use lazy % formatting in logging functions	132	Code Smell	Minor
Use lazy % formatting in logging functions	178	Code Smell	Minor
Use lazy % formatting in logging functions	182	Code Smell	Minor
Use lazy % formatting in logging functions	212	Code Smell	Minor
Remove unnecessary comprehensions	34	Code Smell	Minor

backend/utls/validation.py (23 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	85	Code Smell	Minor
Use lazy % formatting in logging functions	154	Code Smell	Minor
Use lazy % formatting in logging functions	234	Code Smell	Minor
Use lazy % formatting in logging functions	244	Code Smell	Minor
Use lazy % formatting in logging functions	254	Code Smell	Minor
Use lazy % formatting in logging functions	262	Code Smell	Minor
Use lazy % formatting in logging functions	287	Code Smell	Minor
Use lazy % formatting in logging functions	296	Code Smell	Minor
Use lazy % formatting in logging functions	310	Code Smell	Minor
Use lazy % formatting in logging functions	320	Code Smell	Minor
Use lazy % formatting in logging functions	332	Code Smell	Minor
Use lazy % formatting in logging functions	340	Code Smell	Minor
Use lazy % formatting in logging functions	366	Code Smell	Minor
Use lazy % formatting in logging functions	375	Code Smell	Minor
Use lazy % formatting in logging functions	386	Code Smell	Minor
Use lazy % formatting in logging functions	397	Code Smell	Minor
Use lazy % formatting in logging functions	422	Code Smell	Minor

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	429	Code Smell	Minor
Use lazy % formatting in logging functions	434	Code Smell	Minor
Use lazy % formatting in logging functions	471	Code Smell	Minor
Use lazy % formatting in logging functions	477	Code Smell	Minor
Use lazy % formatting in logging functions	517	Code Smell	Minor
Use lazy % formatting in logging functions	523	Code Smell	Minor

backend/utls/service_manager.py (19 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	37	Code Smell	Minor
'subprocess.run' used without explicitly defining the value for 'check'.	49	Code Smell	Minor
'subprocess.run' used without explicitly defining the value for 'check'.	62	Code Smell	Minor
Use lazy % formatting in logging functions	71	Code Smell	Minor
'subprocess.run' used without explicitly defining the value for 'check'.	79	Code Smell	Minor
'subprocess.run' used without explicitly defining the value for 'check'.	81	Code Smell	Minor
Use lazy % formatting in logging functions	84	Code Smell	Minor
'subprocess.run' used without explicitly defining the value for 'check'.	95	Code Smell	Minor
'subprocess.run' used without explicitly defining the value for 'check'.	106	Code Smell	Minor
Use lazy % formatting in logging functions	111	Code Smell	Minor
'subprocess.run' used without explicitly defining the value for 'check'.	127	Code Smell	Minor
Use lazy % formatting in logging functions	137	Code Smell	Minor
'subprocess.run' used without explicitly defining the value for 'check'.	144	Code Smell	Minor
Use lazy % formatting in logging functions	151	Code Smell	Minor
Use lazy % formatting in logging functions	157	Code Smell	Minor
Use lazy % formatting in logging functions	176	Code Smell	Minor
Use lazy % formatting in logging functions	185	Code Smell	Minor
Use lazy % formatting in logging functions	217	Code Smell	Minor
Use lazy % formatting in logging functions	219	Code Smell	Minor

backend/utils/env_validation.py (4 issues)

Issue	Line	Type	Severity
Consider using set for membership test	37	Code Smell	Major
Instead of string concatenation use f-strings	90	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	37	Code Smell	Minor
Define a constant instead of duplicating this literal "Should be true or false" 3 times.	60	Code Smell	Critical

backend/utils/result.py (9 issues)

Issue	Line	Type	Severity
Unnecessary pass statement	32	Code Smell	Minor
Catching previously caught exception type Exception	122	Code Smell	Minor
Redefining name 'logger' from outer scope (line 26)	196	Code Smell	Minor
Consider using set for membership test	323	Code Smell	Major
Consider using set for membership test	325	Code Smell	Major
Consider using set for membership test	327	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	323	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	325	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	327	Code Smell	Minor

backend/utils/erp_utils.py (20 issues)

Issue	Line	Type	Severity
os.getenv default type is builtins.int. Expected str or None.	123	Code Smell	Minor
Use lazy % formatting in logging functions	132	Code Smell	Minor
Use lazy % formatting in logging functions	148	Code Smell	Minor
Use lazy % formatting in logging functions	158	Code Smell	Minor
Use lazy % formatting in logging functions	215	Code Smell	Minor
Use lazy % formatting in logging functions	230	Code Smell	Minor
Use lazy % formatting in logging functions	260	Code Smell	Minor
Use lazy % formatting in logging functions	269	Code Smell	Minor
Use lazy % formatting in logging functions	288	Code Smell	Minor
Use lazy % formatting in logging functions	295	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=error['status_code'], detail={'message': error['message'], 'detail': f'{error['detail']}'} Barcode: {barcode}. Error: {str(e)}", 'code': error['code'], 'category': error['category'], 'barcode': barcode}) from e'	296	Code Smell	Critical
Use lazy % formatting in logging functions	365	Code Smell	Minor
Use lazy % formatting in logging functions	377	Code Smell	Minor
Consider explicitly re-raising using 'raise HTTPException(status_code=error['status_code'], detail={'message': error['message'], 'detail': f'Failed to refresh stock: {str(e)}', 'code': error['code'], 'category':	378	Code Smell	Critical

Issue	Line	Type	Severity
error['category']}] from e'			
Use lazy % formatting in logging functions	412	Code Smell	Minor
Use lazy % formatting in logging functions	415	Code Smell	Minor
Unnecessary pass statement	417	Code Smell	Minor
Define a constant instead of duplicating this literal "\$options" 3 times.	422	Code Smell	Critical
Define a constant instead of duplicating this literal "\$regex" 3 times.	422	Code Smell	Critical
Remove this unneeded "pass".	417	Code Smell	Minor

backend/utls/api_utils.py (7 issues)

Issue	Line	Type	Severity
Reimport 'Any' (imported line 7)	8	Code Smell	Minor
Use lazy % formatting in logging functions	76	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	92	Code Smell	Major
Unnecessary "elif" after "raise", remove the leading "el" from "elif"	111	Code Smell	Major
Consider using set for membership test	111	Code Smell	Major
Remove unnecessary else statements	93	Code Smell	Minor
Remove duplicates in this character class.	49	Code Smell	Major

backend/utls/async_utils.py (7 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	79	Code Smell	Minor
Use lazy % formatting in logging functions	83	Code Smell	Minor
Redefinition of last_error type from TimeoutError to Exception	82	Code Smell	Major
Use lazy % formatting in logging functions	149	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	197	Code Smell	Major
Remove unnecessary else statements	204	Code Smell	Minor
Replace complex filtering logic with filter function	238	Code Smell	Minor

backend/utls/auth_utls.py (10 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	41	Code Smell	Minor
Use lazy % formatting in logging functions	44	Code Smell	Minor
Redefining name 'e' from outer scope (line 40)	79	Code Smell	Minor
Use lazy % formatting in logging functions	80	Code Smell	Minor
Redefining name 'bcrypt' from outer scope (line 35)	88	Code Smell	Minor
Redefining name 'e' from outer scope (line 40)	102	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	90	Code Smell	Major
Use lazy % formatting in logging functions	97	Code Smell	Minor
Use lazy % formatting in logging functions	103	Code Smell	Minor
Swaps explicit if-else branches where beneficial	90	Code Smell	Minor

backend/utls/error_handler_with_diagnosis.py (20 issues)

Issue	Line	Type	Severity
Using the global statement	24	Code Smell	Minor
Use lazy % formatting in logging functions	51	Code Smell	Minor
Use lazy % formatting in logging functions	58	Code Smell	Minor
Use lazy % formatting in logging functions	62	Code Smell	Minor
Use lazy % formatting in logging functions	67	Code Smell	Minor
Use lazy % formatting in logging functions	71	Code Smell	Minor
Access to a protected member _error_message of a client class	71	Code Smell	Minor
Use lazy % formatting in logging functions	74	Code Smell	Minor
Use lazy % formatting in logging functions	112	Code Smell	Minor
Use lazy % formatting in logging functions	119	Code Smell	Minor
Use lazy % formatting in logging functions	123	Code Smell	Minor
Use lazy % formatting in logging functions	127	Code Smell	Minor
Use lazy % formatting in logging functions	130	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	146	Code Smell	Major
Use lazy % formatting in logging functions	201	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	211	Code Smell	Major
Use lazy % formatting in logging functions	215	Code Smell	Minor
Access to a protected member _error_message of a client class	215	Code Smell	Minor
Remove unnecessary else statements	164	Code Smell	Minor
Remove unnecessary else statements	213	Code Smell	Minor

backend/utls/secret_generator.py (1 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	48	Code Smell	Minor

backend/utls/logging_config.py (1 issues)

Issue	Line	Type	Severity
String statement has no effect	3	Code Smell	Minor

backend/utls/port_detector.py (16 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	38	Code Smell	Minor
Use lazy % formatting in logging functions	40	Code Smell	Minor
Use lazy % formatting in logging functions	72	Code Smell	Minor
Raising too general exception: Exception	75	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	80	Code Smell	Minor
Use lazy % formatting in logging functions	90	Code Smell	Minor
Raising too general exception: Exception	94	Code Smell	Minor
Use lazy % formatting in logging functions	140	Code Smell	Minor
Use lazy % formatting in logging functions	157	Code Smell	Minor
Use lazy % formatting in logging functions	165	Code Smell	Minor
Use lazy % formatting in logging functions	173	Code Smell	Minor
Use lazy % formatting in logging functions	178	Code Smell	Minor
Redefining name 'backend_port' from outer scope (line 260)	226	Code Smell	Minor
Swaps explicit if-else branches where beneficial	235	Code Smell	Minor
Replace this generic exception class with a more specific one.	75	Code Smell	Major
Replace this generic exception class with a more specific one.	94	Code Smell	Major

backend/utls/pdf_generator.py (3 issues)

Issue	Line	Type	Severity
Use collection literals for adding or updating collections	31	Code Smell	Minor
Replace list append in a loop with concatenation	76	Code Smell	Minor
Replace list append in a loop with concatenation	102	Code Smell	Minor

backend/utls/tracing.py (1 issues)

Issue	Line	Type	Severity
Fix if statements with unnecessary return	30	Code Smell	Minor

backend/core/websocket_manager.py (2 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	44	Code Smell	Minor
Use lazy % formatting in logging functions	60	Code Smell	Minor

backend/core/lifespan.py (17 issues)

Issue	Line	Type	Severity
Redefining name 'e' from outer scope (line 219)	359	Code Smell	Minor
Redefining name 'scheduled_export_service' from outer scope (line 98)	664	Code Smell	Minor
Redefining name 'sync_conflicts_service' from outer scope (line 99)	720	Code Smell	Minor
Bad except clauses order (OSError is an ancestor class of TimeoutError)	430	Bug	Blocker
Catching previously caught exception type TimeoutError	430	Code Smell	Minor
Redefining name 'e' from outer scope (line 219)	483	Code Smell	Minor
Using the global statement	463	Code Smell	Minor
Consider using set for membership test	498	Code Smell	Major
Using the global statement	542	Code Smell	Minor
Access to a protected member _initialized of a client class	799	Code Smell	Minor
Redefining name 'e' from outer scope (line 219)	955	Code Smell	Minor
Redefining name 'e' from outer scope (line 219)	965	Code Smell	Minor
Redefining name 'e' from outer scope (line 219)	976	Code Smell	Minor
Redefining name 'e' from outer scope (line 219)	990	Code Smell	Minor
Remove this redundant Exception class; it derives from another which is already caught.	427	Code Smell	Minor
Remove this redundant Exception class; it derives from another which is already caught.	427	Code Smell	Minor
Remove this commented out code.	807	Code Smell	Major

backend/db_mapping_config.py (6 issues)

Issue	Line	Type	Severity
Consider using namedtuple or dataclass for dictionary values	428	Code Smell	Major
Instead of string concatenation use f-strings	76	Code Smell	Minor
Instead of string concatenation use f-strings	134	Code Smell	Minor
Instead of string concatenation use f-strings	192	Code Smell	Minor
Instead of string concatenation use f-strings	252	Code Smell	Minor
Instead of string concatenation use f-strings	338	Code Smell	Minor

backend/config.py (31 issues)

Issue	Line	Type	Severity
Consider using set for membership test	106	Code Smell	Major
Consider using set for membership test	108	Code Smell	Major
Consider using set for membership test	110	Code Smell	Major
Redefining name 'e' from outer scope (line 461)	171	Code Smell	Minor
Use lazy % formatting in logging functions	170	Code Smell	Minor
Use lazy % formatting in logging functions	172	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	489	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	509	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	510	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	512	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	513	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	514	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	515	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	516	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	518	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	523	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	525	Code Smell	Minor
os.getenv default type is builtins.int. Expected str or None.	526	Code Smell	Minor
Redefining name 'e' from outer scope (line 461)	600	Code Smell	Minor
Use lazy % formatting in logging functions	590	Code Smell	Minor
Use lazy % formatting in logging functions	602	Code Smell	Minor
Consider using set for membership test	625	Code Smell	Major
Consider using set for membership test	641	Code Smell	Major
Imports from package pydantic are not grouped	22	Code Smell	Minor
Redefinition of settings type from tmp.config.Settings to tmp.config.FallbackSettings	554	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	106	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	108	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	110	Code Smell	Minor

Issue	Line	Type	Severity
Optimize type checks within 'in' and 'not in' expressions	625	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	641	Code Smell	Minor
Define a constant instead of duplicating this literal "mongodb://localhost:27017" 5 times.	140	Code Smell	Critical

backend/tests/test_simple.py (2 issues)

Issue	Line	Type	Severity
Consider using set for membership test	12	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	12	Code Smell	Minor

backend/tests/test_basic.py (4 issues)

Issue	Line	Type	Severity
Simplify complex boolean expressions	47	Code Smell	Minor
Simplify complex boolean expressions	48	Code Smell	Minor
Simplify complex boolean expressions	49	Code Smell	Minor
Do not perform equality checks with floating point values.	49	Bug	Major

backend/tests/test_barcode_validation.py (6 issues)

Issue	Line	Type	Severity
Access to a protected member _db of a client class	27	Code Smell	Minor
Access to a protected member _db of a client class	28	Code Smell	Minor
Access to a protected member _cache_service of a client class	29	Code Smell	Minor
Access to a protected member _cache_service of a client class	30	Code Smell	Minor
Access to a protected member _cache_service of a client class	31	Code Smell	Minor
Access to a protected member _cache_service of a client class	32	Code Smell	Minor

backend/tests/test_validation_scripts.py (3 issues)

Issue	Line	Type	Severity
'subprocess.run' used without explicitly defining the value for 'check'.	16	Code Smell	Minor
Redefining built-in 'format'	47	Code Smell	Minor
'subprocess.run' used without explicitly defining the value for 'check'.	65	Code Smell	Minor

backend/tests/test_performance.py (6 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	52	Code Smell	Minor
Redefining name 'benchmark' from outer scope (line 56)	108	Code Smell	Minor
Redefining name 'benchmark' from outer scope (line 56)	145	Code Smell	Minor
Consider using set for membership test	156	Code Smell	Major
Redefining name 'benchmark' from outer scope (line 56)	165	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	156	Code Smell	Minor

backend/tests/test_ai_variance.py (2 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	18	Bug	Major
Do not perform equality checks with floating point values.	34	Bug	Major

backend/tests/test_db_migrations.py (2 issues)

Issue	Line	Type	Severity
Access to a protected member _create_index_safe of a client class	33	Code Smell	Minor
Access to a protected member _create_index_safe of a client class	52	Code Smell	Minor

backend/tests/test_error_handler_with_diagnosis.py (22 issues)

Issue	Line	Type	Severity
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	52	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	62	Code Smell	Minor
Access to a protected member _error_message of a client class	71	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	75	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	87	Code Smell	Minor

Issue	Line	Type	Severity
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	110	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	125	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	134	Code Smell	Minor
Access to a protected member _error_message of a client class	147	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	151	Code Smell	Minor
Access to a protected member _error_message of a client class	157	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	161	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	172	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	185	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	198	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	210	Code Smell	Minor
Unnecessary pass statement	232	Code Smell	Minor
Unused variable 'fail_coro'	214	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	236	Code Smell	Minor
Access to a protected member _error_message of a client class	253	Code Smell	Minor
Redefining name 'mock_diagnosis_service' from outer scope (line 35)	257	Code Smell	Minor
Remove this unneeded "pass".	232	Code Smell	Minor

backend/tests/test_sync_management_api.py (3 issues)

Issue	Line	Type	Severity
Access to a protected member _change_detection_service of a client class	17	Code Smell	Minor
Access to a protected member _erp_sync_service of a client class	34	Code Smell	Minor
Access to a protected member _change_detection_service of a client class	51	Code Smell	Minor

backend/tests/test_erp_mapping.py (2 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	28	Bug	Major
Do not perform equality checks with floating point values.	29	Bug	Major

backend/tests/evaluation/test_data_quality.py (18 issues)

Issue	Line	Type	Severity
Redefining name 'collector' from outer scope (line 26)	28	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	34	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	102	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	127	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	150	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	177	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	206	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	240	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	272	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	286	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	328	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	352	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	381	Code Smell	Minor
Redefining name 'data_evaluator' from outer scope (line 34)	382	Code Smell	Minor
Do not perform equality checks with floating point values.	203	Bug	Major
Do not perform equality checks with floating point values.	237	Bug	Major
Do not perform equality checks with floating point values.	265	Bug	Major
Do not perform equality checks with floating point values.	371	Bug	Major

backend/tests/evaluation/metrics_collector.py (8 issues)

Issue	Line	Type	Severity
Consecutive elif with differing indentation level, consider creating a function to separate the inner elif	60	Code Smell	Major
Unnecessary "elif" after "return", remove the leading "el" from "elif"	56	Code Smell	Major
Unnecessary "elif" after "return", remove the leading "el" from "elif"	61	Code Smell	Major
Instead of string concatenation use f-strings	166	Code Smell	Minor
Instead of string concatenation use f-strings	205	Code Smell	Minor
Remove unnecessary else statements	58	Code Smell	Minor
Remove unnecessary else statements	63	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	122	Code Smell	Minor

backend/tests/evaluation/test_api_performance.py (16 issues)

Issue	Line	Type	Severity
Redefining name 'collector' from outer scope (line 28)	30	Code Smell	Minor
Redefining name 'collector' from outer scope (line 28)	36	Code Smell	Minor
Redefining name 'collector' from outer scope (line 28)	49	Code Smell	Minor
Redefining name 'collector' from outer scope (line 28)	76	Code Smell	Minor
Redefining name 'authenticated_headers' from outer scope (line 370)	120	Code Smell	Minor
Redefining name 'collector' from outer scope (line 28)	121	Code Smell	Minor
Use endpoint.split('?', maxsplit=1)[0] instead	144	Code Smell	Minor
Redefining name 'collector' from outer scope (line 28)	156	Code Smell	Minor
Statement seems to have no effect	171	Code Smell	Minor
Redefining name 'authenticated_headers' from outer scope (line 370)	189	Code Smell	Minor
Redefining name 'collector' from outer scope (line 28)	190	Code Smell	Minor
Redefining name 'authenticated_headers' from outer scope (line 370)	234	Code Smell	Minor
Redefining name 'collector' from outer scope (line 28)	235	Code Smell	Minor
Redefining name 'collector' from outer scope (line 28)	271	Code Smell	Minor
Redefining name 'collector' from outer scope (line 28)	315	Code Smell	Minor
Redefining name 'api_evaluator' from outer scope (line 36)	316	Code Smell	Minor

backend/tests/evaluation/test_workflow.py (37 issues)

Issue	Line	Type	Severity
Redefining name 'collector' from outer scope (line 26)	28	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	34	Code Smell	Minor
Redefining name 'collector' from outer scope (line 26)	47	Code Smell	Minor
Consider using set for membership test	89	Code Smell	Major
Consider using set for membership test	98	Code Smell	Major
Redefining name 'collector' from outer scope (line 26)	115	Code Smell	Minor
Consider using set for membership test	126	Code Smell	Major
Consider using set for membership test	134	Code Smell	Major
Consider using set for membership test	142	Code Smell	Major
Redefining name 'collector' from outer scope (line 26)	195	Code Smell	Minor
Consider using set for membership test	218	Code Smell	Major
Consider using set for membership test	246	Code Smell	Major
Redefining name 'collector' from outer scope (line 26)	299	Code Smell	Minor
Consider using set for membership test	313	Code Smell	Major
Consider using set for membership test	321	Code Smell	Major
Consider using set for membership test	335	Code Smell	Major
Consider using set for membership test	356	Code Smell	Major

Issue	Line	Type	Severity
Redefining name 'collector' from outer scope (line 26)	409	Code Smell	Minor
Consider using set for membership test	423	Code Smell	Major
Consider using set for membership test	436	Code Smell	Major
Consider using set for membership test	444	Code Smell	Major
Redefining name 'collector' from outer scope (line 26)	463	Code Smell	Minor
Redefining name 'workflow_evaluator' from outer scope (line 34)	464	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	89	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	98	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	126	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	134	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	142	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	218	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	246	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	313	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	321	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	335	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	356	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	423	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	436	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	444	Code Smell	Minor

backend/tests/evaluation/conftest.py (1 issues)

Issue	Line	Type	Severity
Redefining name 'test_db' from outer scope (line 60)	68	Code Smell	Minor

backend/tests/evaluation/test_security_evaluation.py (13 issues)

Issue	Line	Type	Severity
Consider using set for membership test	64	Code Smell	Major
Consider using set for membership test	85	Code Smell	Major
Consider using set for membership test	104	Code Smell	Major
Consider using set for membership test	180	Code Smell	Major
Consider using set for membership test	200	Code Smell	Major
Consider using set for membership test	243	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	64	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	85	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	104	Code Smell	Minor

Issue	Line	Type	Severity
Optimize type checks within 'in' and 'not in' expressions	180	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	200	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	243	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	426	Code Smell	Minor

backend/tests/evaluation/run_evaluation.py (4 issues)

Issue	Line	Type	Severity
'subprocess.run' used without explicitly defining the value for 'check'.	66	Code Smell	Minor
Redefining built-in 'format'	185	Code Smell	Minor
Instead of string concatenation use f-strings	249	Code Smell	Minor
Instead of string concatenation use f-strings	264	Code Smell	Minor

backend/tests/evaluation/evaluators.py (24 issues)

Issue	Line	Type	Severity
Unnecessary pass statement	31	Code Smell	Minor
Number of parameters was 2 in 'BaseEvaluator.evaluate' and is now 4 in overriding 'APIPerformanceEvaluator.evaluate' method	57	Code Smell	Minor
Variadics removed in overriding 'APIPerformanceEvaluator.evaluate' method	57	Code Smell	Minor
Use lazy % formatting in logging functions	113	Code Smell	Minor
Declare all known key/values when initializing the dictionary.	331	Code Smell	Minor
Declare all known key/values when initializing the dictionary.	483	Code Smell	Minor
Consider using set for membership test	539	Code Smell	Major
Use lazy % formatting in logging functions	542	Code Smell	Minor
Consider using set for membership test	584	Code Smell	Major
Consider using set for membership test	603	Code Smell	Major
Consider using set for membership test	612	Code Smell	Major
Use lazy % formatting in logging functions	615	Code Smell	Minor
Consider using set for membership test	654	Code Smell	Major
Consider using set for membership test	662	Code Smell	Major
Use lazy % formatting in logging functions	668	Code Smell	Minor
Replace dictionary assignments with literals	331	Code Smell	Minor
Replace dictionary assignments with literals	483	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	539	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	584	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	603	Code Smell	Minor

Issue	Line	Type	Severity
Optimize type checks within 'in' and 'not in' expressions	612	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	654	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	662	Code Smell	Minor
Define a constant instead of duplicating this literal "/api/sessions" 3 times.	83	Code Smell	Critical

backend/tests/evaluation/test_business_logic.py (19 issues)

Issue	Line	Type	Severity
Redefining name 'collector' from outer scope (line 23)	25	Code Smell	Minor
Redefining name 'collector' from outer scope (line 23)	31	Code Smell	Minor
Redefining name 'collector' from outer scope (line 23)	95	Code Smell	Minor
Redefining name 'collector' from outer scope (line 23)	126	Code Smell	Minor
Redefining name 'collector' from outer scope (line 23)	172	Code Smell	Minor
Redefining name 'collector' from outer scope (line 23)	191	Code Smell	Minor
Redefining name 'collector' from outer scope (line 23)	224	Code Smell	Minor
Redefining name 'collector' from outer scope (line 23)	263	Code Smell	Minor
Redefining name 'collector' from outer scope (line 23)	339	Code Smell	Minor
Redefining name 'collector' from outer scope (line 23)	368	Code Smell	Minor
Redefining name 'collector' from outer scope (line 23)	398	Code Smell	Minor
Redefining name 'logic_evaluator' from outer scope (line 31)	399	Code Smell	Minor
Remove this commented out code.	79	Code Smell	Major
Do not perform equality checks with floating point values.	123	Bug	Major
Do not perform equality checks with floating point values.	157	Bug	Major
Do not perform equality checks with floating point values.	188	Bug	Major
Do not perform equality checks with floating point values.	212	Bug	Major
Do not perform equality checks with floating point values.	260	Bug	Major
Do not perform equality checks with floating point values.	365	Bug	Major

Issue	Line	Type	Severity
Redefining name 'admin_user' from outer scope (line 15)	20	Code Smell	Minor
Redefining name 'mock_psutil' from outer scope (line 27)	57	Code Smell	Minor
Redefining name 'mock_port_detector' from outer scope (line 33)	57	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 39)	57	Code Smell	Minor
Redefining name 'mock_service_manager' from outer scope (line 51)	57	Code Smell	Minor
Redefining name 'mock_port_detector' from outer scope (line 33)	104	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 39)	104	Code Smell	Minor
Redefining name 'mock_service_manager' from outer scope (line 51)	104	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 39)	121	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 39)	130	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 39)	147	Code Smell	Minor
Redefining name 'mock_service_manager' from outer scope (line 51)	160	Code Smell	Minor
Redefining name 'mock_psutil' from outer scope (line 27)	160	Code Smell	Minor
Redefining name 'mock_service_manager' from outer scope (line 51)	171	Code Smell	Minor
Redefining name 'mock_psutil' from outer scope (line 27)	171	Code Smell	Minor
Redefining name 'mock_service_manager' from outer scope (line 51)	187	Code Smell	Minor
Redefining name 'mock_psutil' from outer scope (line 27)	187	Code Smell	Minor
Redefining name 'mock_service_manager' from outer scope (line 51)	198	Code Smell	Minor
Redefining name 'mock_psutil' from outer scope (line 27)	198	Code Smell	Minor
Redefining name 'admin_user' from outer scope (line 15)	219	Code Smell	Minor
Access to a protected member _documents of a client class	225	Code Smell	Minor

backend/tests/governance/test_verification_authority.py (1 issues)

Issue	Line	Type	Severity
Use 'from backend import app_factory' instead	49	Code Smell	Major

backend/tests/governance/test_optimistic_locking.py (1 issues)

Issue	Line	Type	Severity
Access to a protected member _documents of a client class	31	Code Smell	Minor

backend/tests/governance/test_sql_verified_qty_authority.py (1 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	51	Code Smell	Minor

backend/tests/governance/test_write_path_restrictions.py (1 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	86	Code Smell	Minor

backend/tests/test_auth_utils.py (3 issues)

Issue	Line	Type	Severity
Access to a protected member _error of a client class	212	Code Smell	Minor
Access to a protected member _error of a client class	213	Code Smell	Minor
Remove this commented out code.	189	Code Smell	Major

backend/tests/test_auth.py (10 issues)

Issue	Line	Type	Severity
Redefining name 'fake_environment' from outer scope (line 13)	24	Code Smell	Minor
Redefining name 'client' from outer scope (line 24)	43	Code Smell	Minor
Redefining name 'test_user' from outer scope (line 30)	43	Code Smell	Minor
Redefining name 'client' from outer scope (line 24)	72	Code Smell	Minor
Redefining name 'client' from outer scope (line 24)	80	Code Smell	Minor
Redefining name 'client' from outer scope (line 24)	90	Code Smell	Minor
Redefining name 'test_user' from outer scope (line 30)	90	Code Smell	Minor
Redefining name 'client' from outer scope (line 24)	108	Code Smell	Minor
Redefining name 'test_user' from outer scope (line 30)	108	Code Smell	Minor
Redefining name 'client' from outer scope (line 24)	126	Code Smell	Minor

backend/tests/test_server_entrypoint.py (1 issues)

Issue	Line	Type	Severity
Use 'from backend import server' instead	4	Code Smell	Major

backend/tests/test_items.py (18 issues)

Issue	Line	Type	Severity
Redefining name 'fake_environment' from outer scope (line 13)	42	Code Smell	Minor
Redefining name 'client' from outer scope (line 42)	48	Code Smell	Minor
Redefining name 'client' from outer scope (line 42)	66	Code Smell	Minor
Redefining name 'auth_token' from outer scope (line 48)	66	Code Smell	Minor
Redefining name 'client' from outer scope (line 42)	77	Code Smell	Minor
Redefining name 'client' from outer scope (line 42)	83	Code Smell	Minor
Redefining name 'auth_token' from outer scope (line 48)	83	Code Smell	Minor
Redefining name 'client' from outer scope (line 42)	95	Code Smell	Minor
Redefining name 'auth_token' from outer scope (line 48)	95	Code Smell	Minor
Redefining name 'client' from outer scope (line 42)	113	Code Smell	Minor
Redefining name 'auth_token' from outer scope (line 48)	113	Code Smell	Minor
Consider using set for membership test	126	Code Smell	Major
Redefining name 'client' from outer scope (line 42)	139	Code Smell	Minor
Redefining name 'auth_token' from outer scope (line 48)	139	Code Smell	Minor
Consider using set for membership test	151	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	126	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	151	Code Smell	Minor
Remove this commented out code.	137	Code Smell	Major

backend/tests/test_enhanced_connection_pool.py (22 issues)

Issue	Line	Type	Severity
Access to a protected member _metrics of a client class	59	Code Smell	Minor
Access to a protected member _get_connection of a client class	116	Code Smell	Minor
Access to a protected member _get_connection of a client class	117	Code Smell	Minor
Access to a protected member _return_connection of a client class	120	Code Smell	Minor
Access to a protected member _return_connection of a client class	121	Code Smell	Minor
Access to a protected member _get_connection of a client class	140	Code Smell	Minor
Access to a protected member _return_connection of a client class	143	Code Smell	Minor
Consider using set for membership test	160	Code Smell	Major

Issue	Line	Type	Severity
Access to a protected member <code>_create_connection</code> of a client class	168	Code Smell	Minor
Access to a protected member <code>_update_health_status</code> of a client class	173	Code Smell	Minor
Consider using set for membership test	174	Code Smell	Major
Access to a protected member <code>_metrics</code> of a client class	174	Code Smell	Minor
Access to a protected member <code>_created</code> of a client class	190	Code Smell	Minor
Access to a protected member <code>_pool</code> of a client class	192	Code Smell	Minor
Access to a protected member <code>_pool</code> of a client class	193	Code Smell	Minor
Access to a protected member <code>_pool</code> of a client class	194	Code Smell	Minor
Access to a protected member <code>_metrics</code> of a client class	199	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	160	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	174	Code Smell	Minor
Either remove or fill this block of code.	72	Code Smell	Major
Either remove or fill this block of code.	99	Code Smell	Major
Either remove or fill this block of code.	197	Code Smell	Major

backend/tests/services/test_cache_service.py (1 issues)

Issue	Line	Type	Severity
Access to a protected member <code>_redis</code> of a client class	116	Code Smell	Minor

backend/tests/services/test_sql_sync_service.py (19 issues)

Issue	Line	Type	Severity
Access to a protected member <code>_last_new_item_check</code> of a client class	32	Code Smell	Minor
Access to a protected member <code>_new_item_check_interval</code> of a client class	39	Code Smell	Minor
Access to a protected member <code>_last_new_item_check</code> of a client class	41	Code Smell	Minor
Access to a protected member <code>_last_new_item_check</code> of a client class	46	Code Smell	Minor
Use 'from services import sql_sync_service' instead	57	Code Smell	Major
Access to a protected member <code>_last_nightly_sync</code> of a client class	76	Code Smell	Minor
Access to a protected member <code>_last_nightly_sync</code> of a client class	79	Code Smell	Minor
Access to a protected member <code>_sync_single_item</code> of a client class	108	Code Smell	Minor
Access to a protected member <code>_update_existing_item</code> of a client class	158	Code Smell	Minor
Do not perform equality checks with floating point values.	116	Bug	Major

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	169	Bug	Major
Do not perform equality checks with floating point values.	170	Bug	Major
Do not perform equality checks with floating point values.	172	Bug	Major
Do not perform equality checks with floating point values.	215	Bug	Major
Do not perform equality checks with floating point values.	216	Bug	Major
Do not perform equality checks with floating point values.	217	Bug	Major
Do not perform equality checks with floating point values.	222	Bug	Major
Do not perform equality checks with floating point values.	243	Bug	Major
Do not perform equality checks with floating point values.	244	Bug	Major

backend/tests/test_async_utils.py (13 issues)

Issue	Line	Type	Severity
Access to a protected member _error of a client class	58	Code Smell	Minor
Access to a protected member _circuit_breaker_threshold of a client class	66	Code Smell	Minor
Access to a protected member _circuit_breaker_timeout of a client class	67	Code Smell	Minor
Access to a protected member _record_failure of a client class	70	Code Smell	Minor
Access to a protected member _record_failure of a client class	71	Code Smell	Minor
Access to a protected member _is_circuit_open of a client class	73	Code Smell	Minor
Access to a protected member _error of a client class	80	Code Smell	Minor
Access to a protected member _is_circuit_open of a client class	87	Code Smell	Minor
Access to a protected member _circuit_breaker_state of a client class	97	Code Smell	Minor
Raising too general exception: Exception	134	Code Smell	Minor
Remove redundant lambdas and use direct function calls	110	Code Smell	Minor
Remove redundant lambdas and use direct function calls	156	Code Smell	Minor
Replace this generic exception class with a more specific one.	134	Code Smell	Major

backend/tests/verify_security_api.py (4 issues)

Issue	Line	Type	Severity
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	36	Code Smell	Major
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	59	Code Smell	Major
Remove unnecessary else statements	38	Code Smell	Minor
Remove unnecessary else statements	61	Code Smell	Minor

backend/tests/test_search_service.py (8 issues)

Issue	Line	Type	Severity
Redefining name 'mock_db' from outer scope (line 9)	16	Code Smell	Minor
Redefining name 'search_service' from outer scope (line 16)	21	Code Smell	Minor
Redefining name 'search_service' from outer scope (line 16)	29	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 9)	29	Code Smell	Minor
Redefining name 'search_service' from outer scope (line 16)	55	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 9)	55	Code Smell	Minor
Redefining name 'search_service' from outer scope (line 16)	87	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 9)	87	Code Smell	Minor

backend/tests/test_pin_login_manual.py (4 issues)

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	27	Code Smell	Minor
Use lazy % formatting in logging functions	32	Code Smell	Minor
Use lazy % formatting in logging functions	35	Code Smell	Minor
Use lazy % formatting in logging functions	56	Code Smell	Minor

backend/tests/test_count_lines_api.py (1 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	487	Bug	Major

backend/tests/test_integration.py (15 issues)

Issue	Line	Type	Severity
Consider using set for membership test	176	Code Smell	Major
Use lazy % formatting in logging functions	178	Code Smell	Minor
Consider using set for membership test	224	Code Smell	Major
Use lazy % formatting in logging functions	226	Code Smell	Minor
Consider using set for membership test	242	Code Smell	Major
Use lazy % formatting in logging functions	244	Code Smell	Minor
Consider using set for membership test	257	Code Smell	Major
Consider using set for membership test	269	Code Smell	Major
Use lazy % formatting in logging functions	271	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	176	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	224	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	242	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	257	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	269	Code Smell	Minor
Remove this commented out code.	116	Code Smell	Major

backend/tests/test_notifications_api_routes.py (3 issues)

Issue	Line	Type	Severity
Redefining name 'notifications_app' from outer scope (line 36)	50	Code Smell	Minor
Redefining name 'notifications_app' from outer scope (line 36)	65	Code Smell	Minor
Redefining name 'notifications_app' from outer scope (line 36)	80	Code Smell	Minor

backend/tests/test_export_mapping_cleanup.py (6 issues)

Issue	Line	Type	Severity
Access to a protected member _export_count_lines of a client class	95	Code Smell	Minor
Access to a protected member _create_index_safe of a client class	120	Code Smell	Minor
Access to a protected member _ensure_count_lines_indexes of a client class	122	Code Smell	Minor
Access to a protected member _create_index_safe of a client class	124	Code Smell	Minor
Consider using set for membership test	184	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	184	Code Smell	Minor

backend/tests/api/test_session_finalization_and_canonical_reads.py (3 issues)

Issue	Line	Type	Severity
Consider using set for membership test	280	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	280	Code Smell	Minor
Do not perform equality checks with floating point values.	76	Bug	Major

backend/tests/test_coverage_part2.py (9 issues)

Issue	Line	Type	Severity
Access to a protected member _value of a client class	82	Code Smell	Minor
Access to a protected member _value of a client class	86	Code Smell	Minor
Access to a protected member _value of a client class	115	Code Smell	Minor
Access to a protected member _value of a client class	125	Code Smell	Minor
Access to a protected member _error of a client class	149	Code Smell	Minor
Consider using set for membership test	223	Code Smell	Major
Instead of string concatenation use f-strings	125	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	223	Code Smell	Minor
Do not perform equality checks with floating point values.	143	Bug	Major

backend/tests/api/test_item_verification_api.py (9 issues)

Issue	Line	Type	Severity
Redefining name 'setup_mocks' from outer scope (line 23)	31	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 23)	63	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 23)	77	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 23)	174	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 23)	216	Code Smell	Minor
Do not perform equality checks with floating point values.	50	Bug	Major
Do not perform equality checks with floating point values.	51	Bug	Major
Remove this commented out code.	100	Code Smell	Major
Do not perform equality checks with floating point values.	108	Bug	Major

backend/tests/api/test_auth.py (15 issues)

Issue	Line	Type	Severity
Redefining name 'mock_cache_service' from outer scope (line 18)	63	Code Smell	Minor
Redefining name 'mock_settings' from outer scope (line 44)	63	Code Smell	Minor
Redefining name 'mock_cache_service' from outer scope (line 18)	74	Code Smell	Minor
Redefining name 'mock_settings' from outer scope (line 44)	74	Code Smell	Minor
Access to a protected member _error of a client class	80	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 26)	85	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 26)	96	Code Smell	Minor
Access to a protected member _error of a client class	102	Code Smell	Minor
Redefining name 'mock_refresh_token_service' from outer scope (line 34)	107	Code Smell	Minor
Redefining name 'mock_settings' from outer scope (line 44)	107	Code Smell	Minor
Redefining name 'mock_auth_deps' from outer scope (line 54)	107	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 26)	174	Code Smell	Minor
Redefining name 'mock_refresh_token_service' from outer scope (line 34)	174	Code Smell	Minor
Redefining name 'mock_settings' from outer scope (line 44)	174	Code Smell	Minor
Redefining name 'mock_auth_deps' from outer scope (line 54)	174	Code Smell	Minor

backend/tests/api/test_password_reset_api.py (6 issues)

Issue	Line	Type	Severity
Lambda may not be necessary	92	Code Smell	Minor
Lambda may not be necessary	94	Code Smell	Minor
Lambda may not be necessary	115	Code Smell	Minor
Remove redundant lambdas and use direct function calls	92	Code Smell	Minor
Remove redundant lambdas and use direct function calls	94	Code Smell	Minor
Remove redundant lambdas and use direct function calls	115	Code Smell	Minor

backend/tests/api/test_dynamic_reports_api.py (22 issues)

Issue	Line	Type	Severity
Redefining name 'mock_user_supervisor' from outer scope (line 16)	104	Code Smell	Minor
Redefining name 'sample_report_template' from outer scope (line 28)	104	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 16)	140	Code Smell	Minor
Redefining name 'sample_report_template' from outer scope (line 28)	140	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 16)	175	Code Smell	Minor

Issue	Line	Type	Severity
Redefining name 'mock_user_supervisor' from outer scope (line 16)	208	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 16)	238	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 16)	271	Code Smell	Minor
Consider using set for membership test	303	Code Smell	Major
Redefining name 'mock_user_supervisor' from outer scope (line 16)	309	Code Smell	Minor
Redefining name 'sample_report_template' from outer scope (line 28)	309	Code Smell	Minor
Consider using set for membership test	339	Code Smell	Major
Redefining name 'mock_user_supervisor' from outer scope (line 16)	345	Code Smell	Minor
Redefining name 'sample_report_template' from outer scope (line 28)	345	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 16)	387	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 16)	427	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 16)	462	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 16)	494	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 22)	527	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 16)	582	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	303	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	339	Code Smell	Minor

backend/tests/api/test_erp_api.py (6 issues)

Issue	Line	Type	Severity
Redefining name 'setup_mocks' from outer scope (line 17)	52	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 17)	74	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 17)	97	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 17)	112	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 17)	136	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 17)	168	Code Smell	Minor

backend/tests/api/test_rbac.py (6 issues)

Issue	Line	Type	Severity
Consider using set for membership test	142	Code Smell	Major
Consider using set for membership test	147	Code Smell	Major
Consider using set for membership test	155	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	142	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	147	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	155	Code Smell	Minor

backend/tests/api/test_unknown_items_public_api.py (2 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	31	Bug	Major
Do not perform equality checks with floating point values.	51	Bug	Major

backend/tests/api/test_websocket_api.py (3 issues)

Issue	Line	Type	Severity
Redefining name 'client' from outer scope (line 19)	39	Code Smell	Minor
Redefining name 'client' from outer scope (line 19)	57	Code Smell	Minor
Redefining name 'client' from outer scope (line 19)	73	Code Smell	Minor

backend/tests/api/test_user_settings_api.py (4 issues)

Issue	Line	Type	Severity
Redefining name 'auth_headers' from outer scope (line 34)	55	Code Smell	Minor
Redefining name 'auth_headers' from outer scope (line 34)	77	Code Smell	Minor
Redefining name 'auth_headers' from outer scope (line 34)	127	Code Smell	Minor
Redefining name 'auth_headers' from outer scope (line 34)	159	Code Smell	Minor

backend/tests/api/test_auth_api.py (6 issues)

Issue	Line	Type	Severity
Statement seems to have no effect	60	Code Smell	Minor
Redefining name 'auth_headers' from outer scope (line 41)	78	Code Smell	Minor
Redefining name 'auth_headers' from outer scope (line 41)	93	Code Smell	Minor
Redefining name 'auth_headers' from outer scope (line 41)	107	Code Smell	Minor
Redefining name 'auth_headers' from outer scope (line 41)	127	Code Smell	Minor
Redefining name 'auth_headers' from outer scope (line 41)	145	Code Smell	Minor

backend/tests/api/test_enhanced_item_api.py (7 issues)

Issue	Line	Type	Severity
Redefining name 'setup_mocks' from outer scope (line 20)	56	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 20)	92	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 20)	117	Code Smell	Minor
Unused variable 'mock_cache'	118	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 20)	152	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 20)	173	Code Smell	Minor
Redefining name 'setup_mocks' from outer scope (line 20)	221	Code Smell	Minor

backend/tests/api/test_preferences_api.py (3 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	33	Bug	Major
Do not perform equality checks with floating point values.	56	Bug	Major
Do not perform equality checks with floating point values.	123	Bug	Major

backend/tests/api/test_count_lines_persistence.py (6 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	64	Bug	Major
Do not perform equality checks with floating point values.	65	Bug	Major
Do not perform equality checks with floating point values.	70	Bug	Major
Do not perform equality checks with floating point values.	282	Bug	Major
Do not perform equality checks with floating point values.	283	Bug	Major
Do not perform equality checks with floating point values.	288	Bug	Major

backend/tests/api/test_mapping_api.py (7 issues)

Issue	Line	Type	Severity
Redefining name 'mock_pyodbc' from outer scope (line 22)	43	Code Smell	Minor
Redefining name 'mock_pyodbc' from outer scope (line 22)	68	Code Smell	Minor
Redefining name 'mock_pyodbc' from outer scope (line 22)	90	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 34)	131	Code Smell	Minor
Unused variable 'kwargs'	142	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 34)	149	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 34)	166	Code Smell	Minor

backend/tests/api/test_sync_batch_canonical.py (1 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	191	Bug	Major

backend/tests/api/test_session_management_api.py (30 issues)

Issue	Line	Type	Severity
Access to a protected member _items of a client class	142	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	169	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	242	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	279	Code Smell	Minor
Redefining name 'sample_session_data' from outer scope (line 67)	279	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 61)	318	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	377	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	409	Code Smell	Minor
Redefining name 'sample_verification_session' from outer scope (line 81)	409	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	453	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	483	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	528	Code Smell	Minor
Redefining name 'sample_verification_session' from outer scope (line 81)	528	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	577	Code Smell	Minor
Redefining name 'sample_verification_session' from outer scope (line 81)	577	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 61)	616	Code Smell	Minor
Redefining name 'sample_verification_session' from outer scope (line 81)	616	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	681	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	737	Code Smell	Minor
Redefining name 'sample_verification_session' from outer scope (line 81)	737	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 61)	775	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	825	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	879	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	950	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	1019	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 61)	1091	Code Smell	Minor
Redefining name 'mock_user_supervisor' from outer scope (line 61)	1211	Code Smell	Minor
Redefining name 'mock_user_staff' from outer scope (line 55)	1294	Code Smell	Minor

Issue	Line	Type	Severity
The length of a collection is always ">=0", so update this test to either "==0" or ">0".	873	Bug	Major
Do not perform equality checks with floating point values.	1197	Bug	Major

backend/tests/api/test_admin_dashboard_api.py (1 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	28	Bug	Major

backend/tests/test_sessions_api.py (3 issues)

Issue	Line	Type	Severity
Redefining name 'test_user' from outer scope (line 5)	10	Code Smell	Minor
Redefining name 'test_user' from outer scope (line 5)	33	Code Smell	Minor
Consider using an in-place tuple instead of list	95	Code Smell	Major

backend/tests/test_coverage_improvements.py (6 issues)

Issue	Line	Type	Severity
Access to a protected member _error of a client class	197	Code Smell	Minor
Access to a protected member _error of a client class	220	Code Smell	Minor
Access to a protected member _error of a client class	221	Code Smell	Minor
Access to a protected member _error of a client class	240	Code Smell	Minor
Access to a protected member _error of a client class	290	Code Smell	Minor
Access to a protected member _error of a client class	308	Code Smell	Minor

backend/tests/test_system_report_service.py (3 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	31	Bug	Major
Do not perform equality checks with floating point values.	32	Bug	Major
Do not perform equality checks with floating point values.	33	Bug	Major

backend/tests/test_dynamic_report_service.py (1 issues)

Issue	Line	Type	Severity
Access to a protected member _generate_pdf of a client class	13	Code Smell	Minor

backend/tests/verify_integration_flow.py (4 issues)

Issue	Line	Type	Severity
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	22	Code Smell	Major
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	42	Code Smell	Major
Remove unnecessary else statements	23	Code Smell	Minor
Swaps explicit if-else branches where beneficial	39	Code Smell	Minor

backend/tests/test_governance.py (2 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	155	Bug	Major
Do not perform equality checks with floating point values.	160	Bug	Major

backend/tests/test_analytics_service.py (3 issues)

Issue	Line	Type	Severity
Redefining name 'mock_db' from outer scope (line 9)	21	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 9)	73	Code Smell	Minor
Do not perform equality checks with floating point values.	65	Bug	Major

backend/tests/test_governance_contracts.py (1 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	69	Code Smell	Minor

backend/tests/test_auth_pin.py (2 issues)

Issue	Line	Type	Severity
Consider using set for membership test	40	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	40	Code Smell	Minor

backend/tests/test_pin_auth.py (16 issues)

Issue	Line	Type	Severity
Redefining name 'fake_environment' from outer scope (line 13)	36	Code Smell	Minor
Redefining name 'client' from outer scope (line 36)	53	Code Smell	Minor
Redefining name 'test_user' from outer scope (line 42)	53	Code Smell	Minor
Redefining name 'client' from outer scope (line 36)	78	Code Smell	Minor
Redefining name 'auth_token' from outer scope (line 53)	78	Code Smell	Minor
Redefining name 'test_user' from outer scope (line 42)	78	Code Smell	Minor
Redefining name 'client' from outer scope (line 36)	91	Code Smell	Minor
Redefining name 'auth_token' from outer scope (line 53)	91	Code Smell	Minor
Redefining name 'test_user' from outer scope (line 42)	91	Code Smell	Minor
Redefining name 'client' from outer scope (line 36)	103	Code Smell	Minor
Redefining name 'auth_token' from outer scope (line 53)	103	Code Smell	Minor
Redefining name 'test_user' from outer scope (line 42)	103	Code Smell	Minor
Redefining name 'client' from outer scope (line 36)	124	Code Smell	Minor
Redefining name 'auth_token' from outer scope (line 53)	124	Code Smell	Minor
Redefining name 'test_user' from outer scope (line 42)	124	Code Smell	Minor
Redefining name 'client' from outer scope (line 36)	140	Code Smell	Minor

backend/tests/test_comprehensive.py (9 issues)

Issue	Line	Type	Severity
Consider using an in-place tuple instead of list	47	Code Smell	Major
Redefining name 'mock_db' from outer scope (line 33)	67	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 33)	89	Code Smell	Minor
Redefining name 'mock_supervisor' from outer scope (line 73)	89	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 33)	143	Code Smell	Minor
Redefining name 'mock_supervisor' from outer scope (line 73)	143	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 33)	189	Code Smell	Minor
Redefining name 'mock_supervisor' from outer scope (line 73)	189	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 33)	232	Code Smell	Minor

Issue	Line	Type	Severity
Redefining name 'mock_sql_connector' from outer scope (line 34)	76	Code Smell	Minor
Redefining name 'mock_mongo_db' from outer scope (line 60)	76	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	90	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 34)	90	Code Smell	Minor
Redefining name 'mock_mongo_db' from outer scope (line 60)	90	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	125	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 34)	125	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	136	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 34)	136	Code Smell	Minor
Redefining name 'mock_mongo_db' from outer scope (line 60)	136	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	176	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 34)	176	Code Smell	Minor
Redefining name 'mock_mongo_db' from outer scope (line 60)	176	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	203	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 34)	203	Code Smell	Minor
Redefining name 'mock_mongo_db' from outer scope (line 60)	203	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	233	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 34)	233	Code Smell	Minor
Redefining name 'mock_mongo_db' from outer scope (line 60)	233	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	258	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 34)	258	Code Smell	Minor
Redefining name 'mock_mongo_db' from outer scope (line 60)	258	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	285	Code Smell	Minor
Redefining name 'mock_sql_connector' from outer scope (line 34)	285	Code Smell	Minor
Redefining name 'mock_mongo_db' from outer scope (line 60)	285	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	308	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	319	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	328	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	338	Code Smell	Minor
Redefining name 'sync_service' from outer scope (line 76)	354	Code Smell	Minor

Issue	Line	Type	Severity
Redefining name 'mock_sql_connector' from outer scope (line 34)	354	Code Smell	Minor
Redefining name 'mock_mongo_db' from outer scope (line 60)	354	Code Smell	Minor

backend/tests/test_verification.py (6 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	57	Bug	Major
Do not perform equality checks with floating point values.	58	Bug	Major
Do not perform equality checks with floating point values.	59	Bug	Major
Do not perform equality checks with floating point values.	65	Bug	Major
Do not perform equality checks with floating point values.	66	Bug	Major
Do not perform equality checks with floating point values.	67	Bug	Major

backend/tests/utils/in_memory_db.py (18 issues)

Issue	Line	Type	Severity
Consider merging these comparisons with 'in' by using 'op in ('\$regex', '\$options)'. Use a set instead if elements are hashable.	44	Code Smell	Major
Keyword argument before variable positional arguments list in the definition of find_one function	213	Bug	Blocker
Redefining built-in 'filter'	214	Code Smell	Minor
Unnecessary pass statement	621	Code Smell	Minor
Access to a protected member _documents of a client class	630	Code Smell	Minor
Access to a protected member _documents of a client class	655	Code Smell	Minor
Access to a protected member _documents of a client class	662	Code Smell	Minor
Replace negated numeric comparisons with direct comparisons	57	Code Smell	Minor
Invert negated any/all	105	Code Smell	Minor
Define a constant instead of duplicating this literal "\$options" 3 times.	35	Code Smell	Critical
Define a constant instead of duplicating this literal "\$exists" 3 times.	78	Code Smell	Critical
Define a constant instead of duplicating this literal "\$regex" 4 times.	31	Code Smell	Critical
Use the opposite operator (">=") instead.	49	Code Smell	Minor
Use the opposite operator (">") instead.	51	Code Smell	Minor
Use the opposite operator ("<=") instead.	53	Code Smell	Minor
Use the opposite operator ("<") instead.	55	Code Smell	Minor
Use the opposite operator ("==") instead.	57	Code Smell	Minor
Remove this unneeded "pass".	621	Code Smell	Minor

backend/tests/verify_operational.py (2 issues)

Issue	Line	Type	Severity
Swaps explicit if-else branches where beneficial	21	Code Smell	Minor
Swaps explicit if-else branches where beneficial	33	Code Smell	Minor

backend/tests/test_security_headers.py (14 issues)

Issue	Line	Type	Severity
Redefining name 'test_app' from outer scope (line 14)	26	Code Smell	Minor
Redefining name 'test_app' from outer scope (line 14)	33	Code Smell	Minor
Redefining name 'client_with_security_headers' from outer scope (line 26)	46	Code Smell	Minor
Redefining name 'client_with_security_headers' from outer scope (line 26)	58	Code Smell	Minor
Redefining name 'client_with_security_headers' from outer scope (line 26)	64	Code Smell	Minor
Redefining name 'client_with_security_headers' from outer scope (line 26)	70	Code Smell	Minor
Redefining name 'client_with_strict_csp' from outer scope (line 33)	79	Code Smell	Minor
Redefining name 'client_with_security_headers' from outer scope (line 26)	87	Code Smell	Minor
Redefining name 'client_with_security_headers' from outer scope (line 26)	94	Code Smell	Minor
Redefining name 'client_with_security_headers' from outer scope (line 26)	104	Code Smell	Minor
Redefining name 'client_with_security_headers' from outer scope (line 26)	114	Code Smell	Minor
Redefining name 'client_with_security_headers' from outer scope (line 26)	122	Code Smell	Minor
Redefining name 'test_app' from outer scope (line 14)	131	Code Smell	Minor
Redefining name 'client_with_security_headers' from outer scope (line 26)	145	Code Smell	Minor

backend/tests/test_offline_sync.py (1 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	10	Code Smell	Minor

backend/tests/test_search_api.py (4 issues)

Issue	Line	Type	Severity
Redefining name 'client' from outer scope (line 12)	21	Code Smell	Minor
Redefining name 'mock_user' from outer scope (line 17)	21	Code Smell	Minor
Redefining name 'client' from outer scope (line 12)	67	Code Smell	Minor
Redefining name 'mock_user' from outer scope (line 17)	67	Code Smell	Minor

backend/tests/test_floor_selection.py (2 issues)

Issue	Line	Type	Severity
Redefining name 'mock_db' from outer scope (line 9)	46	Code Smell	Minor
Redefining name 'mock_current_user' from outer scope (line 41)	46	Code Smell	Minor

backend/tests/test_result.py (1 issues)

Issue	Line	Type	Severity
Unnecessary pass statement	14	Code Smell	Minor

backend/tests/test_notification_service.py (3 issues)

Issue	Line	Type	Severity
Consecutive elif with differing indentation level, consider creating a function to separate the inner elif	112	Code Smell	Major
Access to a protected member _send_push_notification of a client class	138	Code Smell	Minor
Access to a protected member _send_push_notification of a client class	158	Code Smell	Minor

backend/tests/test_auth_cookie_support.py (5 issues)

Issue	Line	Type	Severity
Redefining name 'client' from outer scope (line 12)	21	Code Smell	Minor
Redefining name 'client' from outer scope (line 12)	34	Code Smell	Minor
Redefining name 'client' from outer scope (line 12)	50	Code Smell	Minor
Use 'from backend import app_factory' instead	60	Code Smell	Major
Lambda may not be necessary	81	Code Smell	Minor

backend/tests/test_erp_utils.py (7 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	21	Bug	Major
Do not perform equality checks with floating point values.	22	Bug	Major
Do not perform equality checks with floating point values.	25	Bug	Major
Do not perform equality checks with floating point values.	103	Bug	Major
Do not perform equality checks with floating point values.	104	Bug	Major
Do not perform equality checks with floating point values.	105	Bug	Major
Do not perform equality checks with floating point values.	216	Bug	Major

backend/tests/conftest.py (2 issues)

Issue	Line	Type	Severity
Redefining name 'test_db' from outer scope (line 74)	82	Code Smell	Minor
Redefining name 'test_db' from outer scope (line 74)	137	Code Smell	Minor

backend/tests/test_websocket_service.py (8 issues)

Issue	Line	Type	Severity
Redefining name 'manager' from outer scope (line 14)	25	Code Smell	Minor
Redefining name 'mock_websocket' from outer scope (line 19)	25	Code Smell	Minor
Redefining name 'manager' from outer scope (line 14)	38	Code Smell	Minor
Redefining name 'mock_websocket' from outer scope (line 19)	38	Code Smell	Minor
Redefining name 'manager' from outer scope (line 14)	50	Code Smell	Minor
Redefining name 'mock_websocket' from outer scope (line 19)	50	Code Smell	Minor
Redefining name 'manager' from outer scope (line 14)	61	Code Smell	Minor
Redefining name 'manager' from outer scope (line 14)	76	Code Smell	Minor

backend/tests/test_integration_api.py (22 issues)

Issue	Line	Type	Severity
Consider using set for membership test	60	Code Smell	Major
Consider using set for membership test	74	Code Smell	Major
Consider using set for membership test	83	Code Smell	Major
Consider using set for membership test	127	Code Smell	Major
Consider using set for membership test	163	Code Smell	Major
Consider using set for membership test	166	Code Smell	Major
Consider using set for membership test	195	Code Smell	Major
Consider using set for membership test	236	Code Smell	Major

Issue	Line	Type	Severity
Consider using set for membership test	277	Code Smell	Major
Consider using set for membership test	291	Code Smell	Major
Consider using set for membership test	301	Code Smell	Major
Optimize type checks within 'in' and 'not in' expressions	60	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	74	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	83	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	127	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	163	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	166	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	195	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	236	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	277	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	291	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	301	Code Smell	Minor

backend/tests/test_sync_service.py (7 issues)

Issue	Line	Type	Severity
Redefining name 'db' from outer scope (line 21)	26	Code Smell	Minor
Redefining name 'mock_object_id' from outer scope (line 14)	26	Code Smell	Minor
Redefining name 'service' from outer scope (line 26)	31	Code Smell	Minor
Redefining name 'service' from outer scope (line 26)	49	Code Smell	Minor
Redefining name 'service' from outer scope (line 26)	75	Code Smell	Minor
Redefining name 'service' from outer scope (line 26)	100	Code Smell	Minor
Redefining name 'service' from outer scope (line 26)	134	Code Smell	Minor

backend/tests/test_sql_readonly.py (5 issues)

Issue	Line	Type	Severity
Consider using an in-place tuple instead of list	101	Code Smell	Major
Access to a protected member _assert_read_only_query of a client class	112	Code Smell	Minor
Access to a protected member _assert_read_only_query of a client class	115	Code Smell	Minor
Access to a protected member _validate_params of a client class	122	Code Smell	Minor
Merge this if statement with the enclosing one.	99	Code Smell	Major

backend/tests/test_enterprise_stabilization.py (14 issues)

Issue	Line	Type	Severity
Redefining name 'fake_environment' from outer scope (line 9)	24	Code Smell	Minor
Access to a protected member _documents of a client class	39	Code Smell	Minor
Access to a protected member _documents of a client class	40	Code Smell	Minor
Redefining name 'client' from outer scope (line 24)	44	Code Smell	Minor
Redefining name 'client' from outer scope (line 24)	53	Code Smell	Minor
Redefining name 'fake_environment' from outer scope (line 9)	53	Code Smell	Minor
Redefining name 'client' from outer scope (line 24)	67	Code Smell	Minor
Redefining name 'fake_environment' from outer scope (line 9)	67	Code Smell	Minor
Access to a protected member _documents of a client class	85	Code Smell	Minor
Access to a protected member _documents of a client class	103	Code Smell	Minor
Redefining name 'client' from outer scope (line 24)	108	Code Smell	Minor
Redefining name 'fake_environment' from outer scope (line 9)	108	Code Smell	Minor
Access to a protected member _documents of a client class	126	Code Smell	Minor
Do not perform equality checks with floating point values.	105	Bug	Major

backend/tests/test_sync.py (26 issues)

Issue	Line	Type	Severity
Redefining name 'fake_environment' from outer scope (line 13)	18	Code Smell	Minor
Redefining name 'client' from outer scope (line 18)	24	Code Smell	Minor
Redefining name 'client' from outer scope (line 18)	43	Code Smell	Minor
Redefining name 'supervisor_token' from outer scope (line 24)	43	Code Smell	Minor
Consider using set for membership test	53	Code Smell	Major
Redefining name 'client' from outer scope (line 18)	55	Code Smell	Minor
Redefining name 'supervisor_token' from outer scope (line 24)	55	Code Smell	Minor
Consider using set for membership test	65	Code Smell	Major
Redefining name 'client' from outer scope (line 18)	67	Code Smell	Minor
Redefining name 'supervisor_token' from outer scope (line 24)	67	Code Smell	Minor
Consider using set for membership test	77	Code Smell	Major
Redefining name 'client' from outer scope (line 18)	84	Code Smell	Minor
Redefining name 'supervisor_token' from outer scope (line 24)	85	Code Smell	Minor
Redefining name 'fake_environment' from outer scope (line 13)	86	Code Smell	Minor
Access to a protected member _documents of a client class	137	Code Smell	Minor
Access to a protected member _documents of a client class	138	Code Smell	Minor
Access to a protected member _documents of a client class	140	Code Smell	Minor
Access to a protected member _documents of a client class	141	Code Smell	Minor
Redefining name 'client' from outer scope (line 18)	146	Code Smell	Minor

Issue	Line	Type	Severity
Redefining name 'supervisor_token' from outer scope (line 24)	147	Code Smell	Minor
Redefining name 'fake_environment' from outer scope (line 13)	148	Code Smell	Minor
Access to a protected member _documents of a client class	213	Code Smell	Minor
Access to a protected member _documents of a client class	216	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	53	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	65	Code Smell	Minor
Optimize type checks within 'in' and 'not in' expressions	77	Code Smell	Minor

backend/tests/test_coverage_final.py (12 issues)

Issue	Line	Type	Severity
Access to a protected member _error of a client class	65	Code Smell	Minor
Access to a protected member _error of a client class	82	Code Smell	Minor
Access to a protected member _error of a client class	83	Code Smell	Minor
Access to a protected member _error of a client class	96	Code Smell	Minor
Access to a protected member _error of a client class	106	Code Smell	Minor
Access to a protected member _error of a client class	107	Code Smell	Minor
Access to a protected member _error of a client class	120	Code Smell	Minor
Access to a protected member _error of a client class	130	Code Smell	Minor
Redefining name 'AuthenticationError' from outer scope (line 12)	173	Code Smell	Minor
Redefining name 'AuthorizationError' from outer scope (line 12)	182	Code Smell	Minor
Redefining name 'ValidationError' from outer scope (line 12)	191	Code Smell	Minor
Redefining name 'NotFoundError' from outer scope (line 12)	200	Code Smell	Minor

backend/tests/test_batch_operations.py (36 issues)

Issue	Line	Type	Severity
Redefining name 'mock_db' from outer scope (line 16)	41	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	50	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	60	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	60	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	78	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	78	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	94	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	94	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	114	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	114	Code Smell	Minor

Issue	Line	Type	Severity
Redefining name 'batch_service' from outer scope (line 41)	137	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	147	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	147	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	173	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	173	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	191	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	191	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	211	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	221	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	221	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	235	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	235	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	251	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	251	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	266	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	276	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	276	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	301	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	301	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	324	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	324	Code Smell	Minor
Access to a protected member _doc of a client class	343	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	347	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	347	Code Smell	Minor
Redefining name 'batch_service' from outer scope (line 41)	372	Code Smell	Minor
Redefining name 'mock_db' from outer scope (line 16)	376	Code Smell	Minor

backend/tests/test_db_connection.py (13 issues)

Issue	Line	Type	Severity
Access to a protected member _detected_driver of a client class	20	Code Smell	Minor
Access to a protected member _detected_driver of a client class	27	Code Smell	Minor
Access to a protected member _detected_driver of a client class	34	Code Smell	Minor
Access to a protected member _detected_driver of a client class	41	Code Smell	Minor
Access to a protected member _detected_driver of a client class	48	Code Smell	Minor
Access to a protected member _detected_driver of a client	55	Code Smell	Minor

Issue	Line	Type	Severity
class			
Access to a protected member _detected_driver of a client class	70	Code Smell	Minor
Access to a protected member _detected_driver of a client class	81	Code Smell	Minor
Access to a protected member _detected_driver of a client class	91	Code Smell	Minor
Access to a protected member _detected_driver of a client class	98	Code Smell	Minor
Access to a protected member _detected_driver of a client class	119	Code Smell	Minor
Access to a protected member _detected_driver of a client class	136	Code Smell	Minor
Access to a protected member _detected_driver of a client class	145	Code Smell	Minor

backend/tests/test_sentry.py (3 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	40	Bug	Major
Do not perform equality checks with floating point values.	47	Bug	Major
Do not perform equality checks with floating point values.	54	Bug	Major

backend/tests/test_websocket_manager.py (8 issues)

Issue	Line	Type	Severity
Redefining name 'manager' from outer scope (line 14)	25	Code Smell	Minor
Redefining name 'mock_websocket' from outer scope (line 19)	25	Code Smell	Minor
Redefining name 'manager' from outer scope (line 14)	39	Code Smell	Minor
Redefining name 'mock_websocket' from outer scope (line 19)	39	Code Smell	Minor
Redefining name 'manager' from outer scope (line 14)	51	Code Smell	Minor
Redefining name 'mock_websocket' from outer scope (line 19)	51	Code Smell	Minor
Redefining name 'manager' from outer scope (line 14)	62	Code Smell	Minor
Redefining name 'manager' from outer scope (line 14)	78	Code Smell	Minor

backend/tests/test_variance_service.py (14 issues)

Issue	Line	Type	Severity
Do not perform equality checks with floating point values.	71	Bug	Major
Do not perform equality checks with floating point values.	72	Bug	Major
Do not perform equality checks with floating point values.	73	Bug	Major
Do not perform equality checks with floating point values.	77	Bug	Major
Do not perform equality checks with floating point values.	78	Bug	Major
Do not perform equality checks with floating point values.	106	Bug	Major
Do not perform equality checks with floating point values.	107	Bug	Major
Do not perform equality checks with floating point values.	108	Bug	Major
Do not perform equality checks with floating point values.	180	Bug	Major
Do not perform equality checks with floating point values.	181	Bug	Major
Do not perform equality checks with floating point values.	182	Bug	Major
Do not perform equality checks with floating point values.	195	Bug	Major
Do not perform equality checks with floating point values.	196	Bug	Major
Do not perform equality checks with floating point values.	197	Bug	Major

backend/tests/test_enhanced_item_search.py (1 issues)

Issue	Line	Type	Severity
Redefining name 'client' from outer scope (line 14)	29	Code Smell	Minor

backend/tests/test_auto_diagnosis.py (13 issues)

Issue	Line	Type	Severity
Redefining name 'auto_diagnosis_service' from outer scope (line 10)	15	Code Smell	Minor
Redefining name 'auto_diagnosis_service' from outer scope (line 10)	35	Code Smell	Minor
Redefining name 'auto_diagnosis_service' from outer scope (line 10)	46	Code Smell	Minor
Redefining name 'auto_diagnosis_service' from outer scope (line 10)	57	Code Smell	Minor
Redefining name 'auto_diagnosis_service' from outer scope (line 10)	67	Code Smell	Minor
Redefining name 'auto_diagnosis_service' from outer scope (line 10)	77	Code Smell	Minor
Redefining name 'auto_diagnosis_service' from outer scope (line 10)	90	Code Smell	Minor
Redefining name 'auto_diagnosis_service' from outer scope (line 10)	104	Code Smell	Minor
Access to a protected member _error of a client class	112	Code Smell	Minor
Redefining name 'auto_diagnosis_service' from outer scope (line 10)	116	Code Smell	Minor
Redefining name 'auto_diagnosis_service' from outer scope (line 10)	129	Code Smell	Minor

Issue	Line	Type	Severity
Raising too general exception: Exception	134	Code Smell	Minor
Replace this generic exception class with a more specific one.	134	Code Smell	Major

backend/sql_server_connector.py (51 issues)

Issue	Line	Type	Severity
Unnecessary pass statement	28	Code Smell	Minor
Unnecessary pass statement	34	Code Smell	Minor
Unnecessary pass statement	40	Code Smell	Minor
Unnecessary pass statement	46	Code Smell	Minor
Unnecessary pass statement	52	Code Smell	Minor
Use lazy % formatting in logging functions	117	Code Smell	Minor
Use lazy % formatting in logging functions	259	Code Smell	Minor
Use lazy % formatting in logging functions	509	Code Smell	Minor
Unnecessary "elif" after "return", remove the leading "el" from "elif"	517	Code Smell	Major
Use lazy % formatting in logging functions	539	Code Smell	Minor
Use lazy % formatting in logging functions	585	Code Smell	Minor
Use lazy % formatting in logging functions	610	Code Smell	Minor
Use lazy % formatting in logging functions	613	Code Smell	Minor
Use lazy % formatting in logging functions	658	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	664	Code Smell	Major
Use lazy % formatting in logging functions	667	Code Smell	Minor
Use lazy % formatting in logging functions	671	Code Smell	Minor
Use lazy % formatting in logging functions	675	Code Smell	Minor
Consider explicitly re-raising using 'raise DatabaseQueryError(f'Failed to fetch item by barcode: {str(e)}') from e'	676	Code Smell	Critical
Use lazy % formatting in logging functions	699	Code Smell	Minor
Use lazy % formatting in logging functions	703	Code Smell	Minor
Consider explicitly re-raising using 'raise DatabaseQueryError(f'Failed to fetch all items: {str(e)}') from e'	704	Code Smell	Critical
Use lazy % formatting in logging functions	746	Code Smell	Minor
Use lazy % formatting in logging functions	750	Code Smell	Minor
Consider explicitly re-raising using 'raise DatabaseQueryError(f'Failed to search items: {str(e)}') from e'	751	Code Smell	Critical
Use lazy % formatting in logging functions	772	Code Smell	Minor
Use lazy % formatting in logging functions	776	Code Smell	Minor
Consider explicitly re-raising using 'raise DatabaseQueryError(f'Failed to fetch item batches: {str(e)}') from e'	777	Code Smell	Critical

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	792	Code Smell	Minor
Unnecessary "else" after "return", remove the "else" and de-indent the code inside it	797	Code Smell	Major
Use lazy % formatting in logging functions	800	Code Smell	Minor
Use lazy % formatting in logging functions	804	Code Smell	Minor
Use lazy % formatting in logging functions	808	Code Smell	Minor
Consider explicitly re-raising using 'raise DatabaseQueryError(f'Failed to fetch item by code: {str(e)}') from e'	809	Code Smell	Critical
Use lazy % formatting in logging functions	825	Code Smell	Minor
Consider explicitly re-raising using 'raise DatabaseQueryError(f'Failed to fetch warehouses: {str(e)}') from e'	826	Code Smell	Critical
Use lazy % formatting in logging functions	842	Code Smell	Minor
Consider explicitly re-raising using 'raise DatabaseQueryError(f'Failed to fetch zones: {str(e)}') from e'	843	Code Smell	Critical
Use lazy % formatting in logging functions	895	Code Smell	Minor
Use lazy % formatting in logging functions	899	Code Smell	Minor
Consider explicitly re-raising using 'raise DatabaseQueryError(f'Failed to fetch items by codes: {str(e)}') from e'	900	Code Smell	Critical
Use lazy % formatting in logging functions	952	Code Smell	Minor
Use lazy % formatting in logging functions	956	Code Smell	Minor
Consider explicitly re-raising using 'raise DatabaseQueryError(f'Failed to fetch item quantities by item code: {str(e)}') from e'	957	Code Smell	Critical
Use lazy % formatting in logging functions	1015	Code Smell	Minor
Consider explicitly re-raising using 'raise DatabaseQueryError(f'Failed to execute custom query: {str(e)}') from e'	1016	Code Smell	Critical
Remove unnecessary else statements	668	Code Smell	Minor
Remove unnecessary else statements	801	Code Smell	Minor
Merge this if statement with the enclosing one.	980	Code Smell	Major
Remove the '?' from this unnecessarily reluctant quantifier.	271	Code Smell	Major
Remove the '?' from this unnecessarily reluctant quantifier.	1024	Code Smell	Major

Issue	Line	Type	Severity
Use lazy % formatting in logging functions	131	Code Smell	Minor
Use lazy % formatting in logging functions	205	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	320	Code Smell	Minor
Use lazy % formatting in logging functions	321	Code Smell	Minor
Use lazy % formatting in logging functions	450	Code Smell	Minor
Use lazy % formatting in logging functions	470	Code Smell	Minor
Use lazy % formatting in logging functions	480	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	493	Code Smell	Minor
Use lazy % formatting in logging functions	494	Code Smell	Minor
Redefining name 'refresh_token' from outer scope (line 592)	513	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	534	Code Smell	Minor
Use lazy % formatting in logging functions	535	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	554	Code Smell	Minor
Use lazy % formatting in logging functions	555	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	586	Code Smell	Minor
Use lazy % formatting in logging functions	587	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	622	Code Smell	Minor
Use lazy % formatting in logging functions	623	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	656	Code Smell	Minor
Use lazy % formatting in logging functions	657	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	703	Code Smell	Minor
Use lazy % formatting in logging functions	713	Code Smell	Minor
Redefining built-in 'format'	720	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	759	Code Smell	Minor
Use lazy % formatting in logging functions	760	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	843	Code Smell	Minor
Use lazy % formatting in logging functions	844	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	877	Code Smell	Minor
Use lazy % formatting in logging functions	878	Code Smell	Minor
Redefining name 'e' from outer scope (line 130)	1078	Code Smell	Minor
Use lazy % formatting in logging functions	1079	Code Smell	Minor
Use lazy % formatting in logging functions	1106	Code Smell	Minor
Use lazy % formatting in logging functions	1312	Code Smell	Minor
Define a constant instead of duplicating this literal "Insufficient permissions" 3 times.	671	Code Smell	Critical
Define a constant instead of duplicating this literal "\$total_variance" 3 times.	778	Code Smell	Critical
Define a constant instead of duplicating this literal "\$group" 5 times.	774	Code Smell	Critical
Define a constant instead of duplicating this literal "Personal	373	Code Smell	Critical

Issue	Line	Type	Severity
Care" 3 times.			

Files with Most Antipatterns

File Path	Issues
backend/api/auth_routes.py	53
backend/sql_server_connector.py	51
backend/api/legacy_routes_impl.py	44
backend/api/admin_control_api.py	43
backend/services/sql_sync_service.py	38
backend/api/item_verification_api.py	38
backend/tests/evaluation/test_workflow.py	37
backend/app_factory.py	37
backend/tests/test_batch_operations.py	36
backend/api/count_lines_routes.py	35

Complex Functions

Total Complex Functions: 142

frontend/src/hooks/useTheme.ts

Function Name	Maintainability Index	Line
=>	16.00	66

frontend/src/services/httpClient.ts

Function Name	Maintainability Index	Line
=>	25.00	183
=>	25.00	288

frontend/src/services/backupService.ts

Function Name	Maintainability Index	Line
createBackup	17.00	67

frontend/src/services/api/sessionManagementApi.ts

Function Name	Maintainability Index	Line
=>	20.00	142
=>	17.00	274
=>	26.00	311

frontend/src/services/api/inventoryWorkflowApi.ts

Function Name	Maintainability Index	Line
=>	45.00	28
=>	19.00	648

frontend/src/services/api/api.diagnosis.ts

Function Name	Maintainability Index	Line
=>	18.00	52

frontend/src/services/utls/autoErrorFinder.ts

Function Name	Maintainability Index	Line
autoRecover	17.00	164

frontend/src/services/utls/validationService.ts

Function Name	Maintainability Index	Line
validateField	27.00	32

frontend/src/services/utls/errorHandler.ts

Function Name	Maintainability Index	Line
handleApiError	38.00	22

frontend/src/services/storage/asyncStorageService.ts

Function Name	Maintainability Index	Line
getItem	20.00	103

frontend/src/services/sync/enhancedSyncManager.ts

Function Name	Maintainability Index	Line
_syncQueueInternal	29.00	213

frontend/src/services/offline/offlineCountLine.ts

Function Name	Maintainability Index	Line
createOfflineCountLine	20.00	81

frontend/src/services/offline/offlineQueue.ts

Function Name	Maintainability Index	Line
_doFlush	24.00	93
=>	22.00	228

frontend/src/services/offline/offlineStorage.ts

Function Name	Maintainability Index	Line
=>	27.00	284

frontend/src/services/syncService.ts

Function Name	Maintainability Index	Line
=>	56.00	109

frontend/src/scanner/serialScanRules.ts

Function Name	Maintainability Index	Line
scoreCandidate	35.00	45

frontend/src/components/modals/SerialScannerModal.tsx

Function Name	Maintainability Index	Line
=>	16.00	88

frontend/src/components/auth/ConnectionStatus.tsx

Function Name	Maintainability Index	Line
ConnectionStatus	29.00	23

frontend/src/components/ui/ScreenContainer.tsx

Function Name	Maintainability Index	Line
=>	17.00	82

frontend/src/components/ui/ModernCard.tsx

Function Name	Maintainability Index	Line
=>	19.00	142
=>	24.00	284

frontend/src/components/ui/ModernButton.tsx

Function Name	Maintainability Index	Line
=>	17.00	283

frontend/src/components/ui/GlassCard.tsx

Function Name	Maintainability Index	Line
=>	17.00	47

frontend/src/components/ui/EnhancedInput.tsx

Function Name	Maintainability Index	Line
=>	27.00	134

frontend/src/components/ui/EnhancedButton.tsx

Function Name	Maintainability Index	Line
=>	26.00	116

frontend/src/components/layout/AdminLayout.tsx

Function Name	Maintainability Index	Line
=>	16.00	39

frontend/src/components/scan/BarcodeScanner.tsx

Function Name	Maintainability Index	Line
=>	30.00	54

frontend/src/components/scan/ItemSummarySection.tsx

Function Name	Maintainability Index	Line
ItemSummarySection	18.00	72

frontend/src/components/premium/PremiumInput.tsx

Function Name	Maintainability Index	Line
=>	27.00	91

frontend/src/components/Pagination.tsx

Function Name	Maintainability Index	Line
=>	20.00	20

frontend/src/config/environment.ts

Function Name	Maintainability Index	Line
detectBackendUrl	22.00	149

frontend/src/bootstrap/initApp.ts

Function Name	Maintainability Index	Line
initializeApp	19.00	20

frontend/src/utils/portDetection.ts

Function Name	Maintainability Index	Line
=>	44.00	22
=>	18.00	112

frontend/src/utils/csvExport.ts

Function Name	Maintainability Index	Line
=>	16.00	69

frontend/src/utls/scanUtils.ts

Function Name	Maintainability Index	Line
=>	22.00	158

frontend/src/store/authStore.ts

Function Name	Maintainability Index	Line
=>	19.00	39
=>	16.00	677

frontend/src/domains/inventory/hooks/scan/useItemDetailLogic.ts

Function Name	Maintainability Index	Line
=>	18.00	47
=>	18.00	129

frontend/src/domains/inventory/hooks/scan/useItemDetailData.ts

Function Name	Maintainability Index	Line
=>	20.00	102

frontend/src/domains/inventory/hooks/scan/useDeferredItemSubmission.ts

Function Name	Maintainability Index	Line
=>	29.00	128

frontend/src/domains/inventory/hooks/scan/useItemSubmission.ts

Function Name	Maintainability Index	Line
=>	48.00	30

frontend/src/domains/inventory/hooks/scan/errorMessages.ts

Function Name	Maintainability Index	Line
=>	20.00	154

frontend/src/domains/inventory/hooks/scan/useFlexibleDateField.ts

Function Name	Maintainability Index	Line
=>	37.00	77

frontend/app/staff/scan.screen.tsx

Function Name	Maintainability Index	Line
=>	28.00	360

frontend/app/staff/home.tsx

Function Name	Maintainability Index	Line
=>	21.00	60

frontend/app/register.tsx

Function Name	Maintainability Index	Line
=>	44.00	38

frontend/app/supervisor/variances.tsx

Function Name	Maintainability Index	Line
VariancesScreen	19.00	41

frontend/app/login.tsx

Function Name	Maintainability Index	Line
LoginScreen	16.00	119

Function Name	Maintainability Index	Line
=>	16.00	66
=>	17.00	350

scripts/test_admin_api.py

Function Name	Maintainability Index	Line
test_admin_api	23.00	8

scripts/generate_workspace_code_report.py

Function Name	Maintainability Index	Line
main	33.00	170

scripts/find_missing_barcodes.py

Function Name	Maintainability Index	Line
get_existing_barcodes	54.00	47
generate_report	29.00	127

backend/scripts/repair_count_line_item_names.py

Function Name	Maintainability Index	Line
repair_item_names	33.00	92

backend/scripts/repair_legacy_zero_variance_approvals.py

Function Name	Maintainability Index	Line
repair_legacy_zero_variance_approvals	20.00	82

backend/scripts/backfill_session_snapshots.py

Function Name	Maintainability Index	Line
backfill_empty_session_snapshots	38.00	38

backend/scripts/generate_secrets.py

Function Name	Maintainability Index	Line
write_env_file	20.00	33

backend/scripts/sync_bridge_agent.py

Function Name	Maintainability Index	Line
run_sync_loop	18.00	41

backend/scripts/report_generator.py

Function Name	Maintainability Index	Line
_create_variance_sheet	19.00	183

backend/scripts/cleanup_synthetic_session_data.py

Function Name	Maintainability Index	Line
cleanup_synthetic_session_data	16.00	56

backend/scripts/generate_api_docs.py

Function Name	Maintainability Index	Line
generate_comprehensive_api_docs	20.00	14

backend/scripts/update_config_from_ssms.py

Function Name	Maintainability Index	Line
update_env_file	17.00	24

backend/services/auto_error_finder.py

Function Name	Maintainability Index	Line
_check_name	19.00	187

backend/services/variance_service.py

Function Name	Maintainability Index	Line
check_thresholds	21.00	77

backend/services/sync_conflicts_service.py

Function Name	Maintainability Index	Line
resolve_conflict	21.00	146

backend/services/data_governance.py

Function Name	Maintainability Index	Line
apply_retention_policies	17.00	149

backend/services/enrichment_service.py

Function Name	Maintainability Index	Line
get_enrichment_stats	16.00	308

backend/services/canonical_inventory.py

Function Name	Maintainability Index	Line
recompute_session_totals	33.00	237

backend/services/reporting/compare_engine.py

Function Name	Maintainability Index	Line
_compare_summaries	20.00	101

backend/services/reporting/query_builder.py

Function Name	Maintainability Index	Line
_build_match_stage	18.00	187
_build_group_stage	17.00	225

backend/services/database_health.py

Function Name	Maintainability Index	Line
check_sql_server_health	16.00	130

backend/services/sql_verification_service.py

Function Name	Maintainability Index	Line
_verify_item_with_sql_qty	24.00	102
batch_verify_items	16.00	568

backend/services/sql_sync_service.py

Function Name	Maintainability Index	Line
discover_new_items	16.00	418

backend/services/data_validation_service.py

Function Name	Maintainability Index	Line
_check_field_types	17.00	93

backend/services/system_report_service.py

Function Name	Maintainability Index	Line
_get_sync_history_data	18.00	125
_aggregate_api_metrics	17.00	297

backend/api/session_management_api.py

Function Name	Maintainability Index	Line
_calculate_priority_score	17.00	584
get_user_workflows	57.00	1016
_complete_session_legacy_compatible	23.00	1655

backend/api/security_api.py

Function Name	Maintainability Index	Line
get_security_sessions	20.00	179

backend/api/count_submission_api.py

Function Name	Maintainability Index	Line
submit_count_line	19.00	20

backend/api/enhanced_item_api.py

Function Name	Maintainability Index	Line
get_item_by_barcode_enhanced	62.00	100

backend/api/locations_api.py

Function Name	Maintainability Index	Line
get_warehouses	38.00	16

backend/api/supervisor_workflow_api.py

Function Name	Maintainability Index	Line
batch_approve_count_lines	16.00	93
check_photo_requirements	26.00	299

backend/api/auth_routes.py

Function Name	Maintainability Index	Line
change_pin	20.00	948

backend/api/sync_batch_api.py

Function Name	Maintainability Index	Line
validate_record	22.00	145
sync_single_record	22.00	218
sync_batch	19.00	325
_process_session_op	58.00	521
_process_count_line_op	70.00	670

backend/api/legacy_routes_impl.py

Function Name	Maintainability Index	Line
detect_risk_flags	22.00	980
create_count_line	24.00	1054

backend/api/item_verification_api.py

Function Name	Maintainability Index	Line
update_item_master	20.00	276
verify_item	37.00	508

backend/api/admin_control_api.py

Function Name	Maintainability Index	Line
start_frontend	16.00	475
_read_log_file	18.00	741

backend/api/health.py

Function Name	Maintainability Index	Line
detailed_health_check	24.00	395

backend/api/count_lines_routes.py

Function Name	Maintainability Index	Line
detect_risk_flags	21.00	129
save_count_line_draft	28.00	312
create_count_line	89.00	406
get_item_batches	18.00	1774

backend/api/user_management_api.py

Function Name	Maintainability Index	Line
update_user	28.00	436
bulk_user_action	16.00	653

backend/api/erp_api.py

Function Name	Maintainability Index	Line
get_item_batches	23.00	265

backend/api/report_generation_api.py

Function Name	Maintainability Index	Line
generate_stock_summary	32.00	136
generate_variance_report	28.00	222
generate_session_history_report	20.00	350

backend/api/supervisor_pin.py

Function Name	Maintainability Index	Line
verify_supervisor_pin	16.00	27

backend/db/migrations.py

Function Name	Maintainability Index	Line
_create_index_safe	24.00	224

backend/middleware/security_headers.py

Function Name	Maintainability Index	Line
__call__	22.00	84

backend/middleware/rate_limit_middleware.py

Function Name	Maintainability Index	Line
__call__	16.00	39

backend/app/middleware.py

Function Name	Maintainability Index	Line
register_middleware	28.00	35

backend/app/routers.py

Function Name	Maintainability Index	Line
register_routers	25.00	69

backend/utils/service_manager.py

Function Name	Maintainability Index	Line
get_process_using_port	21.00	44
ensure_single_backend	22.00	115

backend/utils/env_validation.py

Function Name	Maintainability Index	Line
validate_environment	28.00	14

backend/utls/erp_utls.py

Function Name	Maintainability Index	Line
_get_barcode_variations	16.00	137

backend/utls/error_handler_with_diagnosis.py

Function Name	Maintainability Index	Line
execute	17.00	247

backend/utls/api_utls.py

Function Name	Maintainability Index	Line
handle_result	24.00	90

backend/core/lifespan.py

Function Name	Maintainability Index	Line
lifespan	117.00	327

backend/tests/evaluation/metrics_collector.py

Function Name	Maintainability Index	Line
print_summary	16.00	164

backend/tests/evaluation/evaluators.py

Function Name	Maintainability Index	Line
evaluate	22.00	57

backend/tests/governance/test_write_path_restrictions.py

Function Name	Maintainability Index	Line
test_write_path_restrictions_on_sql_calls	19.00	54

backend/tests/api/test_items_identify_helpers.py

Function Name	Maintainability Index	Line
find	16.00	25

backend/tests/utls/in_memory_db.py

Function Name	Maintainability Index	Line
_match_condition	42.00	28
_match_filter	22.00	98
replace_one	18.00	247
update_one	16.00	281
find	22.00	348

backend/app_factory.py

Function Name	Maintainability Index	Line
detect_risk_flags	19.00	886
create_count_line	29.00	957

Docstrings Absent

Total Functions Missing Docstrings: 1,609

frontend/src/hooks/useHapticFeedback.ts (1 functions)

Function Name	Line
useHapticFeedback	4

frontend/scripts/generate_brand_assets.py (7 functions)

Function Name	Line
resolve_brand_book_path	19
trim_white	37
white_to_alpha	50
crop_page_region	62
build_icon_from_symbol	74
save_android_icons	90
main	105

frontend/src/hooks/useResponsive.ts (2 functions)

Function Name	Line
useResponsive	72
fontSize	126

frontend/src/hooks/useDomainAction.ts (1 functions)

Function Name	Line
useDomainAction	35

frontend/src/hooks/useKeepAwake.ts (1 functions)

Function Name	Line
useKeepAwake	4

frontend/scripts/update-ip.js (3 functions)

Function Name	Line
probeHealth	14
getLocalIpAddress	42
main	66

frontend/src/hooks/usePersistentState.ts (1 functions)

Function Name	Line
loadValue	36

frontend/src/hooks/useAiBarcode.ts (1 functions)

Function Name	Line
useAiBarcode	25

frontend/src/hooks/useKeyboardShortcuts.ts (2 functions)

Function Name	Line
useKeyboardShortcuts	14
handler	20

frontend/src/hooks/useVoiceControl.ts (1 functions)

Function Name	Line
useVoiceControl	23

frontend/src/hooks/useVersionCheck.ts (1 functions)

Function Name	Line
useVersionCheck	39

frontend/src/hooks/useCameraEnhancement.ts (1 functions)

Function Name	Line
useCameraEnhancement	30

frontend/src/hooks/useFormValidation.ts (1 functions)

Function Name	Line
useFormValidation	49

frontend/src/hooks/usePermissions.ts (1 functions)

Function Name	Line
usePermissions	123

frontend/src/hooks/useWebSocket.ts (1 functions)

Function Name	Line
useWebSocket	13

frontend/src/hooks/useAppVersion.ts (2 functions)

Function Name	Line
useAppVersion	4
getAppInfo	13

frontend/src/hooks/useTheme.ts (2 functions)

Function Name	Line
buildLegacyTheme	66
useTheme	255

frontend/src/hooks/useSessionIntegrity.ts (1 functions)

Function Name	Line
useSessionIntegrity	63

frontend/src/hooks/useSessionTimeout.ts (1 functions)

Function Name	Line
useSessionTimeout	43

frontend/src/hooks/useAutoLogout.ts (1 functions)

Function Name	Line
useAutoLogout	8

frontend/src/hooks/useAutoConnection.ts (3 functions)

Function Name	Line
useAutoConnection	31
handleConnectionChange	52
attemptReconnect	155

frontend/src/services/devtools/reactotron.ts (2 functions)

Function Name	Line
loadReactotron	13
initReactotron	34

frontend/src/services/backendUrl.ts (4 functions)

Function Name	Line
timeoutFetch	25
getInitialBackendUrl	64
buildCandidates	87
resolveBackendUrl	155

frontend/src/hooks/useSessionsQuery.ts (1 functions)

Function Name	Line
useSessionsQuery	11

frontend/src/services/aiBarcodeRecognition.ts (6 functions)

Function Name	Line
initialize	41
recognizeBarcode	80
recognizeWithOCR	148
extractBarcodeFromText	189
enhanceImage	209
useAiBarcodeRecognition	294

frontend/src/services/networkService.ts (2 functions)

Function Name	Line
applyNetInfoState	16
initializeNetworkListener	45

frontend/src/services/scanSoundService.ts (3 functions)

Function Name	Line
getWebAudioContext	28
playWebTone	52
playScanSound	93

frontend/src/services/httpClient.ts (3 functions)

Function Name	Line
summarizeResponseData	113
refreshAccessToken	139
performLogout	295

frontend/src/services/selfTestService.tsx (12 functions)

Function Name	Line
runAllTests	54
testAuthentication	76
testPINAuth	135
testAPIConnectivity	193
testSecureStorage	262
testDataValidation	329
testErrorHandling	397
testNotifications	438
testWiFiDetection	467
runTest	489
createSuite	512
getStatusColor	548

frontend/src/services/healthRequest.ts (4 functions)

Function Name	Line
removeHeader	31
stripHealthRequestHeaders	52
hasBackendHealthSignature	69
isValidBackendHealthResponse	88

frontend/src/services/logging.ts (1 functions)

Function Name	Line
consoleSink	27

frontend/src/services/websocket.ts (1 functions)

Function Name	Line
_connect	43

frontend/src/services/backupReminderService.ts (1 functions)

Function Name	Line
syncBackupReminderPreference	32

frontend/src/services/sentry.ts (3 functions)

Function Name	Line
buildEnvelopeUrl	28
initSentry	60
sendSentryEvent	83

frontend/src/services/api/sessionManagementApi.ts (7 functions)

Function Name	Line
isOnline	38
createSession	53
createOfflineSession	68
getSessions	142
getSession	246
getSessionStats	274
getRackProgress	311

frontend/src/services/api/notesApi.ts (1 functions)

Function Name	Line
listNotes	35

frontend/src/services/api/adminOperationsApi.ts (13 functions)

Function Name	Line
getServiceLogs	82
normalizeExportSchedule	228
normalizeExportResult	257
getExportSchedules	281
updateExportSchedule	327
getExportResults	360
getSyncConflicts	399
resolveSyncConflict	431
batchResolveSyncConflicts	448
generateReport	574
getFailedLogins	674

Function Name	Line
getSecurityAuditLog	717
resetSettingsToDefaults	802

frontend/src/services/api/inventoryWorkflowApi.ts (24 functions)

Function Name	Line
getItemByBarcode	23
returnCachedItem	44
checkSerialUniqueness	235
searchItems	269
searchItemsOptimized	320
getSearchSuggestions	420
getSearchFilters	438
searchItemsSemantic	460
getRiskPredictions	482
identifyItem	497
checkItemScanStatus	545
saveDraft	578
hasMeaningfulCountLineName	591
hydrateCountLineNames	615
createCountLine	646
resolveItemName	649
getCountLines	748
paginateItems	760
checkItemCounted	857
addQuantityToCountLine	876
updateSessionStatus	920
finalizeSession	941
createUnknownItem	954
refreshItemStock	972

frontend/src/services/api/api.diagnosis.ts (2 functions)

Function Name	Line
normalizeSeverity	37
normalizeDiagnosisHealth	50

frontend/src/services/api/api.dynamicFields.ts (4 functions)

Function Name	Line
getFieldDefinitions	3
setFieldValue	50
setBulkFieldValues	64
getItemsWithFields	90

frontend/src/services/api/api.misc.ts (2 functions)

Function Name	Line
unwrapApiPayload	3
getWarehouses	52

frontend/src/services/pinAuth.tsx (3 functions)

Function Name	Line
PINPad	249
handleDigitPress	258
PINLoginScreen	375

frontend/src/services/animationService.ts (1 functions)

Function Name	Line
pulse	147

frontend/src/services/api/api.impl.ts (9 functions)

Function Name	Line
getAvailableTables	201
getTableColumns	227
testMapping	265
getActivityLogs	308
verifyPin	359
getActivityStats	376
getErrorLogs	414
getErrorStats	484
getErrorDetail	521

frontend/src/services/api/reportApi.ts (1 functions)

Function Name	Line
downloadReport	218

frontend/src/services/monitoring/performanceService.ts (4 functions)

Function Name	Line
executedFunction	15
load	82
process	124
get	166

frontend/src/services/analyticsService.ts (1 functions)

Function Name	Line
getEmptyDashboardData	134

frontend/src/services/errorRecovery.ts (1 functions)

Function Name	Line
handleErrorWithRecovery	1

frontend/src/services/utls/errorRecovery.ts (2 functions)

Function Name	Line
report	144
getErrorSummary	185

frontend/src/services/utls/toastService.ts (2 functions)

Function Name	Line
show	41
useToast	88

frontend/src/services/utls/notificationService.ts (3 functions)

Function Name	Line
unregisterCurrentDevice	199
registerPushToken	214
getExpoProjectId	232

frontend/src/services/voiceControlService.ts (3 functions)

Function Name	Line
initialize	50
speak	65
parseCommand	91

frontend/src/services/wifiConnectionService.ts (5 functions)

Function Name	Line
initialize	40
checkStatus	60
notifyListeners	121
notifyDisconnection	134
notifyReconnection	162

frontend/src/services/sync/enhancedSyncManager.ts (1 functions)

Function Name	Line
_syncQueueInternal	213

frontend/src/services/offline/offlineQueue.ts (5 functions)

Function Name	Line
enqueueMutation	57
flushOfflineQueue	77
_doFlush	93
startOfflineQueue	171
attachOfflineQueueInterceptors	223

frontend/src/services/offline/offlineStorage.ts (15 functions)

Function Name	Line
cacheItem	180
searchItemsInCache	231
resolveIdempotencyKey	281
normalizeQueueItem	333
addToOfflineQueue	354
removeManyFromOfflineQueue	432
updateQueueItemRetries	451
updateOfflineQueueItem	479
cacheSession	503
removeSessionFromCache	596
getSessionsCache	611
cacheCountLine	644
getCountLinesCache	740
clearAllCache	784
getCacheStats	799

frontend/src/services/offline/syncService.ts (2 functions)

Function Name	Line
startSyncService	26
restart	39

frontend/src/services/syncService.ts (4 functions)

Function Name	Line
deriveFailureStatus	35
initializeSyncService	55
getSyncStatus	94
syncOfflineQueue	107

frontend/src/services/__tests__/healthRequest.test.ts (1 functions)

Function Name	Line
createProbeResponse	38

frontend/src/styles/screenStyles.ts (4 functions)

Function Name	Line
useScreenLayout	54
useScreenStyles	69
useThemeScreenStyles	404
useResponsiveHelpers	544

frontend/src/db/localDb.ts (1 functions)

Function Name	Line
ensureSchema	34

frontend/src/scanner/useScanGate.ts (1 functions)

Function Name	Line
useScanGate	4

frontend/src/scanner/serialScanRules.ts (3 functions)

Function Name	Line
normalizeScanValue	15
scoreCandidate	45
decide	98

frontend/src/components/navigation/AdminSidebar.tsx (1 functions)

Function Name	Line
AdminSidebar	38

frontend/src/components/navigation/bottomNavShared.ts (1 functions)

Function Name	Line
getDefaultInventoryTabs	15

frontend/src/components/navigation/BottomNavBar.tsx (1 functions)

Function Name	Line
BottomNavBar	31

frontend/src/components/navigation/StaffTabBar.tsx (1 functions)

Function Name	Line
StaffTabBar	54

frontend/src/components/navigation/SupervisorSidebar.tsx (1 functions)

Function Name	Line
SupervisorSidebar	126

frontend/src/components/navigation/AppHeader.tsx (1 functions)

Function Name	Line
AppHeader	40

frontend/src/components/LoadingSkeleton.tsx (1 functions)

Function Name	Line
SkeletonList	9

frontend/src/components/modals/serialScannerState.ts (2 functions)

Function Name	Line
createDetectedCodeList	18
isScanWithinRescanWindow	58

frontend/src/components/modals/PhotoCaptureModal.tsx (2 functions)

Function Name	Line
PhotoCaptureModal	40
handleCapture	74

frontend/src/components/navigation/QuickActions.tsx (1 functions)

Function Name	Line
QuickActions	31

frontend/src/components/modals/SearchableSelectModal.tsx (2 functions)

Function Name	Line
SearchableSelectModal	37
renderOption	70

frontend/src/components/modals/SerialScannerModal.tsx (2 functions)

Function Name	Line
describeInvalidCandidateMessage	61
getFeedbackStyle	365

frontend/src/components/modals/BulkEntryModal.tsx (2 functions)

Function Name	Line
BulkEntryModal	25
handleParse	34

frontend/src/components/modals/PinEntryModal.tsx (2 functions)

Function Name	Line
PinEntryModal	23
handleSubmit	37

frontend/src/components/modals/OptionSelectModal.tsx (1 functions)

Function Name	Line
OptionSelectModal	28

frontend/src/components/modals/ImageViewerModal.tsx (1 functions)

Function Name	Line
ImageViewerModal	25

frontend/src/components/analytics/VarianceChart.tsx (2 functions)

Function Name	Line
VarianceChart	23
renderSimpleChart	41

frontend/src/components/RefreshButton.tsx (1 functions)

Function Name	Line
RefreshButton	12

frontend/src/components/analytics/MetricCard.tsx (1 functions)

Function Name	Line
MetricCard	24

frontend/src/components/analytics/AnalyticsDashboard.tsx (1 functions)

Function Name	Line
AnalyticsDashboard	29

frontend/src/components/Input.stories.tsx (1 functions)

Function Name	Line
PasswordInput	96

frontend/src/components/session/BulkActionBar.tsx (1 functions)

Function Name	Line
BulkActionBar	90

frontend/src/components/staff/RecentScans.tsx (2 functions)

Function Name	Line
RecentScans	21
RenderItem	63

frontend/src/components/PullToRefresh.tsx (1 functions)

Function Name	Line
PullToRefresh	11

frontend/src/components/SearchAutocomplete.stories.tsx (1 functions)

Function Name	Line
SearchWrapper	50

frontend/src/components/UpgradeNotification.tsx (3 functions)

Function Name	Line
UpgradeNotification	31
handleUpdate	39
getUpdateMessage	63

frontend/src/components/LottieLoading.tsx (1 functions)

Function Name	Line
LottieLoading	19

frontend/src/components/auth/PasswordInput.tsx (1 functions)

Function Name	Line
PasswordInput	54

frontend/src/components/auth/AuthGuard.tsx (1 functions)

Function Name	Line
AuthGuard	14

frontend/src/components/auth/RoleLayoutGuard.tsx (1 functions)

Function Name	Line
RoleLayoutGuard	16

frontend/src/components/auth/ConnectionStatus.tsx (1 functions)

Function Name	Line
ConnectionStatus	23

frontend/src/components/auth/PinKeypad.tsx (3 functions)

Function Name	Line
PinKeypad	41
renderIndicators	118
renderKey	137

frontend/src/components/supervisor/dashboard/SupervisorRecentSessionsSection.tsx (1 functions)

Function Name	Line
SupervisorRecentSessionsSection	20

frontend/src/components/supervisor/dashboard/SupervisorOverviewCard.tsx (1 functions)

Function Name	Line
SupervisorOverviewCard	25

frontend/src/components/supervisor/dashboard/CreateSessionModal.tsx (1 functions)

Function Name	Line
CreateSessionModal	37

frontend/src/components/supervisor/dashboard/SupervisorStatsSection.tsx (1 functions)

Function Name	Line
SupervisorStatsSection	15

frontend/src/components/supervisor/RecountAssignmentModal.tsx (1 functions)

Function Name	Line
RecountAssignmentModal	38

frontend/src/components/supervisor/dashboard/SupervisorActivitySection.tsx (1 functions)

Function Name	Line
SupervisorActivitySection	20

frontend/src/components/ui/Badge.tsx (1 functions)

Function Name	Line
Badge	52

frontend/src/components/ui/ScreenContainer.tsx (2 functions)

Function Name	Line
ScreenContainer	56
renderContent	123

frontend/src/components/ui/QuickStatCard.tsx (2 functions)

Function Name	Line
QuickStatCard	73
renderContent	132

frontend/src/components/ui/AnimatedInput.tsx (2 functions)

Function Name	Line
AnimatedInput	33
getVariantStyles	144

frontend/src/components/ui/AnimatedCounter.tsx (2 functions)

Function Name	Line
AnimatedCounter	26
updateDisplay	43

frontend/src/components/ui/ResponsiveText.tsx (4 functions)

Function Name	Line
ResponsiveText	41
getFontSize	57
getLineHeight	71
getColor	85

frontend/src/components/ui/ConfirmModal.tsx (2 functions)

Function Name	Line
ConfirmModal	115
handleConfirm	139

frontend/src/components/ui/Toast.tsx (1 functions)

Function Name	Line
Toast	33

frontend/src/components/ui/MultiSelectList.tsx (3 functions)

Function Name	Line
MultiSelectList	88
renderEmpty	213
SelectableItemWrapper	292

frontend/src/components/ui/StatusBadge.tsx (1 functions)

Function Name	Line
StatusBadge	95

frontend/src/components/ui/Checkbox.tsx (1 functions)

Function Name	Line
Checkbox	32

frontend/src/components/ui/ThemedScreen.tsx (7 functions)

Function Name	Line
ThemedScreen	34
getLayoutSpacing	47
ThemedCard	128
getCardStyle	145
ThemedText	212
getColor	222
getSize	239

frontend/src/components/ui/InlineAlert.tsx (1 functions)

Function Name	Line
InlineAlert	35

frontend/src/components/ui/Avatar.tsx (3 functions)

Function Name	Line
getBackgroundColor	53
Avatar	68
renderContent	83

frontend/src/components/ui/FadeIn.tsx (3 functions)

Function Name	Line
FadeIn	19
getTransform	74
StaggeredFadeIn	116

frontend/src/components/ui/Radio.tsx (2 functions)

Function Name	Line
Radio	35
RadioItem	63

frontend/src/components/ui/ProgressRing.tsx (1 functions)

Function Name	Line
ProgressRing	39

frontend/src/components/ui/ModernCard.tsx (3 functions)

Function Name	Line
ModernCard	74
renderContent	251
renderCard	284

frontend/src/components/ui/UnifiedView.tsx (1 functions)

Function Name	Line
UnifiedView	97

frontend/src/components/ui/Skeleton.tsx (5 functions)

Function Name	Line
Skeleton	21
getVariantStyle	65
SkeletonText	151
SkeletonCard	172
SkeletonListItem	188

frontend/src/components/ui/ModernInput.tsx (2 functions)

Function Name	Line
ModernInput	52
getInputContainerStyles	87

frontend/src/components/ui/Shimmer.tsx (1 functions)

Function Name	Line
Shimmer	40

frontend/src/components/ui/AnimatedCard.tsx (4 functions)

Function Name	Line
AnimatedCard	68
renderCardContent	117
getVariantStyles	206
StatsCardPreset	274

frontend/src/components/ui/FloatingScanButton.tsx (1 functions)

Function Name	Line
FloatingScanButton	44

frontend/src/components/ui/Modal.tsx (1 functions)

Function Name	Line
Modal	44

frontend/src/components/ui/LoadingSpinner.tsx (1 functions)

Function Name	Line
LoadingSpinner	28

frontend/src/components/ui/AdminResponsiveGrid.tsx (1 functions)

Function Name	Line
AdminResponsiveGrid	11

frontend/src/components/ui/LiveIndicator.tsx (1 functions)

Function Name	Line
LiveIndicator	37

frontend/src/components/ui/ScreenHeader.tsx (5 functions)

Function Name	Line
AnimatedButton	91
ScreenHeader	133
renderUserInfo	244
renderTitle	276
renderContent	300

frontend/src/components/ui/StatsCard.tsx (1 functions)

Function Name	Line
StatsCard	67

frontend/src/components/ui/OnlineStatus.tsx (1 functions)

Function Name	Line
OnlineStatus	6

frontend/src/components/ui/UnifiedText.tsx (1 functions)

Function Name	Line
UnifiedText	123

frontend/src/components/ui/AppearanceSettings.tsx (1 functions)

Function Name	Line
AppearanceSettings	23

frontend/src/components/ui/SkeletonList.tsx (4 functions)

Function Name	Line
SkeletonList	23
renderItem	32
SkeletonGrid	86
SkeletonScreen	121

frontend/src/components/ui/ModernButton.tsx (6 functions)

Function Name	Line
ModernButton	75
getButtonStyles	133
getTextStyles	187
getSizeConfig	221
renderContent	257
renderButton	283

frontend/src/components/ui/ThemePicker.tsx (1 functions)

Function Name	Line
ThemePicker	19

frontend/src/components/ui/EnhancedBottomSheet.tsx (2 functions)

Function Name	Line
EnhancedBottomSheet	51
findNearestSnapPoint	115

frontend/src/components/ui/Chip.tsx (2 functions)

Function Name	Line
Chip	49
getColors	64

frontend/src/components/ui/Modal.stories.tsx (1 functions)

Function Name	Line
ModalWrapper	59

frontend/src/components/ui/GlassCard.tsx (1 functions)

Function Name	Line
GlassCard	35

frontend/src/components/ui/AnimatedPressable.tsx (1 functions)

Function Name	Line
AnimatedPressable	26

frontend/src/components/ui/TouchableFeedback.tsx (3 functions)

Function Name	Line
TouchableFeedback	58
TouchableScale	131
TouchableHighlight	172

frontend/src/components/ui/PremiumHeader.tsx (4 functions)

Function Name	Line
PremiumHeader	51
renderLogo	96
renderRightAction	111
createStyles	205

frontend/src/components/ui/ParticleField.tsx (2 functions)

Function Name	Line
ParticleElement	47
ParticleField	142

frontend/src/components/ui/RippleButton.tsx (3 functions)

Function Name	Line
RippleButton	135
triggerRipple	164
handlePress	190

frontend/src/components/ui/ActivityFeedItem.tsx (2 functions)

Function Name	Line
ActivityFeedItem	62
formatTimestamp	73

frontend/src/components/ui/SpeedDialMenu.tsx (3 functions)

Function Name	Line
SpeedDialActionItem	60
SpeedDialMenu	139
getPositionStyles	183

frontend/src/components/ui/EmptyState.tsx (1 functions)

Function Name	Line
EmptyState	21

frontend/src/components/ui/BottomSheet.tsx (1 functions)

Function Name	Line
BottomSheet	19

frontend/src/components/ui/StickyFooter.tsx (1 functions)

Function Name	Line
StickyFooter	14

frontend/src/components/ui/SuccessFeedback.tsx (4 functions)

Function Name	Line
SuccessFeedback	22
getVariantConfig	34
ToastFeedback	167
getVariantColors	177

frontend/src/components/ui/FloatingActionButton.tsx (1 functions)

Function Name	Line
FloatingActionButton	66

frontend/src/components/ui/SessionCard.tsx (2 functions)

Function Name	Line
SessionCard	71
renderProgressBar	104

frontend/src/components/ui/PatternBackground.tsx (8 functions)

Function Name	Line
PatternBackground	40
DotsPattern	162
GridPattern	193
WavesPattern	235
AuroraPattern	275
MeshPattern	306
CircuitPattern	367
HexagonPattern	458

frontend/src/components/ui/ModernHeader.tsx (2 functions)

Function Name	Line
LogoWithBorder	45
ModernHeader	74

frontend/src/components/ui/AuroraBackground.tsx (1 functions)

Function Name	Line
AuroraBackground	51

frontend/src/components/ui/ProgressBar.tsx (1 functions)

Function Name	Line
ProgressBar	46

frontend/src/components/ui/ScanFeedback.tsx (1 functions)

Function Name	Line
ScanFeedback	89

frontend/src/components/ui/Tabs.tsx (2 functions)

Function Name	Line
Tabs	42
renderTab	81

frontend/src/components/ui/SafeView.tsx (1 functions)

Function Name	Line
SafeView	17

frontend/src/components/ui/SyncStatusPill.tsx (2 functions)

Function Name	Line
SyncStatusPill	29
handleSync	51

frontend/src/components/ui/QuantityStepper.tsx (1 functions)

Function Name	Line
QuantityStepper	16

frontend/src/components/ui/SwipeCard.tsx (1 functions)

Function Name	Line
SwipeCard	47

frontend/src/components/ui/Switch.tsx (1 functions)

Function Name	Line
Switch	38

frontend/src/components/ui/EnhancedButton.tsx (2 functions)

Function Name	Line
renderIcon	199
renderContent	221

frontend/src/components/ui/Accordion.tsx (3 functions)

Function Name	Line
Accordion	53
toggleItem	63
AccordionItemComponent	110

frontend/src/components/LottieAnimation.tsx (1 functions)

Function Name	Line
LottieAnimation	22

frontend/src/components/layout/Container.tsx (1 functions)

Function Name	Line
Container	18

frontend/src/components/SessionTimeoutWarning.tsx (1 functions)

Function Name	Line
SessionTimeoutWarning	14

frontend/src/components/layout/SettingGroup.tsx (1 functions)

Function Name	Line
SettingGroup	16

frontend/src/components/layout/AdminLayout.tsx (1 functions)

Function Name	Line
AdminLayout	33

frontend/src/components/layout/Section.tsx (1 functions)

Function Name	Line
Section	32

frontend/src/components/layout/SettingItem.tsx (2 functions)

Function Name	Line
SettingItem	23
handlePress	37

frontend/src/components/layout/Header.tsx (1 functions)

Function Name	Line
Header	26

frontend/src/components/layout/StaffLayout.tsx (1 functions)

Function Name	Line
StaffLayout	33

frontend/src/components/SwipeableRow.tsx (2 functions)

Function Name	Line
Action	13
SwipeableRow	30

frontend/src/components/layout/ResponsiveLayout.tsx (4 functions)

Function Name	Line
ResponsiveLayout	35
getPadding	53
ResponsiveRow	147
ResponsiveGrid	187

frontend/src/components/settings/FontSizeSlider.tsx (2 functions)

Function Name	Line
FontSizeSlider	32
handleValueChange	40

frontend/src/components/layout/Screen.tsx (1 functions)

Function Name	Line
Screen	33

frontend/src/components/layout/SupervisorLayout.tsx (1 functions)

Function Name	Line
SupervisorLayout	29

frontend/src/components/settings/UserSettingsSections.tsx (3 functions)

Function Name	Line
SettingRow	105
Section	215
openExternalUrl	256

frontend/src/components/settings/ChangePasswordModal.tsx (1 functions)

Function Name	Line
ChangePasswordModal	52

frontend/src/components/settings/ChangePinModal.tsx (1 functions)

Function Name	Line
ChangePinModal	46

frontend/src/components/settings/SettingsSyncStatus.tsx (2 functions)

Function Name	Line
formatRelativeTime	8
SettingsSyncStatus	32

frontend/src/components/filters/SearchInput.tsx (1 functions)

Function Name	Line
SearchInput	72

frontend/src/components/filters/FilterPanel.tsx (1 functions)

Function Name	Line
FilterPanel	115

frontend/src/components/settings/FontStylePicker.tsx (1 functions)

Function Name	Line
FontStylePicker	19

frontend/src/components/camera/ScanGuideOverlay.tsx (1 functions)

Function Name	Line
ScanGuideOverlay	25

frontend/src/components/camera/CameraControls.tsx (1 functions)

Function Name	Line
CameraControls	32

frontend/src/components/admin/RoleSelector.tsx (3 functions)

Function Name	Line
RoleSelector	55
RoleBadge	187
RolePermissions	279

frontend/src/components/admin/dashboard/DashboardPanels.tsx (6 functions)

Function Name	Line
DashboardTabBar	28
DashboardOverviewPanel	70
DashboardMonitoringPanel	236
DashboardReportsPanel	377
DashboardAnalyticsPanel	451
DashboardDiagnosisPanel	496

frontend/src/components/admin/dashboard/DashboardReportModal.tsx (1 functions)

Function Name	Line
DashboardReportModal	30

frontend/src/components/admin/dashboard/dashboardWebShared.ts (3 functions)

Function Name	Line
normalizeDashboardMetrics	14
prepareSessionChartData	72
prepareStatusChartData	98

frontend/src/components/admin/realtime-dashboard/RealtimeDashboardTable.tsx (1 functions)

Function Name	Line
RealtimeDashboardTable	31

frontend/src/components/admin/realtime-dashboard/RealtimeDashboardSummary.tsx (2 functions)

Function Name	Line
RealtimeDashboardSummary	11
AggregationCard	56

frontend/src/components/admin/realtime-dashboard/realtimeDashboardLive.ts (1 functions)

Function Name	Line
getRealtimeDashboardConnectionState	23

frontend/src/components/admin/realtime-dashboard/RealtimeStatsStrip.tsx (2 functions)

Function Name	Line
RealtimeStatsStrip	15
StatsCard	72

frontend/src/components/admin/realtime-dashboard/RealtimeDashboardToolbar.tsx (3 functions)

Function Name	Line
RealtimeDashboardToolbar	22
ExportButton	132
FilterButton	152

frontend/src/components/admin/realtime-dashboard/ColumnSettingsModal.tsx (1 functions)

Function Name	Line
ColumnSettingsModal	24

frontend/src/components/admin/realtime-dashboard/realtimeDashboardShared.ts (1 functions)

Function Name	Line
formatValue	66

frontend/src/components/admin/ErrorLogsPanel.tsx (4 functions)

Function Name	Line
formatDateTime	119
ErrorDetailModal	252
DetailRow	399
ErrorLogsPanel	430

frontend/src/components/admin/users/UserFormModal.tsx (1 functions)

Function Name	Line
UserFormModal	40

frontend/src/components/admin/realtime-dashboard/ItemDetailsModal.tsx (1 functions)

Function Name	Line
ItemDetailsModal	24

frontend/src/components/admin/users/UserFiltersBar.tsx (3 functions)

Function Name	Line
UserFiltersBar	20
FilterButton	130
BulkButton	151

frontend/src/components/admin/users/userManagementShared.ts (1 functions)

Function Name	Line
getRoleBadgeStyle	75

frontend/src/components/admin/users/UsersTable.tsx (8 functions)

Function Name	Line
UsersTable	49
SortableHeader	179
DesktopUserRow	206
MobileUserCard	297
ActionButton	364
MobileAction	389
PageButton	410
EmptyUsersState	438

frontend/src/components/admin/ChartsPanel.tsx (1 functions)

Function Name	Line
ChartsPanel	21

frontend/src/components/admin/RecentIssues.tsx (1 functions)

Function Name	Line
RecentIssues	15

frontend/src/components/admin/SystemStatusPanel.tsx (3 functions)

Function Name	Line
StatusIndicator	61
MetricRow	80
SystemStatusPanel	102

frontend/src/components/admin/PerformanceChart.tsx (3 functions)

Function Name	Line
StatCard	74
SimpleBarChart	100
PerformanceChart	122

frontend/src/components/admin/QuickStats.tsx (1 functions)

Function Name	Line
QuickStats	15

frontend/src/components/admin/ActiveUsersPanel.tsx (1 functions)

Function Name	Line
ActiveUsersPanel	199

frontend/src/components/admin/KPICard.tsx (1 functions)

Function Name	Line
KPICard	69

frontend/src/components/common/ThemeToggle.tsx (2 functions)

Function Name	Line
ThemeToggle	7
handleToggle	16

frontend/src/components/charts/BarChart.tsx (1 functions)

Function Name	Line
BarChart	32

frontend/src/components/charts/PieChart.tsx (1 functions)

Function Name	Line
PieChart	32

frontend/src/components/charts/SimpleBarChart.tsx (1 functions)

Function Name	Line
SimpleBarChart	33

frontend/src/components/common/AccessibilityEnhancer.tsx (2 functions)

Function Name	Line
AccessibilityEnhancer	19
getEnhancedStyle	28

frontend/src/components/charts/SimpleLineChart.tsx (1 functions)

Function Name	Line
SimpleLineChart	41

frontend/src/components/scan/ItemMrpSection.tsx (1 functions)

Function Name	Line
ItemMrpSection	38

frontend/src/components/charts/LineChart.tsx (1 functions)

Function Name	Line
LineChart	46

frontend/src/components/charts/SimplePieChart.tsx (2 functions)

Function Name	Line
SimplePieChart	31
renderPieChart	67

frontend/src/components/scan/SerialNumberEntry.tsx (1 functions)

Function Name	Line
SerialNumberEntry	40

frontend/src/components/scan/SectionFocusConfig.tsx (2 functions)

Function Name	Line
SectionFocusConfig	25
handleStartSection	56

frontend/src/components/scan/FinishRackModal.tsx (1 functions)

Function Name	Line
FinishRackModal	36

frontend/src/components/scan/BatchVariantsSection.tsx (1 functions)

Function Name	Line
BatchVariantsSection	24

frontend/src/components/scan/SessionStartModal.tsx (1 functions)

Function Name	Line
SessionStartModal	25

frontend/src/components/scan/SerialEntriesSection.tsx (1 functions)

Function Name	Line
SerialEntriesSection	24

frontend/src/components/scan/ScanLookupPanel.tsx (4 functions)

Function Name	Line
EmptyState	47
RecentItemCard	74
SearchResultItem	99
ScanLookupPanel	128

frontend/src/components/scan/MRPVariantSelector.tsx (1 functions)

Function Name	Line
MRPVariantSelector	20

frontend/src/components/scan/BatchDetailsModal.tsx (1 functions)

Function Name	Line
BatchDetailsModal	40

frontend/src/components/scan/ItemSearch.tsx (2 functions)

Function Name	Line
ItemSearch	47
handleBatchSelect	80

frontend/src/components/scan/FlexibleDateField.tsx (2 functions)

Function Name	Line
PickerButton	41
FlexibleDateField	64

frontend/src/components/scan/CountQuantitySection.tsx (1 functions)

Function Name	Line
CountQuantitySection	38

frontend/src/components/scan/ResultOverlay.tsx (1 functions)

Function Name	Line
ResultOverlay	17

frontend/src/components/scan/LocationInput.tsx (1 functions)

Function Name	Line
LocationInput	22

frontend/src/components/scan/ItemDateFieldsSection.tsx (1 functions)

Function Name	Line
ItemDateFieldsSection	36

frontend/src/components/scan/EvidenceNotesSection.tsx (1 functions)

Function Name	Line
EvidenceNotesSection	37

frontend/src/components/scan/LocationVerificationSection.tsx (1 functions)

Function Name	Line
LocationVerificationSection	22

frontend/src/components/scan/ItemSubmitBar.tsx (1 functions)

Function Name	Line
ItemSubmitBar	15

frontend/src/components/scan/SerialEntryCard.tsx (1 functions)

Function Name	Line
SerialEntryCard	22

frontend/src/components/scan/RackProgressCard.tsx (1 functions)

Function Name	Line
RackProgressCard	19

frontend/src/components/scan/ScanAreaOverlay.tsx (1 functions)

Function Name	Line
ScanAreaOverlay	34

frontend/src/components/scan/ScanCameraOverlay.tsx (1 functions)

Function Name	Line
ScanCameraOverlay	32

frontend/src/components/scan/VarianceReasonModal.tsx (1 functions)

Function Name	Line
VarianceReasonModal	26

frontend/src/components/scan/SerializedItemSection.tsx (1 functions)

Function Name	Line
SerializedItemSection	28

frontend/src/components/scan/PhotoCapture.tsx (1 functions)

Function Name	Line
PhotoCapture	40

frontend/src/components/scan/ScanStatsCard.tsx (1 functions)

Function Name	Line
ScanStatsCard	36

frontend/src/components/scan/ScanFeedback.tsx (3 functions)

Function Name	Line
ScanFeedback	34
ScanToast	160
ScanIndicator	243

frontend/src/components/scan/ActiveSectionHeader.tsx (2 functions)

Function Name	Line
ActiveSectionHeader	15
handleCloseSection	18

frontend/src/components/scan/BarcodeScanner.tsx (1 functions)

Function Name	Line
BarcodeScanner	41

frontend/src/components/scan/ItemSummarySection.tsx (2 functions)

Function Name	Line
getSourceBadgeStyle	40
ItemSummarySection	72

frontend/src/components/feedback/LoadingSkeleton.tsx (2 functions)

Function Name	Line
Skeleton	20
SkeletonList	61

frontend/src/components/scan/ItemDetailModals.tsx (1 functions)

Function Name	Line
ItemDetailModals	28

frontend/src/components/feedback/Toast.tsx (3 functions)

Function Name	Line
Toast	21
getIcon	89
getColor	102

frontend/src/components/feedback/ErrorMessage.tsx (2 functions)

Function Name	Line
getErrorConfig	51
ErrorMessage	73

frontend/src/components/feedback/NetworkStatusBanner.tsx (2 functions)

Function Name	Line
NetworkStatusBanner	11
handleSync	27

frontend/src/components/feedback/StaffCrashScreen.tsx (1 functions)

Function Name	Line
StaffCrashScreen	26

frontend/src/components/feedback/LoadingState.tsx (5 functions)

Function Name	Line
LoadingSpinner	57
Skeleton	126
SkeletonList	181
CardSkeleton	231
LoadingState	283

frontend/src/components/feedback/AdminCrashScreen.tsx (1 functions)

Function Name	Line
AdminCrashScreen	25

frontend/src/components/feedback/ErrorBoundary.tsx (2 functions)

Function Name	Line
componentDidCatch	42
render	68

frontend/src/components/feedback/ToastProvider.tsx (2 functions)

Function Name	Line
ToastProvider	6
useToast	73

frontend/src/components/branding/BrandLogo.tsx (2 functions)

Function Name	Line
BrandLogo	30
getDimensions	44

frontend/src/components/forms/DateRangePicker.tsx (1 functions)

Function Name	Line
DateRangePicker	31

frontend/src/components/sync/ConflictResolutionModal.tsx (1 functions)

Function Name	Line
ConflictResolutionModal	33

frontend/src/components/LogoutButton.tsx (2 functions)

Function Name	Line
LogoutButton	18
handleLogout	26

frontend/src/components/ErrorBoundary.tsx (2 functions)

Function Name	Line
ErrorFallback	24
ErrorBoundary	84

frontend/src/components/forms/SearchAutocomplete.tsx (3 functions)

Function Name	Line
SearchAutocomplete	36
handleQueryChange	112
renderResultItem	148

frontend/src/components/SyncStatusBar.tsx (2 functions)

Function Name	Line
SyncStatusBar	26
handleSync	50

frontend/src/components/suggestions/SmartSuggestionsPanel.tsx (4 functions)

Function Name	Line
SmartSuggestionsPanel	42
toggleExpanded	92
renderQuickActions	105
getIconColor	151

frontend/src/components/Pagination.tsx (1 functions)

Function Name	Line
Pagination	13

frontend/src/components/ItemVerification.tsx (1 functions)

Function Name	Line
ItemVerification	14

frontend/src/components/DataTable.tsx (5 functions)

Function Name	Line
DataTable	39
handleSort	85
renderHeader	99
renderRow	125
renderPagination	150

frontend/src/components/premium/PremiumInput.tsx (1 functions)

Function Name	Line
PremiumInput	64

frontend/src/components/AppLogo.tsx (1 functions)

Function Name	Line
AppLogo	11

frontend/src/bootstrap/initApp.ts (1 functions)

Function Name	Line
initializeApp	20

frontend/src/bootstrap/withTimeout.ts (1 functions)

Function Name	Line
withTimeout	1

frontend/src/bootstrap/BootStateViews.tsx (2 functions)

Function Name	Line
BootLoadingView	13
BootErrorView	81

frontend/src/bootstrap/initBackend.ts (1 functions)

Function Name	Line
initBackendURL	3

frontend/src/bootstrap/initDevTools.ts (1 functions)

Function Name	Line
initMonitoringAndDevTools	1

frontend/src/bootstrap/initMobileRuntime.ts (1 functions)

Function Name	Line
initMobileRuntime	3

frontend/src/bootstrap/initAuthAndSettings.test.ts (1 functions)

Function Name	Line
advance	26

frontend/src/bootstrap/RootStack.tsx (1 functions)

Function Name	Line
RootStack	10

frontend/src/bootstrap/initAuthAndSettings.ts (1 functions)

Function Name	Line
initAuthAndSettings	8

frontend/src/utils/validation.ts (4 functions)

Function Name	Line
validateQuantity	45
validateSessionName	65
validateBarcode	109
validateMRP	153

frontend/src/utils/errors.ts (1 functions)

Function Name	Line
constructor	80

frontend/src/utils/csvExport.ts (3 functions)

Function Name	Line
convertToCSV	24
exportItemsToCSV	49
exportVariancesToCSV	95

frontend/src/utils/scanUtils.ts (5 functions)

Function Name	Line
toNumericMrp	123
normalizeMrpVariant	156
getNormalizedMrpVariants	199
register	207
getDefaultMrpForItem	243

frontend/src/utls/search.ts (1 functions)

Function Name	Line
advancedSearch	138

frontend/src/utls/fileExport.ts (1 functions)

Function Name	Line
saveArrayBufferExport	10

frontend/src/utls/retry.ts (1 functions)

Function Name	Line
retryWithBackoff	9

frontend/src/utls/roleNavigation.ts (2 functions)

Function Name	Line
getRouteForRole	3
isRouteAllowedForRole	16

frontend/src/utls/itemBatchUtils.ts (4 functions)

Function Name	Line
toNumber	11
itemFamilyKey	30
compareByStockThenIdentity	49
dedupeItemsKeepingHighestStock	78

frontend/src/context/ThemeProvider.tsx (1 functions)

Function Name	Line
ThemeProvider	182

frontend/src/context/ThemeContext.tsx (3 functions)

Function Name	Line
hexToRgba	28
ThemeProvider	201
useThemeContext	465

frontend/src/store/authStore.ts (4 functions)

Function Name	Line
decodeBase64	39
parseAuthError	158
initializeNotificationsInBackground	251
unregisterNotificationsInBackground	264

frontend/src/store/filterStore.ts (1 functions)

Function Name	Line
readPersistedFilterPresets	177

frontend/src/store/settingsStore.ts (5 functions)

Function Name	Line
normalizeColumnVisibility	205
normalizeSettings	230
fromBackendColumnVisibility	350
mapBackendSettings	365
toBackendPayload	484

frontend/src/store/__tests__/settingsStore.userScope.test.ts (1 functions)

Function Name	Line
buildBackendSettings	5

frontend/src/theme/unified/MIGRATION_EXAMPLES.tsx (3 functions)

Function Name	Line
NewIconButton	156
NewListItem	187
CompleteDashboard	238

frontend/src/theme/fontPreferences.ts (2 functions)

Function Name	Line
normalizeFontSizePreference	19
resolveFontFamilies	67

frontend/src/domains/inventory/hooks/scan/useItemDetailLogic.ts (2 functions)

Function Name	Line
useItemDetailLogic	13
loadItem	47

frontend/src/domains/inventory/hooks/scan/useItemState.ts (1 functions)

Function Name	Line
useItemState	57

frontend/src/domains/inventory/hooks/scan/useItemDraftAutosave.ts (2 functions)

Function Name	Line
useItemDraftAutosave	18
performAutosave	42

frontend/src/domains/inventory/hooks/scan/useScanState.ts (1 functions)

Function Name	Line
useScanState	32

frontend/src/domains/inventory/hooks/scan/useItemDetailData.ts (2 functions)

Function Name	Line
useItemDetailData	34
loadVariants	221

frontend/src/domains/inventory/hooks/scan/useDeferredItemSubmission.ts (1 functions)

Function Name	Line
useDeferredItemSubmission	47

frontend/src/domains/inventory/hooks/scan/useWorkflowState.ts (1 functions)

Function Name	Line
useWorkflowState	24

frontend/src/domains/inventory/hooks/scan/useBatchManagement.ts (2 functions)

Function Name	Line
useBatchManagement	5
handleAddBatch	17

frontend/src/domains/inventory/hooks/scan/useItemEvidenceState.ts (1 functions)

Function Name	Line
useItemEvidenceState	7

frontend/src/domains/inventory/hooks/scan/useQuantityCountManager.ts (1 functions)

Function Name	Line
useQuantityCountManager	20

frontend/src/domains/inventory/hooks/scan/useItemSubmission.ts (2 functions)

Function Name	Line
useItemSubmission	21
handleSubmit	30

frontend/src/domains/inventory/hooks/scan/usePhotoState.ts (1 functions)

Function Name	Line
usePhotoState	24

frontend/src/domains/inventory/hooks/scan/useItemForm.ts (4 functions)

Function Name	Line
useItemForm	6
updateSerialNumbersSize	49
validateForm	69
resetForm	114

frontend/src/domains/inventory/hooks/scan/useItemMetadataState.ts (1 functions)

Function Name	Line
useItemMetadataState	6

frontend/src/domains/inventory/hooks/scan/errorMessages.ts (4 functions)

Function Name	Line
humanizeFieldLabel	42
formatValidationMessage	69
formatBackendValidationDetail	97
getReadableInventoryErrorMessage	151

frontend/src/domains/inventory/hooks/scan/submissionPayload.ts (1 functions)

Function Name	Line
toBackendPhotoProofs	7

frontend/src/domains/inventory/hooks/scan/useFlexibleDateField.ts (4 functions)

Function Name	Line
composeDate	27
parseDateParts	42
validateFlexibleDateInput	72
useFlexibleDateField	121

frontend/src/domains/inventory/hooks/scan/useSerialEntryManager.ts (1 functions)

Function Name	Line
useSerialEntryManager	28

frontend/src/domains/inventory/hooks/scan/__tests__/useItemSubmission.test.ts (1 functions)

Function Name	Line
createForm	49

frontend/src/domains/inventory/hooks/__tests__/offlineInventoryHooks.test.tsx (1 functions)

Function Name	Line
createWrapper	33

frontend/src/domains/inventory/services/smartSuggestionsService.ts (11 functions)

Function Name	Line
getSuggestions	49
getQuantitySuggestions	88
getLocationSuggestions	158
getReasonSuggestions	213
getActionSuggestions	259
getPhotoSuggestions	317
getWorkflowSuggestions	380
calculateAverageQuantity	444
extractCommonLocations	457
trackSuggestionInteraction	482
getPersonalizedSuggestions	505

frontend/src/domains/inventory/services/itemVerificationApi.ts (2 functions)

Function Name	Line
exportItemsToERPNext	238
exportVariancesToERPNext	322

frontend/src/domains/inventory/components/ItemFilters.tsx (5 functions)

Function Name	Line
ItemFilters	44
loadLocations	68
loadRackProgress	90
updateFilter	105
renderSelectionModal	143

frontend/hooks/useSubmitDelay.ts (1 functions)

Function Name	Line
useSubmitDelay	20

frontend/e2e/helpers/auth.ts (5 functions)

Function Name	Line
getAuthenticatedSession	39
seedAuthState	68
authenticateAs	106
createSessionAs	119
cleanupUserByUsername	143

frontend/e2e/recount-assignment-ui.spec.ts (3 functions)

Function Name	Line
apiJson	44
login	77
primeAuthStorage	90

frontend/plugins/withQuotedReactNativeBundlePhase.js (2 functions)

Function Name	Line
patchBundlePhaseShellScript	3
withQuotedReactNativeBundlePhase	28

frontend/app/debug.tsx (1 functions)

Function Name	Line
DebugPage	4

frontend/app/reset-password.tsx (2 functions)

Function Name	Line
ResetPasswordScreen	29
handleReset	38

frontend/app/otp-verification.tsx (2 functions)

Function Name	Line
OtpVerificationScreen	28
handleVerify	50

frontend/app/staff/scan.screen.tsx (4 functions)

Function Name	Line
handleBarcodeScan	298
handleLookup	360
handleFinishRack	475
handleLogout	490

frontend/app/staff/serial-scanner.tsx (2 functions)

Function Name	Line
SerialScannerScreen	27
ModeChip	219

frontend/app/staff/_layout.tsx (1 functions)

Function Name	Line
StaffLayout	14

frontend/app/staff/item-detail.screen.tsx (1 functions)

Function Name	Line
ItemDetailScreen	52

frontend/app/staff/components/SectionLists.tsx (3 functions)

Function Name	Line
getRelativeTime	46
SectionLists	62
createStyles	395

frontend/app/staff/home.tsx (10 functions)

Function Name	Line
toDate	60
getSessionDate	87
formatSessionDateTime	113
fetchZones	280
fetchWarehouses	301
handleStartSession	340
handleResumeSession	426
handleOpenSessionHistory	455
renderSessionCard	470
renderContent	526

frontend/app/staff/settings.tsx (3 functions)

Function Name	Line
SettingRow	51
renderRightContent	78
StaffSettingsScreen	150

frontend/app/staff/appearance.tsx (1 functions)

Function Name	Line
StaffAppearanceScreen	11

frontend/app/staff/history.tsx (3 functions)

Function Name	Line
HistoryScreen	29
handlePinSuccess	139
renderCountLine	159

frontend/app/+not-found.tsx (1 functions)

Function Name	Line
NotFoundScreen	4

frontend/app/supervisor/session/[id].tsx (10 functions)

Function Name	Line
handleApproveLine	161
handleRejectLine	180
handleSubmitReject	198
handleVerifyStock	239
handleUnverifyStock	261
handleUpdateStatus	283
handleFinalizeSession	302
ListHeader	366
renderItem	537
renderEmpty	740

frontend/app/supervisor/_layout.tsx (2 functions)

Function Name	Line
SupervisorLayout	58
SupervisorOfflineFallback	126

frontend/app/supervisor/sessions.tsx (4 functions)

Function Name	Line
SessionsList	33
getStatusColor	94
renderItem	107
renderEmpty	213

frontend/app/supervisor/sync-conflicts.tsx (3 functions)

Function Name	Line
handleResolve	119
handleBatchResolve	136
renderConflictCard	196

frontend/app/supervisor/offline-queue.tsx (4 functions)

Function Name	Line
OfflineQueueScreen	39
handleFlush	62
renderQueueItem	103
renderConflictItem	182

frontend/app/register.tsx (2 functions)

Function Name	Line
Register	22
handleRegister	38

frontend/app/supervisor/offlineQueueFeedback.ts (1 functions)

Function Name	Line
summarizeForceSyncResult	9

frontend/app/supervisor/activity-logs.tsx (3 functions)

Function Name	Line
ActivityLogsScreen	45
getActionIcon	116
renderLogItem	130

frontend/app/supervisor/settings.tsx (2 functions)

Function Name	Line
SettingsScreen	35
handleReset	40

frontend/app/supervisor/variances.tsx (4 functions)

Function Name	Line
handleBulkAction	81
handleLoadMore	183
handleExport	197
renderVarianceItem	237

frontend/app/supervisor/variance-details.tsx (4 functions)

Function Name	Line
VarianceDetailsScreen	32
handleApprove	102
handleOpenRecount	149
handleSubmitRecount	164

frontend/app/supervisor/user-workflows.tsx (4 functions)

Function Name	Line
formatRelativeTime	87
getWorkflowVariant	121
getPriorityVariant	138
UserWorkflowsScreen	162

frontend/app/supervisor/items.tsx (5 functions)

Function Name	Line
filterCachedItems	39
ItemsScreen	67
handleLoadMore	160
handleExport	174
renderItem	205

frontend/app/supervisor/appearance.tsx (1 functions)

Function Name	Line
AppearanceScreen	11

frontend/app/supervisor/dashboard.tsx (6 functions)

Function Name	Line
SupervisorDashboard	56
fetchZones	88
handleLocationTypeChange	105
handleCreateSession	207
handleStatPress	252
buildRecommendedActions	505

frontend/app/_layout.tsx (2 functions)

Function Name	Line
RootLayout	27
initialize	46

frontend/app/help.tsx (1 functions)

Function Name	Line
HelpScreen	141

frontend/app/forgot-password.tsx (2 functions)

Function Name	Line
ForgotPasswordScreen	28
handleRequestOtp	34

frontend/app/admin/sql-config.tsx (3 functions)

Function Name	Line
SqlConfigScreen	28
handleTest	87
handleSave	113

frontend/app/login.tsx (3 functions)

Function Name	Line
SafeAnimatedView	42
getLoginErrorAlert	65
LoginScreen	119

frontend/app/admin/logs.tsx (2 functions)

Function Name	Line
LogsScreen	11
getLevelColor	67

frontend/app/admin/_layout.tsx (1 functions)

Function Name	Line
AdminLayout	24

frontend/app/admin/unknown-items.tsx (4 functions)

Function Name	Line
UnknownItemsScreen	32
handleMap	71
handleDelete	99
renderItem	126

frontend/app/admin/dashboard-web.screen.tsx (3 functions)

Function Name	Line
handleGenerateReport	295
handleAutoFix	352
handleServiceToggle	388

frontend/app/admin/settings.tsx (4 functions)

Function Name	Line
MasterSettingsScreen	30
handleSave	72
renderInput	113
renderSwitch	140

frontend/app/admin/permissions.tsx (5 functions)

Function Name	Line
PermissionsScreen	28
loadUserPermissions	75
handleAddUserPermission	101
handleRemoveUserPermission	120
renderPermissionCategories	136

frontend/app/admin/security.tsx (5 functions)

Function Name	Line
SecurityScreen	31
renderSummary	125
renderFailedLogins	230
renderSuspiciousActivity	274
renderSessions	318

frontend/app/admin/users.screen.tsx (7 functions)

Function Name	Line
UsersScreen	40
handleBulkAction	178
handleDeleteUser	225
handleToggleStatus	253
openEditModal	284
validateUserForm	320
handleSubmitUser	350

frontend/app/admin/realtime-dashboard.screen.tsx (2 functions)

Function Name	Line
RealtimeDashboard	49
handleExport	328

frontend/app/welcome.tsx (4 functions)

Function Name	Line
SafeAnimatedView	24
GlassSurface	39
FeatureCard	74
WelcomeScreen	96

frontend/app/notifications.tsx (6 functions)

Function Name	Line
NotificationsScreen	28
handleNotificationPress	45
getNotificationIcon	84
formatTimeAgo	99
renderNotificationItem	114
renderEmptyState	154

frontend/app/index.tsx (3 functions)

Function Name	Line
SafeAnimatedView	22
Index	37
createStyles	114

frontend/app/security.tsx (1 functions)

Function Name	Line
SecuritySettingsScreen	30

frontend/typescript-plugin-filter-text-errors.js (1 functions)

Function Name	Line
create	10

scripts/test_admin_api.py (1 functions)

Function Name	Line
test_admin_api	8

scripts/check_duplicate_routes.py (2 functions)

Function Name	Line
_load_app	17
main	28

scripts/verify_sujata_db.py (1 functions)

Function Name	Line
check_sujata	11

scripts/verify_and_sync_item.py (1 functions)

Function Name	Line
verify_item_sync	11

scripts/test_incremental_sync.py (1 functions)

Function Name	Line
test_incremental_sync	16

scripts/check_mongo_state.py (1 functions)

Function Name	Line
check_indexes	4

scripts/test_login_manual.py (1 functions)

Function Name	Line
test_login	5

scripts/verify_setup.py (1 functions)

Function Name	Line
main	22

scripts/verify_audit_watchdog.py (1 functions)

Function Name	Line
main	16

scripts/check_system_health.py (1 functions)

Function Name	Line
check_system	9

scripts/test_sql_conn_v2.py (1 functions)

Function Name	Line
test_sql_connection	13

scripts/check_login_attempts.py (1 functions)

Function Name	Line
check_attempts	13

scripts/verify_erp_live.py (1 functions)

Function Name	Line
check_erp_items	6

scripts/check_db_indexes.py (1 functions)

Function Name	Line
check_indexes	5

scripts/seed_test_item.py (1 functions)

Function Name	Line
seed	14

scripts/fix_default_users_pin.py (1 functions)

Function Name	Line
fix_pins	19

scripts/generate_workspace_code_report.py (2 functions)

Function Name	Line
_count_loc	98
main	170

scripts/fix_duplicate_db.py (1 functions)

Function Name	Line
fix_duplicate_10003	11

scripts/check_kit_items.py (1 functions)

Function Name	Line
check_kit_items	5

scripts/migrate_batch_id.py (1 functions)

Function Name	Line
migrate_to_batch_id	19

scripts/deduplicate_all.py (1 functions)

Function Name	Line
analyze_duplicates	11

scripts/test_sql_conn.py (1 functions)

Function Name	Line
test_sql_connection	12

scripts/find_missing_barcode.py (2 functions)

Function Name	Line
main	211
BarcodeAnalyzer	21

scripts/db_audit_dupes.py (1 functions)

Function Name	Line
audit_duplicates	20

scripts/check_users_db.py (1 functions)

Function Name	Line
check_users	13

scripts/check_sessions.py (1 functions)

Function Name	Line
check_sessions	13

scripts/agent_approval_log.py (5 functions)

Function Name	Line
_build_log_entry	33
_read_entries	67
_cmd_log	80
_cmd_show	90
_build_parser	123

backend/scripts/discover_tables.py (1 functions)

Function Name	Line
main	258

backend/scripts/reset_staff_session.py (1 functions)

Function Name	Line
reset_session	9

backend/scripts/check_other_barcodes.py (1 functions)

Function Name	Line
check_other_barcodes	14

backend/scripts/create_item_indexes.py (1 functions)

Function Name	Line
create_indexes	10

backend/scripts/add_test_items.py (1 functions)

Function Name	Line
add_test_items	14

backend/scripts/explore_barcodes.py (1 functions)

Function Name	Line
explore	17

backend/scripts/check_barcode_lengths.py (1 functions)

Function Name	Line
check_lengths	14

backend/scripts/backfill_session_snapshots.py (4 functions)

Function Name	Line
backfill_empty_session_snapshots	38
_run_backfill	172
_build_parser	186
main	208

backend/scripts/barcode_analyzer.py (1 functions)

Function Name	Line
BarcodeAnalysisResult	21

backend/scripts/sync_sql_to_mongo.py (1 functions)

Function Name	Line
main	24

backend/scripts/check_warehouses.py (1 functions)

Function Name	Line
main	11

backend/scripts/repair_count_line_item_names.py (7 functions)

Function Name	Line
_meaningful_name	30
_bad_name_query	51
_lookup_erp_item_name	68
repair_item_names	92
_run	192
_build_parser	215
_print_summary	242

backend/scripts/repair_legacy_zero_variance_approvals.py (6 functions)

Function Name	Line
_is_legacy_zero_variance_candidate	41
_build_repair_update	61
repair_legacy_zero_variance_approvals	82
_run	159
_build_parser	173
_print_summary	195

backend/scripts/set_supervisor_pin.py (1 functions)

Function Name	Line
set_pin	15

backend/scripts/check_sql_barcodes.py (1 functions)

Function Name	Line
check_sql_barcodes	18

backend/scripts/verify_reconciliation.py (2 functions)

Function Name	Line
run_verification	36
MockUser	24

backend/scripts/check_sql_duplicates.py (1 functions)

Function Name	Line
check_duplicates	13

backend/scripts/cleanup_synthetic_session_data.py (4 functions)

Function Name	Line
cleanup_synthetic_session_data	56
_run_cleanup	141
_build_parser	153
main	169

backend/scripts/check_other_barcode_columns.py (1 functions)

Function Name	Line
check_other_columns	14

backend/scripts/stress_test_concurrent_users.py (1 functions)

Function Name	Line
__init__	139

backend/scripts/check_sql_barcodes_v2.py (1 functions)

Function Name	Line
check_sql_barcodes	18

backend/scripts/load_test_search.py (1 functions)

Function Name	Line
SearchUser	6

backend/error_messages.py (1 functions)

Function Name	Line
ErrorCategory	10

backend/scripts/create_staff_users.py (1 functions)

Function Name	Line
create_users	20

backend/scripts/check_sync_optimization.py (1 functions)

Function Name	Line
check_optimization	14

backend/services/lock_service.py (1 functions)

Function Name	Line
LockService	30

backend/services/auto_diagnosis.py (2 functions)

Function Name	Line
__init__	50
__init__	92

backend/services/rate_limiter.py (1 functions)

Function Name	Line
__init__	22

backend/services/sql_connection_optimizer.py (3 functions)

Function Name	Line
__init__	24
decorator	139
wrapper	141

backend/services/watchdog_service.py (1 functions)

Function Name	Line
WatchdogService	12

backend/services/cache/redis_service.py (3 functions)

Function Name	Line
get	20
clear_prefix	47
RedisCacheService	12

backend/services/advanced_erp_sync_DISABLED_DO_NOT_USE.py (1 functions)

Function Name	Line
__init__	34

backend/services/canonical_inventory.py (10 functions)

Function Name	Line
normalize_session_status	31
is_count_line_effectively_reviewed	70
get_effective_count_line_status	87
get_effective_approval_status	99
is_session_finalized	134
is_explicit_recount	165
find_duplicate_count_line	175
can_reuse_rejected_count_line	191
is_blocking_finalization	204
recompute_session_totals	237

backend/services/batch_operations.py (4 functions)

Function Name	Line
process_batch	69
process_batch	148
process_batch	235
default_update	134

backend/services/otp_service.py (1 functions)

Function Name	Line
__init__	21

backend/services/dynamic_fields_service.py (2 functions)

Function Name	Line
_validate_number	353
_validate_select	364

backend/services/database_manager.py (1 functions)

Function Name	Line
__init__	38

backend/services/auto_sync_manager.py (1 functions)

Function Name	Line
__init__	29

backend/services/ai_search.py (1 functions)

Function Name	Line
AISearchService	15

backend/services/item_service.py (3 functions)

Function Name	Line
get_item_by_barcode	17
get_item_by_code	41
EnhancedItemService	11

backend/services/observability.py (2 functions)

Function Name	Line
__init__	81
__init__	172

backend/services/enterprise_audit.py (1 functions)

Function Name	Line
__init__	173

backend/services/database_optimizer.py (3 functions)

Function Name	Line
__init__	50
decorator	156
wrapper	158

backend/services/auto_recovery.py (4 functions)

Function Name	Line
__init__	54
decorator	247
wrapper	253
wrapper	288

backend/services/audit_service.py (1 functions)

Function Name	Line
AuditService	9

backend/services/redis_service.py (1 functions)

Function Name	Line
__init__	23

backend/services/mdns_service.py (4 functions)

Function Name	Line
register	28
unregister	70
_get_local_ip	87
MDNSService	21

backend/services/database_health.py (1 functions)

Function Name	Line
__init__	29

backend/services/ai_variance.py (2 functions)

Function Name	Line
__init__	95
AIVarianceService	86

backend/services/sql_verification_service.py (3 functions)

Function Name	Line
_error_response	39
_record_governance_event	66
_verify_item_with_sql_qty	102

backend/services/enhanced_connection_pool.py (1 functions)

Function Name	Line
__init__	50

backend/services/monitoring_service.py (1 functions)

Function Name	Line
__init__	19

backend/services/circuit_breaker.py (3 functions)

Function Name	Line
__init__	49
decorator	219
wrapper	220

backend/services/sql_sync_service.py (1 functions)

Function Name	Line
__init__	223

backend/services/data_validation_service.py (6 functions)

Function Name	Line
__init__	20
_check_field_types	93
_validate_length_constraints	112
_validate_numeric_constraints	121
_validate_single_field_constraints	144
_check_field_constraints	154

backend/services/cache_service.py (3 functions)

Function Name	Line
__init__	44
decorator	294
wrapper	295

backend/services/websocket/manager.py (3 functions)

Function Name	Line
connect	23
broadcast	44
WebSocketManager	19

backend/services/dynamic_report_service.py (1 functions)

Function Name	Line
stringify	564

backend/services/whatsapp_service.py (3 functions)

Function Name	Line
__init__	32
_send_message	71
_send_via_twilio	87

backend/services/change_detection_sync.py (1 functions)

Function Name	Line
__init__	40

backend/services/session_state_machine.py (2 functions)

Function Name	Line
_normalize	54
SessionState	12

backend/services/enterprise_security.py (1 functions)

Function Name	Line
__init__	60

backend/services/feature_flags.py (1 functions)

Function Name	Line
__init__	66

backend/services/system_report_service.py (16 functions)

Function Name	Line
generate_report	17
_get_system_health_data	39
_get_user_activity_data	65
_get_sync_history_data	125
_get_error_logs_data	190
_get_audit_trail_data	217
_build_live_system_snapshot	243
_fetch_collection_documents	270
_count_rows_in_range	283
_aggregate_api_metrics	297
_parse_datetime	360
_extract_timestamp	390
_is_in_range	399
_serialize_row	418
_to_excel	435
SystemReportService	13

backend/services/analytics_service.py (1 functions)

Function Name	Line
AnalyticsService	10

backend/models/audit.py (2 functions)

Function Name	Line
AuditEventType	10
AuditLog	37

backend/models/user.py (4 functions)

Function Name	Line
__get_pydantic_core_schema__	15
PyObjectId	13
UserUpdate	58
UserInDB	68

backend/models/preferences.py (1 functions)

Function Name	Line
UserPreferencesInDB	32

backend/auth/cookies.py (5 functions)

Function Name	Line
_cookie_samesite	32
_cookie_kwargs	42
set_auth_cookies	57
clear_auth_cookies	72
_CookieKwargs	12

backend/auth/jwt_provider.py (2 functions)

Function Name	Line
_ensure_timestamp	18
decode	41

backend/api/admin_dashboard_api.py (3 functions)

Function Name	Line
KPIResponse	28
SystemStatusResponse	39
ErrorLogEntry	60

backend/api/v2/sessions.py (2 functions)

Function Name	Line
_normalized_datetime_expression	33
_watchtower_recent_activity_payload	65

backend/api/session_management_api.py (19 functions)

Function Name	Line
_parse_session_location_parts	228
_infer_snapshot_warehouse_aliases	254
_build_snapshot_queries	272
_build_snapshot_source_data	342
_collect_snapshot_items	362
_normalize_session_status	432
_effective_session_status	450
_get_session_line_summary	482
_build_session_detail_from_doc	501
_derive_presence_status	543
_derive_workflow_stage	557
_calculate_priority_score	584
_priority_band_for_score	642
_derive_next_action	652
_finalize_session_canonical	1522
_complete_session_legacy_compatible	1655
finalize_session	1752
CanonicalSessionStatus	120
WorkflowNextAction	146

backend/api/v2/items.py (3 functions)

Function Name	Line
_dedupe_preserve_order	55
_extract_image_identifiers	73
_lookup_identified_items	104

backend/api/locations_api.py (1 functions)

Function Name	Line
_defaults_for_zone	25

backend/api/mapping_api.py (6 functions)

Function Name	Line
get_connection_string	72
get_connection	84
get_tables	151
get_columns	185
preview_mapping	230
get_current_mapping	347

backend/api/master_settings_api.py (1 functions)

Function Name	Line
SystemParameters	20

backend/api/auth_routes.py (6 functions)

Function Name	Line
_build_password_reset_query	127
_session_belongs_to_current_client	222
_ensure_single_session_for_login	264
_check_login_rate_limit	484
_validate_user_password	509
get_me	910

backend/api/realtime_dashboard_api.py (2 functions)

Function Name	Line
broadcast	115
event_generator	408

backend/api/search_api.py (1 functions)

Function Name	Line
_to_response	109

backend/api/legacy_routes_impl.py (5 functions)

Function Name	Line
get_current_user	146
init_mock_erp_data	276
create_session	597
create_count_line	1054
get_count_lines_route	1436

backend/api/unknown_items_api.py (1 functions)

Function Name	Line
CreateSKUFromUnknownRequest	44

backend/api/item_verification_api.py (6 functions)

Function Name	Line
_render_xlsx_bytes	109
_build_erpnext_item_export_row	188
_build_erpnext_variance_export_row	219
_fetch_variance_export_rows	997
generate_csv_rows	803
VerificationRequest	252

backend/api/notes_api.py (4 functions)

Function Name	Line
_serialize_note	29
list_notes	47
create_note	100
delete_note	122

backend/api/admin_control_api.py (12 functions)

Function Name	Line
_parse_ports_csv	46
_get_backend_ports	59
_get_frontend_ports	84
_get_backend_status	169
_get_frontend_status	192
_get_mongodb_status	213
_get_sql_server_status	247
_format_issue	297
_collect_system_issues	309
_build_health_payload	372
_find_running_backend_process	400
_parse_log_line	725

backend/api/logs_api.py (8 functions)

Function Name	Line
get_error_logs	77
get_error_stats	136
get_error_detail	166
resolve_error	183
get_activity_logs	214
get_activity_stats	261
ErrorLogModel	20
ActivityLogModel	42

backend/api/health.py (8 functions)

Function Name	Line
_build_readiness_checks	59
_check_mongodb_health	76
_check_sql_server_health	94
_check_redis_health	112
_check_system_resources_health	135
_build_startup_checks	151
_gather_system_resources	186
_augment_sql_pool_stats	226

backend/api/dynamic_reports_api.py (1 functions)

Function Name	Line
ReportTemplate	43

backend/api/schemas.py (10 functions)

Function Name	Line
validate_pins_match	158
normalize_status	330
ApiResponse	11
ERPItem	32
UserInfo	111
PinSetup	153
CountLineCreate	226
Session	282
UnknownItem	361
UnknownItemCreate	379

backend/api/dynamic_fields_api.py (2 functions)

Function Name	Line
FieldDefinitionCreate	33
FieldDefinitionUpdate	50

backend/api/count_lines_routes.py (9 functions)

Function Name	Line
init_count_lines_api	73
_ensure_count_line_mutable	110
_build_legacy_count_line_draft_filter	231
_resolve_item_name_for_draft	243
_build_dashboard_refresh_message	260
_broadcast_dashboard_refresh	290
create_count_line	406
list_count_lines	1014
get_count_lines_route	1329

backend/api/report_generation_api.py (1 functions)

Function Name	Line
ReportFilter	56

backend/api/user_settings_api.py (4 functions)

Function Name	Line
_normalize_font_size	40
_normalize_column_visibility	75
_merge_column_visibility_update	97
_build_user_settings	118

backend/api/supervisor_pin.py (1 functions)

Function Name	Line
PinVerificationRequest	16

backend/api/sql_connection_api.py (1 functions)

Function Name	Line
SQLConnectionConfig	19

backend/db/initialization.py (1 functions)

Function Name	Line
init_mock_erp_data	109

backend/middleware/request_size_limit.py (2 functions)

Function Name	Line
__init__	18
__call__	29

backend/middleware/request_id.py (3 functions)

Function Name	Line
__init__	63
__call__	73
send_wrapper	109

backend/middleware/security_headers.py (3 functions)

Function Name	Line
__init__	18
__call__	84
send_wrapper	88

backend/middleware/performance_middleware.py (5 functions)

Function Name	Line
__call__	30
__init__	83
__call__	98
send_wrapper	38
send_wrapper	105

backend/middleware/input_sanitization.py (4 functions)

Function Name	Line
__init__	49
_sanitize_query_params	65
_sanitize_json_body	87
_sanitize_headers	112

backend/middleware/compression_middleware.py (1 functions)

Function Name	Line
__init__	23

backend/middleware/rate_limit_middleware.py (3 functions)

Function Name	Line
__init__	21
__call__	39
send_wrapper	118

backend/middleware/logging_middleware.py (3 functions)

Function Name	Line
__init__	44
__call__	60
send_wrapper	92

backend/middleware/lan_enforcement.py (2 functions)

Function Name	Line
__init__	18
dispatch	30

backend/app/middleware.py (1 functions)

Function Name	Line
__call__	23

backend/app/routers.py (1 functions)

Function Name	Line
RouterRegistry	12

backend/app/static.py (1 functions)

Function Name	Line
serve_spa	30

backend/utils/validation.py (1 functions)

Function Name	Line
__init__	202

backend/utils/structured_logging.py (1 functions)

Function Name	Line
close	17

backend/utils/result.py (3 functions)

Function Name	Line
__exit__	224
decorator	364
wrapper	366

backend/utls/api_utls.py (2 functions)

Function Name	Line
decorator	216
wrapper	218

backend/utls/pagination.py (2 functions)

Function Name	Line
__init__	30
__init__	69

backend/utls/error_handler_with_diagnosis.py (4 functions)

Function Name	Line
__aexit__	235
decorator	143
async_wrapper	149
sync_wrapper	168

backend/utls/async_utls.py (4 functions)

Function Name	Line
__init__	28
decorator	171
decorator	323
wrapper	327

backend/utls/auth_utls.py (1 functions)

Function Name	Line
_verify_bcrypt_fallback	86

backend/utls/secret_generator.py (1 functions)

Function Name	Line
main	60

backend/utls/logging_config.py (3 functions)

Function Name	Line
format	50
_build_handlers	76
_configure_logger	106

backend/exceptions.py (10 functions)

Function Name	Line
__init__	12
__init__	37
__init__	79
__init__	103
__init__	116
__init__	134
__init__	152
__init__	169
__init__	185
__init__	201

backend/core/websocket_manager.py (4 functions)

Function Name	Line
connect	18
disconnect	46
broadcast_to_roles	77
WebSocketManager	9

backend/core/lifespan.py (4 functions)

Function Name	Line
lifespan	327
stop_redis_services	982
_init_connection_pool	462
ApiResponse	123

backend/config.py (7 functions)

Function Name	Line
coerce_debug	97
validate_jwt_secret	231
validate_jwt_refresh_secret	261
validate_log_level	384
perform_security_checks	567
__init__	474
FallbackSettings	473

backend/tests/test_repair_scripts.py (6 functions)

Function Name	Line
test_repair_item_names_uses_collection_getitem_for_user_selected_collections	62
test_repair_item_names_limit_counts_scanned_candidates_not_repairs	90
test_zero_variance_repair_skips_finalized_lines	123
_AsyncCursor	11
_Collection	30
_FakeDb	51

backend/tests/test_auth_routes_session_handling.py (2 functions)

Function Name	Line
test_get_active_session_record_returns_empty_dict_when_no_active_session	27
test_ensure_single_session_for_login_returns_ok_when_no_active_session	43

backend/tests/test_validation_scripts.py (4 functions)

Function Name	Line
test_health_check_summary_runs_under_cp1252_console	12
do_GET	38
test_final_system_validation_can_probe_local_http_server	52
_ValidationHandler	37

backend/tests/test_ai_variance.py (3 functions)

Function Name	Line
test_get_category_risk_score_heuristic	9
test_get_category_risk_score_historical	22
test_predict_session_risks	38

backend/tests/test_error_handler_with_diagnosis.py (13 functions)

Function Name	Line
__init__	13
mock_diagnosis_service	35
test_with_auto_diagnosis_async_error	62
test_with_auto_diagnosis_async_critical	75
test_with_auto_diagnosis_async_autofix_success	87
test_with_auto_diagnosis_async_autofix_fail	110
test_with_auto_diagnosis_sync_error	134
test_diagnose_and_handle_autofix	161
test_self_diagnosing_error_handler_context	172
test_self_diagnosing_error_handler_context_autofix	185
test_self_diagnosing_error_handler_execute	198
test_self_diagnosing_error_handler_execute_fail	210
MockDiagnosis	12

backend/tests/test_db_migrations.py (2 functions)

Function Name	Line
test_create_index_safe_skips_matching_existing_sparse_unique_index	15
test_create_index_safe_creates_sparse_unique_index_when_missing	45

backend/tests/test_sync_management_api.py (3 functions)

Function Name	Line
test_trigger_change_sync_runs_service_when_available	16
test_trigger_erp_sync_runs_service_when_available	29
test_trigger_change_sync_returns_error_when_sync_fails	46

backend/tests/evaluation/test_business_logic.py (1 functions)

Function Name	Line
VarianceCase	40

backend/tests/test_admin_control_api.py (11 functions)

Function Name	Line
mock_sql_connector	39
test_get_services_status	56
test_get_service_logs_backend	88
test_get_system_issues	104
test_update_sql_server_config	130
test_test_sql_server_connection	147
test_start_backend	160
test_stop_backend	171
test_start_frontend	187
test_stop_frontend	198
test_get_login_devices	219

backend/tests/governance/test_sql_read_only.py (1 functions)

Function Name	Line
test_sql_connector_blocks_mutations	8

backend/tests/governance/test_optimistic_locking.py (2 functions)

Function Name	Line
test_sql_verification_conflict_forks_on_stale_write	10
find_one_wrapper	27

backend/tests/governance/test_verification_authority.py (3 functions)

Function Name	Line
test_verify_stock_rejects_non_supervisor	11
test_unverify_stock_rejects_non_supervisor	28
test_verify_stock_allows_supervisor_and_updates	45

backend/tests/governance/test_sql_verified_qty_authority.py (1 functions)

Function Name	Line
iter_python_files	14

backend/tests/governance/test_sql_batch_verification.py (1 functions)

Function Name	Line
test_batch_verification_rejects_incomplete_quantity_results	10

backend/tests/governance/test_session_transitions.py (1 functions)

Function Name	Line
test_update_session_status_rejects_invalid_transition	20

backend/tests/governance/test_write_path_restrictions.py (1 functions)

Function Name	Line
_iter_candidate_files	28

backend/tests/test_server_entrypoint.py (1 functions)

Function Name	Line
test_server_main_uses_shared_runtime_bootstrap	7

backend/tests/test_mdns_service.py (1 functions)

Function Name	Line
test_register_is_noop_when_zeroconf_dependency_is_missing	7

backend/tests/test_items.py (1 functions)

Function Name	Line
fake_environment	13

backend/tests/verify_token_claims.py (1 functions)

Function Name	Line
test_access_token_claims	8

backend/tests/test_cleanup_synthetic_session_data.py (2 functions)

Function Name	Line
test_cleanup_synthetic_session_data_archives_and_deletes_synthetic_records	10
test_cleanup_synthetic_session_data_dry_run_does_not_modify_data	65

backend/tests/services/test_sql_sync_service.py (9 functions)

Function Name	Line
_make_service	11
test_should_check_new_items_respects_interval	37
test_should_run_nightly_sync_hour_and_once_per_day	53
test_sync_single_item_creates_new_item_when_missing	84
test_update_existing_item_updates_qty_and_metadata	121
test_check_item_qty_realtime_sql_unavailable_uses_cache	177
test_check_item_qty_realtime_updates_when_qty_changed	198
test_check_item_qty_realtime_treats_missing_sql_qty_as_zero	226

Function Name	Line
FixedDateTime	61

backend/tests/services/test_refresh_token_service.py (1 functions)

Function Name	Line
test_create_refresh_token_uses_unique_jti_for_same_payload	7

backend/tests/test_async_utils.py (6 functions)

Function Name	Line
test_with_async_executor_decorator	126
test_safe_batch_execute	152
test_async_cache_operations	181
test_async_cache_expiry	207
test_async_cache_lru_eviction	218
test_cached_async_decorator	236

backend/tests/test_user_management_routes.py (2 functions)

Function Name	Line
test_list_assignable_staff_returns_active_staff_only	10
test_list_assignable_staff_requires_recount_permission	56

backend/tests/test_auth_path.py (1 functions)

Function Name	Line
test_auth_paths	6

backend/tests/verify_security_api.py (3 functions)

Function Name	Line
verify_security_headers	15
verify_jwt_handling	48
main	70

backend/tests/test_exports_api.py (6 functions)

Function Name	Line
find	22
test_download_export_result_decodes_xlsx_payload	50
test_download_export_result_returns_csv_content_as_text	76
test_list_export_results_stringifies_schedule_id_for_json_encoding	99
_FakeExportResultsCollection	12
_FakeCursor	23

backend/tests/test_api_warehouses_manual.py (2 functions)

Function Name	Line
register_and_login	12
test_get_warehouses	53

backend/tests/test_search_service.py (3 functions)

Function Name	Line
test_search_exact_barcode_match	29
test_search_pagination	55
test_search_scoring_logic	87

backend/tests/services/test_audit_service.py (2 functions)

Function Name	Line
test_audit_log_event	8
test_watchdog_velocity_alert	33

backend/tests/test_pin_login_manual.py (1 functions)

Function Name	Line
verify_pin_login	20

backend/tests/test_logging_config.py (3 functions)

Function Name	Line
test_non_closing_stream_handler_keeps_stream_after_close	8
test_setup_logging_can_reconfigure_same_logger_without_breaking_streams	25
test_json_formatter_normalizes_logger_name_but_preserves_source_logger	46

backend/tests/test_count_lines_api.py (15 functions)

Function Name	Line
test_returns_false_when_serial_not_found	64
test_returns_details_when_serial_found	75
test_create_count_line_broadcasts_dashboard_refresh	333
test_save_count_line_draft_persists	492
test_save_count_line_draft_preserves_item_name	505
test_save_count_line_draft_fills_missing_item_name_from_erp	527
test_save_count_line_draft_sets_index_identity_fields	551
test_save_count_line_draft_recovers_from_duplicate_key	564
test_verify_stock_broadcasts_dashboard_refresh	616
test_unverify_stock_broadcasts_dashboard_refresh	713
test_approve_count_line_notifies_owner	768
test_reject_count_line_assigns_recount_and_notifies_both_users	823
test_create_count_line_updates_session_barcode_by_dual_key	1027
TestCheckSerialUniqueness	56
TestCountLinesAPIEdgeCases	953

backend/tests/test_export_mapping_cleanup.py (6 functions)

Function Name	Line
test_verified_items_report_uses_alias_aware_match_and_projection	27
test_scheduled_count_line_export_uses_counted_at_and_erp_qty	72
test_migration_manager_adds_sparse_unique_idempotency_index	117
test_optimized_count_line_indexes_match_runtime_fields	133
test_advanced_report_csv_export_supports_erpnext_import_headers	148
test_advanced_report_xlsx_export_supports_erpnext_import_headers	166

backend/tests/test_notifications_api_routes.py (6 functions)

Function Name	Line
get_user_notifications	12
notifications_app	36
test_get_notifications_accepts_both_route_forms	50
test_register_notification_device	65
test_unregister_notification_device	80
_DummyNotificationService	8

backend/tests/test_settings_runtime.py (2 functions)

Function Name	Line
test_run_server_main_http_disables_uvicorn_default_log_config	8
test_run_server_main_https_disables_uvicorn_default_log_config	45

backend/tests/api/test_item_verification_api.py (12 functions)

Function Name	Line
test_update_item_master_success	31
test_update_item_master_not_found	63
test_verify_item_success	77
test_build_item_filter_query	120
test_build_erpnext_item_export_row_includes_blank_id	134
test_build_erpnext_variance_export_row_includes_blank_id	153
test_sync_items_for_offline_cache_with_since	174
test_sync_items_for_offline_cache_without_since	216
test_export_items_csv_route_returns_erpnext_headers	238
test_export_items_xlsx_route_returns_erpnext_headers	265
test_export_variances_csv_route_returns_erpnext_headers	294
test_export_variances_xlsx_route_returns_erpnext_headers	322

backend/tests/api/test_watchtower_helpers.py (1 functions)

Function Name	Line
test_watchtower_recent_activity_payload_uses_counted_qty_and_datetime	18

backend/tests/api/test_session_finalization_and_canonical_reads.py (9 functions)

Function Name	Line
_make_auth_headers	6
_create_user	17
test_get_session_detail_uses_canonical_sessions_and_count_lines	30
test_get_session_detail_counts_legacy_zero_variance_pending_as_verified	80
test_finalize_session_locks_canonical_count_lines	127
test_finalize_session_rejects_unresolved_lines	191
test_legacy_complete_route_allows_staff_owner_close	238
test_get_count_line_detail_allows_reading_finalized_lines	289
test_finalized_count_lines_are_immutable	341

backend/tests/api/test_admin_router_auth.py (3 functions)

Function Name	Line
mock_get_current_staff	9
test_admin_settings_requires_auth	27
test_service_logs_forbids_staff	48

backend/tests/api/test_auth.py (8 functions)

Function Name	Line
test_check_rate_limit_success	63
test_check_rate_limit_exceeded	74
test_find_user_by_username_found	85
test_generate_auth_tokens_success	106
test_session_belongs_to_current_client_prefers_device_id_match	135
test_session_belongs_to_current_client_falls_back_to_ip_and_user_agent	150
test_session_belongs_to_current_client_uses_same_ip_when_metadata_is_missing	163
test_register_success	174

backend/tests/api/test_password_reset_api.py (7 functions)

Function Name	Line
__init__	69
test_password_reset_request_fails_when_delivery_unavailable	89
test_password_reset_verify_accepts_phone_number	112
_FakeUsersCollection	8
_FakeOTPService	24
_WorkingWhatsAppService	57
_FakeDB	68

backend/tests/api/test_dynamic_reports_api.py (1 functions)

Function Name	Line
test_generate_report_returns_dynamic_reports_download_url	344

backend/tests/api/test_user_management_api.py (2 functions)

Function Name	Line
mock_get_current_admin	10
mock_get_current_staff	22

backend/tests/api/test_erp_batches.py (2 functions)

Function Name	Line
test_get_item_batches_sql_path_includes_mrp_and_sorts	73
test_get_item_batches_empty	130

backend/tests/api/test_report_generation_api.py (5 functions)

Function Name	Line
test_generate_stock_summary_short_circuits_when_item_filters_match_nothing	36
test_generate_variance_report_short_circuits_when_item_filters_match_nothing	56
test_generate_session_history_report_fetches_count_lines_in_one_query	76
_find_count_lines	102
_AsyncCursor	14

backend/tests/api/test_erp_api.py (7 functions)

Function Name	Line
test_normalize_barcode_input	27
test_get_item_by_barcode_cache_hit	52
test_get_item_by_barcode_db_hit	74
test_get_item_by_barcode_not_found	97
test_refresh_item_stock	112
test_get_all_items_search	136
test_search_items_compatibility	168

backend/tests/api/test_unknown_items_public_api.py (2 functions)

Function Name	Line
test_report_unknown_item_sets_audit_fields	9
test_report_unknown_item_defaults_counted_qty	40

backend/tests/api/test_count_lines_persistence.py (6 functions)

Function Name	Line
_make_auth_headers	7
test_add_quantity_updates_count_line_and_session_totals	20
test_verify_and_unverify_persist_flags	74
test_verify_rejects_zero_variance_lines	135
test_session_count_lines_treat_legacy_zero_variance_pending_as_review_complete	181
test_put_update_count_line_recalculates_variance	238

backend/tests/api/test_auth_api.py (6 functions)

Function Name	Line
auth_headers	41
test_change_pin_success	78
test_change_pin_wrong_current	93
test_change_pin_invalid_new	107
test_change_password_success	127
test_change_password_wrong_current	145

backend/tests/api/test_items_identify_helpers.py (4 functions)

Function Name	Line
find	25
test_lookup_identified_items_prefers_exact_barcode_match	54
_FakeCursor	7
_FakeItemsCollection	21

backend/tests/api/test_preferences_api.py (4 functions)

Function Name	Line
test_get_preferences_defaults	22
test_get_preferences_existing	38
test_update_preferences_create_new	61
test_update_preferences_update_existing	95

backend/tests/api/test_enhanced_item_api.py (7 functions)

Function Name	Line
setup_mocks	20
test_get_item_by_barcode_enhanced_mongodb	56
test_get_item_by_barcode_enhanced_cache	92
test_get_item_by_barcode_enhanced_sql_sync	117
test_get_item_by_barcode_enhanced_not_found	152
test_advanced_item_search	173
test_get_unique_locations	221

backend/tests/api/test_sync_batch_logic.py (3 functions)

Function Name	Line
test_sync_single_record_scopes_upsert_by_session_id	11
test_process_count_line_op_accepts_non_dict_audit_metadata	42
test_process_count_line_op_drops_object_id_from_recount_update	79

backend/tests/api/test_mapping_api.py (7 functions)

Function Name	Line
mock_pyodbc	22
test_get_tables	43
test_get_columns	68
test_preview_mapping	90
test_save_mapping	131
test_get_current_mapping	149
test_get_current_mapping_empty	166

backend/tests/api/test_sync_batch_canonical.py (4 functions)

Function Name	Line
_legacy_count_line_op	6
test_legacy_sync_replay_is_idempotent	39
test_legacy_sync_rejects_duplicate_location_counts	79
test_legacy_sync_allows_explicit_recount_update	129

backend/tests/api/test_security_api.py (1 functions)

Function Name	Line
test_get_suspicious_activity_formats_ip_and_user_results	10

backend/tests/api/test_admin_dashboard_api.py (3 functions)

Function Name	Line
test_calculate_completion_percentage_counts_unique_locked_items	20
test_count_pending_variances_matches_status_and_approval_status	32
_count_documents	35

backend/tests/api/test_pin_auth_api.py (6 functions)

Function Name	Line
test_change_pin_success	33
test_login_with_pin_success	52
test_login_with_pin_invalid_user	96
test_login_with_pin_invalid_pin	119
test_change_pin_service_failure	147
test_pin_change_request_validation	166

backend/tests/test_jenkins_pipeline_contract.py (1 functions)

Function Name	Line
test_jenkinsfile_uses_canonical_repo_scripts	12

backend/tests/test_schemas.py (1 functions)

Function Name	Line
test_session_normalizes_empty_string_legacy_datetimes	6

backend/tests/api/test_session_management_api.py (11 functions)

Function Name	Line
test_session_create_model_accepts_location_metadata	107
test_async_cursor_applies_sort_skip_and_limit	131
test_collect_snapshot_items_uses_showroom_alias_for_plain_warehouse	147
test_get_active_sessions_includes_reconcile_and_uses_session_id_for_counts	878
test_session_heartbeat_updates_canonical_session_by_session_id	950
test_complete_session_allows_owner_from_canonical_user_id_and_updates_by_session_id	1018
_find_count_lines	906
_AsyncCursor	19
TestAsyncCursor	130
TestSnapshotLocationMatching	145
TestSessionIdentifierFallbacks	948

backend/tests/test_system_report_service.py (5 functions)

Function Name	Line
test_system_health_report_falls_back_to_live_snapshot	10
test_user_activity_report_combines_sources	38
test_sync_history_report_uses_metadata_fallbacks	87
test_error_logs_report_uses_real_error_log_fields	124
test_audit_trail_report_maps_audit_log_schema	167

backend/tests/test_error_logging.py (3 functions)

Function Name	Line
test_error_log_service_writes_document	13
test_log_http_error_stores_severity_and_code	43
test_get_errors_filters_by_severity	64

backend/tests/test_dynamic_report_service.py (1 functions)

Function Name	Line
test_generate_pdf_returns_real_pdf_bytes	10

backend/tests/test_governance_contracts.py (2 functions)

Function Name	Line
get_python_files	28
check_for_forbidden_writes	49

backend/tests/test_whatsapp_service.py (2 functions)

Function Name	Line
test_whatsapp_service_twilio_posts_expected_payload	48
_FakeAsyncClient	12

backend/tests/verify_integration_flow.py (3 functions)

Function Name	Line
get_auth_token	15
verify_items_flow	29
main	55

backend/tests/test_analytics_service.py (3 functions)

Function Name	Line
mock_db	9
test_get_verification_stats	21
test_get_category_distribution	73

backend/tests/test_governance.py (2 functions)

Function Name	Line
mock_get_current_admin	8
TestGovernance	20

backend/tests/middleware/test_lan_enforcement.py (4 functions)

Function Name	Line
test_middleware_logic_allow_private	32
test_middleware_logic_allow_loopback	52
test_middleware_logic_block_public	71
test_middleware_allow_health_check_from_public	93

backend/tests/middleware/test_performance_middleware.py (2 functions)

Function Name	Line
test_performance_middleware_awaits_request_tracking	9
test_performance_middleware_awaits_error_tracking	43

backend/tests/test_verification.py (2 functions)

Function Name	Line
test_verify_item_with_damage_types	8
test_verify_item_calculation_logic	72

backend/tests/test_validation.py (8 functions)

Function Name	Line
test_verify_update_result_success	131
test_verify_update_result_upsert	144
test_verify_update_result_match_failure	156
test_verify_update_result_modification_failure	166
test_save_with_verification_success	224
test_save_with_verification_insert_fail	241
test_save_with_verification_verify_fail	252
test_update_with_verification_success	265

backend/tests/utls/in_memory_db.py (14 functions)

Function Name	Line
find_one	213
insert_many	238
update_one	281
update_many	313
delete_many	334
find	348
__init__	377
__init__	679
set	694
pipeline	756
_seed_user	628
InMemoryCursor	169
InMemoryCollection	205
_Pipeline	757

backend/tests/verify_operational.py (3 functions)

Function Name	Line
verify_health_checks	15
verify_logging_config	57
main	72

backend/tests/test_version_check.py (1 functions)

Function Name	Line
test_version_check_endpoint_basic	89

backend/tests/core/test_validators_init.py (1 functions)

Function Name	Line
test_core_validators_init_exports	4

backend/tests/test_search_api.py (1 functions)

Function Name	Line
test_search_optimized_api	21

backend/tests/test_migrate_user_settings.py (1 functions)

Function Name	Line
test_migrate_user_settings_normalizes_existing_documents	9

backend/tests/test_notification_service.py (1 functions)

Function Name	Line
test_register_and_unregister_device	368

backend/tests/test_config_aliases.py (1 functions)

Function Name	Line
test_settings_accept_legacy_env_aliases	4

backend/tests/test_erp_utils.py (10 functions)

Function Name	Line
test_safe_date_str	41
test_get_barcode_variations	56
test_map_erp_item_to_schema	91
test_ensure_sql_connection_connect_success	132
test_ensure_sql_connection_connect_fail	145
test_fetch_item_from_erp_sql_success	168
test_fetch_item_from_erp_not_found	185
test_refresh_stock_from_erp_success	203
test_search_items_in_erp_sql_success	222
test_search_items_in_erp_fallback	236

backend/tests/test_websocket_service.py (5 functions)

Function Name	Line
test_connect	25
test_disconnect	38
test_send_personal_message	50
test_broadcast	61
test_broadcast_to_role	76

backend/tests/test_auth_cookie_support.py (3 functions)

Function Name	Line
test_login_sets_http_only_auth_cookies	21
test_auth_me_accepts_cookie_only_session	34
test_refresh_accepts_cookie_without_request_body_token	50

backend/tests/test_sql_readonly.py (1 functions)

Function Name	Line
test_runtime_readonly_guard_blocks_writes_and_multi_statement	108

backend/tests/test_enterprise_stabilization.py (3 functions)

Function Name	Line
test_single_session_enforcement	53
test_sql_verification_logic_enforcement	67
test_sql_down_behavior_blocked	108

backend/tests/test_sync_service.py (5 functions)

Function Name	Line
test_detect_conflict_no_conflict	31
test_detect_conflict_with_conflict	49
test_get_conflicts	75
test_resolve_conflict_accept_server	100
test_resolve_conflict_accept_local	134

backend/tests/test_backfill_session_snapshots.py (2 functions)

Function Name	Line
test_backfill_empty_session_snapshots_repairs_snapshot_and_session_hash	10
test_backfill_empty_session_snapshots_dry_run_leaves_documents_unchanged	62

backend/tests/test_canonical_inventory.py (2 functions)

Function Name	Line
test_non_variance_line_flagged_for_review_is_not_effectively_reviewed	9
test_recount_assignment_blocks_finalization_even_without_variance	23

backend/tests/test_repair_legacy_zero_variance_approvals.py (2 functions)

Function Name	Line
test_repair_legacy_zero_variance_approvals_updates_pending_exact_matches	12
test_repair_legacy_zero_variance_approvals_dry_run_leaves_rows_unchanged	58

backend/tests/test_db_connection.py (10 functions)

Function Name	Line
test_build_connection_string_success	53
test_build_connection_string_windows_auth	68
test_build_connection_string_with_port	79
test_create_optimized_connection	96
test_create_optimized_connection_optimization_fail	115
test_test_connection_success	134
test_test_connection_fail	143
test_optimize_existing_connection_string	170
TestSQLServerConnectionBuilder	6
TestConnectionStringOptimizer	169

backend/tests/test_sync_conflicts_service.py (1 functions)

Function Name	Line
test_resolve_conflict_handles_non_object_id_entity_ids	9

backend/tests/test_analytics_api.py (2 functions)

Function Name	Line
test_variance_trend_endpoint	5
test_staff_performance_endpoint	22

backend/tests/test_websocket_manager.py (5 functions)

Function Name	Line
test_connect	25
test_disconnect	39
test_send_personal_message	51
test_broadcast_to_session	62
test_broadcast_to_roles_only_targets_matching_users	78

backend/tests/test_enhanced_item_search.py (3 functions)

Function Name	Line
client	14
test_search_includes_item_code_and_barcode	29
mock_to_list_items	37

backend/tests/test_legacy_routes_runtime.py (1 functions)

Function Name	Line
test_lifespan_injects_into_legacy_route_implementation_module	5

backend/sql_server_connector.py (7 functions)

Function Name	Line
__init__	76
_build_sales_metadata	171
_build_brand_metadata	182
_build_purchase_metadata	193
_build_optional_selects_and_joins	204
_execute	997
SQLServerConnector	75

backend/app_factory.py (2 functions)

Function Name	Line
init_mock_erp_data	326
create_count_line	957

backend/tests/test_auto_diagnosis.py (8 functions)

Function Name	Line
test_diagnose_database_connection_error	15
test_diagnose_network_timeout_error	35
test_diagnose_auth_error	46
test_diagnosis_caching	77
test_auto_fix_error_success	90
test_auto_fix_error_not_fixable	104
test_get_error_statistics	116
test_health_check	129

Duplicate Code Blocks

Total Duplicate Groups: 307 Major: 117 Minor: 190

Duplicate Group 1 | Severity: Minor | Files: 2 | Lines: 24

File Path	Line Range
frontend/jest.setup.js	[59:70]
frontend/jest.setup.js	[71:82]

Duplicate Group 2 | Severity: Major | Files: 2 | Lines: 308

File Path	Line Range
backend/api/legacy_routes_impl.py	[387:540]
backend/app_factory.py	[438:591]

Duplicate Group 3 | Severity: Major | Files: 2 | Lines: 218

File Path	Line Range
backend/api/legacy_routes_impl.py	[276:387]
backend/db/initialization.py	[110:215]

Duplicate Group 4 | Severity: Major | Files: 3 | Lines: 282

File Path	Line Range
backend/app_factory.py	[338:431]
backend/db/initialization.py	[121:214]
backend/api/legacy_routes_impl.py	[287:380]

Duplicate Group 5 | Severity: Major | Files: 2 | Lines: 225

File Path	Line Range
backend/api/legacy_routes_impl.py	[837:948]
backend/app_factory.py	[736:848]

Duplicate Group 6 | Severity: Major | Files: 2 | Lines: 138

File Path	Line Range
backend/api/legacy_routes_impl.py	[219:287]
backend/app_factory.py	[269:337]

Duplicate Group 7 | Severity: Major | Files: 2 | Lines: 134

File Path	Line Range
backend/api/legacy_routes_impl.py	[1280:1346]
backend/app_factory.py	[1182:1248]

Duplicate Group 8 | Severity: Major | Files: 2 | Lines: 106

File Path	Line Range
backend/db_mapping_config.py	[135:187]
backend/db_mapping_config.py	[77:129]

Duplicate Group 9 | Severity: Major | Files: 4 | Lines: 208

File Path	Line Range
backend/db_mapping_config.py	[254:305]
backend/db_mapping_config.py	[136:187]
backend/db_mapping_config.py	[194:245]
backend/db_mapping_config.py	[78:129]

Duplicate Group 10 | Severity: Major | Files: 2 | Lines: 124

File Path	Line Range
backend/app_factory.py	[1082:1143]
backend/api/legacy_routes_impl.py	[1180:1241]

Duplicate Group 11 | Severity: Major | Files: 3 | Lines: 169

File Path	Line Range
backend/api/legacy_routes_impl.py	[872:929]
backend/app_factory.py	[771:828]
backend/api/session_management_api.py	[681:733]

Duplicate Group 12 | Severity: Major | Files: 2 | Lines: 95

File Path	Line Range
backend/api/legacy_routes_impl.py	[788:834]
backend/app_factory.py	[680:727]

Duplicate Group 13 | Severity: Major | Files: 3 | Lines: 180

File Path	Line Range
backend/api/count_lines_routes.py	[145:205]
backend/api/legacy_routes_impl.py	[994:1052]
backend/app_factory.py	[896:955]

Duplicate Group 14 | Severity: Major | Files: 2 | Lines: 84

File Path	Line Range
backend/api/user_management_api.py	[778:819]
backend/api/user_management_api.py	[838:879]

Duplicate Group 15 | Severity: Major | Files: 2 | Lines: 76

File Path	Line Range
backend/app_factory.py	[1144:1181]
backend/api/legacy_routes_impl.py	[1242:1279]

Duplicate Group 16 | Severity: Major | Files: 2 | Lines: 64

File Path	Line Range
backend/tests/api/test_count_lines_persistence.py	[241:272]
backend/tests/api/test_count_lines_persistence.py	[23:54]

Duplicate Group 17 | Severity: Major | Files: 2 | Lines: 82

File Path	Line Range
backend/api/user_management_api.py	[438:478]
backend/api/user_management_api.py	[590:630]

Duplicate Group 18 | Severity: Major | Files: 3 | Lines: 116

File Path	Line Range
backend/api/user_management_api.py	[297:336]
backend/api/user_management_api.py	[838:875]
backend/api/user_management_api.py	[778:815]

Duplicate Group 19 | Severity: Major | Files: 2 | Lines: 61

File Path	Line Range
backend/api/self_diagnosis_api.py	[70:100]
backend/api/self_diagnosis_api.py	[116:145]

Duplicate Group 20 | Severity: Major | Files: 2 | Lines: 52

File Path	Line Range
backend/api/dashboard_analytics_api.py	[411:436]
backend/api/dashboard_analytics_api.py	[330:355]

Duplicate Group 21 | Severity: Major | Files: 3 | Lines: 69

File Path	Line Range
backend/services/sql_verification_service.py	[645:667]
backend/services/sql_verification_service.py	[687:709]
backend/services/sql_verification_service.py	[729:751]

Duplicate Group 22 | Severity: Major | Files: 2 | Lines: 54

File Path	Line Range
backend/tests/evaluation/test_workflow.py	[268:294]
backend/tests/evaluation/test_workflow.py	[164:190]

Duplicate Group 23 | Severity: Major | Files: 2 | Lines: 52

File Path	Line Range
backend/app_factory.py	[1031:1056]
backend/api/legacy_routes_impl.py	[1142:1167]

Duplicate Group 24 | Severity: Minor | Files: 2 | Lines: 42

File Path	Line Range
backend/tests/api/test_session_finalization_and_canonical_reads.py	[347:367]
backend/tests/api/test_session_finalization_and_canonical_reads.py	[293:313]

Duplicate Group 25 | Severity: Major | Files: 3 | Lines: 78

File Path	Line Range
backend/tests/evaluation/test_workflow.py	[165:190]
backend/tests/evaluation/test_workflow.py	[379:404]
backend/tests/evaluation/test_workflow.py	[269:294]

Duplicate Group 26 | Severity: Minor | Files: 2 | Lines: 50

File Path	Line Range
backend/utils/auth_utils.py	[23:46]
backend/core/lifespan.py	[200:225]

Duplicate Group 27 | Severity: Major | Files: 2 | Lines: 54

File Path	Line Range
backend/api/realtime_dashboard_api.py	[588:615]
backend/api/realtime_dashboard_api.py	[631:656]

Duplicate Group 28 | Severity: Minor | Files: 2 | Lines: 42

File Path	Line Range
backend/services/enhanced_connection_pool.py	[434:454]
backend/services/enhanced_connection_pool.py	[378:398]

Duplicate Group 29 | Severity: Minor | Files: 2 | Lines: 40

File Path	Line Range
backend/api/dashboard_analytics_api.py	[329:348]
backend/api/dashboard_analytics_api.py	[556:575]

Duplicate Group 30 | Severity: Minor | Files: 2 | Lines: 40

File Path	Line Range
backend/services/variance_service.py	[218:237]
backend/tests/test_variance_service.py	[28:47]

Duplicate Group 31 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
backend/api/dashboard_analytics_api.py	[411:429]
backend/api/dashboard_analytics_api.py	[557:575]

Duplicate Group 32 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
backend/api/dashboard_analytics_api.py	[483:501]
backend/api/dashboard_analytics_api.py	[329:347]

Duplicate Group 33 | Severity: Minor | Files: 2 | Lines: 47

File Path	Line Range
backend/api/legacy_routes_impl.py	[1263:1286]
backend/api/count_lines_routes.py	[875:897]

Duplicate Group 34 | Severity: Minor | Files: 2 | Lines: 50

File Path	Line Range
backend/api/supervisor_workflow_api.py	[217:241]
backend/api/supervisor_workflow_api.py	[110:134]

Duplicate Group 35 | Severity: Minor | Files: 2 | Lines: 49

File Path	Line Range
backend/tests/api/test_erp_api.py	[136:159]
backend/tests/api/test_erp_api.py	[168:192]

Duplicate Group 36 | Severity: Minor | Files: 2 | Lines: 36

File Path	Line Range
backend/api/dashboard_analytics_api.py	[484:501]
backend/api/dashboard_analytics_api.py	[411:428]

Duplicate Group 37 | Severity: Major | Files: 2 | Lines: 55

File Path	Line Range
backend/api/user_management_api.py	[589:616]
backend/api/user_management_api.py	[296:322]

Duplicate Group 38 | Severity: Minor | Files: 2 | Lines: 48

File Path	Line Range
backend/api/count_lines_routes.py	[1606:1629]
backend/api/count_lines_routes.py	[1714:1737]

Duplicate Group 39 | Severity: Major | Files: 3 | Lines: 78

File Path	Line Range
backend/api/auth_routes.py	[65:90]
backend/api/legacy_routes_impl.py	[395:420]
backend/app_factory.py	[446:471]

Duplicate Group 40 | Severity: Major | Files: 2 | Lines: 55

File Path	Line Range
backend/scripts/check_sql_barcodes.py	[5:31]
backend/scripts/check_sql_barcodes_v2.py	[5:32]

Duplicate Group 41 | Severity: Minor | Files: 2 | Lines: 36

File Path	Line Range
backend/tests/api/test_sync_batch_canonical.py	[82:99]
backend/tests/api/test_sync_batch_canonical.py	[132:149]

Duplicate Group 42 | Severity: Major | Files: 3 | Lines: 54

File Path	Line Range
backend/tests/api/test_count_lines_persistence.py	[138:155]
backend/tests/api/test_count_lines_persistence.py	[186:203]
backend/tests/api/test_count_lines_persistence.py	[77:94]

Duplicate Group 43 | Severity: Minor | Files: 2 | Lines: 49

File Path	Line Range
backend/tests/api/test_dynamic_reports_api.py	[356:379]
backend/tests/api/test_dynamic_reports_api.py	[314:338]

Duplicate Group 44 | Severity: Minor | Files: 2 | Lines: 45

File Path	Line Range
backend/api/dashboard_analytics_api.py	[523:544]
backend/api/dashboard_analytics_api.py	[449:471]

Duplicate Group 45 | Severity: Major | Files: 5 | Lines: 130

File Path	Line Range
backend/api/user_management_api.py	[778:802]
backend/api/user_management_api.py	[438:464]
backend/api/user_management_api.py	[297:322]
backend/api/user_management_api.py	[838:862]
backend/api/user_management_api.py	[590:616]

Duplicate Group 46 | Severity: Major | Files: 2 | Lines: 51

File Path	Line Range
backend/api/item_verification_api.py	[887:911]
backend/api/item_verification_api.py	[843:868]

Duplicate Group 47 | Severity: Major | Files: 3 | Lines: 71

File Path	Line Range
backend/api/item_verification_api.py	[843:865]
backend/api/item_verification_api.py	[778:802]
backend/api/item_verification_api.py	[887:909]

Duplicate Group 48 | Severity: Minor | Files: 2 | Lines: 45

File Path	Line Range
backend/api/item_verification_api.py	[529:551]
backend/api/item_verification_api.py	[285:306]

Duplicate Group 49 | Severity: Minor | Files: 2 | Lines: 35

File Path	Line Range
backend/api/locations_api.py	[42:59]
backend/api/locations_api.py	[80:96]

Duplicate Group 50 | Severity: Minor | Files: 2 | Lines: 34

File Path	Line Range
backend/api/locations_api.py	[26:42]
backend/api/locations_api.py	[61:77]

Duplicate Group 51 | Severity: Minor | Files: 2 | Lines: 36

File Path	Line Range
backend/api/v2/items.py	[406:423]
backend/api/v2/items.py	[298:315]

Duplicate Group 52 | Severity: Minor | Files: 2 | Lines: 41

File Path	Line Range
backend/api/session_management_api.py	[837:858]
backend/api/legacy_routes_impl.py	[616:634]

Duplicate Group 53 | Severity: Minor | Files: 2 | Lines: 45

File Path	Line Range
backend/services/auto_recovery.py	[298:320]
backend/services/auto_recovery.py	[263:284]

Duplicate Group 54 | Severity: Major | Files: 2 | Lines: 53

File Path	Line Range
backend/tests/test_erp_sync_service.py	[175:200]
backend/tests/test_erp_sync_service.py	[135:161]

Duplicate Group 55 | Severity: Major | Files: 2 | Lines: 52

File Path	Line Range
backend/tests/api/test_session_management_api.py	[419:444]
backend/tests/api/test_session_management_api.py	[1319:1344]

Duplicate Group 56 | Severity: Minor | Files: 2 | Lines: 44

File Path	Line Range
backend/tests/api/test_dynamic_reports_api.py	[144:165]
backend/tests/api/test_dynamic_reports_api.py	[110:131]

Duplicate Group 57 | Severity: Minor | Files: 2 | Lines: 36

File Path	Line Range
backend/tests/api/test_session_finalization_and_canonical_reads.py	[128:145]
backend/tests/api/test_session_finalization_and_canonical_reads.py	[192:209]

Duplicate Group 58 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
backend/utis/error_handler_with_diagnosis.py	[30:47]
backend/utis/error_handler_with_diagnosis.py	[83:102]

Duplicate Group 59 | Severity: Major | Files: 2 | Lines: 52

File Path	Line Range
backend/api/dashboard_analytics_api.py	[476:501]
backend/api/dashboard_analytics_api.py	[549:574]

Duplicate Group 60 | Severity: Minor | Files: 2 | Lines: 35

File Path	Line Range
backend/api/item_verification_api.py	[1066:1082]
backend/api/item_verification_api.py	[1026:1043]

Duplicate Group 61 | Severity: Major | Files: 4 | Lines: 80

File Path	Line Range
backend/api/permissions_api.py	[136:155]
backend/api/permissions_api.py	[271:290]
backend/api/permissions_api.py	[226:245]
backend/api/permissions_api.py	[181:200]

Duplicate Group 62 | Severity: Major | Files: 3 | Lines: 67

File Path	Line Range
backend/tests/api/test_session_management_api.py	[981:1002]
backend/tests/api/test_session_management_api.py	[1050:1071]
backend/tests/api/test_session_management_api.py	[649:671]

Duplicate Group 63 | Severity: Minor | Files: 2 | Lines: 42

File Path	Line Range
backend/tests/api/test_session_management_api.py	[852:872]
backend/tests/api/test_session_management_api.py	[920:940]

Duplicate Group 64 | Severity: Minor | Files: 2 | Lines: 42

File Path	Line Range
backend/tests/api/test_session_management_api.py	[584:604]
backend/tests/api/test_session_management_api.py	[548:568]

Duplicate Group 65 | Severity: Major | Files: 3 | Lines: 49

File Path	Line Range
backend/tests/api/test_sync_batch_canonical.py	[82:97]
backend/tests/api/test_sync_batch_canonical.py	[40:56]
backend/tests/api/test_sync_batch_canonical.py	[132:147]

Duplicate Group 66 | Severity: Minor | Files: 2 | Lines: 42

File Path	Line Range
backend/tests/api/test_dynamic_reports_api.py	[181:201]
backend/tests/api/test_dynamic_reports_api.py	[212:232]

Duplicate Group 67 | Severity: Major | Files: 4 | Lines: 88

File Path	Line Range
backend/tests/api/test_dynamic_reports_api.py	[356:377]
backend/tests/api/test_dynamic_reports_api.py	[314:335]
backend/tests/api/test_dynamic_reports_api.py	[278:299]
backend/tests/api/test_dynamic_reports_api.py	[392:413]

Duplicate Group 68 | Severity: Major | Files: 3 | Lines: 54

File Path	Line Range
backend/tests/test_integration.py	[81:98]
backend/tests/test_integration.py	[138:155]
backend/tests/test_integration.py	[198:215]

Duplicate Group 69 | Severity: Minor | Files: 2 | Lines: 34

File Path	Line Range
backend/tests/test_count_lines_api.py	[1031:1046]
backend/tests/test_count_lines_api.py	[987:1004]

Duplicate Group 70 | Severity: Minor | Files: 2 | Lines: 31

File Path	Line Range
backend/tests/governance/test_write_path_restrictions.py	[7:22]
backend/sql_server_connector.py	[56:70]

Duplicate Group 71 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
backend/api/legacy_routes_impl.py	[1435:1449]
backend/api/count_lines_routes.py	[1328:1344]

Duplicate Group 72 | Severity: Major | Files: 2 | Lines: 80

File Path	Line Range
backend/services/sql_verification_service.py	[723:762]
backend/services/sql_verification_service.py	[681:720]

Duplicate Group 73 | Severity: Minor | Files: 2 | Lines: 31

File Path	Line Range
backend/tests/test_repair_legacy_zero_variance_approvals.py	[58:73]
backend/tests/test_repair_legacy_zero_variance_approvals.py	[12:26]

Duplicate Group 74 | Severity: Minor | Files: 2 | Lines: 36

File Path	Line Range
backend/tests/test_sync_service.py	[101:118]
backend/tests/test_sync_service.py	[135:152]

Duplicate Group 75 | Severity: Minor | Files: 2 | Lines: 40

File Path	Line Range
backend/tests/test_comprehensive.py	[13:32]
backend/tests/test_erp_sync_service.py	[14:33]

Duplicate Group 76 | Severity: Major | Files: 5 | Lines: 105

File Path	Line Range
backend/tests/api/test_dynamic_reports_api.py	[356:376]
backend/tests/api/test_dynamic_reports_api.py	[392:412]
backend/tests/api/test_dynamic_reports_api.py	[108:128]
backend/tests/api/test_dynamic_reports_api.py	[314:334]
backend/tests/api/test_dynamic_reports_api.py	[278:298]

Duplicate Group 77 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
backend/tests/test_count_lines_api.py	[624:638]
backend/tests/test_count_lines_api.py	[720:734]

Duplicate Group 78 | Severity: Minor | Files: 2 | Lines: 33

File Path	Line Range
backend/tests/services/test_sql_sync_service.py	[126:141]
backend/tests/services/test_sql_sync_service.py	[89:105]

Duplicate Group 79 | Severity: Major | Files: 3 | Lines: 51

File Path	Line Range
backend/tests/evaluation/test_workflow.py	[269:285]
backend/tests/evaluation/test_workflow.py	[165:181]
backend/tests/evaluation/test_workflow.py	[472:488]

Duplicate Group 80 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
backend/api/user_management_api.py	[540:553]
backend/api/user_management_api.py	[385:400]

Duplicate Group 81 | Severity: Minor | Files: 2 | Lines: 34

File Path	Line Range
backend/api/count_lines_routes.py	[875:891]
backend/app_factory.py	[1165:1181]

Duplicate Group 82 | Severity: Major | Files: 3 | Lines: 48

File Path	Line Range
backend/app_factory.py	[1016:1031]
backend/api/legacy_routes_impl.py	[1121:1136]
backend/api/count_lines_routes.py	[613:628]

Duplicate Group 83 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
backend/api/dynamic_reports_api.py	[399:417]
backend/api/dynamic_reports_api.py	[334:352]

Duplicate Group 84 | Severity: Minor | Files: 2 | Lines: 34

File Path	Line Range
backend/api/legacy_routes_impl.py	[724:740]
backend/api/legacy_routes_impl.py	[774:790]

Duplicate Group 85 | Severity: Major | Files: 3 | Lines: 42

File Path	Line Range
backend/api/v2/items.py	[230:243]
backend/api/v2/items.py	[298:311]
backend/api/v2/items.py	[406:419]

Duplicate Group 86 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
backend/tests/api/test_session_management_api.py	[1024:1037]
backend/tests/api/test_session_management_api.py	[954:967]

Duplicate Group 87 | Severity: Major | Files: 2 | Lines: 56

File Path	Line Range
backend/tests/api/test_session_management_api.py	[975:1002]
backend/tests/api/test_session_management_api.py	[1044:1071]

Duplicate Group 88 | Severity: Major | Files: 5 | Lines: 95

File Path	Line Range
backend/tests/api/test_dynamic_reports_api.py	[280:298]
backend/tests/api/test_dynamic_reports_api.py	[316:334]
backend/tests/api/test_dynamic_reports_api.py	[358:376]
backend/tests/api/test_dynamic_reports_api.py	[394:412]
backend/tests/api/test_dynamic_reports_api.py	[144:162]

Duplicate Group 89 | Severity: Major | Files: 9 | Lines: 182

File Path	Line Range
backend/tests/api/test_dynamic_reports_api.py	[314:333]
backend/tests/api/test_dynamic_reports_api.py	[392:411]
backend/tests/api/test_dynamic_reports_api.py	[431:451]
backend/tests/api/test_dynamic_reports_api.py	[467:487]
backend/tests/api/test_dynamic_reports_api.py	[604:623]
backend/tests/api/test_dynamic_reports_api.py	[108:127]
backend/tests/api/test_dynamic_reports_api.py	[179:198]
backend/tests/api/test_dynamic_reports_api.py	[356:375]
backend/tests/api/test_dynamic_reports_api.py	[278:297]

Duplicate Group 90 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
backend/tests/api/test_session_finalization_and_canonical_reads.py	[31:44]
backend/tests/api/test_session_finalization_and_canonical_reads.py	[83:96]

Duplicate Group 91 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
backend/tests/test_export_mapping_cleanup.py	[80:92]
backend/tests/test_export_mapping_cleanup.py	[101:115]

Duplicate Group 92 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
backend/tests/test_count_lines_api.py	[1081:1094]
backend/tests/test_count_lines_api.py	[1040:1053]

Duplicate Group 93 | Severity: Minor | Files: 2 | Lines: 29

File Path	Line Range
backend/api/count_lines_routes.py	[834:847]
backend/api/count_lines_routes.py	[888:902]

Duplicate Group 94 | Severity: Major | Files: 3 | Lines: 42

File Path	Line Range
backend/api/legacy_routes_impl.py	[805:818]
backend/app_factory.py	[699:712]
backend/api/legacy_routes_impl.py	[755:768]

Duplicate Group 95 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
backend/api/legacy_routes_impl.py	[772:787]
backend/app_factory.py	[664:679]

Duplicate Group 96 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
backend/api/count_lines_routes.py	[631:643]
backend/api/legacy_routes_impl.py	[1137:1149]

Duplicate Group 97 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
backend/api/schemas.py	[159:171]
backend/api/auth_routes.py	[981:993]

Duplicate Group 98 | Severity: Major | Files: 8 | Lines: 105

File Path	Line Range
backend/services/sql_verification_service.py	[521:534]
backend/services/sql_verification_service.py	[389:401]
backend/services/sql_verification_service.py	[369:381]
backend/services/sql_verification_service.py	[429:441]
backend/services/sql_verification_service.py	[409:421]
backend/services/sql_verification_service.py	[449:461]
backend/services/sql_verification_service.py	[469:481]
backend/services/sql_verification_service.py	[489:501]

Duplicate Group 99 | Severity: Minor | Files: 2 | Lines: 40

File Path	Line Range
backend/services/auto_recovery.py	[116:135]
backend/services/auto_recovery.py	[158:177]

Duplicate Group 100 | Severity: Minor | Files: 2 | Lines: 36

File Path	Line Range
backend/services/error_log.py	[341:358]
backend/services/activity_log.py	[204:221]

Duplicate Group 101 | Severity: Major | Files: 4 | Lines: 72

File Path	Line Range
backend/tests/api/test_session_management_api.py	[797:814]
backend/tests/api/test_session_management_api.py	[1167:1184]
backend/tests/api/test_session_management_api.py	[351:368]
backend/tests/api/test_session_management_api.py	[1259:1276]

Duplicate Group 102 | Severity: Major | Files: 12 | Lines: 216

File Path	Line Range
backend/tests/api/test_session_management_api.py	[291:308]
backend/tests/api/test_session_management_api.py	[584:601]
backend/tests/api/test_session_management_api.py	[548:565]
backend/tests/api/test_session_management_api.py	[380:397]
backend/tests/api/test_session_management_api.py	[748:765]
backend/tests/api/test_session_management_api.py	[920:937]
backend/tests/api/test_session_management_api.py	[458:475]
backend/tests/api/test_session_management_api.py	[247:264]
backend/tests/api/test_session_management_api.py	[852:869]
backend/tests/api/test_session_management_api.py	[427:444]
backend/tests/api/test_session_management_api.py	[500:517]
backend/tests/api/test_session_management_api.py	[1327:1344]

Duplicate Group 103 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
backend/tests/api/test_pin_auth_api.py	[61:73]
backend/tests/api/test_pin_auth_api.py	[122:134]

Duplicate Group 104 | Severity: Major | Files: 13 | Lines: 236

File Path	Line Range
backend/tests/api/test_dynamic_reports_api.py	[358:375]
backend/tests/api/test_dynamic_reports_api.py	[212:229]
backend/tests/api/test_dynamic_reports_api.py	[469:487]
backend/tests/api/test_dynamic_reports_api.py	[110:127]
backend/tests/api/test_dynamic_reports_api.py	[242:259]
backend/tests/api/test_dynamic_reports_api.py	[394:411]
backend/tests/api/test_dynamic_reports_api.py	[316:333]
backend/tests/api/test_dynamic_reports_api.py	[280:297]
backend/tests/api/test_dynamic_reports_api.py	[606:623]
backend/tests/api/test_dynamic_reports_api.py	[433:451]
backend/tests/api/test_dynamic_reports_api.py	[499:516]
backend/tests/api/test_dynamic_reports_api.py	[181:198]
backend/tests/api/test_dynamic_reports_api.py	[144:161]

Duplicate Group 105 | Severity: Major | Files: 3 | Lines: 36

File Path	Line Range
backend/tests/api/test_session_finalization_and_canonical_reads.py	[133:144]
backend/tests/api/test_session_finalization_and_canonical_reads.py	[197:208]
backend/tests/api/test_session_finalization_and_canonical_reads.py	[243:254]

Duplicate Group 106 | Severity: Minor | Files: 2 | Lines: 24

File Path	Line Range
backend/app_factory.py	[326:337]
backend/db/initialization.py	[110:121]

Duplicate Group 107 | Severity: Major | Files: 3 | Lines: 45

File Path	Line Range
backend/api/report_generation_api.py	[541:555]
backend/api/report_generation_api.py	[600:613]
backend/api/report_generation_api.py	[502:517]

Duplicate Group 108 | Severity: Minor | Files: 2 | Lines: 33

File Path	Line Range
backend/api/exports_api.py	[114:129]
backend/api/exports_api.py	[244:260]

Duplicate Group 109 | Severity: Minor | Files: 2 | Lines: 44

File Path	Line Range
backend/api/rack_api.py	[420:441]
backend/api/rack_api.py	[368:389]

Duplicate Group 110 | Severity: Minor | Files: 2 | Lines: 46

File Path	Line Range
backend/app_factory.py	[873:895]
backend/api/legacy_routes_impl.py	[967:989]

Duplicate Group 111 | Severity: Major | Files: 4 | Lines: 49

File Path	Line Range
backend/api/v2/items.py	[232:243]
backend/api/v2/items.py	[408:419]
backend/api/v2/items.py	[348:360]
backend/api/v2/items.py	[300:311]

Duplicate Group 112 | Severity: Minor | Files: 2 | Lines: 24

File Path	Line Range
backend/services/advanced_report_service.py	[400:411]
backend/services/advanced_report_service.py	[713:724]

Duplicate Group 113 | Severity: Minor | Files: 2 | Lines: 29

File Path	Line Range
scripts/find_missing_barcodes.py	[83:96]
scripts/find_missing_barcodes.py	[60:74]

Duplicate Group 114 | Severity: Major | Files: 3 | Lines: 59

File Path	Line Range
backend/tests/api/test_session_management_api.py	[975:994]
backend/tests/api/test_session_management_api.py	[1044:1063]
backend/tests/api/test_session_management_api.py	[703:721]

Duplicate Group 115 | Severity: Minor | Files: 2 | Lines: 22

File Path	Line Range
backend/tests/api/test_session_management_api.py	[682:692]
backend/tests/api/test_session_management_api.py	[484:494]

Duplicate Group 116 | Severity: Minor | Files: 2 | Lines: 24

File Path	Line Range
backend/tests/api/test_session_management_api.py	[300:311]
backend/tests/api/test_session_management_api.py	[360:371]

Duplicate Group 117 | Severity: Minor | Files: 2 | Lines: 48

File Path	Line Range
backend/tests/api/test_dynamic_reports_api.py	[312:335]
backend/tests/api/test_dynamic_reports_api.py	[276:299]

Duplicate Group 118 | Severity: Minor | Files: 2 | Lines: 42

File Path	Line Range
backend/tests/api/test_dynamic_reports_api.py	[239:259]
backend/tests/api/test_dynamic_reports_api.py	[209:229]

Duplicate Group 119 | Severity: Major | Files: 3 | Lines: 39

File Path	Line Range
backend/tests/api/test_session_finalization_and_canonical_reads.py	[342:354]
backend/tests/api/test_session_finalization_and_canonical_reads.py	[128:140]
backend/tests/api/test_session_finalization_and_canonical_reads.py	[192:204]

Duplicate Group 120 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
backend/tests/api/test_user_management_api.py	[21:33]
backend/tests/api/test_admin_router_auth.py	[8:26]

Duplicate Group 121 | Severity: Minor | Files: 2 | Lines: 25

File Path	Line Range
backend/core/lifespan.py	[166:177]
backend/core/database.py	[20:32]

Duplicate Group 122 | Severity: Minor | Files: 2 | Lines: 48

File Path	Line Range
backend/api/report_generation_api.py	[597:619]
backend/api/report_generation_api.py	[538:562]

Duplicate Group 123 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
backend/api/count_lines_routes.py	[1478:1490]
backend/api/count_lines_routes.py	[1404:1416]

Duplicate Group 124 | Severity: Major | Files: 3 | Lines: 45

File Path	Line Range
backend/api/count_lines_routes.py	[1084:1098]
backend/api/count_lines_routes.py	[1165:1179]
backend/api/count_lines_routes.py	[1535:1549]

Duplicate Group 125 | Severity: Minor | Files: 2 | Lines: 39

File Path	Line Range
backend/api/variance_threshold_admin_api.py	[184:204]
backend/api/variance_threshold_admin_api.py	[40:57]

Duplicate Group 126 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
backend/api/count_state_api.py	[197:209]
backend/api/count_state_api.py	[152:164]

Duplicate Group 127 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
backend/app_factory.py	[666:679]
backend/api/legacy_routes_impl.py	[724:737]

Duplicate Group 128 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
backend/api/sync_batch_api.py	[764:776]
backend/api/count_lines_routes.py	[142:160]

Duplicate Group 129 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
backend/services/dynamic_report_service.py	[507:520]
backend/services/dynamic_report_service.py	[470:485]

Duplicate Group 130 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
backend/services/sql_verification_service.py	[407:421]
backend/services/sql_verification_service.py	[387:401]

Duplicate Group 131 | Severity: Minor | Files: 2 | Lines: 27

File Path	Line Range
backend/scripts/check_other_barcodes.py	[14:26]
backend/scripts/check_sync_optimization.py	[14:27]

Duplicate Group 132 | Severity: Minor | Files: 2 | Lines: 20

File Path	Line Range
backend/sql_server_connector.py	[728:737]
backend/sql_server_connector.py	[727:736]

Duplicate Group 133 | Severity: Minor | Files: 2 | Lines: 20

File Path	Line Range
backend/tests/api/test_session_management_api.py	[83:92]
backend/tests/api/test_session_management_api.py	[777:786]

Duplicate Group 134 | Severity: Major | Files: 14 | Lines: 213

File Path	Line Range
backend/tests/api/test_dynamic_reports_api.py	[436:451]
backend/tests/api/test_dynamic_reports_api.py	[502:516]
backend/tests/api/test_dynamic_reports_api.py	[609:623]
backend/tests/api/test_dynamic_reports_api.py	[283:297]
backend/tests/api/test_dynamic_reports_api.py	[319:333]
backend/tests/api/test_dynamic_reports_api.py	[361:375]
backend/tests/api/test_dynamic_reports_api.py	[147:161]
backend/tests/api/test_dynamic_reports_api.py	[397:411]
backend/tests/api/test_dynamic_reports_api.py	[560:575]
backend/tests/api/test_dynamic_reports_api.py	[215:229]
backend/tests/api/test_dynamic_reports_api.py	[184:198]
backend/tests/api/test_dynamic_reports_api.py	[113:127]
backend/tests/api/test_dynamic_reports_api.py	[245:259]
backend/tests/api/test_dynamic_reports_api.py	[472:487]

Duplicate Group 135 | Severity: Minor | Files: 2 | Lines: 24

File Path	Line Range
backend/tests/test_count_lines_api.py	[199:210]
backend/tests/test_count_lines_api.py	[103:114]

Duplicate Group 136 | Severity: Minor | Files: 2 | Lines: 20

File Path	Line Range
backend/services/auto_recovery.py	[136:145]
backend/services/auto_recovery.py	[178:187]

Duplicate Group 137 | Severity: Major | Files: 2 | Lines: 164

File Path	Line Range
frontend/src/theme/unified/colors.ts	[33:114]
frontend/src/theme/designTokens.ts	[12:93]

Duplicate Group 138 | Severity: Major | Files: 6 | Lines: 348

File Path	Line Range
frontend/src/theme/themes.ts	[499:556]
frontend/src/theme/themes.ts	[223:280]
frontend/src/theme/themes.ts	[315:372]
frontend/src/theme/themes.ts	[683:740]
frontend/src/theme/themes.ts	[591:648]
frontend/src/theme/themes.ts	[407:464]

Duplicate Group 139 | Severity: Major | Files: 3 | Lines: 168

File Path	Line Range
frontend/src/theme/auroraTheme.ts	[48:103]
frontend/src/theme/unified/colors.ts	[33:88]
frontend/src/theme/designTokens.ts	[12:67]

Duplicate Group 140 | Severity: Major | Files: 2 | Lines: 99

File Path	Line Range
frontend/src/theme/auroraTheme.ts	[9:61]
frontend/src/styles/modernDesignSystem.ts	[11:56]

Duplicate Group 141 | Severity: Major | Files: 3 | Lines: 123

File Path	Line Range
frontend/src/theme/auroraTheme.ts	[19:61]
frontend/src/styles/modernDesignSystem.ts	[60:102]
frontend/src/styles/modernDesignSystem.ts	[20:56]

Duplicate Group 142 | Severity: Major | Files: 2 | Lines: 89

File Path	Line Range
frontend/src/domains/reports/types.ts	[2:44]
frontend/src/services/api/reportApi.ts	[2:47]

Duplicate Group 143 | Severity: Major | Files: 2 | Lines: 90

File Path	Line Range
frontend/src/services/utils/themeService.ts	[116:160]
frontend/src/services/utils/themeService.ts	[64:108]

Duplicate Group 144 | Severity: Major | Files: 2 | Lines: 72

File Path	Line Range
frontend/src/services/api/authApi.ts	[31:66]
frontend/src/domains/auth/types.ts	[16:51]

Duplicate Group 145 | Severity: Major | Files: 2 | Lines: 58

File Path	Line Range
frontend/src/styles/modernDesignSystem.ts	[815:843]
frontend/src/theme/auroraTheme.ts	[439:467]

Duplicate Group 146 | Severity: Major | Files: 4 | Lines: 112

File Path	Line Range
frontend/src/styles/modernDesignSystem.ts	[20:44]
frontend/src/theme/auroraTheme.ts	[19:47]
frontend/src/styles/modernDesignSystem.ts	[60:88]
frontend/src/theme/unified/colors.ts	[18:46]

Duplicate Group 147 | Severity: Major | Files: 2 | Lines: 72

File Path	Line Range
frontend/src/styles/modernDesignSystem.ts	[445:480]
frontend/src/theme/auroraTheme.ts	[220:255]

Duplicate Group 148 | Severity: Major | Files: 2 | Lines: 58

File Path	Line Range
frontend/src/theme/auroraTheme.ts	[90:118]
frontend/src/styles/modernDesignSystem.ts	[89:117]

Duplicate Group 149 | Severity: Major | Files: 6 | Lines: 154

File Path	Line Range
frontend/src/theme/themes.ts	[282:307]
frontend/src/theme/themes.ts	[374:399]
frontend/src/theme/themes.ts	[558:583]
frontend/src/theme/themes.ts	[650:675]
frontend/src/theme/themes.ts	[742:765]
frontend/src/theme/themes.ts	[466:491]

Duplicate Group 150 | Severity: Major | Files: 2 | Lines: 60

File Path	Line Range
frontend/src/theme/auroraTheme.ts	[141:170]
frontend/src/styles/modernDesignSystem.ts	[187:216]

Duplicate Group 151 | Severity: Minor | Files: 2 | Lines: 44

File Path	Line Range
frontend/src/styles/globalStyles.ts	[118:139]
frontend/src/styles/modernDesignSystem.ts	[328:349]

Duplicate Group 152 | Severity: Minor | Files: 2 | Lines: 46

File Path	Line Range
frontend/src/styles/modernDesignSystem.ts	[482:504]
frontend/src/theme/auroraTheme.ts	[256:278]

Duplicate Group 153 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
frontend/src/services/api/inventoryWorkflowApi.ts	[293:311]
frontend/src/services/api/inventoryWorkflowApi.ts	[329:347]

Duplicate Group 154 | Severity: Minor | Files: 2 | Lines: 37

File Path	Line Range
frontend/src/services/api/sessionManagementApi.ts	[226:243]
frontend/src/services/api/sessionManagementApi.ts	[144:162]

Duplicate Group 155 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/src/theme/themes.ts	[133:148]
frontend/src/theme/themes.ts	[149:164]

Duplicate Group 156 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
frontend/src/domains/auth/types.ts	[49:67]
frontend/src/services/api/authApi.ts	[15:33]

Duplicate Group 157 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/src/constants/scanConstants.ts	[23:38]
frontend/src/utis/scanUtils.ts	[271:286]

Duplicate Group 158 | Severity: Major | Files: 4 | Lines: 64

File Path	Line Range
frontend/src/theme/designTokens.ts	[12:27]
frontend/src/theme/modernDesign.ts	[36:51]
frontend/src/theme/unified/colors.ts	[33:48]
frontend/src/theme/auroraTheme.ts	[48:63]

Duplicate Group 159 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/src/services/themeService.ts	[4:17]
frontend/src/services/themeService.ts	[21:34]

Duplicate Group 160 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
frontend/e2e/watchtower-regression.spec.ts	[47:61]
frontend/e2e/watchtower-regression.spec.ts	[19:33]

Duplicate Group 161 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
frontend/src/domains/inventory/services/itemVerificationApi.ts	[241:255]
frontend/src/domains/inventory/services/itemVerificationApi.ts	[205:219]

Duplicate Group 162 | Severity: Major | Files: 4 | Lines: 60

File Path	Line Range
frontend/src/theme/unified/colors.ts	[89:103]
frontend/src/theme/designTokens.ts	[68:82]
frontend/src/styles/modernDesignSystem.ts	[89:103]
frontend/src/theme/auroraTheme.ts	[90:104]

Duplicate Group 163 | Severity: Major | Files: 6 | Lines: 88

File Path	Line Range
frontend/src/styles/modernDesignSystem.ts	[60:74]
frontend/src/theme/auroraTheme.ts	[19:33]
frontend/src/theme/designTokens.ts	[11:25]
frontend/src/theme/unified/colors.ts	[18:32]
frontend/src/theme/modernDesign.ts	[21:35]
frontend/src/styles/modernDesignSystem.ts	[20:32]

Duplicate Group 164 | Severity: Major | Files: 3 | Lines: 43

File Path	Line Range
frontend/src/theme/unified/colors.ts	[104:116]
frontend/src/theme/auroraTheme.ts	[104:118]
frontend/src/styles/modernDesignSystem.ts	[103:117]

Duplicate Group 165 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/src/domains/inventory/types.ts	[46:59]
frontend/src/types/scan.ts	[63:76]

Duplicate Group 166 | Severity: Major | Files: 3 | Lines: 44

File Path	Line Range
frontend/src/styles/modernDesignSystem.ts	[156:169]
frontend/src/theme/unified/colors.ts	[75:89]
frontend/src/theme/designTokens.ts	[54:68]

Duplicate Group 167 | Severity: Major | Files: 4 | Lines: 59

File Path	Line Range
frontend/src/theme/designTokens.ts	[26:40]
frontend/src/theme/auroraTheme.ts	[62:76]
frontend/src/theme/unified/colors.ts	[47:61]
frontend/src/styles/modernDesignSystem.ts	[139:152]

Duplicate Group 168 | Severity: Major | Files: 4 | Lines: 59

File Path	Line Range
frontend/src/theme/auroraTheme.ts	[76:90]
frontend/src/theme/designTokens.ts	[40:54]
frontend/src/theme/unified/colors.ts	[61:75]
frontend/src/styles/modernDesignSystem.ts	[122:135]

Duplicate Group 169 | Severity: Major | Files: 3 | Lines: 51

File Path	Line Range
frontend/src/styles/modernDesignSystem.ts	[135:151]
frontend/src/styles/modernDesignSystem.ts	[118:134]
frontend/src/styles/modernDesignSystem.ts	[152:168]

Duplicate Group 170 | Severity: Minor | Files: 2 | Lines: 31

File Path	Line Range
frontend/src/services/api/sessionApi.ts	[159:173]
frontend/src/services/api/sessionApi.ts	[110:125]

Duplicate Group 171 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
frontend/e2e/supervisor-smoke.spec.ts	[51:65]
frontend/e2e/supervisor-smoke.spec.ts	[8:22]

File Path	Line Range
frontend/e2e/auth.spec.ts	[124:136]
frontend/e2e/auth.spec.ts	[85:97]

Duplicate Group 173 | Severity: Major | Files: 29 | Lines: 395

File Path	Line Range
frontend/src/theme/modernDesign.ts	[36:49]
frontend/src/theme/designTokens.ts	[26:39]
frontend/src/theme/designTokens.ts	[12:25]
frontend/src/styles/modernDesignSystem.ts	[61:74]
frontend/src/styles/modernDesignSystem.ts	[139:151]
frontend/src/theme/designTokens.ts	[68:81]
frontend/src/theme/auroraTheme.ts	[62:75]
frontend/src/theme/unified/colors.ts	[61:74]
frontend/src/styles/modernDesignSystem.ts	[21:32]
frontend/src/theme/unified/colors.ts	[89:102]
frontend/src/theme/designTokens.ts	[54:67]
frontend/src/styles/modernDesignSystem.ts	[45:56]
frontend/src/theme/auroraTheme.ts	[20:33]
frontend/src/theme/auroraTheme.ts	[90:103]
frontend/src/theme/auroraTheme.ts	[34:47]
frontend/src/styles/modernDesignSystem.ts	[122:134]
frontend/src/styles/modernDesignSystem.ts	[89:102]
frontend/src/theme/designTokens.ts	[40:53]
frontend/src/theme/unified/colors.ts	[75:88]
frontend/src/theme/unified/colors.ts	[47:60]
frontend/src/theme/unified/colors.ts	[33:46]
frontend/src/theme/modernDesign.ts	[22:35]
frontend/src/theme/unified/colors.ts	[19:32]
frontend/src/theme/modernDesign.ts	[81:92]
frontend/src/styles/modernDesignSystem.ts	[156:168]
frontend/src/theme/auroraTheme.ts	[76:89]
frontend/src/theme/auroraTheme.ts	[48:61]
frontend/src/styles/modernDesignSystem.ts	[75:88]
frontend/src/styles/modernDesignSystem.ts	[33:44]

File Path	Line Range
frontend/src/theme/themes.ts	[223:234]
frontend/src/theme/themes.ts	[407:418]
frontend/src/styles/modernDesignSystem.ts	[200:215]
frontend/src/theme/auroraTheme.ts	[154:169]
frontend/src/theme/themes.ts	[683:694]
frontend/src/theme/themes.ts	[499:510]
frontend/src/theme/themes.ts	[315:326]
frontend/src/theme/themes.ts	[591:602]

Duplicate Group 175 | Severity: Minor | Files: 2 | Lines: 24

File Path	Line Range
frontend/src/theme/unified/shadows.ts	[15:26]
frontend/src/styles/modernDesignSystem.ts	[544:555]

Duplicate Group 176 | Severity: Minor | Files: 2 | Lines: 24

File Path	Line Range
frontend/src/services/animationService.ts	[112:123]
frontend/src/services/animationService.ts	[122:133]

Duplicate Group 177 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/e2e/visual.spec.ts	[154:168]
frontend/e2e/visual.spec.ts	[226:238]

Duplicate Group 178 | Severity: Major | Files: 33 | Lines: 363

File Path	Line Range
frontend/src/styles/modernDesignSystem.ts	[75:85]
frontend/src/styles/modernDesignSystem.ts	[122:132]
frontend/src/theme/unified/colors.ts	[75:85]
frontend/src/theme/modernDesign.ts	[36:46]
frontend/src/theme/auroraTheme.ts	[62:72]
frontend/src/styles/modernDesignSystem.ts	[103:113]
frontend/src/theme/auroraTheme.ts	[90:100]
frontend/src/theme/unified/colors.ts	[104:114]
frontend/src/styles/modernDesignSystem.ts	[45:55]

File Path	Line Range
frontend/src/theme/auroraTheme.ts	[34:44]
frontend/src/theme/designTokens.ts	[26:36]
frontend/src/styles/modernDesignSystem.ts	[89:99]
frontend/src/theme/unified/colors.ts	[47:57]
frontend/src/theme/auroraTheme.ts	[104:114]
frontend/src/theme/unified/colors.ts	[61:71]
frontend/src/theme/unified/colors.ts	[19:29]
frontend/src/theme/designTokens.ts	[68:78]
frontend/src/styles/modernDesignSystem.ts	[156:166]
frontend/src/theme/designTokens.ts	[54:64]
frontend/src/theme/unified/colors.ts	[33:43]
frontend/src/theme/designTokens.ts	[40:50]
frontend/src/theme/designTokens.ts	[83:93]
frontend/src/theme/modernDesign.ts	[22:32]
frontend/src/theme/unified/colors.ts	[89:99]
frontend/src/theme/auroraTheme.ts	[76:86]
frontend/src/styles/modernDesignSystem.ts	[33:43]
frontend/src/styles/modernDesignSystem.ts	[61:71]
frontend/src/theme/auroraTheme.ts	[20:30]
frontend/src/theme/modernDesign.ts	[81:91]
frontend/src/styles/modernDesignSystem.ts	[21:31]
frontend/src/styles/modernDesignSystem.ts	[139:149]
frontend/src/theme/auroraTheme.ts	[48:58]
frontend/src/theme/designTokens.ts	[12:22]

Duplicate Group 179 | Severity: Minor | Files: 2 | Lines: 25

File Path	Line Range
frontend/src/styles/modernDesignSystem.ts	[685:698]
frontend/src/theme/designTokens.ts	[282:292]

Duplicate Group 180 | Severity: Minor | Files: 2 | Lines: 22

File Path	Line Range
frontend/src/theme/designTokens.ts	[118:128]
frontend/src/styles/modernDesignSystem.ts	[432:442]

Duplicate Group 181 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/src/theme/modernDesign.ts	[35:49]
frontend/src/theme/modernDesign.ts	[80:92]

Duplicate Group 182 | Severity: Minor | Files: 2 | Lines: 20

File Path	Line Range
frontend/src/domains/inventory/types.ts	[69:78]
frontend/src/types/scan.ts	[99:108]

Duplicate Group 183 | Severity: Minor | Files: 2 | Lines: 20

File Path	Line Range
frontend/src/types/export.ts	[62:71]
frontend/src/types/item.ts	[49:58]

Duplicate Group 184 | Severity: Minor | Files: 2 | Lines: 20

File Path	Line Range
frontend/src/services/offline/offlineStorage.ts	[87:96]
frontend/src/services/api/models.ts	[25:34]

Duplicate Group 185 | Severity: Major | Files: 2 | Lines: 126

File Path	Line Range
frontend/app/reset-password.tsx	[140:202]
frontend/app/otp-verification.tsx	[163:225]

Duplicate Group 186 | Severity: Major | Files: 2 | Lines: 124

File Path	Line Range
frontend/app/reset-password.tsx	[142:203]
frontend/app/forgot-password.tsx	[137:198]

Duplicate Group 187 | Severity: Major | Files: 2 | Lines: 122

File Path	Line Range
frontend/app/forgot-password.tsx	[137:197]
frontend/app/otp-verification.tsx	[165:225]

Duplicate Group 188 | Severity: Major | Files: 2 | Lines: 114

File Path	Line Range
frontend/src/components/navigation/SupervisorSidebar.tsx	[352:408]
frontend/src/components/navigation/AdminSidebar.tsx	[260:316]

Duplicate Group 189 | Severity: Major | Files: 2 | Lines: 88

File Path	Line Range
frontend/app/supervisor/variances.tsx	[643:686]
frontend/app/supervisor/items.tsx	[470:513]

Duplicate Group 190 | Severity: Major | Files: 2 | Lines: 88

File Path	Line Range
frontend/src/components/settings/ChangePinModal.tsx	[205:248]
frontend/src/components/settings/ChangePasswordModal.tsx	[265:308]

Duplicate Group 191 | Severity: Major | Files: 2 | Lines: 92

File Path	Line Range
frontend/src/components/modals/SerialScannerModal.tsx	[441:486]
frontend/src/components/modals/SerialScannerModal.tsx	[691:736]

Duplicate Group 192 | Severity: Major | Files: 2 | Lines: 74

File Path	Line Range
frontend/src/components/feedback/AdminCrashScreen.tsx	[191:227]
frontend/src/components/feedback/StaffCrashScreen.tsx	[188:224]

Duplicate Group 193 | Severity: Major | Files: 2 | Lines: 70

File Path	Line Range
frontend/app/supervisor/sync-conflicts.tsx	[577:611]
frontend/app/supervisor/activity-logs.tsx	[365:399]

Duplicate Group 194 | Severity: Major | Files: 2 | Lines: 68

File Path	Line Range
frontend/src/components/navigation/AdminSidebar.tsx	[368:401]
frontend/src/components/navigation/SupervisorSidebar.tsx	[451:484]

Duplicate Group 195 | Severity: Major | Files: 2 | Lines: 64

File Path	Line Range
frontend/src/components/settings/FontStylePicker.tsx	[86:117]
frontend/src/components/settings/FontSizeSlider.tsx	[108:139]

Duplicate Group 196 | Severity: Major | Files: 2 | Lines: 62

File Path	Line Range
frontend/src/components/scan/SessionStartModal.tsx	[85:115]
frontend/src/components/scan/VarianceReasonModal.tsx	[76:106]

Duplicate Group 197 | Severity: Major | Files: 2 | Lines: 62

File Path	Line Range
frontend/src/components/navigation/AdminSidebar.tsx	[220:250]
frontend/src/components/navigation/SupervisorSidebar.tsx	[308:338]

Duplicate Group 198 | Severity: Major | Files: 2 | Lines: 56

File Path	Line Range
frontend/src/components/navigation/AdminSidebar.tsx	[447:474]
frontend/src/components/navigation/SupervisorSidebar.tsx	[533:560]

Duplicate Group 199 | Severity: Minor | Files: 2 | Lines: 50

File Path	Line Range
frontend/app/supervisor/variances.tsx	[844:868]
frontend/app/supervisor/items.tsx	[621:645]

Duplicate Group 200 | Severity: Major | Files: 2 | Lines: 54

File Path	Line Range
frontend/src/components/settings/ChangePasswordModal.tsx	[468:494]
frontend/src/components/settings/ChangePinModal.tsx	[325:351]

Duplicate Group 201 | Severity: Major | Files: 3 | Lines: 72

File Path	Line Range
frontend/app/supervisor/sync-conflicts.tsx	[583:606]
frontend/app/supervisor/offline-queue.tsx	[413:436]
frontend/app/supervisor/activity-logs.tsx	[371:394]

Duplicate Group 202 | Severity: Minor | Files: 2 | Lines: 50

File Path	Line Range
frontend/app/supervisor/sessions.tsx	[241:265]
frontend/app/supervisor/items.tsx	[287:311]

Duplicate Group 203 | Severity: Major | Files: 2 | Lines: 56

File Path	Line Range
frontend/src/components/feedback/AdminCrashScreen.tsx	[54:81]
frontend/src/components/feedback/StaffCrashScreen.tsx	[55:82]

Duplicate Group 204 | Severity: Minor | Files: 2 | Lines: 48

File Path	Line Range
frontend/src/components/settings/ChangePasswordModal.tsx	[191:214]
frontend/src/components/settings/ChangePinModal.tsx	[169:192]

Duplicate Group 205 | Severity: Minor | Files: 2 | Lines: 50

File Path	Line Range
frontend/src/components/supervisor/dashboard/SupervisorRecentSessionsSection.tsx	[134:158]
frontend/src/components/supervisor/dashboard/SupervisorActivitySection.tsx	[67:91]

Duplicate Group 206 | Severity: Minor | Files: 2 | Lines: 46

File Path	Line Range
frontend/app/admin/settings.tsx	[197:219]
frontend/app/admin/settings.tsx	[164:186]

Duplicate Group 207 | Severity: Major | Files: 3 | Lines: 69

File Path	Line Range
frontend/app/supervisor/items.tsx	[491:513]
frontend/app/supervisor/variances.tsx	[664:686]
frontend/app/supervisor/settings.tsx	[265:287]

Duplicate Group 208 | Severity: Minor | Files: 2 | Lines: 48

File Path	Line Range
frontend/src/components/charts/PieChart.tsx	[128:151]
frontend/src/components/charts/SimplePieChart.tsx	[153:176]

Duplicate Group 209 | Severity: Minor | Files: 2 | Lines: 48

File Path	Line Range
frontend/src/components/ui/SwipeCard.tsx	[177:200]
frontend/src/components/ui/SwipeCard.tsx	[210:233]

Duplicate Group 210 | Severity: Minor | Files: 2 | Lines: 46

File Path	Line Range
frontend/src/components/navigation/SupervisorSidebar.tsx	[485:507]
frontend/src/components/navigation/AdminSidebar.tsx	[402:424]

Duplicate Group 211 | Severity: Minor | Files: 2 | Lines: 44

File Path	Line Range
frontend/app/supervisor/offline-queue.tsx	[256:277]
frontend/app/supervisor/activity-logs.tsx	[249:270]

Duplicate Group 212 | Severity: Minor | Files: 2 | Lines: 44

File Path	Line Range
frontend/src/components/navigation/AdminSidebar.tsx	[425:446]
frontend/src/components/navigation/SupervisorSidebar.tsx	[510:531]

Duplicate Group 213 | Severity: Major | Files: 4 | Lines: 88

File Path	Line Range
frontend/app/forgot-password.tsx	[140:161]
frontend/app/otp-verification.tsx	[168:189]
frontend/app/reset-password.tsx	[145:166]
frontend/app/login.tsx	[579:600]

Duplicate Group 214 | Severity: Major | Files: 3 | Lines: 63

File Path	Line Range
frontend/app/supervisor/sessions.tsx	[244:264]
frontend/app/supervisor/items.tsx	[290:310]
frontend/app/supervisor/variance-details.tsx	[243:263]

Duplicate Group 215 | Severity: Minor | Files: 2 | Lines: 48

File Path	Line Range
frontend/src/components/navigation/AdminSidebar.tsx	[67:90]
frontend/src/components/navigation/SupervisorSidebar.tsx	[153:176]

Duplicate Group 216 | Severity: Major | Files: 3 | Lines: 60

File Path	Line Range
frontend/app/supervisor/activity-logs.tsx	[251:270]
frontend/app/supervisor/sync-conflicts.tsx	[282:301]
frontend/app/supervisor/offline-queue.tsx	[258:277]

Duplicate Group 217 | Severity: Minor | Files: 2 | Lines: 42

File Path	Line Range
frontend/src/components/ui/ModernCard.tsx	[346:366]
frontend/src/components/ui/ModernButton.tsx	[331:351]

Duplicate Group 218 | Severity: Minor | Files: 2 | Lines: 40

File Path	Line Range
frontend/src/components/charts/SimpleLineChart.tsx	[236:255]
frontend/src/components/charts/LineChart.tsx	[217:236]

Duplicate Group 219 | Severity: Major | Files: 4 | Lines: 79

File Path	Line Range
frontend/src/components/camera/ScanGuideOverlay.tsx	[170:188]
frontend/src/components/camera/ScanGuideOverlay.tsx	[122:141]
frontend/src/components/camera/ScanGuideOverlay.tsx	[146:165]
frontend/src/components/camera/ScanGuideOverlay.tsx	[98:117]

Duplicate Group 220 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
frontend/src/components/ui/Checkbox.tsx	[122:140]
frontend/src/components/ui/Radio.tsx	[153:171]

Duplicate Group 221 | Severity: Major | Files: 3 | Lines: 54

File Path	Line Range
frontend/app/supervisor/sessions.tsx	[248:265]
frontend/app/supervisor/settings.tsx	[67:84]
frontend/app/supervisor/items.tsx	[294:311]

Duplicate Group 222 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
frontend/app/forgot-password.tsx	[84:102]
frontend/app/otp-verification.tsx	[95:113]

Duplicate Group 223 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
frontend/src/components/admin/PerformanceChart.tsx	[252:270]
frontend/src/components/admin/SystemStatusPanel.tsx	[219:237]

Duplicate Group 224 | Severity: Minor | Files: 2 | Lines: 37

File Path	Line Range
frontend/src/components/admin/ErrorLogsPanel.tsx	[694:712]
frontend/src/components/admin/ActiveUsersPanel.tsx	[431:448]

Duplicate Group 225 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
frontend/src/components/navigation/SupervisorSidebar.tsx	[247:265]
frontend/src/components/navigation/AdminSidebar.tsx	[167:185]

Duplicate Group 226 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
frontend/src/components/navigation/AdminSidebar.tsx	[125:143]
frontend/src/components/navigation/SupervisorSidebar.tsx	[205:223]

Duplicate Group 227 | Severity: Minor | Files: 2 | Lines: 34

File Path	Line Range
frontend/app/supervisor/variances.tsx	[691:707]
frontend/app/supervisor/items.tsx	[512:528]

Duplicate Group 228 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
frontend/app/supervisor/variances.tsx	[523:541]
frontend/app/supervisor/items.tsx	[392:410]

Duplicate Group 229 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
frontend/app/supervisor/items.tsx	[245:263]
frontend/app/supervisor/variances.tsx	[350:368]

Duplicate Group 230 | Severity: Minor | Files: 2 | Lines: 34

File Path	Line Range
frontend/app/supervisor/settings.tsx	[67:83]
frontend/app/supervisor/variance-details.tsx	[247:263]

Duplicate Group 231 | Severity: Minor | Files: 2 | Lines: 34

File Path	Line Range
frontend/app/supervisor/appearance.tsx	[14:30]
frontend/app/staff/appearance.tsx	[15:31]

Duplicate Group 232 | Severity: Minor | Files: 2 | Lines: 42

File Path	Line Range
frontend/src/context/ThemeProvider.tsx	[155:175]
frontend/src/context/ThemeProvider.tsx	[122:142]

Duplicate Group 233 | Severity: Minor | Files: 2 | Lines: 38

File Path	Line Range
frontend/src/components/charts/SimplePieChart.tsx	[31:49]
frontend/src/components/charts/PieChart.tsx	[32:50]

Duplicate Group 234 | Severity: Minor | Files: 2 | Lines: 34

File Path	Line Range
frontend/src/components/charts/SimpleBarChart.tsx	[193:209]
frontend/src/components/charts/SimpleLineChart.tsx	[266:282]

Duplicate Group 235 | Severity: Minor | Files: 2 | Lines: 34

File Path	Line Range
frontend/src/components/navigation/AdminSidebar.tsx	[317:333]
frontend/src/components/navigation/SupervisorSidebar.tsx	[412:428]

Duplicate Group 236 | Severity: Major | Files: 2 | Lines: 61

File Path	Line Range
frontend/app/index.tsx	[7:36]
frontend/app/welcome.tsx	[8:38]

Duplicate Group 237 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/app/admin/logs.tsx	[248:263]
frontend/app/admin/permissions.tsx	[384:399]

Duplicate Group 238 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/app/supervisor/items.tsx	[582:597]
frontend/app/supervisor/variances.tsx	[772:787]

Duplicate Group 239 | Severity: Major | Files: 6 | Lines: 96

File Path	Line Range
frontend/app/supervisor/variance-details.tsx	[245:260]
frontend/app/supervisor/sync-conflicts.tsx	[282:297]
frontend/app/supervisor/offline-queue.tsx	[258:273]
frontend/app/supervisor/items.tsx	[292:307]
frontend/app/supervisor/sessions.tsx	[246:261]
frontend/app/supervisor/activity-logs.tsx	[251:266]

Duplicate Group 240 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/app/staff/components/SectionLists.tsx	[204:219]
frontend/app/staff/components/SectionLists.tsx	[151:166]

Duplicate Group 241 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/src/components/feedback/AdminCrashScreen.tsx	[123:138]
frontend/src/components/feedback/StaffCrashScreen.tsx	[120:135]

Duplicate Group 242 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/src/components/scan/LocationVerificationSection.tsx	[229:244]
frontend/src/components/scan/LocationVerificationSection.tsx	[259:274]

Duplicate Group 243 | Severity: Minor | Files: 2 | Lines: 40

File Path	Line Range
frontend/src/components/charts/LineChart.tsx	[53:73]
frontend/src/components/charts/BarChart.tsx	[36:54]

Duplicate Group 244 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/src/components/admin/ActiveUsersPanel.tsx	[328:343]
frontend/src/components/admin/ErrorLogsPanel.tsx	[575:590]

Duplicate Group 245 | Severity: Minor | Files: 2 | Lines: 34

File Path	Line Range
frontend/src/components/admin/ActiveUsersPanel.tsx	[290:306]
frontend/src/components/admin/ErrorLogsPanel.tsx	[540:556]

Duplicate Group 246 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/src/components/scan/BatchDetailsModal.tsx	[228:243]
frontend/src/components/admin/realtime-dashboard/ColumnSettingsModal.tsx	[95:110]

Duplicate Group 247 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/src/components/admin/realtime-dashboard/ColumnSettingsModal.tsx	[106:121]
frontend/src/components/admin/realtime-dashboard/ItemDetailsModal.tsx	[116:131]

Duplicate Group 248 | Severity: Major | Files: 3 | Lines: 48

File Path	Line Range
frontend/app/login.tsx	[41:56]
frontend/app/index.tsx	[21:36]
frontend/app/welcome.tsx	[23:38]

Duplicate Group 249 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/app/supervisor/variiances.tsx	[387:402]
frontend/app/supervisor/items.tsx	[285:300]

Duplicate Group 250 | Severity: Major | Files: 3 | Lines: 45

File Path	Line Range
frontend/app/supervisor/variiances.tsx	[663:677]
frontend/app/supervisor/variance-details.tsx	[447:461]
frontend/app/supervisor/items.tsx	[490:504]

Duplicate Group 251 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
frontend/src/domains/inventory/components/ItemFilters.tsx	[311:325]
frontend/src/domains/inventory/components/ItemFilters.tsx	[347:361]

Duplicate Group 252 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/src/components/charts/BarChart.tsx	[155:170]
frontend/src/components/charts/SimpleBarChart.tsx	[168:183]

Duplicate Group 253 | Severity: Minor | Files: 2 | Lines: 32

File Path	Line Range
frontend/src/components/admin/realtime-dashboard/ItemDetailsModal.tsx	[99:114]
frontend/src/components/admin/realtime-dashboard/ColumnSettingsModal.tsx	[89:104]

Duplicate Group 254 | Severity: Minor | Files: 2 | Lines: 35

File Path	Line Range
frontend/src/components/ui/TouchableFeedback.tsx	[186:203]
frontend/src/components/ui/TouchableFeedback.tsx	[147:163]

Duplicate Group 255 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
frontend/src/components/ui/ModernButton.tsx	[57:71]
frontend/src/components/premium/PremiumButton.tsx	[11:25]

Duplicate Group 256 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
frontend/src/components/premium/PremiumCard.tsx	[11:25]
frontend/src/components/ui/ModernCard.tsx	[53:67]

Duplicate Group 257 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/app/supervisor/variance-details.tsx	[448:461]
frontend/app/supervisor/settings.tsx	[265:278]

Duplicate Group 258 | Severity: Major | Files: 4 | Lines: 56

File Path	Line Range
frontend/app/supervisor/offline-queue.tsx	[260:273]
frontend/app/supervisor/sync-conflicts.tsx	[284:297]
frontend/app/supervisor/activity-logs.tsx	[253:266]
frontend/app/supervisor/settings.tsx	[67:80]

Duplicate Group 259 | Severity: Major | Files: 3 | Lines: 42

File Path	Line Range
frontend/app/reset-password.tsx	[87:100]
frontend/app/forgot-password.tsx	[88:101]
frontend/app/otp-verification.tsx	[99:112]

Duplicate Group 260 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/src/context/ThemeContext.tsx	[410:423]
frontend/src/context/ThemeContext.tsx	[431:444]

Duplicate Group 261 | Severity: Minor | Files: 2 | Lines: 31

File Path	Line Range
frontend/src/components/feedback/StaffCrashScreen.tsx	[90:104]
frontend/src/components/feedback/AdminCrashScreen.tsx	[89:104]

Duplicate Group 262 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/src/components/charts/SimplePieChart.tsx	[247:260]
frontend/src/components/charts/PieChart.tsx	[175:188]

Duplicate Group 263 | Severity: Major | Files: 4 | Lines: 56

File Path	Line Range
frontend/src/components/charts/SimpleBarChart.tsx	[244:257]
frontend/src/components/charts/SimpleLineChart.tsx	[346:359]
frontend/src/components/charts/BarChart.tsx	[172:185]
frontend/src/components/charts/LineChart.tsx	[244:257]

Duplicate Group 264 | Severity: Major | Files: 4 | Lines: 60

File Path	Line Range
frontend/src/components/charts/PieChart.tsx	[132:146]
frontend/src/components/charts/SimpleBarChart.tsx	[168:182]
frontend/src/components/charts/SimplePieChart.tsx	[157:171]
frontend/src/components/charts/BarChart.tsx	[155:169]

Duplicate Group 265 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/src/components/settings/ChangePinModal.tsx	[151:164]
frontend/src/components/settings/ChangePasswordModal.tsx	[169:182]

Duplicate Group 266 | Severity: Minor | Files: 2 | Lines: 29

File Path	Line Range
frontend/src/components/ui/Badge.tsx	[91:104]
frontend/src/components/ui/Chip.tsx	[120:134]

Duplicate Group 267 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/src/components/supervisor/dashboard/SupervisorRecentSessionsSection.tsx	[211:224]
frontend/src/components/supervisor/dashboard/SupervisorActivitySection.tsx	[90:103]

Duplicate Group 268 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
frontend/src/components/navigation/AdminSidebar.tsx	[152:166]
frontend/src/components/navigation/SupervisorSidebar.tsx	[232:246]

Duplicate Group 269 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
frontend/app/supervisor/variances.tsx	[807:819]
frontend/app/supervisor/items.tsx	[610:622]

Duplicate Group 270 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
frontend/app/supervisor/items.tsx	[543:555]
frontend/app/supervisor/variances.tsx	[717:729]

Duplicate Group 271 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
frontend/app/supervisor/items.tsx	[443:455]
frontend/app/supervisor/variiances.tsx	[575:587]

Duplicate Group 272 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
frontend/app/supervisor/items.tsx	[326:338]
frontend/app/supervisor/variiances.tsx	[469:481]

Duplicate Group 273 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
frontend/app/supervisor/variiances.tsx	[374:386]
frontend/app/supervisor/items.tsx	[272:284]

Duplicate Group 274 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
frontend/app/supervisor/offline-queue.tsx	[402:414]
frontend/app/admin/unknown-items.tsx	[286:298]

Duplicate Group 275 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
frontend/app/supervisor/session/[id].tsx	[126:138]
frontend/app/supervisor/session/[id].tsx	[337:349]

Duplicate Group 276 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/app/supervisor/variiances.tsx	[389:402]
frontend/app/supervisor/sessions.tsx	[241:254]

Duplicate Group 277 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
frontend/src/components/settings/ChangePasswordModal.tsx	[316:328]
frontend/src/components/settings/ChangePinModal.tsx	[251:263]

Duplicate Group 278 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/src/components/ui/SessionCard.tsx	[227:240]
frontend/src/components/ui/QuickStatCard.tsx	[235:248]

Duplicate Group 279 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
frontend/src/components/navigation/AdminSidebar.tsx	[38:51]
frontend/src/components/navigation/SupervisorSidebar.tsx	[126:141]

Duplicate Group 280 | Severity: Major | Files: 3 | Lines: 36

File Path	Line Range
frontend/app/supervisor/sync-conflicts.tsx	[571:582]
frontend/app/supervisor/variances.tsx	[652:663]
frontend/app/supervisor/items.tsx	[479:490]

Duplicate Group 281 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/app/supervisor/session/[id].tsx	[98:111]
frontend/app/supervisor/variance-details.tsx	[80:93]

Duplicate Group 282 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/src/components/scan/ScanFeedback.tsx	[75:88]
frontend/src/components/scan/ScanFeedback.tsx	[182:195]

Duplicate Group 283 | Severity: Minor | Files: 2 | Lines: 24

File Path	Line Range
frontend/src/components/scan/FlexibleDateField.tsx	[148:159]
frontend/src/components/scan/FlexibleDateField.tsx	[135:146]

Duplicate Group 284 | Severity: Minor | Files: 2 | Lines: 28

File Path	Line Range
frontend/src/components/scan/FinishRackModal.tsx	[12:25]
frontend/src/components/scan/ScanStatsCard.tsx	[6:19]

Duplicate Group 285 | Severity: Minor | Files: 2 | Lines: 24

File Path	Line Range
frontend/src/components/scan/QuantityInputForm.tsx	[236:247]
frontend/src/components/scan/QuantityInputForm.tsx	[263:274]

Duplicate Group 286 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
frontend/src/components/admin/RoleSelector.tsx	[132:144]
frontend/src/components/admin/RoleSelector.tsx	[66:78]

Duplicate Group 287 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
frontend/src/components/settings/ChangePinModal.tsx	[4:18]
frontend/src/components/settings/ChangePasswordModal.tsx	[4:18]

Duplicate Group 288 | Severity: Minor | Files: 2 | Lines: 30

File Path	Line Range
frontend/src/components/scan/ItemMrpSection.tsx	[5:20]
frontend/src/components/modals/OptionSelectModal.tsx	[6:19]

Duplicate Group 289 | Severity: Minor | Files: 2 | Lines: 22

File Path	Line Range
frontend/app/supervisor/dashboard.tsx	[156:166]
frontend/app/supervisor/dashboard.tsx	[73:83]

Duplicate Group 290 | Severity: Minor | Files: 2 | Lines: 44

File Path	Line Range
frontend/app/supervisor/items.tsx	[3:25]
frontend/app/supervisor/variances.tsx	[3:23]

Duplicate Group 291 | Severity: Minor | Files: 2 | Lines: 22

File Path	Line Range
frontend/app/supervisor/variances.tsx	[392:402]
frontend/app/supervisor/variance-details.tsx	[243:253]

Duplicate Group 292 | Severity: Minor | Files: 2 | Lines: 26

File Path	Line Range
frontend/app/supervisor/settings.tsx	[134:146]
frontend/app/supervisor/settings.tsx	[187:199]

Duplicate Group 293 | Severity: Minor | Files: 2 | Lines: 24

File Path	Line Range
frontend/app/supervisor/activity-logs.tsx	[273:284]
frontend/app/supervisor/sync-conflicts.tsx	[304:315]

Duplicate Group 294 | Severity: Minor | Files: 2 | Lines: 22

File Path	Line Range
frontend/app/register.tsx	[310:320]
frontend/app/register.tsx	[347:357]

Duplicate Group 295 | Severity: Minor | Files: 2 | Lines: 23

File Path	Line Range
frontend/src/components/admin/PerformanceChart.tsx	[164:175]
frontend/src/components/admin/PerformanceChart.tsx	[145:155]

Duplicate Group 296 | Severity: Minor | Files: 2 | Lines: 22

File Path	Line Range
frontend/src/components/admin/SystemStatusPanel.tsx	[124:134]
frontend/src/components/admin/SystemStatusPanel.tsx	[106:116]

Duplicate Group 297 | Severity: Minor | Files: 2 | Lines: 22

File Path	Line Range
frontend/src/components/admin/realtime-dashboard/ColumnSettingsModal.tsx	[30:40]
frontend/src/components/admin/realtime-dashboard/ItemDetailsModal.tsx	[56:66]

Duplicate Group 298 | Severity: Minor | Files: 2 | Lines: 24

File Path	Line Range
frontend/src/components/settings/ChangePinModal.tsx	[279:290]
frontend/src/components/settings/ChangePinModal.tsx	[298:309]

Duplicate Group 299 | Severity: Minor | Files: 2 | Lines: 22

File Path	Line Range
frontend/src/components/ui/PatternBackground.tsx	[187:197]
frontend/src/components/ui/PatternBackground.tsx	[300:310]

Duplicate Group 300 | Severity: Minor | Files: 2 | Lines: 23

File Path	Line Range
frontend/src/components/modals/PhotoCaptureModal.tsx	[229:240]
frontend/src/components/modals/PhotoCaptureModal.tsx	[171:181]

Duplicate Group 301 | Severity: Minor | Files: 2 | Lines: 29

File Path	Line Range
frontend/src/components/charts/SimpleLineChart.tsx	[68:80]
frontend/src/components/charts/LineChart.tsx	[70:85]

Duplicate Group 302 | Severity: Minor | Files: 2 | Lines: 20

File Path	Line Range
frontend/src/components/admin/ActiveUsersPanel.tsx	[301:310]
frontend/src/components/admin/PerformanceChart.tsx	[264:273]

Duplicate Group 303 | Severity: Minor | Files: 2 | Lines: 20

File Path	Line Range
frontend/src/components/admin/ErrorLogsPanel.tsx	[593:602]
frontend/src/components/admin/ActiveUsersPanel.tsx	[346:355]

Duplicate Group 304 | Severity: Major | Files: 3 | Lines: 40

File Path	Line Range
frontend/src/components/ui/FloatingActionButton.tsx	[28:40]
frontend/src/components/ui/QuickStatCard.tsx	[27:39]
frontend/src/components/ui/SessionCard.tsx	[25:38]

Duplicate Group 305 | Severity: Minor | Files: 2 | Lines: 31

File Path	Line Range
frontend/src/components/ui/FloatingScanButton.tsx	[17:32]
frontend/src/components/ui/AuroraBackground.tsx	[19:33]

Duplicate Group 306 | Severity: Minor | Files: 2 | Lines: 27

File Path	Line Range
scripts/spec-kit/bash/create-new-feature.sh	[28:40]
scripts/spec-kit/bash/create-new-feature.sh	[14:27]

File Path	Line Range
scripts/backup_mongo.sh	[4:17]
scripts/restore_mongo.sh	[10:23]