

Sentry API



API Documentation

v1.1



Table of Contents

Sentry API Documentation - Version 1.0

1.  **Overview - Purpose and scope of the Sentry API**
2.  **Authentication - How to connect using JSON Web Tokens (JWT)**
3.  **Instruct Claim**
4.  **Claim Location Update**
5.  **Authority Status Update**
6.  **Submit Note**
7.  **Claim Update**
8.  **Submit Report**

Overview

The **Sentry API** facilitates the secure and efficient transmission of data related to vehicles involved in **Road Traffic Accidents (RTAs)** or other forms of damage that require engineering assessment, reporting, or authorization.

This API enables authorized external partners - such as insurers, claims management companies, and repair networks - to exchange claim-related data quickly and reliably.

Supported Data Types

The Sentry API supports the transmission and management of the following data types:

-  **Instructions** - details and requests relating to the handling of a vehicle claim.
 -  **Notes** - internal or external commentary related to a claim's progress or observations.
 -  **Claim Updates** - status changes, progress updates, and lifecycle events.
 -  **Location Updates** - geolocation or tracking information relevant to the vehicle or case.
 -  **Repair Authority Updates** - communication of repair authorizations, amendments, or rejections.
-

Purpose

The Sentry API is designed to make the process of sending and receiving vehicle claim-related data:

- **Quick** - streamlined data exchange between systems.
- **Efficient** - minimal manual intervention or duplication.
- **Simple to Integrate** - clear structure and straightforward implementation for any external service provider.

Authentication

All Sentry API endpoints require valid authentication using a **JSON Web Token (JWT)**.

External users must first obtain a token using their assigned **Client ID** and **Client Secret** credentials.

Tokens are short-lived and must be refreshed periodically.

Authentication Endpoint

POST /Connect/token

Request Format

The request must use the application/x-www-form-urlencoded content type and include the following fields:

Field	Type	Required	Description
Client_Id	string	 Yes	Unique identifier assigned to the client.
Client_Secret	string	 Yes	Secret key assigned to the client for authentication.

Example Request

POST /api/Connect/token

Content-Type: application/x-www-form-urlencoded

Client_Id=partner123&Client_Secret=secretKeyValue

 Example Responses **Success (200 OK)**

```
{  
  "access_token": "JWT string",  
  "expires_in": 5  
}
```

- `access_token`: The JWT string used for authenticating subsequent requests.
- `expires_in`: Time remaining (in minutes) before the token expires (default: **5 minutes**).

 Failure (401 Unauthorized)

```
{  
  "error": "unauthorized_client",  
  "error_description": "Invalid Client ID or Secret"  
}
```

 Usage

All subsequent API requests must include the token in the HTTP Authorization header:

Authorization: Bearer {access_token}

 **Tip:** Because tokens expire every 5 minutes, it's recommended to automate token refreshes using your integration middleware or API client.

 Base API URL

<https://sentry.evasoftware.co.uk/api/>

 Instruct Claim

Endpoint: POST /Instruction/Inspection

Purpose: Submit an instruction to the vehicle assessor for a claim. The more complete the information provided, the more efficiently assessors can begin actioning the claim.

 Request Model

Field	Type	Required	Description
RequestFrom	string (max 40)	✓	Contact code supplied by us with your credentials.
ExternalRef	string	✓	External reference for the claim or instruction. (This is your own reference)
Agent	string (max 10)	✗	Agent code, if applicable.
ProvEng	string (max 10)	✗	Provisional engineer code, if applicable.
VehReg	string (max 20)	✓	Vehicle registration number.
PrivateHireLicenceNo	string (max 20)	✗	Licence number for private hire vehicles.
PrivateHireLicenceAuth	string (max 50)	✗	Private hire licence authorization reference.
DtPlateExpire	DateTime	✗	Expiry date of the vehicle plate.
ClmNo	string (max 24)	✓	Claim number.
PolNo	string (max 24)	✗	Policy number.
InsName	string (max 60)	✓	Name of the insurer.

TPName	string (max 60)	✗	Name of the third party.
PrincipalName	string (max 24)	✗	Principal party name.
VehDesc	string (max 40)	✗	Vehicle description.
RepairName	string (max 40)	✗	Name of the repairer.
RepairAdd	string (max 40)	✗	Address of the repairer.
RepairTown	string (max 250)	✗	Town of the repairer.
RepairCity	string (max 250)	✗	City of the repairer.
RepairCounty	string (max 250)	✗	County of the repairer.
RepairPCode	string (max 10)	✗	Postcode of the repairer.
RepairTel	string (max 18)	✗	Contact number of the repairer.
RepairEmail	String (max 255)	✗	Repairer email address.
RepairerNetworkCode	string (max 35)	✗	Network code for the repairer.
ApprovedRepairer	bool	✗	Whether the repairer is approved.
EstRec	decimal	✗	Estimated recovery cost.
EstLab	decimal	✗	Estimated labour cost.
EstMat	decimal	✗	Estimated materials cost.
EstPts	decimal	✗	Estimated parts cost.
EstNet	decimal	✗	Estimated net cost.
DtIncident	DateTime	✗	Date of the incident.

InspLocName	string (max 40)	✗	Name of the inspection location.
InspLocAdd	string (max 40)	✗	Address of the inspection location.
InspLocTown	string (max 250)	✗	Town of inspection location.
InspLocCity	string (max 250)	✗	City of inspection location.
InspLocCounty	string (max 250)	✗	County of inspection location.
InspLocPCode	string (max 10)	✗	Postcode of inspection location.
InspLocTel	string (max 18)	✗	Contact number for inspection location.
InspLocEmail	string (max 250)	✗	Email of inspection location.
InspLocCont	string (max 18)	✗	Contact person at inspection location.
InspType	string (max 25)	✓	Type of inspection. Accepted values: • Vehicle Damage Inspection • Inspect and Authorise • Inspect Only • WOP Inspection • Rectification work • Quality/Audit Inspection • Post Repair • Low Velocity Inspection • Desktop • Other
VehDriveable	string (max 9)	✗	Whether vehicle is driveable. Accepted values: • Yes • No • Not Known

InUse	string (max 9)	✓	Whether the vehicle is in use. Accepted values: • Yes • No • Not Known
ClmAdd	string (max 40)	✓	Claim address.
ClmTown	string (max 250)	✗	Claim town.
ClmCity	string (max 250)	✗	Claim city.
ClmCounty	string (max 250)	✗	Claim county.
ClmPCode	string (max 10)	✗	Claim postcode.
ClmTelNo	string (max 18)	✗	Claim contact number.
ClmAltTelNo	string (max 30)	✗	Alternative claim contact.
ClmMobileTelNo	string (max 18)	✗	Mobile number of claim contact.
ClmEmail	string (max 250)	✗	Email of claim contact.
CoverType	string (max 5)	✓	Type of insurance cover. Accepted values: • 'Comp' - Comprehensive • 'TBA' - TBA • 'TP' - Third Party • 'TPFT' - Third Party, Fire & Theft • 'WOP' - WOP
Excess	string (max 10)	✗	Policy excess.
VatStat	string (max 3)	✗	VAT status. Accepted values: • Yes

			- No - n%
InOrder	string (max 17)	✗	Order reference. Accepted values: - Yes - No
SumInsured	decimal	✗	Sum insured value.
Cause	string (max 250)	✗	Cause of incident.
InstEmail	string (max 250)	✓	Email address to send instruction.
ObviousTotalLoss	string (max 3)	✗	Flag if vehicle is obvious total loss.
Urgent	bool	✗	Whether the instruction is urgent.
WorkType	string (max 50)	✗	Type of work required.
Roadworthy	string (max 3)	✗	Roadworthy status. Accepted values: - Yes - No
NotesStr	string	✗	Additional notes.
Files	List	✗	Files attached to the instruction.

File Model

Field	Type	Description
Name	string	File name.
Extension	string	File extension (e.g., .jpg, .pdf).
Data	byte[]	Base64-encoded file content.

 Example 'Instruct Claim' JSON Request

```
{  
  "RequestFrom": "Provided Sender Code",  
  "ExternalRef": "ACME-CLM-2025-00981",  
  "Agent": "",  
  "ProvEng": "",  
  "VehReg": "AB12CDE",  
  "PrivateHireLicenceNo": "PHL-00921",  
  "PrivateHireLicenceAuth": "City of London Licensing",  
  "DtPlateExpire": "2026-01-31T00:00:00Z",  
  "ClmNo": "CLM20251022001",  
  "PolNo": "POL998877",  
  "InsName": "Acme Insurance Group",  
  "TPName": "John Doe",  
  "PrincipalName": "Jane Smith",  
  "PrincipalClmNo": "JS0019",  
  "VehDesc": "2020 BMW 320d M Sport",  
  "RepairName": "Example Repairs",  
  "RepairAdd": "15 High Street",  
  "RepairTown": "Watford",  
  "RepairCity": "London",  
  "RepairCounty": "Hertfordshire",  
  "RepairPCode": "WD17 1AA",  
  "RepairTel": "02*****",  
  "RepairerNetworkCode": "ELTBOD01",  
  "ApprovedRepairer": true,  
  "EstRec": 300.00,  
  "EstLab": 500.00,  
}
```

```
"EstMat": 250.00,  
"EstPts": 100.00,  
"EstNet": 1150.00,  
"DtIncident": "2025-10-15T14:30:00Z",  
"InspLocName": "Example Repairers",  
"InspLocAdd": "15 High Street",  
"InspLocTown": "Watford",  
"InspLocCity": "London",  
"InspLocCounty": "Hertfordshire",  
"InspLocPCode": "WD17 1AA",  
"InspLocTel": "02*****",  
"InspLocEmail": "example@email.com",  
"InspLocCont": "Sarah Mills",  
"InspType": "Vehicle Damage Inspection",  
"VehDriveable": "Yes",  
"InUse": "No",  
"ClmAdd": "22 Park Avenue",  
"ClmTown": "Watford",  
"ClmCity": "London",  
"ClmCounty": "Hertfordshire",  
"ClmPCode": "WD18 7RT",  
"ClmTelNo": "02*****",  
"ClmAltTelNo": "02*****",  
"ClmMobileTelNo": "07*****",  
"ClmEmail": "example@email.com",  
"CoverType": "COMP",  
"Excess": "250",  
"VatStat": "20%",
```

```
"InOrder": "Yes",
"SumInsured": 18000.00,
"Cause": "Rear-end collision with another vehicle at traffic lights.",
"InstEmail": "example@email.com",
"ObviousTotalLoss": "No",
"Urgent": false,
"WorkType": "Accident Damage",
"Roadworthy": "No",
"NotesStr": "Customer requests inspection to be expedited.",
"Files": [
  {
    "Name": "damage_photo_1.jpg",
    "Extension": ".jpg",
    "Data": "base64stringofimage1=="
  },
  {
    "Name": "policy_document.pdf",
    "Extension": ".pdf",
    "Data": "base64stringofpdf=="
  }
]
```



Possible Responses

Status Code	Description
200 	Success - instruction created. Response includes Id for the assessor system.
400 	Bad Request - invalid data submitted.

401 ✖	Unauthorized - missing or invalid JWT token.
409 ✖	Conflict - duplicate or conflicting instruction.
500 ✖	Internal Server Error - unexpected error processing request.

Response Model

All response types use the same structure as other Sentry API endpoints.

Field	Type	Description
StatusCode	HttpStatusCode	The HTTP status returned.
Message	string	A description or explanation of the result.
Id	string	Populated on success; represents the unique Note ID generated in the assessor's system.

Example Standard JSON response

```
{
  "StatusCode": 200,
  "Message": "Instruction received successfully.",
  "Id": "123"
}
```

Claim Location Update

Endpoint: POST /Claim/LocationUpdate

Purpose: Submit an update to the location associated with a vehicle claim. This helps ensure assessors, repairers, and other stakeholders have accurate and up-to-date location information for the claim.

Request Model

Field	Type	Required	Description
EVAREf	string	Conditionally 	Reference to a related file (used in combination with VehReg to identify the claim).
VehReg	string (max 20)	Conditionally 	Vehicle registration number. Must be included with either FileRef or ClmNo.
ClmNo	string (max 24)	Conditionally 	Claim number. Must be included with VehReg.
LocationName	string (max 40)		Name of the location being updated. E.g. Claimant's home, Claimant's work etc
Address	string (max 40)		Address of the location.
Town	string (max 40)		Town of the location.
City	string (max 40)		City of the location.
County	string (max 40)		County of the location.

Postcode	string (max 10)	✗	Postcode of the location.
Telephone	string (max 18)	✗	Contact number for the location.
Email	string (max 255)	✗	Email address for the location.
ContactName	string (max 20)	✗	Name of the contact person at the location.
LocationType	string	✓	Type of location. Accepted values: • REPAIRER • INSPECTION • INSURED • THIRDPARTY
ApprovedRepairer	bool	Conditionally ✓	Required only if LocationType is REPAIRER. Indicates if the repairer is approved.

Validation Logic

To identify the target claim, the API will match **either** of the following field combinations:

- ClmNo + VehReg
- EvaRef + VehReg

If the claim cannot be found using these combinations, a 404 response will be returned.

 Example 'Location Update' JSON Request

```
{  
  "VehReg": "AB12CDE",  
  "ClmNo": "CLM20251022001",  
  "LocationName": "Example Repairers",  
  "Address": "15 High Street",  
  "Town": "Watford",  
  "City": "London",  
  "County": "Hertfordshire",  
  "Postcode": "WD17 1AA",  
  "Telephone": "02*****",  
  "Email": "example@email.com",  
  "ContactName": "Sarah Mills",  
  "LocationType": "REPAIRER",  
  "ApprovedRepairer": true  
}
```

Possible Responses

Status Code	Description
200 	Success - location updated.
400 	Bad Request - invalid data submitted.
404 	Claim not found - the claim could not be located using the data provided.
500 	Internal Server Error - unexpected error processing request.

Response Model

All response types use the same structure as other Sentry API endpoints.

Field	Type	Description
StatusCode	HttpStatusCode	The HTTP status returned.
Message	string	A description or explanation of the result.
Id	string	Not used in this response

 **Tip:** Ensure the correct combination of FileRef/ClmNo with VehReg is included; otherwise, a 404 will be returned. Include ApprovedRepairer **only** for repairer locations.

Authority Status Update

Endpoint: POST /Claim/AuthorityStatusUpdate

Purpose: Update the repair authority status on a claim. This informs the assessor whether the repairer is authorized to begin repairs on the vehicle.

Request Model

Field	Type	Required	Description
VehReg	string (max 20)	Conditionally 	Vehicle registration number. Required with either ClmNo or FileRef to identify the claim.
EVAREf	string	Conditionally 	Reference ID for the claim in the external system.
ClmNo	string (max 24)	Conditionally 	Claim number. Required with VehReg or FileRef to identify the claim.
AuthStatus	string (max 50)		Current authority status for the repair. Accepted values: • 'Yes' - Repairer is authorized • 'No' - Repairer is not authorized • 'Other' - Alternative status • 'After Instruction' - Authority granted after instruction submission
Comment	string		Optional comment or notes regarding the authority status update.
Files	List		Optional list of files (documents or images) related to the authority update.

File Model

Field	Type	Description
Name	string	File name.
Extension	string	File extension (e.g., .jpg, .pdf).
Data	byte[]	Base64-encoded file content.

Validation Logic

To identify the target claim, the API will match **either** of the following field combinations:

- ClmNo + VehReg
- EvaRef + VehReg

If the claim cannot be found using these combinations, a 404 response will be returned.

Example 'Authority Status Update' JSON Request

```
{
  "VehReg": "AB12CDE",
  "ClmNo": "CLM20251022001",
  "AuthStatus": "Yes",
  "Comment": "Repair authorised following assessment review.",
  "Files": [
    {
      "Name": "authority_letter.pdf",
      "Extension": ".pdf",
      "Data": "base64stringofpdf=="
    }
  ]
}
```

Possible Responses

Status Code	Description
200 	Success - authority status updated. Response includes Id for the assessor system.
400 	Bad Request - invalid data submitted.
404 	Claim not found - the claim could not be located using the data provided.
500 	Internal Server Error - unexpected error processing request.

Response Model

All response types use the same structure as other Sentry API endpoints.

Field	Type	Description
StatusCode	HttpStatusCode	The HTTP status returned.
Message	string	A description or explanation of the result.
Id	string	Not used in this response

 **Tip:** Include either ClmNo or FileRef with VehReg to correctly identify the claim. Attach relevant supporting files to streamline assessor processing.

 Submit Note

Endpoint: POST /Note/SubmitNote

Description:

This endpoint allows external partners (such as insurers or claims management companies) to send messages containing important information, general queries, or supporting details to the assessing company.

It also supports the submission of related files, helping assessors complete their reports more accurately and efficiently.

 Request Model

Field	Type	Required	Description
EvaRef	string	Conditionally ✓	Used with VehReg or ClmNo to identify the claim within the assessor's system.
ClmNo	string	Conditionally ✓	The claim number; required when paired with VehReg if EvaRef is not supplied.
VehReg	string	Conditionally ✓	Vehicle registration number; required when used with ClmNo or EvaRef.
Note	string	✓	The message text or details being submitted.
Files	List	✗	Optional list of file attachments (e.g., images, documents, or reports).

File Model

Field	Type	Description
Name	string	File name.
Extension	string	File extension (e.g., .jpg, .pdf).
Data	byte[]	Base64-encoded file content.

Validation Logic

To identify the target claim, the API will match **either** of the following field combinations:

- ClmNo + VehReg
- EvaRef + VehReg

If the claim cannot be found using these combinations, a 404 response will be returned.

Example 'Submit Note' JSON Request

```
{
  "ClmNo": "CLM20251022001",
  "VehReg": "AB12CDE",
  "Note": "Please confirm if additional photos are required before authorisation.",
  "Files": [
    {
      "Name": "damage_closeup.jpg",
      "Extension": ".jpg",
      "Data": "base64stringofimage=="
    }
  ]
}
```

Possible Responses

HTTP Code	Description
200 - Success	The note and any attached files were received successfully.
404 - Not Found	No matching claim could be found for the provided reference details.
409 - Conflict	A conflict occurred (e.g., duplicate submission or invalid state).
400 - Bad Request	The request model was invalid or missing required fields.
500 - Internal Server Error	An unexpected server error occurred while processing the note.

Response Model

All response types use the same structure as other Sentry API endpoints.

Field	Type	Description
StatusCode	HttpStatusCode	The HTTP status returned.
Message	string	A description or explanation of the result.
Id	string	Not used in this response

Claim Update

Endpoint: POST /Claim/Update

Description:

This endpoint allows external partners to submit updates to existing claims.

Currently, the endpoint supports the updating of the **Excess** and **Claimant VAT Status** fields, ensuring the assessor has the latest financial information to proceed efficiently with claim evaluation.

 *Note: The update model can be extended in the future to include additional updatable claim fields on request.*

Request Model

Field	Type	Required	Description
FileRef	string	Conditionally 	Internal file reference used by the assessor. Required with VehReg if ClmNo is not provided.
VehReg	string	Conditionally 	Vehicle registration number. Used with either FileRef or ClmNo to locate the claim.
ClmNo	string	Conditionally 	The claim number. Required with VehReg if FileRef is not supplied.
Excess	string (max 10)		Updated claim excess value (e.g. “250” or “£250”).
ClmVatStat	String (max 3)		VAT status. Accepted values: • Yes • No • n%

Validation Logic

To locate the target claim, one of the following field combinations must be provided:

- FileRef + VehReg
- ClmNo + VehReg

If a valid claim cannot be found using these combinations, a 404 response will be returned.

Example 'Claim Update' JSON Request

```
{  
  "VehReg": "AB12CDE",  
  "ClmNo": "CLM20251022001",  
  "Excess": "350",  
  "ClmVatStat": "20%"  
}
```

Possible Responses

HTTP Code	Description
200 - Success	The claim has been successfully updated.
404 - Not Found	No claim record matched the provided identifying data.
400 - Bad Request	The submitted data was invalid or incomplete.
500 - Internal Server Error	An error occurred while processing the update request.

Response Model

Same structure used across all Sentry API endpoints.

Field	Type	Description
StatusCode	HttpStatusCode	The HTTP status code returned.
Message	string	A brief description of the result.
Id	string	Not used in this response

Submit Report

Endpoint: POST / Report/SubmitReport

Description:

This endpoint is used by external engineers or assessors to submit a comprehensive vehicle inspection report to the EVA System.

The report includes all available inspection, vehicle, valuation, and repair data - along with any supporting documentation or images.

Request Model

Field	Type	Required	Description
InspectEngineer	string (max 12)	✓	The name or code of the inspecting engineer.
EvaRef	string	✓ (if ClmNo is used with it)	The EVA reference number identifying the assessment.
VehReg	string	✓	Vehicle registration.
ClmNo	string	✓	Claim number.
InsuredName	string	✗	Name of the insured party.
ThirdPartyName	string	✗	Name of the third party involved (if applicable).
ClaimType	string	✗	Type of claim. Accepted values: • Cash-In-Lieu • Diminution • Other • Post Repair • Repair • T/Loss • Repudiation
IncidentDate	DateTime	✓	Date of the incident.
InspectionDate	DateTime	✗	Date the vehicle was inspected.

RepairsAuthorisedDate	DateTime	✗	Date repairs were authorised.
SuppAuthorisedDate	DateTime	✗	Date supplementary authorisation was given.
EstimateRecievedDate	DateTime	✗	Date the repair estimate was received.
ReportDate	DateTime	✓	Date the report was created or submitted.
RepairerEstimateAgreed	String	✗	Indicates if the repairer's estimate was agreed. Accepted values: • Yes • No • N/A
InspLocName	string (max 40)	✗	Name of the inspection location.
InspLocAdd	string (max 40)	✗	Address line of the inspection location.
InspLocTown	string (max 250)	✗	Town of the inspection location.
InspLocCity	string (max 250)	✗	City of the inspection location.
InspLocCounty	string (max 250)	✗	County of the inspection location.
InspLocPCode	string (max 10)	✗	Postcode of the inspection location.
InspLocTel	string (max 18)	✗	Telephone number of the inspection location.
InspLocEmail	string (max 250)	✗	Email of the inspection location.
InspLocCont	string (max 18)	✗	Contact name at inspection location.
InspectionType	string (max 25)	✓	Type of inspection performed. Accepted values:

			• Vehicle Damage Inspection • Rectification Work • Quality/Audit Inspection • Low Velocity Inspection • Desktop • Other • Cold Call • Consistency • Images Only • Forensic
ReportType	string (max 27)	✗	Type of report. Accepted values: • Cold Call Report • Desktop Report • Full Report • Letter • Post-Inspection • Post-Repair Audit • Post-Repair Complaint • Roadworthy • Simple Low Speed Inspection • Small Claim • Telephone
RepairDuration	string (max 10)	✗	Estimated repair duration in days.
VehRoadWorthy	string (max 10)	✗	Indicates if the vehicle is roadworthy. Accepted values: • Yes • No • N/A • Subject To
VehNotRoadWorthyReason	string (max 250)	✗	Reason vehicle is not roadworthy.
VehDriveable	string (max 9)	✗	Indicates if the vehicle is drivable. Accepted values: • Yes • No

			Not Known
VehInUse	string (max 9)	✗	Indicates if the vehicle is still in use. Accepted values: - Yes - No - Not Known
VehAreaOfRepair	string (max 250)	✗	General area of repair.
LightCondAtInsp	string (max 250)	✗	Lighting conditions at inspection.
InspCondition	string (max 250)	✗	General condition at inspection.
TempRepairs	string (max 3)	✗	Indicates if temporary repairs were done. Accepted values: - Yes - No - N/A
TempRepairsHow	string (max 250)	✗	Description of temporary repairs.
TempRepairsCost	decimal	✗	Cost of temporary repairs.
ValMarket	decimal	✗	Market value of the vehicle.
ValRetail	decimal	✗	Retail value.
ValTrade	decimal	✗	Trade-in value.
ValMid	decimal	✗	Mid-point valuation.
ValSalvage	decimal	✗	Salvage value.
ValDisposal	decimal	✗	Disposal value.
ValPrivate	decimal	✗	Private sale value.
ValResearch	string	✗	Supporting valuation research text. Accepted values: Internet

			• Magazines • Main Dealer • Other
MileageAdjust	decimal	✗	Adjustment for mileage.
ConditionAdjust	decimal	✗	Adjustment for condition.
OtherAdjust	decimal	✗	Other valuation adjustments.
ReportDelayed	bool	✗	Indicates if report submission was delayed.
ReportDelayedReason	string (max 35)	✗	Reason for delay. Accepted values: • Awaiting estimate - Owner • Awaiting estimate - Repairer • Client requested inspection date • Getting parts prices • Problem contacting owner • Vehicle being stripped • Awaiting images • Repairer carrying out pre strip • Customer unresponsive • Repairer unresponsive • Awaiting further info(See comments) • Vehicle not available • Valuation dispute
PresentAtInsp	string (max 250)	✗	Individuals present during the inspection.
PrivateHireLicNo	string (max 20)	✗	Private hire licence number.
EngineStarts	string (max 9)	✗	Indicates if engine starts. Accepted values: • Yes • No • Not Known

EngineFailReason	string (max 250)	✗	Reason for engine failure (if applicable).
DoorsSecured	string (max 9)	✗	Indicates if vehicle doors are secured. Accepted values: • Yes • No • Not Known
DoorsNotSecuredReason	string (max 250)	✗	Reason vehicle doors are not secured.
Diminution	string (max 3)	✗	Indicates if vehicle has a diminution in value. Accepted values: • Yes • No • N/A
DiminutionPAVPercent	decimal	✗	Diminution percentage of pre-accident value.
ClaimantVatLiability	decimal	✗	VAT liability for the claimant.
ClaimantTotLiability	decimal	✗	Total liability of the claimant.
RepairDelays	bool	✗	Indicates if there were repair delays.
RepairDelaysReason	string (max 50)	✗	Reason for repair delays.
Excess	string (max 10)	✗	Claim excess amount.
ClaimantVatStatus	string (max 8)	✗	Claimant VAT registration status. Accepted values: • Yes • No • n%
AuthorityStatus	string (max 17)	✗	Authority status for repair. Accepted values: • Yes • No

Cause	string (max 250)	✗	Cause of the damage.
SumInsured	decimal	✗	Total sum insured.
Settled	string (max 21)	✗	Indicates if the claim is settled. Accepted values: • Yes • No • Disputed • N/A • Subject To
DtAttemptedSettle	DateTime	✗	Date settlement was attempted.
SalLocName	string (max 40)	✗	Name of salvage company
SalLocAdd	string (max 40)	✗	Salvage company first line of address
SalLocTown	string (max 250)	✗	Salvage company town
SalLocCity	string (max 250)	✗	Salvage company city
SalLocCounty	string (max 250)	✗	Salvage company county
SalLocPCode	string (max 10)	✗	Salvage company postcode
SalLocTelNo	string (max 18)	✗	Salvage company contact number
SalLocEmail	string (max 250)	✗	Salvage company email address
ABICat	string	✗	Salvage category. Accepted values: • A-Scrap • B-Breaker • C-Rep Costs > PAMV • D-Constructive T/L • X-Other • S-Structural • N-Non-Structural • No category - breaker/scrap
OwnerRetainSalvage	Bool	✗	Is the owner retaining the salvage?
FinalStorage	Decimal	✗	Final storage costs

CurrentStore	Decimal	✗	Current storage costs
SalvageRef	string (max 8)	✗	Salvage reference
DtSalvageMoved	Datetime	✗	Date salvage was moved
StorageRate	Decimal	✗	Daily storage rate
Inherited	String (max 10)	✗	Inherited charges
DtStoreStart	DateTime	✗	Date storage of vehicle started
SalvageMoved	Bool	✗	Was the salvage moved?
VATOnSalv	String	✗	Should vat be applied to salvage? Accepted values: • Yes • No
VATOnOther	Bool	✗	Should vat be applied to other?
VATOnPaint	Bool	✗	Should vat be applied to paint?
VATOnParts	Bool	✗	Should vat be applied to parts?
Rectification	String	✗	Rectification work required
RectificationIssues	String	✗	Rectification issues
VehImpactAsDescribed	bool	✗	Is the impact as described?
GlassCode	string (max 6)	✗	Glass's guide code
GlassModelId	String (max 9)	✗	Glass's model Id
VehClass	String (max 10)	✗	Vehicle class. Accepted values: • Agric • Car • Caravan • HGV • LCV • M/Cycle • Misc • Plant • PSV • Trailer • Tractor • Machinery
VehMake	String (max 20)	✗	Vehicle Make
VehModel	String (max 20)	✗	Vehicle Model

VehDescription	String (max 40)	✗	Vehicle Make & Model
VehEngineCC	String (max 8)	✗	Engine CC
VehEngineBHP	String (max 4)	✗	Engine BHP
VehBody	String (max 14)	✗	Vehicle body type. Accepted values: • 2 Door • 3 Door • 4 Door • 5 Door • 6 Door • Agricultural • Articulated • Contractors • P.S.V. • Private • Rigid • Trailer
VehBodyDescription	String (max 30)	✗	Vehicle Body Description. Accepted values: • 3 Wheel Scooter • Access Platform • Ambulance • ATV • Backhoe Digger • Baler • Beavertail • Bicycle • Box Lorry • Box Trailer • Box-Van • Bubble Car • Bus • Caged Tipper • Camper Van • Car Derived Van • Caravan • Catering Unit • Cement Mixer • Cherry Picker • Coach • Combine • Compressor

			• Convertible • Coupe • Crane • Crew-cab • Crewcab Tipper • Crop Fertilizer • Crop Sprayer • Curtainsider • Digger • Double Decker Bus • Drophead • Dropside • Dumper • Estate • Excavator • Fire Engine • Flatbed • Food Truck • Forager • Fork-Lift • Front End Loader • Fuel Tanker • Grab Truck • Gritter • Hatchback • Hay Turner • Hedgetrimmer • Hook Loader • Horsebox • Ice Cream Van • Kombi • Light Van • Limousine • Livestock Carrier • Low Loader • Luton Van • M.P.V. • Machinery • Mini Excavator • Minibus • Mobile Home • Motor Home • Motorcycle • Mower • Muck Spreader
--	--	--	---

			• Omnibus • Other • P.S.V. • Panel Van • Pantehnicon • Parkhome • Pickup • Plough • Quad-Bike • Rake • Recovery Truck • Refrigerated Box Lorry • Refrigerated Box Van • Refrigerated Van • Refuse Collection Vehicle • Road Sweeper • Rotavator • Saloon • Scooter • Self Propelled Sprayer • Silage Trailer • Skelatal • Skid Steer • Skip Loader • Static • Station Wagon • Tandem Trailer • Tanker • Tarmac Hot Box • Taxi • Tedder • Telehandler • Tipper • Toilet Block • Touring • Tractor • Tractor Unit • Trailer • Tri Axle Trailer • Trike • Ute • Vacuum Tanker • Van • Vehicle Transporter
--	--	--	--

			• Wagon • Welfare Unit
VehFirstRegistered	String (max 10)	✗	Month & Year vehicle was first registered. Format: MMM/yyyy
VehOdometer	String (max 10)	✗	Odometer reading
VehOdometerUnit	string	✗	Odometer reading units. Accepted values: • Hrs • Km • Miles
VehColour	String (max 40)	✗	Colour of vehicle
VehCondition	String (max 15)	✗	Condition of vehicle
VehBrakes	String (max 250)	✗	Condition of brakes on vehicle
VehSteering	String (max 250)	✗	Condition of steering on vehicle
VehInCarEntertainment	String (max 40)	✗	Any in car entertainment in the vehicle
VehExtras	String (max 40)	✗	Any extras on the vehicle
VehMods	String (max 40)	✗	Any additional mods of the vehicle
VehTaxExpire	String (max 10)	✗	Tax expiration date. Format: MMM/yyyy
VehVin	String (max 22)	✗	Vehicle Identification Number (VIN)
VehRhftyre	String (max 11)	✗	Tyre tread depths on right-hand front tyre
VehLhftyre	String (max 11)	✗	Tyre tread depths on left-hand front tyre
VehRhrtire	String (max 11)	✗	Tyre tread depths on right-hand rear tyre
VehLhrtire	String (max 11)	✗	Tyre tread depths on left-hand rear tyre
VehSpareTyre	String (max 11)	✗	Tyre tread depths on spare tyre
VehRhfsBelt	String (max 12)	✗	Status of right-hand front seat belt. Accepted values: • Damaged • Deployed • Fitted

			• No Access • None Fitted • Not Tested
VehLhfSBelt	String (max 12)	✗	Status of left-hand front seat belt. Accepted values: • Damaged • Deployed • Fitted • No Access • None Fitted • Not Tested
VehRhrSBelt	String (max 12)	✗	Status of right-hand rear seat belt. Accepted values: • Damaged • Deployed • Fitted • No Access • None Fitted • Not Tested
VehLhrSBelt	String (max 12)	✗	Status of left-hand rear seat belt. Accepted values: • Damaged • Deployed • Fitted • No Access • None Fitted • Not Tested
VehCenSBelt	String (max 12)	✗	Status of center seat belt. Accepted values: • Damaged • Deployed • Fitted • No Access • None Fitted • Not Tested
VehAirBagDeployed	String (max 25)	✗	Did the airbags deploy?
VehTransmission	String (max 20)	✗	Vehicle transmission. Accepted values:

			• Automatic • CVT • DSG • EGS • Manual • N/A • Semi-Auto • Sequential • Sequential Automatic • Sequential Manual • Unknown
VehFuelType	String (max 20)	✗	Vehicle fuel type. Accepted values: • Biofuel • Compressed Natural Gas • Diesel • Dual • Electric • Hybrid • Hydrogen • LPG • Petrol
DamageSeverity	String (max 18)	✗	First damage severity. Accepted Values: • Very Heavy • Heavy • Moderate to Heavy • Moderate • Light to Moderate • Light • Very Light
DamageType	String (max 22)	✗	First damage type. Accepted values: • Accidental Damage • Chemical Contamination • Collision/Impact • Electrical Failure • Fire (Cause Unknown) • Fire (Electrical) • Fire (External) • Fire (Fuel) • Ground Damage • Mechanical Failure

			• No Damage • Rodent Damage • Storm Damage • Theft or Attempted • Unrecovered Theft • Vandalism • Water/Flood/Damp
DamageArea	String (max 8)	✗	First damage area. Accepted values: • Front • LH Front • LH Rear • LH Side • Rear • RH Front • RH Rear • RH Side
DamageLocation	String (max 20)	✗	First damage location. Accepted values: • Bonnet • Boot • Brake Lever • Bumper • Complete Vehicle • Door • Engine Bay • Fairing • Foot Peg • Frame • Front Fork • Front Panel • Front to Rear • Gear Lever • Handlebars • Interior • Luggage Compartment • Mirror • Mud Guard • Panniers • Quarter Panel • Rear Panel • Rear to Front • Roof • Swing Arm

			• Tyre • Underside • Wheel • Wing
DamageSeverity2	String (max 18)	✗	Second damage severity. Accepted Values: • Very Heavy • Heavy • Moderate to Heavy • Moderate • Light to Moderate • Light • Very Light
DamageType2	String (max 22)	✗	Second damage type. Accepted values: • Accidental Damage • Chemical Contamination • Collision/Impact • Electrical Failure • Fire (Cause Unknown) • Fire (Electrical) • Fire (External) • Fire (Fuel) • Ground Damage • Mechanical Failure • No Damage • Rodent Damage • Storm Damage • Theft or Attempted • Unrecovered Theft • Vandalism • Water/Flood/Damp
DamageArea2	String (max 8)	✗	Second damage area. Accepted values: • Front • LH Front • LH Rear • LH Side

			• Rear • RH Front • RH Rear • RH Side
DamageLocation2	String (max 20)	✗	Second damage location. Accepted values: • Bonnet • Boot • Brake Lever • Bumper • Complete Vehicle • Door • Engine Bay • Fairing • Foot Peg • Frame • Front Fork • Front Panel • Front to Rear • Gear Lever • Handlebars • Interior • Luggage Compartment • Mirror • Mud Guard • Panniers • Quarter Panel • Rear Panel • Rear to Front • Roof • Swing Arm • Tyre • Underside • Wheel • Wing
DamageSeverity3	String (max 18)	✗	Third damage severity. Accepted Values: • Very Heavy

			• Heavy • Moderate to Heavy • Moderate • Light to Moderate • Light • Very Light
DamageType3	String (max 22)	✗	Third damage type. Accepted values: • Accidental Damage • Chemical Contamination • Collision/Impact • Electrical Failure • Fire (Cause Unknown) • Fire (Electrical) • Fire (External) • Fire (Fuel) • Ground Damage • Mechanical Failure • No Damage • Rodent Damage • Storm Damage • Theft or Attempted • Unrecovered Theft • Vandalism • Water/Flood/Damp
DamageArea3	String (max 8)	✗	Third damage area. Accepted values: • Front • LH Front • LH Rear • LH Side • Rear • RH Front • RH Rear • RH Side
DamageLocation3	String (max 20)	✗	Third damage location. Accepted values:

			• Bonnet • Boot • Brake Lever • Bumper • Complete Vehicle • Door • Engine Bay • Fairing • Foot Peg • Frame • Front Fork • Front Panel • Front to Rear • Gear Lever • Handlebars • Interior • Luggage Compartment • Mirror • Mud Guard • Panniers • Quarter Panel • Rear Panel • Rear to Front • Roof • Swing Arm • Tyre • Underside • Wheel • Wing
RepairName	String (max 40)	✗	Repairer name
RepairAdd	String (max 40)	✗	Repairer address line 1
RepairTown	String (max 250)	✗	Repairer town
RepairCity	String (max 250)	✗	Repairer city
RepairCounty	String (max 250)	✗	Repairer county

RepairPCode	String (max 10)	✗	Repairer postcode
RepairTel	String (max 18)	✗	Repairer contact number
RepairEmail	String (max 250)	✗	Repairer email
RepairCont	String (max 20)	✗	Repairer contact name
RepairerVatStatus	String (max 3)	✗	Repairer Vat Status. Accepted values: • Yes • No • N%
EstimatedRecovery	Decimal	✗	Estimated recovery cost
EstimatedLabour	Decimal	✗	Estimated labour cost
EstimatedMaterials	Decimal	✗	Estimated materials cost
EstimatedSundries	Decimal	✗	Estimated sundries cost
EstimatedEpa	Decimal	✗	Estimated epa cost
EstimatedParts	Decimal	✗	Estimated parts cost
EstimatedOtherTotal	Decimal	✗	Estimated other cost
EstimatedNet	Decimal	✗	Estimated net cost
EstimatedVat	Decimal	✗	Estimated vat cost
EstimatedGross	Decimal	✗	Estimated gross cost
EstimatedPartsDiscount	Decimal	✗	Estimated parts discount
EstimatedLabourRate	Decimal	✗	Estimated labour rate
LabourRate	Decimal	✗	Assessed labour rate
RecoveryDiscountPercent	Decimal	✗	Assessed recovery discount percentage
LabourDiscountPercent	Decimal	✗	Assessed labour discount percentage
MaterialDiscountPercent	Decimal	✗	Assessed material discount percentage
SundryDiscountPercent	Decimal	✗	Assessed sundry discount percentage
EPADiscountPercent	Decimal	✗	Assessed epa discount percentage
PartsDiscountPercent	Decimal	✗	Assessed parts discount percentage
RecoverySavingsNet	Decimal	✗	Recovery savings net between estimated and assessed recovery charge
RecoverySavingsGross	Decimal	✗	Recovery savings gross between estimated and assessed recovery charge

LabourSavingsNet	Decimal	✗	Labour savings net between estimated and assessed labour charge
LabourSavingsGross	Decimal	✗	Labour savings gross between estimated and assessed labour charge
MaterialSavingsNet	Decimal	✗	Materials savings net between estimated and assessed materials charge
MaterialSavingsGross	Decimal	✗	Materials savings gross between estimated and assessed materials charge
PartsSavingsNet	Decimal	✗	Parts savings net between estimated and assessed parts charge
PartsSavingsGross	Decimal	✗	Parts savings gross between estimated and assessed parts charge
OtherSavingsNet	Decimal	✗	Other savings net between estimated and assessed other charge
OtherSavingsGross	Decimal	✗	Other savings gross between estimated and assessed other charge
DeleteSavingsNet	Decimal	✗	Deleted estimate items savings net between estimated and assessed
DeleteSavingsGross	Decimal	✗	Deleted estimate items savings gross between estimated and assessed
TototlSavingsNet	Decimal	✗	Total savings net between estimated and assessed
TotalSavingsGross	Decimal	✗	Total savings gross between estimated and assessed
VatSavings	Decimal	✗	Vat savings between estimated and assessed
PrincipalSavings	Decimal	✗	Savings for principal between estimated assessed
BettermentRetail	Decimal	✗	Betterment retail figure
BettermentDiscount	Decimal	✗	Betterment discount figure
BettermentNet	Decimal	✗	Betterment net figure
BettermentVat	Decimal	✗	Betterment vat figure
BettermentGross	Decimal	✗	Betterment gross figure
TotalExcess	Decimal	✗	Total excess
ContractRep	Decimal	✗	Contract Repair charge
Reserve	Decimal	✗	Reserve figure

Balance	Decimal	✗	Balance
RepairSettlement	Decimal	✗	Repair settlement figure
OriginalMaterialNet	Decimal	✗	Original material net figure
RecoveryRetail	String	✗	Retail recovery costs. Accepts the cost or the value 'TBA'
RecoveryNet	Decimal	✗	Assessed recovery net figure
RecoveryVat	Decimal	✗	Assessed recovery vat figure
RecoveryGross	Decimal	✗	Assessed recovery gross figure
LabourRetail	Decimal	✗	Assessed recovery net figure
LabourDiscountAmount	Decimal	✗	Assessed labour discount figure
LabourNet	Decimal	✗	Assessed labour net figure
LabourVat	Decimal	✗	Assessed labour vat figure
LabourGross	Decimal	✗	Assessed labour gross figure
MaterialRetail	Decimal	✗	Assessed material retail figure
MaterialDiscount	Decimal	✗	Assessed material discount figure
MaterialNet	Decimal	✗	Assessed material net figure
MaterialVat	Decimal	✗	Assessed material vat figure
MaterialGross	Decimal	✗	Assessed material gross figure
SundryNet	Decimal	✗	Assessed sundry net figure
SundryVat	Decimal	✗	Assessed sundry vat figure
SundryGross	Decimal	✗	Assessed sundry gross figure
EpaNet	Decimal	✗	Assessed epa net figure
EpaVat	Decimal	✗	Assessed epa vat figure
EpaGross	Decimal	✗	Assessed epa gross figure
PartsRetail	Decimal	✗	Assessed parts retail figure
PartsDiscountAmount	Decimal	✗	Assessed parts discount figure
PartsNet	Decimal	✗	Assessed parts net figure
PartsVat	Decimal	✗	Assessed parts vat figure
PartsGross	Decimal	✗	Assessed parts gross figure
OtherRetail	Decimal	✗	Assessed other retail figure
OtherDiscountAmount	Decimal	✗	Assessed other discount figure
OtherNet	Decimal	✗	Assessed other net figure
OtherVat	Decimal	✗	Assessed other vat figure
OtherGross	Decimal	✗	Assessed other gross figure
TotalRetail	Decimal	✗	Assessed total retail figure

TotalDiscountAmount	Decimal	✗	Assessed total discount figure
TotalNet	Decimal	✗	Assessed total net figure
TotalVat	Decimal	✗	Assessed total vat figure
TotalGross	Decimal	✗	Assessed total gross figure
ReportText	String	✗	Narrative content of the engineer's report.
IsSupplementary	Bool	✗	Indicates if the report is a supplementary submission.
ImpactImage	List	✗	Directional impact details (see below).
Parts	List	✗	List of parts involved (see table below).
Files	List	✗	Associated files (photos, documents, etc.).

 Example 'Report' JSON Request

```
{
  "InspectEngineer": "DEMOENG1",
  "EvaRef": "123456",
  "VehReg": "AB12CDE",
  "ClmNo": "CLM987654",
  "InsuredName": "John Smith",
  "ThirdPartyName": "Jane Doe",
  "ClaimType": "Repair",
  "IncidentDate": "2025-09-15T00:00:00Z",
  "InspectionDate": "2025-09-18T00:00:00Z",
  "RepairsAuthorisedDate": "2025-09-20T00:00:00Z",
  "SuppAuthorisedDate": "2025-09-22T00:00:00Z",
  "EstimateRecievedDate": "2025-09-17T00:00:00Z",
  "ReportDate": "2025-09-23T00:00:00Z",
  "RepairerEstimateAgreed": "Yes",
  "InspLocName": "AutoFix Garage",
  "InspLocAdd": "123 Main Street",
  "InspLocTown": "Nottingham",
  "InspLocCity": "Nottingham",
  "InspLocCounty": "Nottinghamshire",
  "InspLocPCode": "NG1 4AA",
  "InspLocTel": "01151234567",
  "InspLocEmail": "info@autofixgarage.co.uk",
  "InspLocCont": "Mark Taylor",
  "InspectionType": "Vehicle Damage Inspection",
  "ReportType": "Full Report",
  "RepairDuration": "5 Days",
}
```

```
"VehRoadWorthy": "No",  
"VehNotRoadWorthyReason": "Front-end structural damage",  
"VehDriveable": "No",  
"VehInUse": "No",  
"VehAreaOfRepair": "Front Bumper, Bonnet, Left Headlamp",  
"LightCondAtInsp": "Daylight",  
"InspCondition": "Vehicle assessed at garage under natural light",  
"TempRepairs": "No",  
"TempRepairsHow": "",  
"TempRepairsCost": 0.0,  
"ValMarket": 12500.0,  
"ValRetail": 13000.0,  
"ValTrade": 11000.0,  
"ValMid": 12000.0,  
"ValSalvage": 2000.0,  
"ValDisposal": 150.0,  
"ValPrivate": 11800.0,  
"ValResearch": "Internet",  
"MileageAdjust": -200.0,  
"ConditionAdjust": -300.0,  
"OtherAdjust": 0.0,  
"ReportDelayed": false,  
"ReportDelayedReason": "",  
"PresentAtInsp": "Repairer representative and engineer present",  
"PrivateHireLicNo": "",  
"EngineStarts": "Yes",  
"EngineFailReason": "",  
"DoorsSecured": "Yes",
```

```
"DoorsNotSecuredReason": "",  
"Diminution": "No",  
"DiminutionPAVPercent": 0.0,  
"ClaimantVatLiability": 20.0,  
"ClaimantTotLiability": 300.0,  
"RepairDelays": false,  
"RepairDelaysReason": "",  
"Excess": "250",  
"ClaimantVatStatus": "20%",  
"AuthorityStatus": "Yes",  
"Cause": "Rear-ended another vehicle",  
"SumInsured": 15000.0,  
"Settled": "No",  
"DtAttemptedSettle": "2025-09-28T00:00:00Z",  
"SalLocName": "ABC Salvage Ltd",  
"SalLocAdd": "1 Recovery Way",  
"SalLocTown": "Leeds",  
"SalLocCity": "Leeds",  
"SalLocCounty": "Yorkshire",  
"SalLocPCode": "LS1 4BB",  
"SalLocTelNo": "01134567890",  
"SalLocEmail": "contact@abcsalvage.co.uk",  
"ABICat": "N",  
"OwnerRetainSalvage": false,  
"FinalStorage": 250.0,  
"CurrentStore": 100.0,  
"SalvageRef": "SAL20251022",  
"DtSalvageMoved": "2025-09-25T00:00:00Z",
```

```
"StorageRate": 20.0,  
"Inherited": "No",  
"DtStoreStart": "2025-09-15T00:00:00Z",  
"SalvageMoved": true,  
"VATOnSalv": "Yes",  
"VATONother": false,  
"VATOnPaint": true,  
"VATOnParts": true,  
"Rectification": "Panel adjustment required",  
"RectificationIssues": "",  
"VehImpactAsDescribed": true,  
"GlassCode": "GLS001",  
"GlassModelId": "MDL12345",  
"VehClass": "Car",  
"VehMake": "Toyota",  
"VehModel": "Corolla",  
"VehDescription": "Toyota Corolla 1.6 VVT-i Icon Tech",  
"VehEngineCC": "1600",  
"VehEngineBHP": "132",  
"VehBody": "5 Door",  
"VehBodyDescription": "Hatchback",  
"VehFirstRegistered": "2021-03-10",  
"VehOdometer": "26500",  
"VehOdometerUnit": "Miles",  
"VehColour": "Silver",  
"VehCondition": "Good",  
"VehBrakes": "ABS, fully functional",  
"VehSteering": "Power-assisted, No issues",
```

```
"VehInCarEntertainment": "Touchscreen infotainment system",  
"VehExtras": "Rear camera, cruise control",  
"VehMods": "None",  
"VehTaxExpire": "MAR/2026",  
"VehVin": "JTNB1234567890001",  
"VehRhTyre": "5",  
"VehLhTyre": "6",  
"VehRhrTyre": "7",  
"VehLhrTyre": "8",  
"VehSpareTyre": "No spare",  
"VehRhSBelt": "Fitted",  
"VehLhSBelt": "Fitted",  
"VehRhrSBelt": "Fitted",  
"VehLhrSBelt": "Fitted",  
"VehCenSBelt": "Fitted",  
"VehAirBagDeployed": "Driver and passenger front",  
"VehTransmission": "Automatic",  
"VehFuelType": "Petrol",  
"DamageSeverity": "Moderate",  
"DamageType": "Collision/Impact",  
"DamageArea": "Rear",  
"DamageLocation": "Bumper",  
"RepairName": "AutoFix Garage",  
"RepairAdd": "123 Main Street",  
"RepairTown": "Nottingham",  
"RepairCity": "Nottingham",  
"RepairCounty": "Nottinghamshire",  
"RepairPCode": "NG1 4AA",
```

```
"RepairTel": "01151234567",  
"RepairEmail": "repairs@autofixgarage.co.uk",  
"RepairCont": "Mark Taylor",  
"RepairerVatStatus": "20%",  
"EstimatedRecovery": 150.0,  
"EstimatedLabour": 500.0,  
"EstimatedMaterials": 300.0,  
"EstimatedSundries": 50.0,  
"EstimatedEpa": 30.0,  
"EstimatedParts": 600.0,  
"EstimatedOtherTotal": 0.0,  
"EstimatedNet": 1630.0,  
"EstimatedVat": 326.0,  
"EstimatedGross": 1956.0,  
"EstimatedPartsDiscount": 5.0,  
"EstimatedLabourRate": 50.0,  
"LabourRate": 48.0,  
"RecoveryDiscountPercent": 0.0,  
"LabourDiscountPercent": 2.0,  
"MaterialDiscountPercent": 0.0,  
"SundryDiscountPercent": 0.0,  
"EPADiscountPercent": 0.0,  
"PartsDiscountPercent": 5.0,  
"RecoverySavingsNet": 0.0,  
"RecoverySavingsGross": 0.0,  
"LabourSavingsNet": 10.0,  
"LabourSavingsGross": 12.0,  
"MaterialSavingsNet": 0.0,
```

```
"MaterialSavingsGross": 0.0,  
"PartsSavingsNet": 30.0,  
"PartsSavingsGross": 36.0,  
"OtherSavingsNet": 0.0,  
"OtherSavingsGross": 0.0,  
"DeleteSavingsNet": 0.0,  
"DeleteSavingsGross": 0.0,  
"TototlSavingsNet": 40.0,  
"TotalSavingsGross": 48.0,  
"VatSavings": 8.0,  
"PrincipalSavings": 0.0,  
"BettermentRetail": 0.0,  
"BettermentDiscount": 0.0,  
"BettermentNet": 0.0,  
"BettermentVat": 0.0,  
"BettermentGross": 0.0,  
"TotalExcess": 250.0,  
"ContractRep": 0.0,  
"Reserve": 0.0,  
"Balance": 0.0,  
"RepairSettlement": 1800.0,  
"OriginalMaterialNet": 0.0,  
"RecoveryRetail": "TBA",  
"RecoveryNet": 0.0,  
"RecoveryVat": 0.0,  
"RecoveryGross": 0.0,  
"LabourRetail": 0.0,  
"LabourDiscountAmount": 0.0,
```


```
"LabourNet": 0.0,  
"LabourVat": 0.0,  
"LabourGross": 0.0,  
"MaterialRetail": 0.0,  
"MaterialDiscount": 0.0,  
"MaterialNet": 0.0,  
"MaterialVat": 0.0,  
"MaterialGross": 0.0,  
"SundryNet": 0.0,  
"SundryVat": 0.0,  
"SundryGross": 0.0,  
"EpaNet": 0.0,  
"EpaVat": 0.0,  
"EpaGross": 0.0,  
"PartsRetail": 0.0,  
"PartsDiscountAmount": 0.0,  
"PartsNet": 0.0,  
"PartsVat": 0.0,  
"PartsGross": 0.0,  
"OtherRetail": 0.0,  
"OtherDiscountAmount": 0.0,  
"OtherNet": 0.0,  
"OtherVat": 0.0,  
"OtherGross": 0.0,  
"TotalRetail": 0.0,  
"TotalDiscountAmount": 0.0,  
"TotalNet": 0.0,  
"TotalVat": 0.0,
```

```
"TotalGross": 0.0,  
"ReportText": "Vehicle sustained severe front-end damage. Recommended full  
bumper and bonnet replacement.",  
"IsSupplementary": false,  
"ImpactImage": [  
  {  
    "Start": 1,  
    "End": 7  
  },  
  {  
    "Start": 2,  
    "End": 4  
  }  
],  
"Parts": [  
  {  
    "Description": "Rear Bumper",  
    "Quantity": 1,  
    "PartType": "New",  
    "LabourTime": 2.5,  
    "PaintTime": 1.0,  
    "MaterialCost": 50.0,  
    "Price": 350.0  
  },  
  {  
    "Description": "Bonnet",  
    "Quantity": 1,  
    "PartType": "Repair",
```

```
"LabourTime": 3.0,  
"PaintTime": 1.5,  
"MaterialCost": 80.0,  
"Price": 420.0  
}  
],  
"Files": [  
{  
  "Name": "RearDamagePhoto",  
  "Extension": "jpg",  
  "Data": "Base64EncodedStringHere"  
},  
{  
  "Name": "EstimateDocument",  
  "Extension": "pdf",  
  "Data": "Base64EncodedStringHere"  
}  
]  
}
```

 Impact Image

Field	Type	Required	Description
Start	Int		Start point of impact.
End	Int		End point of impact.



The impact image has 8 points that reference 8 different locations on the impact image. Example image above shows point locations. The Impact Image is made up of a list of start and end locations that relate to the above impact image. The below example image shows the output from the example Impact Image section of the JSON. This image will be outputted on the final report PDF once the report has been compiled in EVA.

 Example 'ImpactImage' JSON

```
"ImpactImage": [  
  {  
    "Start": 1,  
    "End": 7  
  },  
  {  
    "Start": 2,  
    "End": 4  
  }  
]
```

⚙️ Parts

Field	Type	Required	Description
Description	string	✓	Part name or description.
Quantity	int	✓	Quantity of the part.
PartType	string	✓	Type of part. Accepted values: • Blend • New • Paint • R & R • Repair • Specialist • Unknown • Check
LabourTime	float	✗	Labour time in hours.
PaintTime	float	✗	Paint time in hours.
MaterialCost	decimal	✗	Cost of materials for the part.
Price	decimal	✗	Price of the part.

 Example 'Parts' JSON

```
"Parts":[  
  {  
    "Description": "Rear Bumper",  
    "Quantity" : 1,  
    "PartType": "New",  
    "LabourTime": 2.25,  
    "Price": 250.75  
  },  
  {  
    "Description": "Front Bumper",  
    "Quantity" : 1,  
    "PartType": "Paint",  
    "PaintTime": 1.75,  
    "Price": 124.85  
  }  
]
```

File Model

Field	Type	Description
Name	string	File name.
Extension	string	File extension (e.g., .jpg, .pdf).
Data	byte[]	Base64-encoded file content.

Example 'Files' JSON

```
"Files": [  
  {  
    "Name": "damage_closeup.jpg",  
    "Extension": ".jpg",  
    "Data": "base64stringofimage=="  
  }  
]
```