

Orientado Objetos


Lic. Derlis Caballero Mendoza
derliscaballero91@gmail.com

Git



Tabla de contenidos

1. Instalar Herramienta Git.
 - Windows
 - Linux
2. Inicializar un proyecto local
3. Trabajar con Ramas
4. Crear repo WEB
5. Crear un Readme
6. Hacer push



Git

- **Git:**

Instalación y uso de git

<https://git-scm.com/download/win>

Download for Windows

[Click here to download](#) the latest (2.45.2) 64-bit version of **Git for Windows**. This is the most recent [maintained build](#). It was released **about 2 months ago**, on 2024-06-03.

Other Git for Windows downloads

Standalone Installer


[32-bit Git for Windows Setup.](#)

[64-bit Git for Windows Setup.](#)

Portable ("thumbdrive edition")

[32-bit Git for Windows Portable.](#)

[64-bit Git for Windows Portable.](#)



Git

- **Comandos:**

Para trabajar con git hay que ubicarnos en la carpeta del proyecto que queremos gestionar.

Iniciar el repo con: `git init`


Agregar todos los archivos modificados al momento: `git add .`

Guardar el primer cambio: `git commit -m "commit en la rama master"`

Ver los registros de los cambios guardados: `git log`

Ver en qué rama se está trabajando: `git branch`

Ver el repo remoto: `git remote -v`



Git

- Trabajar con ramas:

Trabajar con ramas:


Crear: `git branch develop`

Cambiarse a la rama: `git checkout develop`

Guardar cambios: `git add .` | `git commit -m "cambio en la rama develop"`

Cambiar de rama: `git checkout master`

Unir las ramas: `git merge develop`



Git


- Trabajar con ramas:

Volver atrás un cambio:

con `git log` saco el commit id

y con: `git checkout 07252c695070d404d623e1c28164dc3146d2979a`

vuelvo atrás.




Git

- Trabajar con ramas:

Nota muy importante nunca hacer un git reset hard si no se visualiza o no se sabe dónde está el head.

```
C:\catkin_ws\src\beginner_tutorials\src>git log
commit f58f85e08fcdb6dd79afc8e46cdfe39e6d370f65 (HEAD)
Merge: 07252c6 9a35385
Author: Derlis Caballero <derliscaballero91@gmail.com>
Date: Sat Apr 20 08:36:48 2024 -0400
```

```
Merge branch 'main' of https://github.com/dcaballero91/rosUnida into HEAD
```



Git

- Crear un repo remoto:

<https://github.com/>

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk (*).

Owner * Repository name *

 dcaballero91 /

 rosUnida is available.

Great repository names are short and memorable. Need inspiration? How about [effective-happiness](#) ?

Description (optional)

- ☒  **Public**
Anyone on the internet can see this repository. You choose who can commit.
- ☐  **Private**
You choose who can see and commit to this repository.

Initialize this repository with:

- ☐ **Add a README file**
This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

 You are creating a public repository in your personal account.


Create repository

Condicionales

- Usar el comando sugerido para un repo existente:

...or push an existing repository from the command line

```
git remote add origin https://github.com/dcaballero91/rosUnida.git  
git branch -M main  
git push -u origin main
```



Ejercicios

- README:

Bonus, crear un md customizado en la página:

<https://readme.so/es/editor>

🔗 Estu es un curso de Python de la UNIDA

Esto es una demostracion de explicacion breve

Installation

Instructivos

Ejemplo para que permita copiar comandos



Demo


Una explicacion breve.

1 - Paso 1
2 - Paso 2
3 - Paso 3
4- Paso 4




About Me

I'm a full stack developer...



Ejercicio

- Crear una carpeta para el curso:
Curso_Python
- Crear otro directorio con número de clase:
Clase1
- Inicializar el repositorio en la raíz:
Dentro de Curso_Python
- Crear un Readme:
README.md
- Hacer push de los cambios.





GRACIAS

Lic. Derlis Caballero Mendoza





UNIDA

PARAGUAY