Instructor Script — RL Lab, Group B (Colab / Jupyter)

> **使用說明** 【動作】 = 你的行為提示，**不念出來**。 引號內是**口說英文講詞**，可照念或自由調整語氣。 **粗體**是需要念慢、讓學生記住的關鍵詞。

═══ Day 1 ═══

🖥️ Slide 1 — Title (1 min)

【開 slides_B組.html，全螢幕投影。第 1 張：標題頁】【站到講台正中，等學生安靜，環視一圈再開口】

"Hello everyone. My name is **Colombo Chao** — you can call me Colombo. I'm a graduate researcher at Yuan Ze University, and today I'll be your instructor for this two-day lab."

"This is also part of my research. Your work and observations are data for my thesis. So please take each task seriously — what you do here genuinely matters."

🖥️ Slide 2 — Course Overview (2 min)

【按 → 切到第 2 張：兩天課程結構】

"Two days, five tasks. The structure is on the screen."

"For each task: I'll play a short demo video, then you do it yourself. When you're done, raise your hand — the TA will come check your work."

"You don't need to write any code. You'll change a few numbers, run the cells, and observe what happens. But I want you to actually *think* about why the result looks the way it does."

"Questions go to the TA, or raise your hand for me. No question is a stupid one."

🖥️ Slide 3 — Poll (2 min)

【按 → 切到第 3 張：互動提問頁】

"Before we dive in — quick question."

"Have you ever studied reinforcement learning before? Raise your hand if yes."

【停，數一下舉手的人，點評】

"Okay. How about — heard of it, but never actually tried it?"

【停，數一下】

"And completely new to the topic?"

【停】

"Perfect. That's exactly the range I expected. Whether you've seen this before or not — today's format is hands-on, so everyone will be starting from the same place operationally."

🖥️ Slide 4 — What is RL? (2 min)

【按 → 切到第 4 張：Agent / Environment 圖】

"Here's the core idea — one picture, one sentence."

"There's an **agent** — the learner. There's an **environment** — the world it operates in. The agent takes an **action**, the environment responds with a new **state** and a **reward**. The agent uses that feedback to decide what to do next."

"That loop — action, feedback, adjust — repeated thousands of times, is how reinforcement learning works."

"Every task today is a version of this loop. You'll see it in action."

🖥️ Slide 5 — Repo + Environment Setup (3 min)

【按 → 切到第 5 張：QR code 頁】

"Alright — scan this QR code, or type the URL. This GitHub page is your guide for both days."

【等學生掃碼或打 URL，助教協助確認】

"The very first thing you'll see on the page is a **Pre-test** link. Please open it and fill it out now — takes about 5 to 10 minutes. No right or wrong answers, just your background. It's anonymous and for research only."

【等學生填寫，走動確認。助教計時，約 8 分鐘後提醒收尾。】

"Once you're done with the form, scroll down to **Day 1** and open the Colab or Binder link. Make sure RL_Day1.ipynb loads and you can see the code cells."

【等確認全員就緒。有問題的讓助教處理。】【關閉投影片，後續直接在 README 頁面上操作】

"Good. Keep that page open — you'll use it all day."

📺 V0 · What is RL — SAR Loop & Episode

【播放 V0：https://www.youtube.com/watch?v=g5SFtsTAv4I】

【影片結束後說】

"That's the core loop you'll see in every task today: the agent observes a **State**, takes an **Action**, and receives a **Reward**. One full run — from start to a terminal condition — is called an **episode**. Everything we do today and tomorrow builds on this loop."

🎯 T1 · MAB — Multi-Armed Bandit (25 min)

Intro (2 min)

"The first task is called **Multi-Armed Bandit** — MAB for short."

"Imagine you walk into a casino. There are many slot machines, but you don't know which one pays out the most. How do you decide whether to keep playing the same machine, or try a different one? That tension — between **exploiting** what you already know and **exploring** what you don't — is one of the most fundamental problems in reinforcement learning."

【播放 V1 影片】

【播放 V1：https://www.youtube.com/watch?v=GrPdk2d9KVA】

【影片結束後說】

"Three parameters to know. **ε** — epsilon — controls how often the agent explores versus sticking with what it already knows. **α** — learning rate — controls how fast Q-values update each step. **γ** — discount factor — controls how much future reward matters compared to immediate reward. For this task, ε is your main variable. The other two will come up naturally as we go."

【播放 B1 影片】

【全螢幕播放 B1 影片：https://youtu.be/GbpV4j7cR-Y】

【影片結束後繼續說】

"So the key parameter is **ε — epsilon**. ε = 0.9 means the agent explores 90% of the time. ε = 0.1 means it mostly sticks with what it thinks is best. Your task is to run both and compare the reward curves."

"**Task T1**: Run ε = 0.9 and ε = 0.1. Describe the difference in the reward curve. Which one learns better, and why?"

【學生操作，走下講台巡視 18 min】

【卡在「跑不出圖」→ 提示：確認有按 Shift+Enter 執行格子】【問「要設多少 ε」→ 說：就這兩個值，一個一個跑】【完成的學生 → 追問：Which curve rises faster? What does that tell you about exploration?】

Wrap-up (3 min)

"Here's the takeaway: **exploration has a cost, but without exploration there's no learning**. High ε finds better options eventually, but wastes time trying bad ones. Low ε converges fast but might miss something better. Neither is always right — it depends on the problem."

"You'll see this trade-off in every task this week."

🎯 T2 · Maze 1D — Q-table & Bellman Update (25 min)

Intro (2 min)

"Next: a maze. The simplest possible one — a straight line. The agent moves left or right to find the goal."

"This time the agent doesn't just choose actions — it learns to **evaluate positions**. It builds a table of values: for every position, how good is it to be here? That's the **Q-table**."

"Every step produces three things: a **State**, an **Action**, and a **Reward** — S, A, R. You'll see them printed in the output. Your job is to recognize them."

【播放 V2 影片】

【播放 V2：https://www.youtube.com/watch?v=lwEo9spItjs】

【影片結束後說】

"So the Q-table is the agent's memory — one value for every state-action pair. The **Bellman update** is the rule: each step, nudge that value a little closer to what actually happened — immediate reward plus discounted future value. Enough steps, and the whole table converges. Now watch the demo and look for this process happening live."

【播放 B2 影片】

【播放 B2 影片：https://youtu.be/WRCE0S4DbZg】

【影片結束後】

"**Task T2**: Find the S, A, R in the output — point them out. Then explain in your own words what the **Bellman update** is doing: how did this step change the Q-value for that position?"

"No math required. Just explain the logic."

【學生操作，巡視 18 min】

【看不懂 Q-value slice 圖 → 提示：X-axis is position along the maze. Y-axis is the expected reward from that position going right. Higher = closer to the goal.】【問 Bellman 怎麼說 → 提示：The value of this state = immediate reward + discounted best future value. Say that in your own words.】

Wrap-up (3 min)

"**The Bellman equation** is the engine of Q-learning. Every step nudges the Q-value a little closer to the truth. Run enough steps, and the table converges. Everything else in RL — including deep neural networks — is built on this idea."

📺 V3 · Reading the Q-table Heatmap *(Day 2 preview)*

【播放 V3：https://www.youtube.com/watch?v=Sesod0K4wjc】

【影片結束後說】

"Tomorrow you'll build one of these yourself in the 2D maze. **Bright cells** mean the agent has learned that position leads to reward. **Arrows** show the preferred direction. Keep that picture in mind — that's what we're building toward on Day 2."

☕ Break (10 min)

"Alright, that's Day 1. Take ten minutes — water, bathroom, stretch."

【離開講台，讓學生真正放鬆】

═══ Day 2 ═══

🟢 Opening (2 min)

"Welcome back. Last week you covered two tasks — MAB and Maze 1D. Today we go 2D, then up to continuous state spaces."

"The progression is: a 2D maze first, to consolidate the Q-table and heatmap concept — then helicopter and fighter, where the state space becomes infinite. Each step builds on the last."

🎯 T3 · Maze 2D — Q-table Heatmap (30 min)

Intro (2 min)

"First task today: a 2D maze. The agent can move up, down, left, right."

"Why is this harder than Maze 1D? **The state space is much larger.** A 1D maze had maybe 20 positions. A 2D maze has hundreds of cells, and each one needs to be learned separately."

"After training, you'll see a **heatmap**: brighter color means the agent thinks that cell is more valuable. Arrows show the preferred action at each cell."

【播放影片】

【播放 B3 影片：https://youtu.be/wFAx0JIwvZI】

【影片結束後】

"**Task T3**: On the heatmap, trace the path from Start to Goal. Follow the bright cells and arrows. Then explain — why are certain cells brighter than others?"

【學生操作，巡視 23 min】

【訓練時間較長，提醒學生等輸出最底部的熱圖出現再截圖】【熱圖沒出現 → 前一格還沒跑完，等 kernel 不再顯示 [*]】【進階 → 讓學生改 MAZE2D_LEVEL，觀察路徑變化】

Wrap-up (2 min)

"The heatmap *is* the Q-table — just visualized. It lets you see inside the agent's head: where it thinks is worth going, and where it doesn't. That kind of interpretability is rare in machine learning. Enjoy it while it lasts."

"Now we step up: **continuous state spaces**."

"What does that mean? This maze had discrete positions — a finite number of cells. The next environments use **real-valued states**: position, velocity, angle — infinitely many possible values. How does the agent learn?"

"The answer is **discretization**: slice the continuous space into bins, then apply the Q-table you already know. But the finer the bins, the more the agent has to learn. You'll feel that trade-off directly."

🎯 T4 · Heli — Reading Training Curves (30 min)

Intro (2 min)

"Task 4 is a helicopter game — fly horizontally, dodge obstacles. **Five continuous state dimensions**: position, velocity, and so on."

"The main focus today isn't just running the agent — it's **reading the training curve**. That graph of reward over episodes: what is it telling you? Is the agent improving? Plateauing? Oscillating?"

【播放 V4 影片】

【播放 V4：https://www.youtube.com/watch?v=6crIH-kT-bA】

【影片結束後說】

"Three patterns to recognize: **rising** — the agent is learning. **Flat** — it's plateaued, might need more episodes or a lower learning rate. **Noisy or oscillating** — something's unstable, maybe ε or α is too high. Your job this task: describe which pattern you see and give your best explanation for why."

【播放 B4 影片】

【播放 B4 影片：https://youtu.be/l7TCZ9fFzNY】

【影片結束後】

"**Task T4**: Run at least 50 episodes. Then describe the reward curve trend — rising, flat, or noisy? Give your best explanation for why it looks that way."

"Rising = the agent is learning. Flat or noisy = it might need more time, or the parameters might need tuning."

【學生操作，巡視 23 min】

【訓練時間長，提醒學生耐心等待】【曲線很亂 → 正常。Look at the smoothed moving average, not individual points.】【鼓勵學生嘗試改 BINS 值（格子數），觀察學習速度差異】

Wrap-up (3 min)

"**The training curve is your diagnostic tool.** A flat curve doesn't mean failure — it might just need more episodes. A wild curve might mean the learning rate is too high. Reading these graphs is a skill, and you practiced it today."

🎯 T5 · Fighter — Optional Challenge (open-ended)

Intro (2 min)

"The last one: a fighter jet game. Shoot rocks, dodge them, survive. This is the hardest environment — **5-dimensional continuous state**, 4 actions, 5 difficulty modes."

"This task is **optional**. If you haven't finished T4, keep working on that. If T4 is done, come try this."

【播放 V5 影片】

【播放 V5：https://www.youtube.com/watch?v=Z67UnKtgBH4】

【影片結束後說】

"The key idea: a continuous state space has infinitely many values — too many to put in a Q-table directly. So we **discretize**: chop the continuous range into bins, treat each bin as a discrete state. Fewer bins = faster to learn, coarser resolution. More bins = precise, but the agent needs far more episodes. Fighter is where you feel that trade-off directly."

【播放 B5 影片】

【播放 B5 影片：https://youtu.be/BzPVMk7DuqE】

【影片結束後】

"No fixed requirement — **explore freely**. Try different values of FIGHTER_MODE. See how the agent's behavior changes across difficulty levels. If you notice something interesting, write it down."

【學生自由探索 15 min，走動個別聊觀察】

🎤 Closing Discussion (10 min)

【不需要投影，站台前即可】

"Before we wrap up, a few questions. No right answers — just think out loud."

"**How was this different from what you imagined AI learning would look like?**"

【等 2-3 個學生回答，追問：Why did you expect that?】

"**Which task do you think was hardest for the agent — and why?**"

【引導：state space size / sparse rewards / exploration difficulty】

"Here's the bigger picture: everything you did this week — Q-table, Bellman updates, exploration vs exploitation — these are the same core ideas behind the systems you hear about in the news. Scale them up with deep neural networks, and you get the RLHF training that fine-tunes ChatGPT. You've touched the foundation."

"Thank you. The TA will collect the forms. Feel free to ask questions before you leave."

📝 後測 — Post-test (15 min)

【Closing Discussion 結束後，請學生填寫後測，填完再離開。】

"Last thing before you go — please fill out the post-test questionnaire. Same drill: scan the QR code or type the link."

【投影或寫白板：https://docs.google.com/forms/d/e/1FAIpQLSfJtAD6c3u5QMT9JugE1NOakIVkNfMcBzgebkDIyGjLIMB4-w/viewform】

"This one is a bit longer — about 10 to 15 minutes. It covers what you learned today, and your experience with the platform. Again, no right or wrong answers. Your honest feedback helps the research."

【在場等候，回答個別問題。助教確認每人送出表單後才放行。】

"Please don't leave until you've submitted. The TA will come check."

【下課】

📎 Video Links

Task	Topic	Link
B1	MAB — Exploration vs Exploitation	https://youtu.be/GbpV4j7cR-Y
B2	Maze 1D — SAR & Q-table	https://youtu.be/WRCE0S4DbZg
B3	Maze 2D — Q-table Heatmap	https://youtu.be/wFAx0JIwvZI
B4	Heli — Training Curves	https://youtu.be/l7TCZ9fFzNY
B5	Fighter — Optional	https://youtu.be/BzPVMk7DuqE

📎 Troubleshooting

Problem	Fix
Jupyter won't start	請助教用 `jupyter notebook` 重開；確認在正確資料夾
Cell won't run	確認按 Shift+Enter；確認前一格 [*] 已跑完
Missing packages	Run `!pip install gymnasium matplotlib numpy` in the first cell
Training is slow	Reduce EPISODES (try 50 first)
Plot doesn't appear	等 kernel 完成（cell 左側從 [*] 變成 [數字]）
"What's the real-world use?"	"This is the same algorithm, scaled up with neural nets, that trains ChatGPT's RLHF layer."