




Sheet: /
File: ByteBeam_BLE_CAN.kicad_sch


Title:

Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.3		Id: 1/6







Sheet: /01_Power_Input/		
File: 01_Power_Input.kicad_sch		
Title:		
Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.3		Id: 2/6


AE1
Antenna_Chip
L3
2nH
C20
15pF
L4
2.8nH
C21
0.7pF
C19
1.2pF
D3
D_TVS
C23
1.5pF
C22
1.5pF
GND
U2
CC2340R52E0RKPR
39 ANT
CAN_CS 22 DIO0_A5
23 DIO1_A4
24 DIO2_A3
26 DIO3_X32P
27 DIO4_X32N
29 DIO5_A2
32 DIO6_A1
33 DIO7_A0
SPI_CLK 2 DIO8
CAN_nINT 3 DIO9
CAN_RST 4 DIO10
SPI_MISO 5 DIO11
SPI_MOSI 6 DIO12
7 DIO13
CAN_WAKE 9 DIO14
10 DIO15
SWDIO 11 DIO16_SWDIO
SWCLK 12 DIO17_SWDCK
13 DIO18
14 DIO19
IGN_MCU 15 DIO20_A11
VBAT_SENSE 16 DIO21_A10
18 DIO22_A9
19 DIO23_A8
20 DIO24_A7
21 DIO25_A6
41 EP
40 RFGND
VDDD 28
VDDR 1
VDDR 34
VDDS 8
VDDS 17
VDDS 31
VDDS 38
DCDC 30
X48P 35
X48N 36
RST_N 25
NC 37
PWR_FLAG
Y2
32.768Khz
C17
12pF
C18
15pF
C13
1uF
L2
10uH
Y1
48MHz
C14
12pF
C15
10pF
+3.3V
VDDS
VDDR
MCU_RESET
R7
100k
C16
0.1uF
C5
0.1uF
C6
0.1uF
C7
0.1uF
C8
0.1uF
C9
0.1uF
C10
0.1uF
C11
0.1uF
C12
10uF
IGN_SENSE
R23
110k
R25
1k
IGN_MCU
C46
100nF
R24
10k
Sheet: /02_BLE_MCU/
File: 02_BLE_MCU.kicad_sch
Title:
Size: A4
Date:
Rev:
KiCad E.D.A. 10.0.3
Id: 3/6


6V REGULATED SUPPLY




CAN TERMINATION JUMPER



EXTERNAL CAN CONNECTOR






Sheet: /03_CAN_Interface/
File: 03_CAN_Interface.kicad_sch


Title:

Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.3		Id: 4/6


5 V CHARGER SUPPLY




BACKUP 3.3 V REGULATOR




BATTERY CHARGER




3.3 V POWER MUX



BATTERY MONITORING



BACKUP BATTERY CONNECTOR




Sheet: /04_Battery/
File: 04_Battery.kicad_sch


Title:

Size: A4 | Date: | **Rev:**
KiCad E.D.A. 10.0.3 | Id: 5/6


POWER STATUS



BRING-UP TEST POINTS



DEBUG / PROGRAMMING



Sheet: /05_Connectors_Debug/ File: 05_Connectors_Debug.kicad_sch		
Title:		
Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.3		Id: 6/6