

### 2SD1555


# NPN TRIPLE DIFFUSED PLANAR SILICON TRANSISTOR

## COLOR TV HORIZONTAL OUTPUT APPLICATIONS(Damper Diode BUILT IN)

- High Collector-Base Voltage(VcBo=1500V)
- High Speed Switching

### ABSOLUTE MAXIMUM RATINGS (T<sub>A</sub>=25°C)

Characteristic	Symbol	Rating	Unit
Collector-Base Voltage	Vcbo	1500	V
Collector-Emitter Voltage	VCEO	1500	V
Emitter-Base voltage	VEBO	6	V
Collector Current (DC)	Ic	5	A
Collector Dissipation (Tc=25°C)	Pc	50	W
Junction Temperature	Tj	150	°C
Storage Temperature	Tstg	-50~150	°C



#### **ELECTRICAL CHARACTERISTICS (T<sub>A</sub>=25°C)**

Characterristic	Symbol	Test Condition	Min	Тур	Max	Unit
Collector- Emitter Cutoff Current(VBE=0)	ICES	Vce= 1400 V,			1.0	mA
Collector Cutoff Current	Ісво	RBE=0			10	μΑ
Emitter Cutoff Current	<b>І</b> ЕВО	$V_{CB} = 800 \text{ V}, I_{E} = 0$			1.0	mA
DC Current Gain	hfe	$V_{EB}=4V$ , $I_{C}=0$	8			
Collector- Emitter Saturation Voltage	VCE(sat)	$V_{CE}=5V$ ,			5.0	V
		Ic=1A				
		Ic=5A,				
		I <sub>B</sub> =1A				

Wing Shing Computer Components Co., (H.K..)Ltd. Homepage: http://www.wingshing.com

Tel:(852)2341 9276 Fax:(852)2797 8153 E-mail: wsccltd@hkstar.com