

Relational Databases with MySQL Week 11 Assignment

Points possible: 70

Category	Criteria	% of Grade
Functionality	Does the code work?	25
Organization	Is the code clean and organized? Proper use of white space, syntax, and consistency are utilized. Names and comments are concise and clear.	25
Creativity	Student solved the problems presented in the assignment using creativity and out of the box thinking.	25
Completeness	All requirements of the assignment are complete.	25

Instructions: Complete the coding steps. Take screenshots of the code and of the running program (make sure to get screenshots of all required functionality) and paste them in this document where instructed below. Create a new repository on GitHub for this week's assignments and push this document to the repository. Additionally, push the Java project to the same repository. Add the URL for this week's repository to this document where instructed and submit this document to your instructor when complete.

Coding Steps:

1. Create a class of whatever type you want (Animal, Person, Camera, Cheese, etc.).
 - a. Do not implement the Comparable interface.
 - b. Add a name instance variable so that you can tell the objects apart.
 - c. Add getters, setters and/or a constructor as appropriate.
 - d. Add a toString method that returns the name and object type (like "Pentax Camera").
 - e. Create a static method named `compare` in the class that returns an int and takes two of the objects as parameters. Return -1 if parameter 1 is "less than" parameter 2. Return 1 if parameter 1 is "greater than" parameter 2. Return 0 if the two parameters are "equal".
 - f. Create a static list of these objects, adding at least 4 objects to the list.
 - g. In another class, write a method to sort the objects using a Lambda expression using the compare method you created earlier.
 - h. Write a method to sort the objects using a Method Reference to the compare method you created earlier.
 - i. Create a main method to call the sort methods.
 - j. Print the list after sorting (System.out.println).

2. Create a new class with a main method. Using the list of objects you created in the prior step.
 - a. Create a Stream from the list of objects.
 - b. Turn the Stream of object to a Stream of String (use the map method for this).
 - c. Sort the Stream in the natural order. (Note: The String class implements the Comparable interface, so you won't have to supply a Comparator to do the sorting.)
 - d. Collect the Stream and return a comma-separated list of names as a single String. Hint: use `Collectors.joining(", ")` for this.
 - e. Print the resulting String.
3. Create a new class with a main method. Create a method (method a) that accepts an Optional of some type of object (Animal, Person, Camera, etc.).
 - a. The method should return the object unwrapped from the Optional if the object is present. For example, if you have an object of type Cheese, your method signature should look something like this:

```
public Cheese cheesyMethod(Optional<Cheese> optionalCheese) {...}
```
 - b. The method should throw a `NoSuchElementException` with a custom message if the object is not present.
 - c. Create another method (method b) that calls method a with an object wrapped by an Optional. Show that the object is returned unwrapped from the Optional (i.e., print the object).
 - d. Method b should also call method a with an empty Optional. Show that a `NoSuchElementException` is thrown by method a by printing the exception message. Hint: catch the `NoSuchElementException` as parameter named "e" and do `System.out.println(e.getMessage())`.
 - e. Note: your method should handle the Optional as shown in the video on Optionals using the `orElseThrow` method. For the missing object, you must use a Lambda expression in `orElseThrow` to return a `NoSuchElementException` with a custom message.

Screenshots of Code:

```
1 package camera;
2
3 import java.util.LinkedList;
4
5
6 public class Camera {
7
8     private String name;
9
10
11     public String getName() {
12         return name;
13     }
14
15     public String toString() {
16         return name + " Camera";
17     }
18
19     public Camera(String name) {
20         this.name = name;
21     }
22
23     public int compare(Camera cam) {
24         return this.name.compareTo(cam.name);
25     }
26
27     private static List<Camera> cameras = List.of(
28         new Camera("Canon"),
29         new Camera("Nikon"),
30         new Camera("Sony"),
31         new Camera("FujiFilm"),
32         new Camera("Panasonic"),
33         new Camera("Leica"),
34         new Camera("Olympus"),
35         new Camera("Pentax"),
36         new Camera("Kodak"));
37
38     public static List<Camera> getCameras() {
39         return new LinkedList<>(cameras);
40     }
41 }
42
```

```

1 package camera;
2
3 import java.util.List;
4
5 public class CameraSort {
6
7     public static void main(String[] args) {
8
9         new CameraSort().run();
10
11     }
12
13     private void run() {
14         boolean lambdaSort = true;
15         List<Camera> cameras;
16         String name;
17
18         System.out.println("Original : " + Camera.getCameras());
19
20
21
22         if(lambdaSort) {
23             cameras = lambdaSort();
24             name = "Lambda Sorted : ";
25         } else {
26             cameras = mrSort();
27             name = "Method Reference Sorted : ";
28         }
29         System.out.println(name + cameras);
30     }
31
32
33
34
35     private List<Camera> mrSort() {
36         List<Camera> cameras = Camera.getCameras();
37         cameras.sort(Camera::compare);
38         return cameras;
39     }
40
41     private List<Camera> lambdaSort() {
42         List<Camera> cameras = Camera.getCameras();
43         cameras.sort((c1, c2) -> c1.compare(c2));
44         return cameras;
45     }
46
47
48
49 }
50

```

```

1 package camera;
2
3 import java.util.NoSuchElementException;
4
5
6 public class CameraOptional {
7
8     public static void main(String[] args) {
9         new CameraOptional().run();
10    }
11
12    private void run() {
13        Camera cameras = camerasMethod(Optional.of(new Camera("Casio")));
14        System.out.println("I own a " + cameras + ".");
15
16        try {
17            camerasMethod(Optional.empty());
18        } catch (Exception e) {
19            System.out.println(e.getMessage());
20        }
21    }
22
23    private Camera camerasMethod(Optional<Camera> cameraOptional) {
24        return cameraOptional.orElseThrow(() -> new NoSuchElementException("The Camera does not exist"));
25    }
26
27 }
28


```

```


1 package camera;
2
3 import java.util.stream.Collectors;
4
5 public class CameraStreaming {
6
7     public static void main(String[] args) {
8         new CameraStreaming().run();
9     }
10
11    private void run() {
12        String names = Camera
13            .getCameras()
14            .stream()
15            .map(c -> c.toString())
16            .sorted()
17            .collect(Collectors.joining(", "));
18        System.out.println(names);
19    }
20
21 }
22

```


Screenshots of Running Application Results:



```
<terminated> CameraOptional [Java App
I own a Casio Camera.
The Camera does not exist
```



```
<terminated> CameraStreaming [Java Application] C:\Program Files\Java\jdk-11.0.14\bin\javaw.exe (Jul 17, 2022, 8:34:24 PM - 8:34:25 PM) [pid: 54852]
Canon Camera, FujiFilm Camera, Kodak Camera, Leica Camera, Nikon Camera, Olympus Camera, Panasonic Camera, Pentax Camera, Sony Camera
```



```
<terminated> CameraSort [Java Application] C:\Program Files\Java\jdk-11.0.14\bin\javaw.exe (Jul 17, 2022, 8:34:39 PM - 8:34:39 PM) [pid: 51736]
Original : [Canon Camera, Nikon Camera, Sony Camera, FujiFilm Camera, Panasonic Camera, Leica Camera, Olympus Camera, Pentax Camera, Kodak Camera]
Lambda Sorted : [Canon Camera, FujiFilm Camera, Kodak Camera, Leica Camera, Nikon Camera, Olympus Camera, Panasonic Camera, Pentax Camera, Sony Can
```

URL to GitHub Repository:

<https://github.com/coltonrood/Week11>