

COMART

Innovative ODM reliable partner

Mobile Accessories Design Manufacture



www.comart.com.tw

怡業股份有限公司
COMART CORPORATION



About Comart

Comart Corporation was founded in 1994. We design, develop, and manufacture plastic accessories, and also provide distribution services. Our headquarters is located in New Taipei City, Taiwan, and our factories are located in Dongguan, China, and Bac Giang, Vietnam.



We specialize in Original Design Manufacturing of mobile accessories for companies around the world. We are the leading firm in the mount industry, with a professional team capable of handling everything from product design, R&D, and tooling design, to manufacturing, assembly, and logistics.

Factory and equipment



Quality System

ISO 9001:2015

ISO 14001:2015

Walmart SCS

Walmart FCCA

Costco GMP/FQA

SEDEX SMETA 4



Made for

iPhone | iPad | iPod

Sedex

ISO
9001:2015

ISO
14001:2015

BSCI
Business Social Compliance Initiative

6 Steps to Create Product

1

Product Design

Take imaginative ideas and transform them into functional product designs.



2

Mechanicals Design

Excellent mechanical design and material selection brings out the supreme product.



3

Tooling Design

Dedicated team and trusty procedures make exceptional tooling.



4

Plastic Injection

Professional technicians and technical data ensure the quality of products.



5

Product Assembly

Complete SOP and automatic equipment to ensure the quality and efficiency.



6

Quality Assurance

Professional QC team and testing equipment established our reliable quality control.





Modular Mounting System



**Choose A
Mount**



**Choose B
Holder**



Setup Complete

Part A & B For Car



**Flexible Arm
Suction Cup Mount**
P.5



CD Slot Mount
P.6



**Robust Suction
Cup Mount**
P.7



**Smartphone
Holder**
P.13



**Smartphone
Spring Holder**
P.14



Adhesive Mount
P.8



Firm Arm Mount
P.9



Air Vent Mount
P.10



Tablet Holder
P.15



**Qi Charging
Holder**
P.16



Headrest Mount
P.11



**Clip & Specialty
Mounts**
P.12



Magnetic Head
P.16



Fan
P.17

A

B



Part A & B For Bike / Motorbike



Bike / Motorbike Mount
P.18

A



Water Resistant Case
P.20



Bike Holder & Elastic Band
P.20

B

Others



Camera Mount
P.21



Gopro Mount
P.22



Dashboard Mount for Tablet / Phone
P.22



Cup Mount
P.23



Other Mount
P.23



Magnetic Mount
P.24



Wireless Charging Series
P.26



Desktop Stand
P.28



Stylus Pen Mount
P.30



Heavy Duty Mount
P.30

Adapter & Connecting Parts



P.33



Part A For Car



Features:

- Easily bends to any angle with the aluminum rod

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Flexible Arm

Choose the Right Suction Cup You Need



Sticky Gel Suction Cup
Ideal for dashboard and textured surfaces.



Standard Suction Cup
Ideal for glass, mirrors, and other smooth surface.



6MT0100996

- Dim.: Ø67 x 124 mm
- Weight: 80 g



T Joint



Standard suction cup



6MT0100992

- Dim.: Ø67 x 190 mm
- Weight: 87.5 g



T Joint



Standard suction cup



6MT0100995

- Dim.: Ø67 x 267 mm
- Weight: 101 g



T Joint



Standard suction cup



6MT0100415

- Dim.: Ø67 x 136.5 mm
- Weight: 69 g



T Joint



Standard suction cup



6MT0100404

- Dim.: Ø67 x 199 mm
- Weight: 89.4 g



T Joint



Standard suction cup



6MT0100420

- Dim.: Ø67 x 193 mm
- Weight: 104 g



T Joint



Sticky suction cup



6MT0100433

- Dim.: Ø67 x 266 mm
- Weight: 96 g



Camera Adapter



Standard suction cup



6MT0100412

- Dim.: Ø67 x 280 mm
- Weight: 90 g



T Joint



67 mm
Standard
suction
cup



6MT0101010

- Dim.: Ø95 x 350 mm
- Weight: 213 g



3T Joint



95 mm
Grand
Suction
Cup



6MT0100417

- Dim.: Ø67 x 273.4 mm
- Weight: 155.8 g



T Joint



67 mm
Standard
suction
cup



6MT0100946

- Dim.: 231 x 68 x 25 mm (Ø67)
- Weight: 86 g



T Joint



Sticky
suction
cup



4MT0100277

- Dim.: 228 x 68 x 26.5mm (Ø67)
- Weight: 126 g



17 mm
Ø17 mm
Ball Joint



Sticky
suction
cup

Features:

- Easily inserts into CD slot and secures with knob, no tools required
- Silicone-wrapped mounting parts provide secure grip and protect the CD slot

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

**Part A
For Car**

CD Slot Mount



6MT9900041

- Dim.: 111 x 60 x 75 mm
- Weight: 56 g

- Compatible with CD slot size:
CD slot height: 4-15 mm
CD slot width: >112 mm



3T Joint



6MT9900097

- Dim.: 111 x 100 x 45 mm
- Weight: 65.5 g

- Compatible with CD slot size:
CD slot height: 4-15 mm
CD slot width: >112 mm



3T Joint

Part A For Car



Features:

- 180° adjustable arm

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Robust Suction Cup Mount



6MT0100994

- Dim.: Ø67 x 77 x 160 mm
- Weight: 122 g



6MT0100934

- Dim.: Ø67 x 196 x 44 mm
- Weight: 85 g



6MT0100247

- Dim.: Ø67 x 79 x 110 mm
- Weight: 90.6 g



6MT0100253

- Dim.: Ø67 x 79 x 145 mm
- Weight: 95.2 g



6MT0100196

- Dim.: Ø67 x 78 x 94 mm
- Weight: 86.8 g



6MT0100268

- Dim.: Ø80 x 134 mm
- Weight: 105.4 g



6MT0100303

- Dim.: Ø45 x 56 mm
- Weight: 26.6 g



6MT0100306

- Dim.: Ø45 x 56 mm
- Weight: 28 g



6MT0100423

- Dim.: Ø45 x 34 mm
- Weight: 17.8 g



Features:

- 3M sticker securely fits devices on dashboards or other flat surfaces
- Notches on the base adhere tightly to curved surfaces

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

* 3M is a trademark of 3M Company

Part A For Car

Adhesive Mount



6MT0200253

- Dim.: 80 x 60 x 38 mm
- Weight: 17 g
- PC Sheet with Removable Adhesive Backing



4MT0200093

- Dim.: 78 x 58 x 48 mm
- Weight: 33 g
- 3M 1600TG



4MT0200098

- Dim.: Ø60 x 86 mm
- Weight: 53.5 g
- 3M 5608



6MT0200034

- Dim.: 51 x 29.7 x 36 mm
- Weight: 13 g
- 3M 4218P



6MT0200207

- Dim.: 51 x 29.7 x 85.2 mm
- Weight: 26.4 g
- 3M 4218P



4MT0200085

- Dim.: 61 x 30.7 x 50.6 mm
- Weight: 9.6 g
- 3M 5608



6MT0200232

- Dim.: Ø65 x 74 x 56 mm
- Weight: 27 g
- 3M GPH-160GF



6MT0200088

- Dim.: 70 x 70 x 39 mm
- Weight: 32 g
- 3M 4991



Part A For Car



Features:

- Firm arm designed for optimal driver viewing angles

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Firm Arm Mount



6MT0100445

- Dim.: Ø57 x 95 mm
- Weight: 42 g



6MT0100337

- Dim.: Ø57 x 62 x 90 mm
- Weight: 55 g



6MT0100339

- Dim.: Ø57 x 62 x 90 mm
- Weight: 55 g



6MT0100006

- Dim.: Ø67 x 123 mm
- Weight: 60 g



6MT0100017

- Dim.: Ø67 x 111 mm
- Weight: 60 g



6MT0100027

- Dim.: Ø67 x 112 mm
- Weight: 74.3 g



6MT0100371

- Dim.: Ø67 x 85.3 x 94.5 mm
- Weight: 76 g



6MT0100372

- Dim.: Ø67 x 85.3 x 94.5 mm
- Weight: 76 g



6MT0100896

- Dim.: Ø67 x 100 x 100 mm
- Weight: 70 g





6MT0100895

- Dim.: Ø67 x 95 mm
- Weight: 70 g



Ring



Sticky suction cup



6MT0100941

- Dim.: Ø62 x 91 x 67 mm
- Weight: 38.5 g



Ø17 mm Ball Joint



Sticky suction cup

Features:

- Easy to mount without tools
- Compatible with most vents

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

* The Toyota name and model names are trademarks of TMC

Part A For Car

Air Vent Mount



6MT0400131

- Dim.: 80 x 50 x 32 mm
- Weight: 26 g



Ø17 mm Ball Joint



6MT1400059

- Dim.: 58 x 45 x 38 mm
- Weight: 25 g



Ø17 mm Ball Joint



4MT0400025

- Dim.: 66 x 37 x 35 mm
- Weight: 27 g



Ø17 mm Ball Joint



6MT0400092

- Dim.: 67 x 29 x 33.5 mm
- Weight: 20 g



3T Joint



4MT1400409

- Dim.: 74 x 44 x 45 mm
- Weight: 26 g



Ø17 mm Ball Joint



6MT0400083

- Dim.: 58.3 x 29 x 33.5 mm
- Weight: 19.2 g



Ø15 mm Ball Joint

Part A For Car



Features:

- Easy to mount without tools
- Compatible with most vents

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

* The Toyota name and model names are trademarks of TMC

Air Vent Mount



4MT0400026

- Dim.: 40 x 87 x 99 mm
- Weight: 49 g
- Compatible with CD slot size:
- The swing arm is detachable and can be combined with other air vent mounts



6MT0400003

- Dim.: 88 x 46 x 41 mm
- Weight: 25 g



6MT0400010

- Dim.: 79 x 47 x 42 mm
- Weight: 23.4 g



6MT0400015

- Dim.: 105.3 x 46 x 41 mm
- Weight: 26 g



Part A For Car



Features:

- Adjustable latches/knobs fit different widths of headrest posts
- Easy to attach to the headrest, no tools required

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Headrest Mount



6MT0300055

- Dim.: 218 x 32 x 110 mm
- Weight: 105.8 g



6MT0300053

- Dim.: 218 x 32 x 115 mm
- Weight: 105.8 g



6MT0300052

- Dim.: 218 x 32 x 115 mm
- Weight: 90.2 g





6MT0300054

- Dim.: 218 x 32 x 75 mm
- Weight: 91.5 g



6MT0300022

- Dim.: 253 x 30 x 100 mm
- Weight: 151 g



6MT0300025

- Dim.: 146.4 x 165 x 59.8 mm
- Weight: 128 g



6MT0300056

- Dim.: 129 x 109 x 45 mm
- Weight: 168 g



6LG9900001

- Dim.: 464 x 214 x 41 mm
- Weight: 160 g



Features:

- Versatile mounting solutions for various special applications
- Suitable for automotive and outdoor use

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

**Part A
For Car**

Clip & Specialty Mounts



6MT9900004

Sun Visor/Golf Bag Clip Mount

- Dim.: 69 x 65 x 25 mm
- Weight: 27 g



6MT1400042

Dashboard/Sun Visor Clip Mount

- Dim.: 78 x 115 x 110 mm
- Weight: 84 g

- Clip clamping thickness: 5-24 mm
- Clip clamping depth: >57.5 mm
- Clamping width: 60-90 mm



4MT1400427

A-Pillar Mount

- Dim.: 170 x 130 x 110 mm
- Weight: 98 g

- Clamping width: 60-90 mm
- Clamping range of the A-pillar: 67-86 mm



Part B For Car

Features:

- A variety of smartphone holder designs that are easy to operate, with adjustable feet for stable mounting

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Smartphone Holder



6MT0600590

- Dim.: 103 x 114 x 41 mm
- Weight: 65 g
- Clamping width: 72-96 mm



6MT0600512

- Dim.: 125 x 70 x 30 mm
- Weight: 81 g
- Clamping width: 58-90 mm



6MT0600179

- Dim.: 116.7 x 66.7 x 40.5 mm
- Weight: 63 g
- Clamping width: 45-95 mm



6MT0600531

- Dim.: 106.5 x 68 x 32 mm
- Weight: 42 g
- Clamping width: 63-90 mm



6MT0600529

- Dim.: 83 x 91 x 31 mm
- Weight: 49 g
- Clamping width: 58-91 mm




6MT0600204

- Dim.: 175 x 75 x 44 mm
- Weight: 73 g
- Clamping height: 123-163 mm
- Clamping width: 46-80 mm



6MT0600205

- Dim.: 175 x 75 x 44 mm
- Weight: 73 g
- Clamping height: 123-163 mm
- Clamping width: 46-80 mm



6MT0600153

- Dim.: 99 x 64 x 39 mm
- Weight: 57.8 g
- Clamping width: 40-105 mm



6MT0600095

- Dim.: 122 x 60 x 80 mm
- Weight: 68.8 g
- Clamping height: 60-100 mm
- Clamping thickness: 24-50 mm



Features:

- Quickly mounts and releases your device with the spring

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Part B For Car

Smartphone Spring Holder



6MT0600550

- Dim.: 138 x 88 x 46 mm
- Weight: 56 g
- Clamping height: 125-175 mm



3T Slot



6MT0600589

- Dim.: 138 x 88 x 53 mm
- Weight: 68 g
- Clamping height: 125-175 mm



Ø15 mm
Ball Socket



6MT0600527

- Dim.: 74.2 x 41.8 x 42.5 mm
- Weight: 37.3 g
- Clamping height: 65-92 mm



Ø15 mm
Ball Socket



6MT0600532

- Dim.: 74.2 x 41.8 x 42.5 mm
- Weight: 35 g
- Clamping height: 65-92 mm



Ø15 mm
Ball Joint



4MT0600055

- Dim.: 65 x 40 x 39 mm
- Weight: 32 g
- Clamping height: 112-174 mm



Ø15 mm
Ball Socket



6MT0600112

- Dim.: 83.1 x 83.1 x 40.3
- Weight: 63 g
- Clamping height: 55-93 mm



3T Slot

Part B For Car



Features:

- Adjustable arm easily fits different tablet sizes, suitable for tablets and e-books

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Tablet Holder



6MT0600186

- Dim.: 113 x 135 x 45 mm
- Weight: 50 g
- Clamping height: 120-180 mm



6MT0700007

- Dim.: 125 x 38.5 x 100.7 mm
- Weight: 76.6 g
- Clamping height: 125-205 mm



6MT0600069

- Dim.: 161 x 133 x 33 mm
- Weight: 147.1 g
- Clamping height: 205-315 mm




6MT0700002

- Dim.: 171 x 50.5 x 54.5 mm
- Weight: 96.8 g
- Clamping height: 53-213 mm



6MT0700031

- Dim.: 171 x 50.5 x 54.5 mm
- Weight: 96.8 g
- Clamping height: 53-213 mm



6MT0700034

- Dim.: 164.4 x 80.1 x 34.8 mm
- Weight: 137 g
- Clamping height: 160-230 mm



CMBH0002

- Dim.: 146 x 88 x 91 mm
- Weight: 210 g
- Clamping height: 110-200 mm



CMBH0003

- Dim.: 245 x 145 x 25 mm
- Weight: 321 g
- Clamping height: 120-245 mm



Features:

- Supports fast wireless charging up to 25W, allowing your device to charge while mounted
- Can customizable according to requirements

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 25°C

Part B For Car

Qi Charging Holder



6MT0600582

- Dim.: 90 x 80 x 45 mm
- Weight: 76 g
- Clamping width: 58-89 mm
- One-handed operation
- Input: 5V/1.7A, 9V/1.7A
- Output: 5W/10W (Max)



3T Slot



CMBH0001

- Dim.: Ø63 x 28.6 mm
- Weight: 60 g
- Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, QC 3.0, PD
- Output: 5W/7.5W/10W/15W/25W(Max)



Ø17 mm
Ball Socket

Features:


- Strong magnetic force for secure device holding

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Part B For Car

Magnetic Head



4MT9900029

- Dim.: Ø63 x 37 mm
- Weight: 66 g
- Switch freely between magnetic and clamp mode



Ø17 mm
Ball Socket



4MT1300044

- Dim.: Ø60 x 20 mm
- Weight: 29 g



Ø17 mm
Ball Socket



CMBH0007

- Dim.: Ø59 x 70 x Ø25.2 mm
- Weight: 40 g



Ø17 mm
Ball Joint



Ø25 mm
Ball Joint



CMBH0005

- Dim.: 17mm: Ø60 x 32 mm
25mm: Ø60 x 42.5 mm
- Weight: 17mm: 31.5 g
25mm: 40 g



Ø17 mm
Ball Joint



Ø25 mm
Ball Joint

Part B For Car

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Fan

Features:

- Available Colors: Black, Blue, Pink
- Can stand alone or be hung on a horizontal surfaces
- Built-in Battery (Up to 4.5 Hours)
- Charging Time (<2 h)



6MT9900127

- Dim.: 120 x 111.5 x 55 mm
- Weight: 161 g

- Type-C input
- Compatible with Qi desktop stand for flexible use



6MT9900128

- Dim.: 120 x 111.5 x 55 mm
- Weight: 161 g

- Type-C input
- Compatible with Qi desktop stand for flexible use



6MT9900129

- Dim.: 120 x 111.5 x 55 mm
- Weight: 161 g

- Type-C input
- Compatible with Qi desktop stand for flexible use

6MT9900126

- Dim.: 120 x 111.5 x 68 mm
- Weight: 136 g

- 17mm ball joint connection on the back
- Compatible with COMART 17mm mounts for flexible use



Ø17 mm
Ball Socket

6MT9900130

- Dim.: 120 x 111.5 x 68 mm
- Weight: 136 g

- 17mm ball joint connection on the back
- Compatible with COMART 17mm mounts for flexible use



Ø17 mm
Ball Socket

6MT9900131

- Dim.: 120 x 111.5 x 68 mm
- Weight: 136 g

- 17mm ball joint connection on the back
- Compatible with COMART 17mm mounts for flexible use



Ø17 mm
Ball Socket

Features:

- Durable, strong, and anti-vibration
- 3T-prong, 3T quick-release, and Duolock tips for various mounts
- 360° rotation for easy angle adjustment

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Part A For Bike/ Motorbike

Bike / Motorbike Mount



CMAM0003

- Dim.: 96 x 25.4 x 76 mm
- Weight: 91.5 g



6MT1100120

- Dim.: 225 x 47 x 46.5 mm
- Weight: 58 g



6MT1100147

- Dim.: 224 x 44 x 44 mm
- Weight: 47 g



6MT1100087

- Dim.: 60 x 42 x 70 mm
- Weight: 60 g



6MT1100149

- Dim.: 56 x 38.3 x 70.5 mm
- Weight: 52 g



6MT1100110

- Dim.: 52 x 42.8 x 81.5 mm
- Weight: 82 g



6MT1100095

- Dim.: 71.4 x 46 x 94 mm
- Weight: 153 g



6MT1100113

- Dim.: 60.5 x 42 x 160 mm
- Weight: 142 g




6MT1400050

- Dim.: 127.8 x 103.6 x 41.6 mm
- Weight: 51 g



Part A For Bike/ Motorbike



Features:

- Durable, strong, and anti-vibration
- 3T-prong, 3T quick-release, and Duolock tips for various mounts
- 360° rotation for easy angle adjustment

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Bike / Motorbike Mount



6MT1400048

- Dim.: 123.5 x 104.5 x 82 mm
- Weight: 73 g



3T Joint



CMAM0009

- Dim.: 17mm: 55.8 x 39 x 22 mm
25mm: 58.6 x 46.2 x 25.2 mm
- Weight: 17mm: 39 g
25mm: 42 g



Ø17 mm
Ball Joint



Ø25 mm
Ball Joint



Threaded Post Mount

	6MT1100079	6MT1100078	6MT1100080
Dim.	55/60/65 mm	55/60/65 mm	55/60/65 mm
Compatible bolt	M6	M8	M10
Weight	80 g	110 g	140 g



Fork Stem Mount

	6QT9900047	6MT1100069	6MT1100070	6MT1100071	6MT1100072
Dim.	55 x 42.5 x 100 mm				
Compatible bolt	Ø10-13.3 mm	Ø13.5-14.7mm	Ø15-17.2 mm	Ø17.5-20.5 mm	Ø20.3-24.5 mm
Weight	63 g	78 g	79 g	83 g	88 g

Features:

- Protects your phone from splashes while keeping all buttons accessible
- Reserved charging port for easy use
- Soft inner tray prevents scratches and fits your device perfectly
- Hanging hole for neck strap

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Part B For Bike/ Motorbike



Water Resistant Case



6PT1200390

Smartphone bag

- Dim.: 109 x 37 x 196 mm
- Weight: 116 g
- The soft supporting cushion inside of the bag is removable to accommodate thicker devices/cases
- Max phone size: 166 x 86 x 8 mm



3T Joint



504NC00010

Neck strap

- Dim.: 20 x 520 mm
- Weight: 21 g
- Combine with the water resistant case or smartphone bag

Features:

- Quickly mounts and releases your device with the spring
- Optional silicone elastic bands for better safety and stability

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 25°C

Part B For Bike/ Motorbike



Bike Holder & Elastic Band



6MT0600252

- Dim.: 130 x 71 x 35 mm
- Weight: 110 g
- Four-sided wings to better grip your smartphone
- Security lock design



3T Joint



501BK00451

- Dim.: 138 x 67 x 14 mm
- Weight: 10 g



501BK00423

- Dim.: 119 x 88 x 3 mm
- Weight: 9 g



501BK00407

- Dim.: 117 x 84 x 4 mm
- Weight: 11 g

Others



Features:

- Compatible with GoPro cameras
- Expands your mounting options for different scenarios
- Free your hands while enjoying outdoor activities

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Camera Mount



6MT0100433

- Dim.: Ø67 x 266 mm
- Weight: 96 g



Camera
Adapter



67 mm
Standard
suction
cup



6MT0100306

- Dim.: Ø45 x 56 mm
- Weight: 28 g



Camera
Adapter



45 mm
Standard
suction
cup



6MT0100027

- Dim.: Ø67 x 112 mm
- Weight: 74.3 g



Camera
Adapter



67 mm
Standard
suction
cup



6MT9900044

- Dim.: 39 x 39 x 292 mm
- Weight: 172.4 g



Camera
Adapter



6MT1100110

- Dim.: 52 x 42.8 x 81.5 mm
- Weight: 82 g



Camera
Adapter

Features:

- Compatible with GoPro and action cameras
- Secure mounting for outdoor and sports applications

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Others

GoPro Mount



6MT1100136

- Dim.: 225 x 61.5 x 74.5 mm
- Weight: 58 g



GoPro
Adapter



6MT1100134

- Dim.: 73 x 77 x 26 mm
- Weight: 82 g



GoPro
Adapter



6MT1100137

- Dim.: 225 x 75.5 x 60.2 mm
- Weight: 64 g



GoPro
Adapter

Features:

- Versatile mounting solutions for various special applications
- Suitable for automotive and outdoor use

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Others

Dashboard Mount for Tablet / Phone



6MT0100424

- Dim.: 128 x 61 x 33 mm
- Weight: 85 g

- One-handed operation
- Sticky Suction cup
- Suitable for 3.5"-7" device
- Clamping width: 42-113 mm



Sticky
Suction
Cup



6MT0100381

- Dim.: 255 x 101 x 52 mm
- Weight: 204.2 g

- Adjustable arm can easily hold 4"-10" device
- Sticky Suction cup
- Compatible height: 53-213 mm



Sticky
Suction
Cup



6MT0100418

- Dim.: 255 x 101 x 52 mm
- Weight: 204.2 g

- Adjustable arm can easily hold 4"-10" device
- Sticky Suction cup
- Compatible height: 53-213 mm



Sticky
Suction
Cup

Others

Features:

- Fixes in car cup holder by turning the cup mount
- Provides a flat surface to attach the suction cup mount

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 70°C

Cup Mount



6MT1500003

- Dim.: 88 x 88 x 85 mm
- Weight: 160 g
- Fix in the car cup space by turning the cup mount
- Provides flat surface to mount the suction cup mount"



6CD1000015

- Dim.: 96 x 96 x 116 mm
- Weight: 310 g
- USB car charger cup mount with storage
- Option to add flexible arm bracket to extend the function of holding devices
- USB output: 5V, 2/3.4A; dual USB ports

Others

Other Mount



6MT0100965

Mouse Cord Mount

- Dim.: 104 x 89 x 20 mm
- Weight: 85 g
- Sticky suction cup
- The flexible arm provides the user with stability and control while enabling free movement of the mouse
- Suitable for gaming or to be used at home, office, etc.



6MT0200071

Dashboard Sticky/3M Adhesive Mount

- Dim.: 71.5 x 60.5 x 33 mm
- Weight: 59 g
- Suitable for dashboard
- Available in sticky gel or 3M adhesive options



3T Joint



6MT0600252

Rear Mirror Mount

- Dim.: 122 x 60 x 80 mm
- Weight: 73 g
- Adjustable design to fit various mirror sizes



T Joint



4MT0900011

Surveillance camera mount

- Dim.: $\Phi 68 \times 61.5$ mm
- Weight: 29 g
- Mount on wall with 3 screws

Features:

- Wide compatibility with MagSafe and magnetic devices
- Multiple designs for automotive, desktop, and outdoor applications

Others

Magnetic Mount



CMMS0003

MagSafe Foldable Suction Mount

- Dim.: Ø64 x 24 mm
- Weight: 75 g



CMMS0004

MagSafe Headphone Stand (no charging)

- Dim.: Ø64 x 10.5 mm
- Weight: 45 g



CMMS0005

Modular Foldable Magnetic Mount

- Dim.: 140 x 44 x 55 mm
- Weight: 108 g



CMMS0007

Universal Magnetic Car Mount with 360° Rotation

- Dim.: 175 x 58 x 32 mm
- Weight: 165 g



CMMS0008

Aluminum Magnetic Ring Stand

- Dim.: 60 x 60 x 4 mm
- Weight: 37 g



7PP6MT0069

Double MagSafe Stand with Adhesive Base

- Dim.: 60 x 60 x 10 mm
- Weight: 52 g



6MT1300139

MagSafe Base Phone Stand


- Dim.: 60 x 65 x 8 mm
- Weight: 52 g



CMMS0011

Foldable Double MagSafe Phone Holder

- Dim.: 140 x 60 x 12 mm
- Weight: 70 g



CMMS0012

MagSafe Magnetic Gym & Handlebar Mount

- Dim.: 86 x 60 x 34 mm
- Weight: 81 g

Features:

- Wide compatibility with MagSafe and magnetic devices
- Multiple designs for automotive, desktop, and outdoor applications

Magnetic Mount



CMMS0013

Super Strong MagSafe Magnetic Mount (Rectangular)

- Dim.: 68 x 60 x 36 mm
- Weight: 95 g



CMMS0014

MagSafe Magnetic Mount (Rectangular)

- Dim.: 68 x 60 x 36 mm
- Weight: 80 g



CMMS0015

MagSafe Magnetic Mount (Round)

- Dim.: Ø60 x 33 mm
- Weight: 75 g



CMMS0017

MagSafe Magnetic Mount (Magnetic Band Design)

- Dim.: 60 x 60 x 15 mm
- Weight: 106 g



CMMS0018

Bendable magnetic mount (interchangeable MagSafe charger)

- Dim.: 235 x 70 x 13.6 mm
- Weight: 90 g
- MagSafe Charger Is Not Included



CMMS0019

Foldable magnetic mount (interchangeable MagSafe charger)

- Dim.: 235 x 70 x 13.6 mm
- Weight: 110 g
- MagSafe Charger Is Not Included



CMMS0021

Rotating Magnetic Desktop Stand

- Dim.: Ø60 x 67 mm
- Weight: 90 g

Features:

- Supports fast wireless charging up to 25W
- Multiple configurations for home, office, and in-car use
- Modular design allows customization based on customer requirements

Others

Wireless Charging Series



6MT0600582

- Dim.: 90 x 80 x 45 mm
- Weight: 76 g
- Clamping width: 58-89 mm
- One-handed operation
- Input: 5V/1.7A, 9V/1.7A
- Output: 5W/10W (Max)



3T Slot



CMBH0001

- Dim.: Ø63 x 28.6 mm
- Weight: 60 g
- Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, QC 3.0, PD
- Output: 5W/7.5W/10W/15W/25W(Max)



Ø17 mm
Ball Socket



6CD9900003

Qi Wireless Charging Pad

- Dim.: 182 x 92 x 12mm
- Weight: 136 g
- Anti-slip rubber on the bottom keeps the pad stable on dashboards, desks, or any flat surface
- Compatible with devices up to 6.5"
- USB Type-C port
- Input: 5V/1.7A or 9V/1.7A, supports 9V PD fast charging
- Output: 5W/7.5W/10W(Max)



CMPS0001

Rotating All in One Wireless Charging

- Dim.: 61 x 190 x 10mm
- Weight: 168 g
- Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, QC3.0, PD
- Phone Output: 5W/7.5W/10W/15W/25W(Max)
- Bottom Output: 15W / EPP (For SAMSUNG)
- iWatch Output: 2.5W/5W
- Wireless Earbuds Output: 5W



CMPS0002

Wireless Charging Stand + Headphone Stand

- Dim.: 150 x 150 x 260 mm
- Weight: 612 g
- Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A QC3.0, PD
- Output: 5W/7.5W/10W/15W/25W(Max)



CMPS0004

2-in-1 Foldable Wireless Charger

- Dim.: 62 x 62 x 18 mm
- Weight: 157 g
- Input: 5V/3A, 9V/3A, 12V/3A, QC3.0, PD
- Phone Output: 5W/7.5W/10W/15W/25W(Max)
- Wireless Earbuds Output: 5W

Features:

- Supports fast wireless charging up to 25W
- Multiple configurations for home, office, and in-car use
- Modular design allows customization based on customer requirements

Wireless Charging Series



CMPS0005

3-in-1 Foldable Qi2.2 25W Wireless Charger

- Dim.: 62 x 62 x 18 mm
- Weight: 131 g
- Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, QC3.0, PD
- Phone Output: 5W/7.5W/10W/15W/25W(Max)
- iWatch Output: 2.5W/5W
- Wireless Earbuds Output: 5W



CMPS0006

2-in-1 Foldable Wireless Charger

- Dim.: 130 x 56 x 25 mm
- Weight: 157 g
- Input: 5V/3A, 9V/3A, 12V/3A, QC3.0, PD
- Phone Output: 5W/7.5W/10W/15W/25W(Max)
- Wireless Earbuds Output: 5W



CMPS0007

Magnetic Qi, Qi2 Charger w/stand w/Dual Watch Charger

- Dim.: 63 x 28.6 mm
- Weight: 80 g
- Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, QC3.0, PD
- Phone Output: 5W/7.5W/10W/15W/25W(Max)
- iWatch Output: 2.5W/5W



CMPS0008

Magnetic Qi, Qi2 Charger w/stand

- Dim.: 63 x 28.6 mm
- Weight: 65 g
- Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, QC3.0, PD
- Output: 5W/7.5W/10W/15W/25W(Max)



CMPS0009

Woody Wireless Charging Stand

- Dim.: 150 x 150 x 260 mm
- Weight: 218 g
- Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, QC3.0, PD
- Phone Output: 5W/7.5W/10W/15W/25W(Max)
- Wireless Earbuds Output: 5W
- iWatch Output: 2.5W/5W



CMPS0015

Wireless Charging Stand + Watch Charger

- Dim.: 150 x 150 x 260 mm
- Weight: 218 g
- Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, QC3.0, PD
- Phone Output: 5W/7.5W/10W/15W/25W(Max)
- Wireless Earbuds Output: 5W
- iWatch Output: 2.5W/5W



CMPS0016

All in 1 Wireless Charging Stand w/ Multi-Color Ambient Light

- Dim.: 150 × 150 × 260 mm
- Weight: 612 g
- Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, QC3.0, PD
- Phone Output: 5W/7.5W/10W/15W/25W(Max)
- Wireless Earbuds Output: 5W
- iWatch Output: 2.5W/5W



6MT9900127

- Dim.: 120 x 111.5 x 55 mm
- Weight: 161 g
- Type-C input
- Compatible with Qi desktop stand for flexible use



6MT9900128

- Dim.: 120 x 111.5 x 55 mm
- Weight: 161 g
- Type-C input
- Compatible with Qi desktop stand for flexible use



6MT9900129

- Dim.: 120 x 111.5 x 55 mm
- Weight: 161 g
- Type-C input
- Compatible with Qi desktop stand for flexible use

Features:

- Compatible with smartphones and tablets
- Ideal for office, home, and retail display environments
- Available in a range of designs to suit different user needs



Others

Desktop Stand



CMDS0001

MagSafe Stand + Headphone Stand (no charging)

- Dim.: 150 x 150 x 260 mm
- Weight: 612 g



CMDS0004

Universal Phone / Tablet Stand



CMDS0005

MagSafe Phone Stand

- Dim.: 88 x 88 x 20 mm
- Weight: 82 g

Others



Features:

- Compatible with smartphones and tablets
- Ideal for office, home, and retail display environments
- Available in a range of designs to suit different user needs

Desktop Stand



CMDS0007
CMDS0008

Phone Desktop Stand

- Dim.: 86 x 86 x 21 mm
- Weight: 101 g



CMDS0009

Tablet Desktop Stand

- Dim.: 88 x 88 x 20 mm
- Weight: 82 g



CMDS0010

11 AIR Magnetic Rotating Tablet Stand

- Dim.: 243 x 138 x 33 mm
- Weight: 633 g



CMDS0011

11 PRO Magnetic Rotating Tablet Stand

- Dim.: 243 x 151 x 30 mm
- Weight: 779 g



CMDS0012

13 AIR Magnetic Rotating Tablet Stand

- Dim.: 277 x 170 x 31 mm
- Weight: 874 g



CMDS0013

13 PRO Magnetic Rotating Tablet Stand

- Dim.: 277 x 170 x 31 mm
- Weight: 874 g



CMDS0014

iPAD 11 Magnetic Rotating Tablet Stand

- Dim.: 243 x 151 x 30 mm
- Weight: 779 g

Features:

- Designed for stylus pens and digital writing tools
- Stable and well-balanced structure prevents rolling and slipping
- Compact and practical design for everyday use

Others

Stylus Pen Mount



CMAP0001

Pencil O Stand (w/ Magnetic Phone Mount)

- Dim.: 60 x 60 x 50 mm
- Weight: 155 g



CMAP0002

Pencil Hexagon Stand

- Dim.: 55 x 50 x 20 mm
- Weight: 86 g



CMAP0003

Paperweight Pencil Stand

- Dim.: 140 x 10 x 48 mm
- Weight: 107 g



CMAP0004

Pencil & Notebook Stand

- Dim.: 62 x 43 x 7 mm
- Weight: 48 g



Others

Heavy Duty Mount



6MT9900035

Heavy-duty golf cart mount

- Dim.: 671 x 72 x 84 mm
- Weight: 530 g



6MT9900036

Heavy-duty car/truck seat rail mount

- Dim.: 649 x 134 x 62 mm
- Weight: 510 g



6MT9900037

Heavy-duty car/truck seat rail mount

- Dim.: 690 x 134 x 62 mm
- Weight: 515 g



Heavy Duty Mount



CMBH0002

Heavy-Duty Spring-Loaded Tablet Holder

- Dim.: 146 x 88 x 91 mm
- Weight: 210 g
- Clamping height: 110-200 mm



CMBH0003

Heavy-Duty Locking Tablet Holder

- Dim.: 245 x 145 x 25 mm
- Weight: 321 g
- Clamping height: 120-245 mm



CMAC0001

Heavy-Duty Double Socket Arm (S)

- Dim.: 17mm: 65 x 40.5 x 24.5 mm
- 25mm: 80.5 x 51 x 33.5 mm
- Weight: 17mm: 55.5g
- 25mm: 100.5g



CMAC0002

Heavy-Duty Double Socket Arm (M)

- Dim.: 17mm: 90 x 40.5 x 24 mm
- 25mm: 80.5 x 51 x 33.5 mm
- Weight: 17mm: 70.5g
- 25mm: 135g



CMAC0003

Heavy-Duty Double Socket Arm (L)

- Dim.: 17mm: 139.5 x 40.5 x 24.5 mm
- 25mm: 160 x 51 x 33.5 mm
- Weight: 17mm: 140g
- 25mm: 224g



CMAM0004

25mm Ball Grand Suction Base

- Dim.: Ø95 x 90 mm
- Weight: 144 g



6MT0101010

3T Slot Grand Suction Flex-Mount

- Dim.: Ø95 x 350 mm
- Weight: 213 g



CMAM0001

Diamond AMPS Ball Base

- Dim.: 62 x 30 x 39 mm
- Weight: 21.3 g



CMAM0002

Round AMPS Ball Base

- Dim.: Ø60 x 39 mm
- Weight: 31.6 g





CMAM0003

Metal Handlebar Ball Clamp

- Dim.: 96 x 25.4 x 76 mm
- Weight: 91.5 g



CMAM0005

Magnetic Ball Base

- Dim.: 90 x 90 x 52 mm
- Weight: 211 g



CMAM0006

3T Slot U-Bolt Rail Mount

- Dim.: 60.5 x 42 x 160 mm
- Weight: 142 g



CMAM0007

Square AMPS Ball Base

- Dim.: 50 x 45 x 35 mm
- Weight: 20 g



CMDS0014

VESA Ball Base

- Dim.: 120 x 125 x 45 mm
- Weight: 109 g



CMAM0009

Metal Angled ExtensionBase

- Dim.: 17mm: 55.8 x 39 x 22 mm
25mm: 58.6 x 46.2 x 25.2 mm
- Weight: 17mm: 39 g
25mm: 42 g



CMBH0005

Ball MagSafe Holder

- Dim.: 17mm: Ø60 x 32 mm
25mm: Ø60 x 42.5 mm
- Weight: 17mm: 31.5 g
25mm: 40 g



CMDS0002

Metal C-Clamp Desktop Base

- Dim.: 134 x 48.5 x 33 mm
- Weight: 70 g





Features:

- Supports fast wireless charging up to 25W, allowing your device to charge while mounted
- Can be customized according to requirements

Specification:

- Storage temperature: -10 to 60°C
- Operating temperature: 0 to 25°C

Adapter & Connecting Parts



6MT1400002

Wire organizer

- Dim.: 23.5 x 19.5 x 5.5 mm
- Weight: 1 g
- Cable clip on the flexible arm



6MT0200018

Adhesive stabilizer

- Dim.: 29.7 x 17.7 x 20.8 mm
- Weight: 3 g
- Clip on the flexible arm and stick on the dashboard with 3M sticker
- Minimize the vibration effectively



4MT1400400

- Dim.: 92 x 28 x 31 mm
- Weight: 22 g

- The arm can be combined with air vent mount to avoid the holder used on the air vent area block the air flow



Ø17 mm
Ball Socket



6MT1500014

Beanbag mount

- Dim.: 180 x 180 x 30 mm
- Weight: 730 g
- Built-in steel balls for added stability
- Anti-slip bottom prevents sliding



6MT1500020

Adapter plate

- Dim.: Ø76.7 x 6 mm
- Weight: 23 g
- 3M 1600TG
- 3M adhesive for dashboard or flat surfaces
- Fits suction cup mounts up to Ø68 mm



6MT0200016

Adapter plate

- Dim.: Ø108.1 x 6 mm
- Weight: 51 g
- 3M 1600TG

- 3M adhesive for dashboard or flat surfaces
- Fits suction cup mounts up to Ø100 mm



6MT0200002

Adapter plate

- Dim.: Ø68 x 11.5 mm
- Weight: 20.5 g
- 3M 1600TG

- 3M adhesive for dashboard or flat surfaces
- Fits suction cup mounts up to Ø68 mm



6MT0200011

Adapter plate

- Dim.: Ø84 x 11.5 mm
- Weight: 40 g
- 3M 1600TG

- 3M adhesive for dashboard or flat surfaces
- Fits suction cup mounts up to Ø84 mm



6MT0200014

Adapter plate

- Dim.: Ø100 x 11.5 mm
- Weight: 58 g
- 3M 1600TG

- 3M adhesive for dashboard or flat surfaces
- Fits suction cup mounts up to Ø100 mm



4MT0900001 (4MT0900010)

25 mm dia. ball socket to AMPS 4-hole adapter (4 screws included)

- Dim.: 57 x 42.5 x 25.5 mm
- Weight: 15 g



4MT1400327

AMPS 4-hole to 3T-prong adapter (4 screws included)

- Dim.: 57 x 42.5 x 11.5 mm
- Weight: 16 g



006BK00023

Non-swivel 3T-prong



4MT1400110

360° swivel 3T-prong



4MT1400408

T-prong/ Ø17 mm ball socket



006BK04276

Mio T-prong/ Ø10 mm ball head



006BK00102

T-prong/ Ø15 mm ball head



006BK00068

Locking T-prong/ Ø15 mm ball head



4MT1400093

1/4" threaded screw adapter/ Ø15 mm ball head



4MT1400098

Stainless steel 1/4" threaded screw adapter/ Ø15 mm ball head



4MT1400154

1/4" threaded screw GoPro adapter



4MT1400102

Camera tripod 1/4" threaded screw to 3T-prong adapter



006BK00138

3T-prong/Ø15 mm ball head



006BK00153

Locking 3T-prong/Ø15 mm ball head



4MT1100043

3T-prong quick-release tip/Ø15 mm ball head



4MT1100044

3T-prong quick-release tip/Ø17 mm ball head



006BK04277

Ø10/Ø17 mm dual ball head



006BK00010

Ø15/Ø15 mm dual ball head



006BK00011

Ø15/Ø17 mm dual ball head



006BK00137

Ø17/Ø17 mm dual ball head



CMAC0004

Ø25/Ø17 mm dual ball head arm



CMAC0005

Ø25/Ø20 mm dual ball head arm



CMAC0006

Ø25/Ø25 mm dual ball head arm



006BK03885

Ø15/Ø17 mm dual ball head arm



006BK03975

Ø17/Ø17 mm dual ball head arm



006BK04134

Ø15/Ø17 mm dual ball head arm



006BK04281

Ø15/Ø17 mm dual ball head arm



006BK04140

17 mm ball head/D-socket



006BK00061

17 mm ball head/D-shaped head



006BK00074

Ø15 mm ball socket/Swivel wheel gear part



006BK00075

3T-prong/Swivel wheel gear part



006BK00073

D-prong/Swivel wheel gear part



006BK00227

Locking T-prong/Swivel wheel gear part



4MT1400149

25 mm aluminum rod



4MT1400144

45 mm aluminum rod



4MT1400143

84.6 mm aluminum rod



4MT1400377

110 mm aluminum rod



4MT1400147

145.5 mm aluminum rod



4MT1400137

185 mm aluminum rod



4MT1400348

217.5 mm aluminum rod




CMAC0007

Go Pro/Action camera ball mount (17/25mm ball head)



CMAC0008

1/4" screw ball mount (25mm ball head)



怡業股份有限公司

地址：台灣 231028 新北市新店區寶橋路
235 巷 12 號 3 樓
電話：+886-2-8911-1133
Email：sales@comart.com.tw

COMART CORPORATION

Add: 3F., No.12, Ln. 235, Baoqiao Rd., Xindian Dist.,
New Taipei City, 231028, Taiwan (R.O.C.)
Tel: +886-2-8911-1133
Email: sales@comart.com.tw

東莞恒群塑膠有限公司

地址：中國 523000 廣東省東莞市茶山鎮
鞍月路 2 號 1 號樓 501 室
電話：+86-769-23064133
Email：ywb3@heng-qun.com

ETERNAL GAIN PLASTICS CO.,LTD.

Add: Room 501, Building 1, No.2 An Yue Road, Cha Shan Town,
Dong Guan City, Guang Dong Province, 523000, China
Tel: +86-769-23064133
Email: ywb3@heng-qun.com

越南怡業責任有限公司

地址：越南 22000 北寧省寧坊雲中工業區
CN-06-06 廠房
電話：+84-204-3561133
Email：henry_lai@comart.com.tw

COMART VIETNAM CO., LTD.

Add: Factory CN-06-06, Van Trung Industrial Park,
Nenh Ward, Bac Ninh Province, 22000, Vietnam
Tel: +84-204-3561133
Email: henry_lai@comart.com.tw

Innovative ODM reliable partner

All registered trademarks belong to their respective owner.