



Kinetic Simulation Algorithm Ontology

Dagmar Waltemath, Anna Zhukova,
Nick Juty, Camille Laibe and
Nicolas Le Novère

COMBINE 2011
Heidelberg, 3rd - 7th September



EBI is an Outstation of the European Molecular Biology Laboratory.



Modeling

Simulation

Numerical Results

- Algorithm used
- Initial set-up



```
<sedML xmlns="http://sed-ml.org/" xmlns:
<listOfSimulations>
  <uniformTimeCourse id="simulation1" na
  <annotation>
    <sbsi-editor xmlns="http://www.sedml
      <location y="357" x="344" />
      <size height="45" width="80" />
    </sbsi-editor>
  </annotation>
  <algorithm kisaoID="KISAO:000008
  </uniformTimeCourse>
</listOfSimulations>
<listOfModels>
```

KiSAO 2.0 vs 1.0

KiSAO 1.0 (OBO)

- algorithm using adaptive timesteps
 - Bortz-Kalos-Liebowitz method
 - tau-leaping method
- algorithm using discrete variables
 - tau-leaping method
 - deterministic cellular automata
- algorithm using stochastic rules
 - tau-leaping method

KiSAO 2.0 vs 1.0

KiSAO 1.0 (OBO)

- algorithm using adaptive timesteps

- Bortz-Kalos-Liebowitz method
- tau-leaping method

- algorithm using discrete variables

- tau-leaping method
- deterministic cellular automata

- algorithm using stochastic rules

- tau-leaping method

*subsumption-based
subclassing*

The diagram consists of three orange curved arrows pointing from the general category 'subsumption-based subclassing' to the three specific algorithm categories: 'algorithm using adaptive timesteps', 'algorithm using discrete variables', and 'algorithm using stochastic rules'.

KiSAO 2.0 vs 1.0

KiSAO 1.0 (OBO)

- algorithm using adaptive timesteps
 - Bortz-Kalos-Liebowitz method
 - tau-leaping method
 - algorithm using discrete variables
 - tau-leaping method
 - deterministic cellular automata
 - algorithm using stochastic rules
 - tau-leaping method
- multiple inheritance*
-
- The diagram illustrates multiple inheritance in the KiSAO 1.0 ontology. A central label 'multiple inheritance' has three curved arrows pointing to the 'tau-leaping method' entries under each of the three main algorithm categories: adaptive timesteps, discrete variables, and stochastic rules.

KiSAO 2.0 vs 1.0

KiSAO 1.0 (OBO)

- algorithm using adaptive timesteps
 - Bortz-Kalos-Liebowitz method
 - tau-leaping method
- algorithm using discrete variables
 - tau-leaping method
 - deterministic cellular automata
- algorithm using stochastic rules
 - tau-leaping method

KiSAO 2.0 (OWL)

- deterministic cellular automata
 - Bortz-Kalos-Liebowitz method
 - tau-leaping method
- algorithm characteristic
 - type of variable
 - type of system behaviour
 - type of progression time step

KiSAO 2.0 vs 1.0

KiSAO 1.0 (OBO)

- algorithm using adaptive timesteps
 - Bortz-Kalos-Liebowitz method
 - tau-leaping method
- algorithm using discrete variables
 - tau-leaping method
 - deterministic cellular automata
- algorithm using stochastic rules
 - tau-leaping method

KiSAO 2.0 (OWL)

- deterministic cellular automata
 - Bortz-Kalos-Liebowitz method
 - tau-leaping method
- algorithm characteristic
 - type of variable
 - type of system behaviour
 - type of progression time step

KiSAO 2.0 vs 1.0

KiSAO 1.0 (OBO)

- algorithm using adaptive timesteps
 - Bortz-Kalos-Liebowitz method
 - tau-leaping method
- algorithm using discrete variables
 - tau-leaping method
 - deterministic cellular automata
- algorithm using stochastic rules
 - tau-leaping method

KiSAO 2.0 (OWL)

- deterministic cellular automata
 - Bortz-Kalos-Liebowitz method
 - tau-leaping method
- algorithm characteristic
 - type of variable
 - type of system behaviour
 - type of progression time step

KiSAO 2.0 vs 1.0

KiSAO 1.0 (OBO)

- algorithm using adaptive timesteps
 - Bortz-Kalos-Liebowitz method
 - tau-leaping method
- algorithm using discrete variables
 - tau-leaping method
 - deterministic cellular automata
- algorithm using stochastic rules
 - tau-leaping method

KiSAO 2.0 (OWL)

- deterministic cellular automata
- Bortz-Kalos-Liebowitz method
- tau-leaping method
- algorithm characteristic
 - type of variable
 - type of system behaviour
 - type of progression time step
- algorithm parameter

KiSAO 2.0 vs 1.0

*more
methods*

KiSAO 1.0 (OBO)

- algorithm using adaptive timesteps
 - Bortz-Kalos-Liebowitz method
 - tau-leaping method
- algorithm using discrete variables
 - tau-leaping method
 - deterministic cellular automata
- algorithm using stochastic rules
 - tau-leaping method

KiSAO 2.0 (OWL)

- deterministic cellular automata
- Bortz-Kalos-Liebowitz method
- tau-leaping method
- algorithm characteristic
 - type of variable
 - type of system behaviour
 - type of progression time step
- algorithm parameter

- multistep method
 - Adams method
 - backward differentiation formula
- Gillespie-like method
 - Gillespie's direct method
 - accelerated stochastic simulation algorithm

Simulation Algorithms

- **tau-leaping method**
 - binomial tau-leaping method
 - Poisson tau-leaping method
- weighted stochastic simulation algorithm

- type of system behaviour
 - stochastic system behaviour
 - deterministic system behaviour
- type of progression time step
 - progression with adaptive time step
 - progression with fixed time step

Characteristics

- spatial description
- type of variable
 - continuous variable
 - discrete variable
- error control parameter
 - **tau-leaping epsilon**
 - relative tolerance
 - absolute tolerance
- granularity control parameter
 - coarse-graining factor

Parameters

skos:altLabel "tauL",
 skos:definition "Approximate acceleration procedure of the Stochastic Simulation Algorithm [urn:miriam:biomodels.kisao:KISAO_0000029] that divides the time into subintervals and "leaps" from one to another, firing all the reaction events in each subinterval.",
 @ rdfs:comment "Gillespie DT. Approximate accelerated stochastic simulation of chemically reacting systems. The Journal of Chemical Physics, Vol. 115 (4), pages 1716-1733 (2001). Section V."

rdfs:seeAlso "urn:miriam:doi:10.1063/1.1378322",

isImplementedIn "ByoDyn",
 isImplementedIn "Cain",
 isImplementedIn "SmartCell",
 SubClassOf:

accelerated stochastic simulation algorithm
has characteristic some approximate solution
has characteristic some progression with adaptive time step
has characteristic some discrete variable
has characteristic some stochastic system behaviour
has parameter exactly 1 tau-leaping epsilon


skos:a
 skos:a
 skos:d
 expect
 Epsilon
 between
 mecha
 decrea
 more a
 @ rd

stochastic simulation of chemically reacting systems. The Journal of Chemical Physics, Vol. 115 (4), pages 1716-1733 (2001). Section V."


rdfs:seeAlso "urn:miriam:doi:10.10
 SubClassOf:

error control parameter
has type some xsd:double


Parameter type




Use Case: libKiSAO and Simulation Tools




Use Case: libKiSAO and Simulation Tools



Use Case 2: libKiSAO and Simulation Tools



Use Case: libKiSAO and Simulation Tools



Acknowledgments

KiSAO

Dagmar Waltemath,
Anna Zhukova, Nick Juty,
Camille Laibe,
Nicolas Le Novère

libKiSAO

Anna Zhukova, Richard
Adams, Camille Laibe,
Nicolas Le Novère

The community of SED-ML for their contributions and
their comments.

We would like to thank European Molecular Biology Laboratory and
Marie-Curie BioStar for providing resources to carry out this work.



<http://biomodels.net/kisao>

- ✓ Download
- ✓ libKiSAO
- ✓ Suggest terms
- ✓ Submit bugs

zhutchok@ebi.ac.uk (Anna Zhukova)