

C^2 FD: A GPU based 3D Integrated Complex-fluids Toolkit for Modeling Cellular Dynamics

Jia Zhao^{1,2} and Qi Wang¹

¹Department of Mathematics,
University of South Carolina at Columbia, SC, USA.


²Department of Mathematics,
University of North Carolina at Chapel Hill, NC, USA.



Outline

- 1 A brief Introduction of C^2FD
- 2 Applications on Cellular Dynamics
 - Mitotic Cell Rounding
 - Cortical Traveling Waves
 - Cell Cytokinesis
 - Bleb-like Protrusions
 - Biofilm Formation and Treatment
- 3 Conclusion

C^2FD : Computational Complex-Fluids Dynamics



Why GPU?




Figure : The GPU Devotes More Transistors to Data Processing.

What are Complex-fluids?

Complex fluids are fluids that are homogeneous at macroscopic scales and disordered at microscopic scales, but possess structure on a mesoscopic length scale. Mesoscopic scale dynamics or physics dominates the material's properties. ^a

^aGelbart and Ben-Shaul, JPC, 1996.

- A fluid made up of a lot of different kinds of stuff;
- Fluid mixtures with (micro)structure;
- polymers (thermoplastics, elastomers, composites), gels, colloidal fluids, suspensions, emulsions, foams, micellar and liquid-crystal phases, molten materials, etc.

Why model Cells as Complex Fluids?

‘ Everything flows! ’



Heraclitus 535BC - 475BC ^a

^a<http://necspenecmetu.tumblr.com/image/24706611579>

Continuum Theory

What is a continuum theory?

A theory that analyzes the kinematics and the mechanical behavior of materials modeled as a continuous mass rather than as discrete particles.

Navier-Stokes Equation


$$\begin{aligned}(\rho \mathbf{v})_t + \nabla \cdot (\rho \mathbf{v} \mathbf{v}) &= -\nabla p + \nabla \cdot \boldsymbol{\sigma} + \mathbf{f}, \\ \rho_t + \nabla \cdot (\rho \mathbf{v}) &= 0,\end{aligned}$$

where ρ is the density, \mathbf{v} is the velocity, p is the hydrostatic pressure, $\boldsymbol{\sigma}$ is the viscoelastic stress, and \mathbf{f} is the external forces.

Contents

- 1 A breif Introduction of C^2 FD
- 2 Applications on Cellular Dynamics
 - Mitotic Cell Rounding
 - Cortical Traveling Waves
 - Cell Cytokinesis
 - Bleb-like Protrusions
 - Biofilm Formation and Treatment
- 3 Conclusion

Biological Background for Mitotic Cell Rounding



load video

Figure : A Schematic Cartoon.

Figure : Mitotic Cell rounding.

Homogeneous Mitotic Cell Rounding on Substrate

load video

load video

Figure : Simulations of mitotic cell rounding on substrate.

Heterogeneous Mitotic Cell Rounding on Substrate

load video

(a)

load video

(b)

Figure : Mitotic Cell Rounding. (a) F-actin dynamics from Kapustina, UNC; (b) numerical simulation.

Contents

- 1 A breif Introduction of C^2 FD
- 2 Applications on Cellular Dynamics
 - Mitotic Cell Rounding
 - Cortical Traveling Waves
 - Cell Cytokinesis
 - Bleb-like Protrusions
 - Biofilm Formation and Treatment
- 3 Conclusion

Cytoplasmic flows accompany the traveling wave

load video


load video

The nucleus is pushed around during oscillation


load video

load video

Cortical Traveling Waves



(e) F actin




(f) Myosin

load video


Contents

- 1 A breif Introduction of C^2 FD
- 2 Applications on Cellular Dynamics
 - Mitotic Cell Rounding
 - Cortical Traveling Waves
 - Cell Cytokinesis
 - Bleb-like Protrusions
 - Biofilm Formation and Treatment
- 3 Conclusion


Cell Mitosis



Biological Background for Cytokinesis



(g) Actomyosin Distribution during cytokinesis




(h) Contractile Ring

Figure : Animal Cell Cytokinesis: (A) purple urchin zygotes during first mitosis, stained for DNA (green) and phosphorylated myosin II (magenta); (B) a cartoon of actomyosin contractile ring and cleavage furrow.

¹Ann L. Miller, Current Biology, 21(24), 2011.

²<http://php.med.unsw.edu.au/cellbiology/>

Cell Cytokinesis



(a) Contractile Ring

load video

(b) 3D simulation of Cell Cytokinesis

3D Visualization of Contractile Ring Dynamics





Figure : Arrangement of F-actin on the contractile ring at different stages.

¹Kamasaki, Osumi and Mabuchi, Journal of Cell Biology, 178(5),2010.

Qualitative Comparison



(d) a melanoma cell before it divides completely

(e) a budding yeast

(f) Cleavage furrow in the jellyfish *Aequorea*

Figure : Qualitative Comparisons of asymmetric cytokinesis.


¹<http://php.med.unsw.edu.au/cellbiology/index.php?title=File:Melanoma-Cytokinesis.eps>

²<http://www.ppdictionary.com/fungi.htm>


Contents

- 1 A breif Introduction of C^2 FD
- 2 Applications on Cellular Dynamics
 - Mitotic Cell Rounding
 - Cortical Traveling Waves
 - Cell Cytokinesis
 - **Bleb-like Protrusions**
 - Biofilm Formation and Treatment
- 3 Conclusion


The plasm membrane after rounding is highly convoluted.



The plasm membrane after rounding is highly convoluted.




Bleb-like Protrusions



load video

Bleb-like Protrusions

load video



Contents

1 A brief Introduction of C^2FD

2 Applications on Cellular Dynamics

- Mitotic Cell Rounding
- Cortical Traveling Waves
- Cell Cytokinesis
- Bleb-like Protrusions
- Biofilm Formation and Treatment

3 Conclusion

Biofilm Bacteria



(e) Dental Plaque



(f) Biofouling



(g) Streambed in Yellowstone



(h) Biofilm Infection

Figure : Biofilm Bacteria in Our Daily Life.

Biofilm Recovery After Antimicrobial Treatment




Figure : Biofilm recovery after 10-minute treatment with CHX-Plus.

load video

Figure : Numerical prediction of biofilm recovery.

Biofilm Treatment and Relapse





Figure : Model prediction and comparison with experiments of biofilm treatment and relapse. Here dots are experiment data, curves are predictions. (a) Percentage of dead bacterial cells at different times of biofilm recovery after being treated with CHX for 1, 3 and 10 minutes, respectively; (b) biofilm thickness; (c) Live bacteria percentage during biofilm recovery after CHX treatment.

C^2FD : Computational Complex-Fluids Dynamics



Acknowledgments


- Special thanks go to the Dean's Dissertation Fellowship and SPARC Graduate Research Grant from USC.



(a) Dr. Forest



(b) Dr. Wang



(c) Dr. Yang



(d) Dr. Jacobson



(e) Dr. Kapastina



(f) Dr. Shen