

Regional Operational Plan No. ROP.CF.1J.2025.18

Operational Plan: Southeast Alaska Pink Salmon Escapement Index Surveys, 2025–2027

by

Andrew W. Piston

and

Teresa M. Fish

April 2025

Alaska Department of Fish and Game

Divisions of Sport Fish and Commercial Fisheries



Symbols and Abbreviations

The following symbols and abbreviations, and others approved for the Système International d'Unités (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, and Special Publications. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figures or figure captions.

Weights and measures (metric)		General		Mathematics, statistics	
centimeter	cm	Alaska Administrative Code		all standard mathematical signs, symbols and abbreviations	
deciliter	dL		AAC		
gram	g	all commonly accepted abbreviations	e.g., Mr., Mrs., AM, PM, etc.	alternate hypothesis	H _A
hectare	ha			base of natural logarithm	<i>e</i>
kilogram	kg			catch per unit effort	CPUE
kilometer	km	all commonly accepted professional titles	e.g., Dr., Ph.D., R.N., etc.	coefficient of variation	CV
liter	L			common test statistics	(F, t, χ^2 , etc.)
meter	m	at	@	confidence interval	CI
milliliter	mL	compass directions:		correlation coefficient (multiple)	R
millimeter	mm	east	E	correlation coefficient (simple)	r
Weights and measures (English)		north	N	covariance	cov
cubic feet per second	ft ³ /s	south	S	degree (angular)	°
foot	ft	west	W	degrees of freedom	df
gallon	gal	copyright	©	expected value	<i>E</i>
inch	in	corporate suffixes:		greater than	>
mile	mi	Company	Co.	greater than or equal to	≥
nautical mile	nmi	Corporation	Corp.	harvest per unit effort	HPUE
ounce	oz	Incorporated	Inc.	less than	<
pound	lb	Limited	Ltd.	less than or equal to	≤
quart	qt	District of Columbia	D.C.	logarithm (natural)	ln
yard	yd	et alii (and others)	et al.	logarithm (base 10)	log
Time and temperature		et cetera (and so forth)	etc.	logarithm (specify base)	log ₂ , etc.
day	d	exempli gratia (for example)	e.g.	minute (angular)	'
degrees Celsius	°C	Federal Information Code	FIC	not significant	NS
degrees Fahrenheit	°F	id est (that is)	i.e.	null hypothesis	H ₀
degrees kelvin	K	latitude or longitude	lat or long	percent	%
hour	h	monetary symbols (U.S.)	\$, ¢	probability	P
minute	min	months (tables and figures): first three letters	Jan.,...,Dec	probability of a type I error (rejection of the null hypothesis when true)	α
second	s	registered trademark	®	probability of a type II error (acceptance of the null hypothesis when false)	β
Physics and chemistry		trademark	™	second (angular)	"
all atomic symbols		United States (adjective)	U.S.	standard deviation	SD
alternating current	AC	United States of America (noun)	USA	standard error	SE
ampere	A	U.S.C.	United States Code	variance	
calorie	cal			population sample	Var var
direct current	DC				
hertz	Hz				
horsepower	hp				
hydrogen ion activity (negative log of)	pH				
parts per million	ppm				
parts per thousand	ppt, ‰				
volts	V				
watts	W				

REGIONAL OPERATIONAL PLAN NO. ROP.CF.1J.2025.18

**OPERATIONAL PLAN: SOUTHEAST ALASKA PINK SALMON
ESCAPEMENT INDEX SURVEYS, 2025–2027**

by

Andrew W. Piston and Teresa M. Fish

Alaska Department of Fish and Game, Division of Commercial Fisheries, Ketchikan

Alaska Department of Fish and Game
Division of Commercial Fisheries
802 3rd Street, Douglas, AK 99824-5412

April 2025

The Regional Operational Plan Series was established in 2012 to archive and provide public access to operational plans for fisheries projects of the Divisions of Commercial Fisheries and Sport Fish, as per joint-divisional Operational Planning Policy. Documents in this series are planning documents that may contain raw data, preliminary data analyses and results, and describe operational aspects of fisheries projects that may not actually be implemented. All documents in this series are subject to a technical review process and receive varying degrees of regional, divisional, and biometric approval, but do not generally receive editorial review. Results from the implementation of the operational plan described in this series may be subsequently finalized and published in a different department reporting series or in the formal literature. Please contact the author if you have any questions regarding the information provided in this plan. Regional Operational Plans are available on the Internet at: <http://www.adfg.alaska.gov/sf/publications/>.

Product names used in this publication are included for completeness and do not constitute product endorsement. The Alaska Department of Fish and Game does not endorse or recommend any specific company or their products.

*Andrew W. Piston and Teresa M. Fish
Alaska Department of Fish and Game, Division of Commercial Fisheries,
2030 Sea Level Drive #205, Ketchikan, AK 99901, USA*

This document should be cited as follows:

Piston, A. W., and T. M. Fish. 2025. Operational plan: Southeast Alaska pink salmon escapement index surveys, 2025–2027. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Operational Plan No. ROP.CF.1J.2025.18, Douglas.

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility please write:

ADF&G ADA Coordinator, P.O. Box 115526, Juneau, AK 99811-5526

U.S. Fish and Wildlife Service, 4401 N. Fairfax Drive, MS 2042, Arlington, VA 22203

Office of Equal Opportunity, U.S. Department of the Interior, 1849 C Street NW MS 5230, Washington DC 20240

The department's ADA Coordinator can be reached via phone at the following numbers:

(VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648,

(Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

For information on alternative formats and questions on this publication, please contact:

ADF&G, Division of Sport Fish, Research and Technical Services, 333 Raspberry Rd, Anchorage AK 99518 (907) 267-2517

Signature Page

Project Title: Southeast Alaska Pink Salmon Escapement Index Surveys,
2025–2027

Project leader(s): *Teresa M. Fish*

Division, Region and Area Division of Commercial Fisheries, Southeast Region

Grant Details:
Project Nomenclature:

Period Covered 2025–2027

Field Dates: 16 June through 15 October

Plan Type: Category I

Approval

Title	Name	Signature	Date
Project leader	Teresa M. Fish		4/11/2025
Research Coordinator	Andrew W. Piston		4/11/2025

TABLE OF CONTENTS

LIST OF FIGURES	ii
LIST OF APPENDICES	ii
PURPOSE.....	1
BACKGROUND	1
OBJECTIVES.....	1
STUDY AREA	2
Subregions	2
Management Areas	3
Stock Groups	3
METHODS.....	3
Conducting Aerial Surveys.....	3
Timing of Surveys	4
Coding Survey Counts and Designation of Peak Survey estimates	4
Imputing Missing Values.....	5
Data Review and Index Calculation	5
PREVIOUS OPERATIONAL PLANS	6
SCHEDULE AND DELIVERABLES	6
RESPONSIBILITIES	6
REFERENCES CITED	7
APPENDIX A	9
APPENDIX B.....	15

LIST OF FIGURES

1. Locations of Alaska Department of Fish and Game pink salmon index streams and three major subregions in Southeast Alaska.	2
---	---

LIST OF APPENDICES

A1. Southern Southeast Subregion pink salmon escapement stock groups and index streams indicate areas with no index streams or escapement targets.	10
A2. Northern Southeast Inside Subregion pink salmon escapement stock groups and index streams indicate areas with no index streams or escapement targets.	11
A3. Northern Southeast Outside Subregion pink salmon escapement stock groups and index streams dotted areas indicate areas with no index streams or escapement targets.....	12
A4. Alaska Department of Fish and Game salmon management areas in Southeast Alaska.	13
B1. Southern Southeast Subregion pink salmon index streams by stock group showing stream name, district, subdistrict, stream code and the area office responsible for management.....	16
B2. Northern Southeast Inside Subregion pink salmon index streams by stock group showing stream name, district, subdistrict, stream code and the area office responsible for management.....	26
B3. Northern Southeast Outside Subregion pink salmon index streams by stock group showing stream name, district, subdistrict, stream code, and the area office responsible for management.	34

PURPOSE

The primary purpose of this project is to provide estimates of relative abundance of pink salmon *Oncorhynchus gorbuscha* for inseason management and to provide an annual index of pink salmon abundance for the region. Aerial surveys will be conducted by area management biologists and their assistants at 702 pink salmon index streams throughout Southeast Alaska.

Keywords: aerial survey, escapement index, *Oncorhynchus gorbuscha*, pink salmon, Southeast Alaska

BACKGROUND

Wild pink salmon *Oncorhynchus gorbuscha* spawn in approximately 2,500 short, coastal streams in Southeast Alaska and support a large and valuable commercial fishing industry (Clark et al. 2006). Pink salmon stocks in Southeast Alaska are managed by the Alaska Department of Fish and Game (ADF&G) through extensive inseason monitoring of harvests, fishing effort, and developing escapements (Van Alen 2000; Zadina et al. 2004). Because pink salmon production in Southeast Alaska is broadly dispersed, inseason assessment of escapements has been based on aerial observation. Prior to making decisions about commercial fishery openings, experienced fishery managers fly over many miles of pink salmon spawning streams, adjacent estuaries, and nearby marine waters to assess whether adequate numbers of salmon are present and whether the timing of the escapement is consistent with previous patterns. Although managers fly these surveys to assess inseason abundance and make management decisions, a numerical summary of their visual impressions about salmon abundance is retained as one of the most important indicators of salmon abundance and management success.

The peak annual aerial survey counts to a set of 702 streams in the region are used to generate an annual escapement measure, or index of abundance, upon which pink salmon escapement goals are based. Survey data are coded to reflect survey quality and timing status, and thoroughly reviewed by management and research staff. Annual calculation of the escapement index is then automated through the ADF&G Region 1 Commercial Fisheries Database and made available to users on several spatial scales (e.g., district, stock group, subregion). The methods used to calculate the current pink salmon escapement indices for Southeast Alaska were described in detail by Heintz and Piston (2009) and current escapement goals were described by Piston and Heintz (2011, 2014, 2018, and 2020), and Piston and Fish (2024).

OBJECTIVES

1. Obtain peak aerial survey counts of pink salmon escapement at 702 index streams throughout Southeast Alaska.
2. For each stream surveyed, obtain counts for the mouth, the intertidal section, and the main stream.
3. Survey each index stream multiple times, as funding and staff time allows, to obtain a true peak count.
4. Designate peak counts in the ADF&G Region 1 Commercial Fisheries Database for each index stream.
5. Review and edit all survey data entered into the regional database and ensure that all surveys are correctly coded.
6. Impute a missing value for each index stream that does not have a suitable peak survey observation for a given year.

7. Conduct final review of index and calculate escapement indices on each of the designated spatial scales automatically from the regional database.

STUDY AREA

Pink salmon index streams are widely dispersed throughout Southeast Alaska, from Portland Canal near the Canadian border in the south, to Lynn Canal, near Juneau, in the north—a distance of approximately 600 km (Figure 1). Southeast Alaska pink salmon harvest statistics and escapement indices have commonly been partitioned into spatial areas that reflect fisheries management divisions (management areas, districts, and stock groups) as well as biological divisions (i.e., subregions).




Figure 1.—Locations of Alaska Department of Fish and Game pink salmon index streams and three major subregions in Southeast Alaska.

SUBREGIONS

Southeast Alaska pink salmon are harvested primarily in mixed stock fisheries, often some distance from spawning areas; therefore, it is not possible to allocate harvests of pink salmon to stock group of origin at any finer scale than subregion (Figure 1). Marine tagging studies have repeatedly demonstrated that Southeast Alaska pink salmon stocks are strongly segregated into southern and northern areas or subregions (e.g., Rich 1927; Rich and Suomela 1929; Rich and Morton 1930; Nakatani et al. 1975; Hoffman 1983), and the commercial fisheries in each subregion generally target pink salmon stocks that ultimately spawn in that subregion. Therefore,

biological escapement goals for Southeast Alaska pink salmon have been established at the subregion level (Zadina et al. 2004).

The Southern Southeast Subregion includes 366 index streams on the inner islands and mainland of southern Southeast Alaska, from Sumner Strait south to Dixon entrance (Districts 101–108; Figure 1; Appendices A1 and B1). The Northern Southeast Inside Subregion includes 295 index streams on the inside waters of northern Southeast Alaska north of Sumner Strait (Districts 109–112, 114, and District 113 Subdistricts 51 to 59; Figure 1; Appendices A2 and B2). The Northern Southeast Outside Subregion includes 41 index streams on the outside waters of Chichagof and Baranof Islands in northern Southeast Alaska (District 113, excluding Peril Straits and Hoonah Sound Subdistricts 51 to 59; Figure 1; Appendices A3 and B3).

MANAGEMENT AREAS

The 4 management areas in Southeast Alaska are: Juneau, Ketchikan, Petersburg, and Sitka (Appendix A4), which are further divided into 15 management districts (Districts 101–115). ADF&G fisheries managers in Southeast Alaska are responsible for managing the fisheries and monitoring escapements of pink salmon in each of the districts, or portions of the districts, within their respective management areas. The escapement goals, set at the subregion scale, were divided into “management targets” for the 12 management districts where pink salmon abundance is monitored to aid in assessing the spatial distribution of the pink salmon escapement across Southeast Alaska (Zadina et al. 2004; Heintz et al. 2008; Piston and Heintz 2011).

STOCK GROUPS

Southeast Alaska has also been divided into 53 smaller “stock groups” contained within the district boundaries (Zadina et al. 2004). Each stock group is a collection of streams that support pink salmon runs that share similar migration routes and run timing, are managed as a unit, and are assumed to share similar productivity and exploitation rates (Van Alen 2000). Pink salmon abundance in 7 of these stock groups has not been monitored. The Annette Island stock group is managed exclusively by the Metlakatla Indian Community; the State of Alaska has no fisheries management jurisdiction in that area. Six other stock groups are located in areas where directed fisheries do not occur or are sufficiently remote that it would be cost prohibitive to conduct surveys on a regular basis: Suemez-Dall (Ketchikan area), southwest Baranof, west Kruzof, and west Yakobi (Sitka area), and Dundas Bay and Glacier Bay (Juneau area). The remaining 46 stock groups, representing 12 districts (Appendices B1, B2, and B3), are actively managed and monitored for escapements. Management targets for districts and stock groups are not considered to be escapement goals under the definition provided in the *Policy for Statewide Salmon Escapement Goals* (5 AAC 39.223), but these targets act as an informal benchmark that can be used to assess the consistency of the distribution of the escapement within administrative boundaries.

METHODS

CONDUCTING AERIAL SURVEYS

Aerial surveys will be conducted primarily in a Piper Super Cub aircraft, which allow surveyors to fly at lower altitudes and slower speeds than other fixed-wing aircraft. When not available, a Cessna 185 or 206 aircraft may be used as needed. Surveys will be flown at altitudes of 100 to 200 meters and speeds of approximately 90 km/hour for surveys conducted in a Piper Super Cub and

approximately 110 km/hour for surveys conducted in a Cessna 185 or Cessna 206. Observers will wear polarized glasses to reduce glare off the water and optimize visibility while conducting surveys. Survey counts, conditions (visibility, water levels, weather, and tide stage), and other pertinent observations will be recorded with a tablet using a map-based mobile application *Survey 1,2,3* or on standardized escapement survey forms if necessary.

Fish counts for each stream survey will be divided into 4 categories: mouth, intertidal, stream live, and stream dead. Mouth counts consist of fish in saltwater that are in close proximity to the stream being surveyed, intertidal counts include fish in the area from low tide to the approximate high tide mark, and stream live counts include all fish above the high tide mark. Observers will determine what constitutes a mouth count or intertidal count based on their own experience at each index stream. The distinction between mouth and intertidal counts may not always be clear when the tide has partially or completely covered the intertidal area, and schools of fish can move in and out of the stream with the tide. In addition, fish may congregate in the mouth of a stream and ultimately spawn in another stream, particularly where streams are in close proximity or where smaller streams are located within the vicinity of larger streams (Jones and Thomason 1984; Maselko et al. 2003). In cases where this is suspected, observers should add comments when entering data and consider this information when coding surveys. Survey data will be uploaded or entered into regional database as time and staff availability allows during the season.

TIMING OF SURVEYS

Pink salmon populations in Southeast Alaska can generally be divided into early, middle, and late runs—the earliest spawning occurs along the length of the mainland and on the inner islands of northern Southeast Alaska, and the latest spawning typically occurs along the islands of the outer coast (Alexandersdottir 1987). Variation occurs within specific stock groups depending on the water source of individual streams; for example, spawning is typically later in warmer lake-fed systems than in colder glacier-fed rivers (Alexandersdottir 1987). Pink salmon surveys can begin as early as late June or early July for some early run systems along the mainland and islands in northern Southeast Alaska, and surveys may last into late September or early October for systems on the outer islands of southern Southeast Alaska.

Ideally, stream surveys should be conducted until the peak of abundance has passed to ensure that peak survey counts represent a true peak in abundance and not just a cessation of surveys once an adequate number of fish are determined to be present. Capturing the peak of abundance will ensure that escapement indices, and the escapement goals created with index counts, accurately reflect trends in pink salmon abundance. In some locations, it may only be possible to conduct one round of surveys due to budget constraints and staff-time limitations, in which case every effort should be made to ensure those surveys line up with historical peak run timing.

CODING SURVEY COUNTS AND DESIGNATION OF PEAK SURVEY ESTIMATES

Survey data uploaded or entered into the regional database will be qualified based on visibility, timing, and area surveyed by the management biologists who conducted the surveys through the designation of usage codes. All surveys must be assigned a usage code so that the quality of each survey is identified for future users of the data. In addition, the annual peak survey for each index stream must be designated in the database for the pink salmon index to be calculated automatically out of database. Usage code 01 indicates a survey that is not useful for indexing abundance or comparing to other surveys of the same stream, surveys that take place when conditions are poor

for counting, or which only cover a small portion of the stream or survey area (i.e., do not include all the fish known to be present), or are in some other way not useful for comparing to other counts. Usage code 02 indicates a survey that is comparable to other surveys of the same stream and is potentially useful for indexing abundance; surveys that take place under normal conditions and represent a good complete count. Usage code 03 is used postseason to designate a single survey for each stream as the one and only peak survey count for the year to capture the maximum number of fish with a high likelihood of contributing to the escapement in that system. Only 1 survey for each stream in a given year may be designated with usage code 03. However, if no survey in a given year is deemed a good peak count, a peak survey count will be imputed.

After all survey data are entered into the regional database and coding is complete, the entire data set will be reviewed by research biologists to ensure that each index stream has only 1 survey coded as the peak count and that the selection of peak surveys for each stream makes sense in terms of run timing. Any errors or recommended usage code changes will be reviewed in consultation with the management biologists familiar with the surveys or the area prior to making any modifications to the database.

IMPUTING MISSING VALUES

It may not always be possible to designate a peak survey for every index stream in every year. In some cases, a stream will not be surveyed at all, will not be surveyed during the peak of the run, or a survey during the peak of the run may not be useful due to weather or because it was an incomplete survey. If a particular index stream is not assigned a peak escapement count for a given year, a value will be imputed from existing data. It will be assumed that the expected count for a given stream in a given year was equal to the sum of all counts for that stream, times the sum of all the counts in a given year for all the streams in the unit of interest, divided by the sum of all counts over all years for all the streams in the unit of interest which in this case is stock group. Data will be arranged in a matrix, and the missing value will be calculated as the row total times the column total divided by the grand total. An iterative expectation–maximization algorithm (McLachlan and Krishnan 1997) will be used to calculate missing values, because there may be more than one missing value for each unit of interest, and the sums change as missing values are filled in at each iteration. This method is based on an assumed multiplicative relation between yearly count and unit count, with no interaction. Imputed values are identified in the regional database by the usage code 05. Once missing values are imputed, the pink salmon index is fixed in the database and the index numbers will not change in subsequent years.

DATA REVIEW AND INDEX CALCULATION

Once data entry is completed and reviewed, research biologists will manually calculate all index values for subregions, districts, and stock groups and then inform the programmer responsible for running the expectation–maximization algorithm procedure that the indices can be automatically calculated in the database. Once the indices are calculated in the regional database, researchers will double-check manual calculations against the final results in the database as added insurance that all pink salmon index calculations are correct.

PREVIOUS OPERATIONAL PLANS

This operational plan replaces the previous Regional Operational Plan CF.1J.2021.03 (Piston and Heintz 2021). Since that operational plan was released, data collection protocols have been expanded to include tablet-based data collection as the preferred method, which allows for direct syncing to the regional data base.

SCHEDULE AND DELIVERABLES

Aerial surveys will be conducted from late June through late September. Coding surveys, editing data, and automating indices in the regional database will take place in late September and October. Information derived from this project will be used in a stock status report on pink salmon in the form of an ADF&G Special Publication that will be produced at 3-year intervals preceding Alaska Board of Fisheries meetings.

RESPONSIBILITIES

All Southeast Alaska Area Management Biologists and their assistants will be responsible for conducting aerial surveys throughout the summer, reviewing and entering data into the regional database, and coding surveys after data entry is complete.

Teresa Fish, Fishery Biologist 3, will review all data entry and compile pink salmon escapement indices at the end of the season. They will also act as lead author on pink salmon stock status reports that will be produced prior to each Alaska Board of Fisheries meeting.

Andrew Piston, Regional Research Coordinator, will assist with project operational planning and will coauthor the pink salmon stock status report.

Justin Daily, Analyst/Programmer 4, will facilitate the automation of pink salmon indices in the regional database once all data are entered and reviewed.

REFERENCES CITED


- Alexandersdottir, M. 1987. Life history of pink salmon (*Oncorhynchus gorbuscha*) in Southeast Alaska and implications for management. Doctoral dissertation, University of Washington, Seattle.
- Clark, J. H., A. McGregor, R. D. Mecum, P. Krasnowski, and A. M. Carroll. 2006. The commercial salmon fishery in Alaska. Alaska Fishery Research Bulletin 12:1–146.
- Heinl, S. C., and A. W. Piston. 2009. Standardizing and automating the Southeast Alaska pink salmon escapement index. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report No. 1J09-06, Douglas.
- Heinl, S. C., D. M. Eggers, and A. W. Piston. 2008. Pink salmon stock status and escapement goals in Southeast Alaska and Yakutat. Alaska Department of Fish and Game, Special Publication No. 08–16, Anchorage.
- Hoffman, S. H. 1983. Southern Southeastern Alaska pink salmon (*Oncorhynchus gorbuscha*) tagging investigations, 1981. Alaska Department of Fish and Game, Division of Commercial Fisheries, Technical Data Report No. 92, Juneau.
- Jones, J. D., and G. Thomason. 1984. U.S./Canada salmon stock interception research, southern Southeast Alaska pink salmon (*Oncorhynchus gorbuscha*) tagging study, 1982. Alaska Department of Fish and Game, Division of Commercial Fisheries, Informational Leaflet No. 231, Juneau.
- Maselko, J. M., A. C. Wertheimer, and J. F. Thedinga. 2003. Selection and application of a mark-and-recapture technique for estimating pink salmon escapements. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-137, Seattle.
- McLachlan, G. J., and T. Krishnan. 1997. The EM algorithm and extensions. John Wiley and Sons, New York.
- Nakatani, R. E., G. J. Paulik, and R. Van Cleve. 1975. Pink salmon (*Oncorhynchus gorbuscha*) tagging experiments in S. E. Alaska, 1938–1942 and 1945. National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Special Scientific Report, Fisheries Series 686, Seattle.
- Piston, A. W., and T. M. Fish. 2024. Pink salmon stock status and escapement goals in Southeast Alaska through 2023. Alaska Department of Fish and Game, Special Publication No. 24-16, Anchorage.
- Piston, A. W., and S. C. Heinl. 2011. Pink salmon stock status and escapement goals in Southeast Alaska. Alaska Department of Fish and Game, Special Publication No.11-18, Anchorage.
- Piston, A. W., and S. C. Heinl. 2014. Pink salmon stock status and escapement goals in Southeast Alaska. Alaska Department of Fish and Game, Special Publication No.14-14, Anchorage.
- Piston, A. W., and S. C. Heinl. 2018. Pink salmon stock status and escapement goals in Southeast Alaska. Alaska Department of Fish and Game, Special Publication No. 18-14, Anchorage.
- Piston, A. W., and S. C. Heinl. 2020. Pink salmon stock status and escapement goals in Southeast Alaska through 2019. Alaska Department of Fish and Game, Special Publication No. 20-09, Anchorage.
- Piston, A. W., and S. C. Heinl. 2021. Operational Plan: Southeast Alaska pink salmon escapement index surveys, 2021–2023. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Operational Plan ROP.CF.1J.2021.03, Douglas.
- Rich, W. H. 1927. Salmon-tagging experiments in Alaska, 1924 and 1925. Bulletin of the United States Bureau of Fisheries 42:109–146.
- Rich, W. H., and F. G. Morton. 1930. Salmon-tagging experiments in Alaska, 1927 and 1928. Bulletin of the United States Bureau of Fisheries 45:1–23.
- Rich, W. H., and A. J. Suomela. 1929. Salmon-tagging experiments in Alaska, 1926. Bulletin of the United States Bureau of Fisheries 43(Part 2):71–104.
- Van Alen, B. W. 2000. Status and stewardship of salmon stocks in Southeast Alaska. Pages 161–194 [In] E. E. Knudsen, C. R. Steward, D. D. McDonald, J. E. Williams, D. W. Reiser, editors. Sustainable Fisheries Management: Pacific Salmon. CRC Press, Boca Raton.

REFERENCES CITED (Continued)


Zadina, T. P., S. C. Heintz, A. J. McGregor, and H. J. Geiger. 2004. Pink salmon stock status and escapement goals in Southeast Alaska and Yakutat [*In*] H. J. Geiger and S. McPherson, editors. Stock status and escapement goals for salmon stocks in Southeast Alaska. Alaska Department of Fish and Game, Special Publication No. 04-02, Anchorage.

**APPENDIX A: ADF&G SALMON MANAGEMENT AREA
AND STOCK GROUP MAPS IN SOUTHEAST ALASKA**


Appendix A1.—Southern Southeast Subregion pink salmon escapement stock groups and index streams (black circles)—dotted areas indicate areas with no index streams or escapement targets.




Appendix A2.—Northern Southeast Inside Subregion pink salmon escapement stock groups and index streams (black circles)—dotted areas indicate areas with no index streams or escapement targets.



Appendix A3.—Northern Southeast Outside Subregion pink salmon escapement stock groups and index streams (black circles)—dotted areas indicate areas with no index streams or escapement targets.



Appendix A4.—Alaska Department of Fish and Game salmon management areas in Southeast Alaska.



APPENDIX B: SOUTHEAST ALASKA PINK SALMON INDEX STREAMS

Appendix B1.–Southern Southeast Subregion pink salmon index streams by stock group showing stream name, district, subdistrict, stream code and the area office responsible for management.

Stock	Stream name	District	Subdistrict	Stream code	Area office
Portland Pink	Harry Bay	101	11	14	Ketchikan
	Willard Creek	101	11	65	Ketchikan
	Fillmore Inlet NW Hd	101	11	78	Ketchikan
	Fillmore Creek	101	11	79	Ketchikan
	Swift Creek	101	11	100	Ketchikan
	Hidden Inlet	101	11	101	Ketchikan
	Sandfly Creek	101	15	8	Ketchikan
	Star Creek	101	15	11	Ketchikan
	Halibut Bay N Head	101	15	14	Ketchikan
	Tombstone River	101	15	19	Ketchikan
	Fish Creek-Hyder	101	15	85	Ketchikan
	Very Inlet N Head	101	23	19	Ketchikan
	Very Inlet E Head	101	23	23	Ketchikan
	Very Inlet SE Head	101	23	27	Ketchikan
	Very Inlet	101	23	32	Ketchikan
	Very Inlet	101	23	34	Ketchikan
E Behm Pink	Quadra Creek	101	30	5	Ketchikan
	Weasel Cove Head	101	30	9	Ketchikan
	Badger Bay Head	101	30	12	Ketchikan
	Keta River	101	30	30	Ketchikan
	Marten River	101	30	60	Ketchikan
	Humpback Creek	101	30	83	Ketchikan
	Mink Creek	101	30	89	Ketchikan
	Vixen Bay Head	101	30	95	Ketchikan
	Lucky Cove	101	41	25	Ketchikan
	Pop Creek	101	43	29	Ketchikan
	Fish Creek Thorne A	101	43	33	Ketchikan
	Sea Level Creek	101	43	41	Ketchikan
	Herring Cove	101	45	7	Ketchikan
	White River	101	45	24	Ketchikan
	Leask Creek	101	45	32	Ketchikan
	Salt Chuck George In	101	45	38	Ketchikan
	Salt Lagoon Right	101	45	42	Ketchikan
	Nigelius Creek	101	45	75	Ketchikan
	Carroll Creek	101	45	78	Ketchikan
	Spit Creek	101	45	94	Ketchikan
	Checats Creek	101	51	6	Ketchikan
	Cabin Creek	101	55	9	Ketchikan
	Wilson River	101	55	20	Ketchikan
	Blossom River	101	55	40	Ketchikan

-continued-

Stock	Stream name	District	Subdistrict	Stream code	Area office
E. Behm Pink (continued)	Bakewell Creek	101	55	60	Ketchikan
	Red Creek	101	55	83	Ketchikan
	Skull Creek	101	55	87	Ketchikan
	Nooya Creek	101	60	9	Ketchikan
	Rudyard Creek	101	60	15	Ketchikan
	Sandpiper Creek	101	60	20	Ketchikan
	Valentine Creek	101	60	25	Ketchikan
	Big Goat Creek	101	60	30	Ketchikan
	Walker Cove L Head	101	71	25	Ketchikan
	Walker Cove R Head	101	71	26	Ketchikan
	Walker Creek	101	71	28	Ketchikan
	Grace Creek	101	71	50	Ketchikan
	Portage Creek	101	71	63	Ketchikan
	Clear Creek	101	71	04C	Ketchikan
	Choca Creek	101	71	04E	Ketchikan
	Humpy Creek	101	71	04H	Ketchikan
	King Creek	101	71	04K	Ketchikan
W Behm Pink	Dall Head Creek	101	27	19	Ketchikan
	Bostwick Bay SW Side	101	27	26	Ketchikan
	Bostwick Creek	101	27	36	Ketchikan
	Vallenar Creek	101	29	6	Ketchikan
	Grant Creek	101	29	11	Ketchikan
	Herman Creek	101	75	5	Ketchikan
	Grant Creek	101	75	10	Ketchikan
	Eulachon River	101	75	15	Ketchikan
	Klahini River	101	75	50	Ketchikan
	Saks Creek	101	75	76	Ketchikan
	Cow Creek	101	80	3	Ketchikan
	Wasta Creek	101	80	40	Ketchikan
	Spacious Bay R Head	101	80	50	Ketchikan
	Margarita Creek	101	80	52	Ketchikan
	Sea Lion Cove	101	80	60	Ketchikan
	Short Creek	101	80	84	Ketchikan
	Traitors Cove Creek	101	90	29	Ketchikan
	Marguerite Creek	101	90	39	Ketchikan
	Loring Creek	101	90	48	Ketchikan
	Naha River	101	90	50	Ketchikan
	Wolf Creek	101	90	60	Ketchikan
	Moser Bay	101	90	61	Ketchikan
	Lunch Creek	101	90	68	Ketchikan

-continued-

Stock	Stream name	District	Subdistrict	Stream code	Area office
W Behm Pink	Bond Bay South	101	90	71	Ketchikan
(continued)	Bond Bay North	101	90	72	Ketchikan
	Smugglers Creek	101	90	75	Ketchikan
	Falls Ck/Smuggler Cv	101	90	76	Ketchikan
	Helm Bay Head	101	90	80	Ketchikan
	Helm Lake Creek	101	90	84	Ketchikan
	Granite Ck/Raymnd Cv	101	90	86	Ketchikan
	Deanna Creek	101	90	90	Ketchikan
	Stewart Creek	101	90	92	Ketchikan
	Heckman Creek	101	90	96	Ketchikan
	Heckman Point North	101	90	97	Ketchikan
Moira Pink	Johnson Cove Creek	102	30	17	Ketchikan
	Perkins Creek	102	30	28	Ketchikan
	Moira S Arm Head SE	102	30	35	Ketchikan
	Moira S Arm Head S	102	30	37	Ketchikan
	Sick Creek	102	30	43	Ketchikan
	Frederick Creek	102	30	51	Ketchikan
	Dickman Bay Head	102	30	61	Ketchikan
	Dickman Bay	102	30	63	Ketchikan
	Kugel Creek	102	30	65	Ketchikan
	Kegan Cove	102	30	67	Ketchikan
	Aiken Cove	102	30	87	Ketchikan
	Miller Lake Creek	102	30	89	Ketchikan
Kasaan Pink	Lancaster Cove East	102	40	7	Ketchikan
	Lancaster Cove East	102	40	9	Ketchikan
	Lancaster Cove East	102	40	11	Ketchikan
	Kitkun Bay NE Side	102	40	13	Ketchikan
	Kitkun Bay	102	40	17	Ketchikan
	Disappearance Creek	102	40	43	Ketchikan
	W of Disappearance	102	40	47	Ketchikan
	Cannery Creek W Arm	102	40	52	Ketchikan
	Lagoon Creek	102	40	60	Ketchikan
	W Arm Chol Sd Head	102	40	71	Ketchikan
	W Arm Chol Sd Head	102	40	73	Ketchikan
	Sunny Creek	102	40	87	Ketchikan
	Saltery Cove Creek	102	60	5	Ketchikan
	S Hd Saltery Cove Ck	102	60	7	Ketchikan
	McKenzie Creek	102	60	14	Ketchikan
	Omar Creek	102	60	16	Ketchikan

-continued-

Stock	Stream name	District	Subdistrict	Stream code	Area office
Kasaan Pink (continued)	Old Tom Creek	102	60	24	Ketchikan
	Goose Bay Creek	102	60	30	Ketchikan
	Rock Creek	102	60	37	Ketchikan
	Dog Salmon Creek	102	60	38	Ketchikan
	142F Creek	102	60	39	Ketchikan
	Cabin Creek Polk In	102	60	42	Ketchikan
	Kina Creek	102	60	68	Ketchikan
	Twelvemile Creek	102	60	72	Ketchikan
	Harris River	102	60	82	Ketchikan
	Maybeso Creek	102	60	84	Ketchikan
	Kasaan Village Creek	102	60	99	Ketchikan
	Windfall Creek	102	70	28	Ketchikan
Hetta Pink	Hunter Bay E Head	103	11	17	Ketchikan
	Little Datzkoo Head	103	11	35	Ketchikan
	Datzkoo Harbor Head	103	11	41	Ketchikan
	Klakas Inlet W Side	103	15	10	Ketchikan
	Klakas Inlet W Side	103	15	14	Ketchikan
	Klakas Left Head	103	15	16	Ketchikan
	Klakas Head	103	15	19	Ketchikan
	Klakas Right Head	103	15	23	Ketchikan
	Klakas Lake Creek	103	15	27	Ketchikan
	Nutkwa Creek North	103	21	5	Ketchikan
	Nutkwa Creek	103	21	8	Ketchikan
	Deer Creek	103	25	15	Ketchikan
	Hetta Portage Creek	103	25	30	Ketchikan
	Coppermount Harbor	103	25	41	Ketchikan
E Dall Pink	Hetta Lake Creek	103	25	47	Ketchikan
	Saltery Creek	103	25	5	Ketchikan
	Ham Cove Creek	103	30	35	Ketchikan
	Grace Harbor Creek	103	30	40	Ketchikan
	Vesta Bay	103	30	43	Ketchikan
	Rose Inlet	103	30	46	Ketchikan
	Barry Creek	103	40	1	Ketchikan
	Tlevak Creek	103	40	2	Ketchikan
	Soda Bay NW Side R	103	40	3	Ketchikan
	Shelikof Creek	103	40	9	Ketchikan
	Soda Creek	103	40	13	Ketchikan
	Flat Creek	103	40	30	Ketchikan
	Natzuhini N Center	103	40	33	Ketchikan
	Natzuhini NE Corner	103	40	35	Ketchikan

-continued-

Stock	Stream name	District	Subdistrict	Stream code	Area office
E Dall Pink (continued)	Natzuhini Bay E Side	103	40	39	Ketchikan
	Hydaburg River	103	40	41	Ketchikan
	N of Rose Point Ck	103	40	64	Ketchikan
	South View Cove	103	40	71	Ketchikan
	View Cove Head	103	40	73	Ketchikan
	Breezy Bay South	103	40	78	Ketchikan
	Breezy Bay Head	103	40	80	Ketchikan
	Farallon Bay W Head	103	40	84	Ketchikan
	North Bay	103	40	86	Ketchikan
	Lively Creek	103	40	89	Ketchikan
	Waterfall Creek N	103	50	27	Ketchikan
	Waterfall Creek S	103	50	29	Ketchikan
	E of Waterfall Creek	103	50	32	Ketchikan
	Ulloa Bay	103	50	35	Ketchikan
	Port Refugio E Arm	103	50	42	Ketchikan
	Port Refugio W Arm R	103	50	44	Ketchikan
	Port Refugio W Arm S	103	50	47	Ketchikan
	Port Refugio W Arm H	103	50	49	Ketchikan
	Port Refugio North	103	50	51	Ketchikan
Klawock Pink	Port Estrella Head	103	50	21	Ketchikan
	Port Estrella R Head	103	50	22	Ketchikan
	Picnic Bay	103	60	3	Ketchikan
	Shinaku Inlet	103	60	9	Ketchikan
	Shinaku Inlet N Side	103	60	11	Ketchikan
	Shinaku Creek	103	60	13	Ketchikan
	Big Salt Lk N Side L	103	60	25	Ketchikan
	Big Salt Lk N Side M	103	60	27	Ketchikan
	Steelhead Creek	103	60	29	Ketchikan
	Blackbear Ck Big Slit	103	60	31	Ketchikan
	Dog Salmon Creek	103	60	35	Ketchikan
	Big Salt Lk SW Side	103	60	37	Ketchikan
	Airport Ck N Klawock	103	60	41	Ketchikan
	Airport Ck S Klawock	103	60	43	Ketchikan
	Crab Bay at Craig	103	60	50	Ketchikan
	St Nicholas N Side	103	60	57	Ketchikan
	Port St Nicholas Hd	103	60	59	Ketchikan
	Doyle Creek	103	60	65	Ketchikan

-continued-

Stock	Stream name	District	Subdistrict	Stream code	Area office
Klawock Pink (continued)	Doyle Bay East Side	103	60	66	Ketchikan
	Trocadero B NW Side	103	60	71	Ketchikan
	Trocadero B N Side	103	60	73	Ketchikan
	Trocadero Bay	103	60	75	Ketchikan
	Trocadero B R Head	103	60	77	Ketchikan
	Little John Creek	103	60	81	Ketchikan
	Sandy Cove Right	103	60	85	Ketchikan
	Deep Bay	103	60	87	Ketchikan
	Perlas Point Creek	103	60	89	Ketchikan
	East of Caldera	103	60	90	Ketchikan
	Port Caldera	103	60	92	Ketchikan
	West of Caldera	103	60	93	Ketchikan
	James Creek	103	70	5	Ketchikan
	Goodrow Creek	103	70	8	Ketchikan
	11 Mile Creek	103	70	11	Ketchikan
	Nossuk Bay Left Head	103	80	35	Ketchikan
	Salt Lk Bay N Head	103	80	42	Ketchikan
	Salt Lk Bay Head	103	80	44	Ketchikan
	Salt Lk Bay R Head	103	80	46	Ketchikan
	S of Salt Lake Bay	103	80	50	Ketchikan
	Inside St Phillips S	103	80	56	Ketchikan
	Sarheen Cove	103	90	4	Ketchikan
	El Capitan East Side	103	90	6	Ketchikan
	Yatuk Creek	103	90	25	Ketchikan
	Naukati Creek	103	90	26	Ketchikan
	Gutchie Creek	103	90	27	Ketchikan
	Slow Creek	103	90	28	Ketchikan
	Staney Creek	103	90	30	Ketchikan
	Shaheen Creek	103	90	42	Ketchikan
Sea Otter Sound Pink	Port Delores	103	50	58	Ketchikan
	Warm Chuck In SW	103	80	15	Ketchikan
	Warm Chuck NW Side	103	80	24	Ketchikan
	Warm Chuck Left Head	103	80	26	Ketchikan
	Chuck Lake Creek	103	80	31	Ketchikan
	Edna Bay	103	90	57	Ketchikan
	Charley Creek	103	90	58	Ketchikan
	Edna Bay Head	103	90	59	Ketchikan
	Hamlin Creek	103	90	61	Ketchikan
	Van Sant Cove	103	90	63	Ketchikan

-continued-

Stock	Stream name	District	Subdistrict	Stream code	Area office
Sea Otter Sound Pink (continued)	Holbrook In W Side	103	90	64	Ketchikan
	Holbrook Inlet Head	103	90	65	Ketchikan
	Token Bay N Side	103	90	67	Ketchikan
	Token Bay Head	103	90	69	Ketchikan
	Token Bay Southeast	103	90	73	Ketchikan
	Tenass Passage	103	90	75	Ketchikan
	Devilfish Bay Head	103	90	80	Ketchikan
	Devilfish Bay N Side	103	90	81	Ketchikan
Affleck Canal Pink	2nd N Louise Cove	105	10	3	Petersburg
	West of Pt Amelius	105	10	9	Petersburg
	N of Louise Cove	105	10	10	Petersburg
	Louise Cove	105	10	11	Petersburg
	Linda Sue Slough	105	10	16	Petersburg
	East of Bear Harbor	105	10	17	Petersburg
	Affleck Canal NE	105	10	18	Petersburg
	Kathleen Creek	105	10	19	Petersburg
	Joan Ck Affleck Can	105	10	21	Petersburg
	Bear Harbor Creek	105	10	24	Petersburg
	Salt Chuck Affleck	105	10	26	Petersburg
	Kell Slough Creek	105	10	28	Petersburg
	Kell Bay Creek	105	10	32	Petersburg
	Kim Creek Beauclerc	105	20	2	Petersburg
	Paul Creek N Arm Hd	105	20	4	Petersburg
	P Beauclerc NW Head	105	20	5	Petersburg
	P Beauclerc Lk	105	20	6	Petersburg
	P Beauclerc NW Side	105	20	7	Petersburg
	Cannery Ck Beauclerc	105	20	8	Petersburg
	P Beauclerc S Arm Hd	105	20	9	Petersburg
	Gail Ck S Arm SE Hd	105	20	10	Petersburg
	P Beauclerc S Arm E	105	20	12	Petersburg
	Kushneahin Creek	105	31	3	Petersburg
	Alvin Bay North Side	105	31	19	Petersburg
	Alvin Bay Head	105	31	20	Petersburg
	Reid Bay N Arm E	105	31	25	Petersburg
	Reid Bay West Side	105	31	27	Petersburg
	Reid Bay SW Arm Hd	105	31	29	Petersburg
	Lovelace Creek	105	32	1	Petersburg
	Tunehean Creek	105	32	4	Petersburg

-continued-

Stock	Stream name	District	Subdistrict	Stream code	Area office
Affleck Canal Pink (continued)	3 Mile Arm NW Arm Hd	105	32	73	Petersburg
	Seclusion Harbor N	105	32	80	Petersburg
	Seclusion Hbr Head	105	32	82	Petersburg
Shipley Bay Pink	Hole-In-The-Wall SE	105	41	5	Petersburg
	Calder Creek	105	42	5	Petersburg
	Marble Creek Shakan	105	42	6	Petersburg
	Bear Ck Dry Pass	105	42	8	Petersburg
	El Capitan Creek	105	42	9	Petersburg
	Wolf Ck N El Capitan	105	42	10	Petersburg
	El Capitan-Aneskett	105	42	11	Petersburg
	El Capitan Dry Pass	105	42	12	Petersburg
	Shipley Bay Lk Ck	105	43	2	Petersburg
	Shipley Bay SE Side	105	43	5	Petersburg
	Shipley Bay S Side	105	43	6	Petersburg
	Trout Ck Kosciusko I	105	50	1	Petersburg
Ratz Harbor Pink	Sal Creek	106	10	4	Petersburg
	Little Ratz Creek	106	10	6	Petersburg
	Ratz Hbr Creek	106	10	10	Petersburg
	Eagle Ck Luck Lake	106	10	30	Petersburg
Burnett Pink	Streets Ck Rocky Bay	106	20	10	Petersburg
	McHenry Anchorage Ck	106	20	23	Petersburg
	Hatchery Lk E End	106	21	3	Petersburg
	Falls Ck McHenry In	106	21	4	Petersburg
	Trout Ck McHenry In	106	21	5	Petersburg
	Mosman Inlet NW Head	106	22	4	Petersburg
	Flat Ck Mosman Inlet	106	22	6	Petersburg
	Mosman Creek E Head	106	22	8	Petersburg
	Mosman In SE Head	106	22	10	Petersburg
	Navy Ck	106	22	16	Petersburg
Whale Pass Pink	Quiet Harbor	106	30	4	Petersburg
	Porcupine Ck Steamer	106	30	10	Petersburg
	Chum Creek Coffman	106	30	12	Petersburg
	Coffman Ck Coffman C	106	30	15	Petersburg
	Hatchery Ck Sweetwater	106	30	51	Petersburg
	Mabel Ck Whale Pass	106	30	72	Petersburg
	Kayáashkeiditaan Creek	106	30	82	Petersburg
	Exchange Cove Creek	106	30	85	Petersburg
	Whale Passage W Head	106	35	77	Petersburg
	108 Creek Whale Pass	106	35	80	Petersburg

-continued-

Stock	Stream name	District	Subdistrict	Stream code	Area office
Totem Bay Pink	Salmon Bay Creek	106	41	10	Petersburg
	Red Lake Creek Sumner	106	41	30	Petersburg
	Big Ck Red Bay	106	41	34	Petersburg
	Buster Creek	106	41	42	Petersburg
	Alder Creek	106	41	44	Petersburg
	Flicker Creek	106	41	45	Petersburg
	Totem Creek	106	41	55	Petersburg
	Zim Ck Totem Bay	106	41	58	Petersburg
	Totem Bay NE Side	106	41	60	Petersburg
	Douglas Bay	106	41	65	Petersburg
	St Johns Harbor	106	42	3	Petersburg
	Kah Sheets Creek	106	42	10	Petersburg
	Petersburg Creek	106	44	60	Petersburg
Union Bay Pink	Emerald Creek	107	10	10	Petersburg
	Vixen Inlet Creek	107	10	20	Petersburg
	Vixen Inlet West Sd	107	10	24	Petersburg
	Vixen Harbor	107	10	25	Petersburg
	Black Bear Creek	107	10	30	Petersburg
	Kudays Ck S Etolin	107	10	70	Petersburg
	Chum Ck S Etolin Mid	107	10	71	Petersburg
	S Etolin Island East	107	10	72	Petersburg
Anan Pink	Anan Creek	107	20	1	Petersburg
	Santa Anna Inlet	107	20	10	Petersburg
	June Creek	107	20	15	Petersburg
	Watkins Point Creek	107	20	16	Petersburg
	Canoe Pass Etolin Is	107	20	20	Petersburg
	Fisherman Chuck	107	20	23	Petersburg
	Menefee Creek	107	20	30	Petersburg
	Fools Inlet Head W	107	20	70	Petersburg
	Fools Inlet Head E	107	20	71	Petersburg
	Thoms Creek	107	30	30	Petersburg
	Snake Ck Olive Cove	107	30	70	Petersburg
	Anita Bay Head W	107	30	78	Petersburg
	Brad Ck NW Anita Bay	107	30	80	Petersburg
	Dog Salmon NE Etolin	107	30	90	Petersburg
	Berg Creek	107	40	22	Petersburg
	Oerns Creek	107	40	25	Petersburg

-continued-

Stock	Stream name	District	Subdistrict	Stream code	Area office
Anan Pink	Marten Ck Bradfield	107	40	38	Petersburg
(continued)	Franks Ck Bradfield	107	40	40	Petersburg
	Tom Lake Creek	107	40	47	Petersburg
	Harding River	107	40	49	Petersburg
	Bradfield River E Fk	107	40	53	Petersburg
	Eagle R Bradfield	107	40	55	Petersburg
	1st E of Hoya Creek	107	40	57	Petersburg
	Bradfield Can SW E	107	40	64	Petersburg
	Bradfield Can SW W	107	40	65	Petersburg
	Crittenden Creek	107	45	5	Petersburg
	E of Crittenden Ck	107	45	6	Petersburg
Stikine Pink	King George Ck	108	20	1	Petersburg
	Andrews Creek	108	40	20	Petersburg
	W of Hot Springs	108	40	13A	Petersburg
	North Arm Creek	108	41	10	Petersburg
	Bear Ck Frederick Sd	108	50	3	Petersburg
	Fivemile Ck Sukoi Is	108	60	6	Petersburg

Appendix B2.—Northern Southeast Inside Subregion pink salmon index streams by stock group showing stream name, district, subdistrict, stream code and the area office responsible for management.

Stock	Stream name	District	Subdistrict	Stream code	Area office
SE Baranof Pink	Sashin Ck P Walter N	109	10	6	Sitka
	Lovers Cove Creek	109	10	9	Sitka
	Deep Cove NW Head	109	10	23	Sitka
	Patterson Bay Head	109	10	28	Sitka
E Baranof Pink	Gut Bay Head	109	20	7	Sitka
	Red Bluff Bay S Head	109	20	16	Sitka
Eliza Harbor Pink	Woewodski Harbor	109	30	1	Petersburg
	Eliza Creek	109	30	3	Petersburg
	Eliza Hbr Head West	109	30	4	Petersburg
	Eliza Hbr West Side	109	30	5	Petersburg
	Eliza Lake Creek	109	30	6	Petersburg
	Chapin Bay Head	109	30	8	Petersburg
	Herring Bay East	109	30	10	Petersburg
	Herring Bay Middle	109	30	11	Petersburg
	Bergmann Creek	109	30	13	Petersburg
	Tyee Head East	109	30	16	Petersburg
	Curtiss Creek	109	30	17	Petersburg
	Surprise Harbor East	109	30	18	Petersburg
	Little Pybus Bay Ck	109	30	25	Petersburg
Saginaw Bay Pink	Point White Creek	109	42	1	Petersburg
	Jenny Ck	109	42	5	Petersburg
	Cathedral Falls Ck	109	42	9	Petersburg
	Hamilton River	109	42	10	Petersburg
	Kadake Creek	109	42	30	Petersburg
	Straight Ck Ska Bay	109	44	35	Petersburg
	Skanax Bay S Head	109	44	37	Petersburg
	Skanax Creek	109	44	39	Petersburg
	Security Bay Creek	109	45	10	Petersburg
	Salt Chuck-Security	109	45	13	Petersburg
	Security Bay S Side	109	45	15	Petersburg
	Security Bay S Mid	109	45	16	Petersburg
	Lookout Pt Ck Sec B	109	45	17	Petersburg
	Piledriver Cove NW Kuiu	109	51	5	Petersburg
	0.7M S Washington B	109	51	11	Petersburg
Tebenkof Pink	East of Pt Sullivan	109	52	1	Petersburg
	Outer Rowan Bay	109	52	2	Petersburg
	Rowan Bay NW Side	109	52	4	Petersburg

-continued-

Appendix B2.–Page 2 of 8.

Stock	Stream name	District	Subdistrict	Stream code	Area office
Tebenkof Pink (continued)	Wanigan Creek	109	52	5	Petersburg
	Rowan Creek	109	52	7	Petersburg
	Rowan Bay E Head	109	52	8	Petersburg
	Rowan Bay SE Head	109	52	9	Petersburg
	Pillar Bay Head	109	52	30	Petersburg
	Kutlaku Creek	109	52	35	Petersburg
	Pillar Bay SW Side	109	52	50	Petersburg
	Kwatahein Ck Pillar	109	52	55	Petersburg
	Piledriver Cove Teb	109	62	3	Petersburg
	4th NE of Gap Pt	109	62	9	Petersburg
	Elena Bay NW Side	109	62	10	Petersburg
	Elena Bay NW Head	109	62	11	Petersburg
	Elena Bay Head	109	62	12	Petersburg
	Alecks Creek	109	62	13	Petersburg
	Sample Creek	109	62	14	Petersburg
	Slough Creek	109	62	15	Petersburg
	W of Long Island	109	62	17	Petersburg
	Goose Trap Ck	109	62	18	Petersburg
	Petrof Bay SE Head	109	62	20	Petersburg
	Petrof Bay S Head	109	62	22	Petersburg
	Petrof Bay W Head	109	62	24	Petersburg
	Petrof Bay SW Head	109	62	26	Petersburg
	William Ck Thetis E	109	62	28	Petersburg
	Wolf Ck Thetis Bay	109	62	29	Petersburg
	Thetis Bay SW Head	109	62	30	Petersburg
	Thetis B Salt Chuck	109	62	31	Petersburg
	Neal Creek	109	62	36	Petersburg
	Gedney Hbr S Head	109	62	38	Petersburg
	1st S Alecks Creek	109	62	13A	Petersburg
	Gods Pocket West	109	63	1	Petersburg
	Gods Pocket North	109	63	2	Petersburg
	2nd W Joyce Creek	109	63	3	Petersburg
	Joyce Ck Malmesbury	109	63	5	Petersburg
	P Malmesbury Lake Ck	109	63	12	Petersburg
	P Malmesbury S Arm E	109	63	15	Petersburg
	P Malmesbury S Arm S	109	63	17	Petersburg
	Tavin Creek	109	63	02C	Petersburg
Portage Bay Pink	Twelvemile Ck Fred S	110	11	3	Petersburg
	Dry Bay Creek	110	13	4	Petersburg

-continued-

Stock	Stream name	District	Subdistrict	Stream code	Area office
Portage Bay Pink	Portage Bay Head	110	16	2	Petersburg
(continued)	2nd W of West Point	110	16	7	Petersburg
	1st E Schooner Is	110	16	13	Petersburg
	Schooner Island	110	16	14	Petersburg
	SW of Pinta Rocks	110	17	5	Petersburg
Farragut Bay Pink	Farragut Bay N Arm	110	14	5	Petersburg
	Farragut River	110	14	7	Petersburg
	Dale Ck Francis Anch	110	14	8	Petersburg
	Cat Creek Pt. Highland	110	15	3	Petersburg
Pybus/Gambier Pink	False Pt Pybus Creek	110	21	4	Petersburg
	N of Square Point	110	21	5	Petersburg
	Old Mans Ck Pybus B	110	22	2	Petersburg
	Amber Ck N Arm Pybus	110	22	4	Petersburg
	Pybus Bay Head	110	22	6	Petersburg
	Pybus Bay Main Arm	110	22	8	Petersburg
	Beautiful Creek	110	22	9	Petersburg
	Donkey Creek	110	22	12	Petersburg
	Cannery Cove Pybus B	110	22	14	Petersburg
	Last Chance Ck Gam B	110	23	4	Petersburg
	Gambier B N Arm West	110	23	5	Petersburg
	Marker Creek	110	23	6	Petersburg
	West of Marker Creek	110	23	7	Petersburg
	Johnston Creek	110	23	8	Petersburg
	Bowman Creek	110	23	10	Petersburg
	1st East of Bowman	110	23	12	Petersburg
	Snug Cove Gambier B	110	23	19	Petersburg
	East of Snug Cove	110	23	40	Petersburg
Houghton Pink	Rockpile Ck Stephens	110	31	1	Petersburg
	Roberts Island Ck	110	31	4	Petersburg
	Goat Ck Windham Bay	110	32	2	Petersburg
	Tunnel Ck Windham	110	32	7	Petersburg
	Chuck R Windham Bay	110	32	9	Petersburg
	Surprise Ck Windham	110	32	14	Petersburg
	Herman Klaus Creek	110	33	6	Petersburg
	Nancy Ck Hobart Bay	110	33	8	Petersburg
	Lauras Creek	110	33	13	Petersburg
	P Houghton N Side	110	34	1	Petersburg
	West of Bluffs	110	34	2	Petersburg
	Rusty River	110	34	3	Petersburg

-continued-

Appendix B2.–Page 4 of 8.

Stock	Stream name	District	Subdistrict	Stream code	Area office
Houghton Pink (continued)	Glen Creek	110	34	6	Petersburg
	Sanborn Creek	110	34	8	Petersburg
	Placer Ck P Houghton	110	34	12	Petersburg
	1st E of Dahlgren Creek	110	34	13	Petersburg
	Dahlgren Creek	110	34	14	Petersburg
	Harmony Creek	110	34	01A	Petersburg
Seymour Canal Pink	Bear Ck Seymour Can	111	11	20	Juneau
	Pleasant Bay Creek	111	12	5	Juneau
	Mole River	111	13	10	Juneau
	Mole Harbor N Side	111	13	15	Juneau
	Opposite S Tiedeman	111	14	38	Juneau
	Opposite Middle Tiedeman	111	14	42	Juneau
	W Side Seymour Canal	111	14	44	Juneau
	Windfall Creek	111	15	20	Juneau
	Windfall Hbr S Head	111	15	22	Juneau
	Windfall Hbr W Side	111	15	24	Juneau
	Pack Creek	111	15	30	Juneau
	Swan Cove South Ck	111	16	35	Juneau
	Swan Cove Creek	111	16	40	Juneau
	King Salmon River	111	17	10	Juneau
	Thistle Ledge Creek	111	20	20	Juneau
	Point League Creek	111	20	24	Juneau
	S of Midway Point	111	20	31	Juneau
	S of Pt. Glass Penn	111	20	38	Juneau
	N of Pt. Glass Penn	111	20	40	Juneau
Stephens Pink	Indian Ck Round Is	111	21	46	Juneau
	N of Bushy Island	111	21	52	Juneau
	NE of Bushy Island	111	21	53	Juneau
	Sanford Cove S Head	111	21	95	Juneau
	3rd S of Twin Point	111	31	30	Juneau
	1st S of Twin Point	111	31	36	Juneau
	Twin Point Creek	111	31	40	Juneau
	Turner Lake Outlet	111	32	80	Juneau
	Slocum Creek	111	32	99	Juneau
	Prospect Ck Speel	111	33	10	Juneau
	Sweetheart Creek	111	35	20	Juneau
	Gilbert Creek	111	35	32	Juneau
	Middle Point Creek	111	40	65	Juneau
	Hilda Ck Douglas Is	111	40	70	Juneau

-continued-

Appendix B2.–Page 5 of 8.

Stock	Stream name	District	Subdistrict	Stream code	Area office
Stephens Pink (continued)	Admiralty Creek	111	41	5	Juneau
	1st W Admiralty Ck	111	41	12	Juneau
	West Cabin Creek	111	41	16	Juneau
	Cabin Creek	111	41	17	Juneau
	Fowler Ck Young Bay	111	41	18	Juneau
	Bear Ck Stephens Pas	111	50	80	Juneau
	Barlow Cove Head	111	50	88	Juneau
	West Hd Barlow Cove	111	50	90	Juneau
	Barlow Cove W Shore	111	50	92	Juneau
	Limestone Inlet	111	90	5	Juneau
Freshwater Bay Pink	White Rock Creek	112	12	5	Juneau
	N of White Rock	112	12	8	Juneau
	N of Basket Bay	112	12	34	Juneau
	Gypsum Creek	112	12	46	Juneau
	Wukuklook Creek	112	12	50	Juneau
	Iyouktug Creek	112	13	6	Juneau
	Wachusett Creek	112	50	5	Juneau
	Kennel Creek	112	50	20	Juneau
	Freshwater Creek	112	50	30	Juneau
	Bay Head Creek	112	50	32	Juneau
Kelp Bay Pink	Freshwater Bay NE Hd	112	50	34	Juneau
	Seal Ck Freshwater B	112	50	38	Juneau
	Clear River Kelp Bay	112	21	5	Sitka
	Ralphs Creek-Kelp B	112	21	6	Sitka
	Kelp Bay M Arm Head	112	21	8	Sitka
Lower Lynn Canal Pink	Kelp Bay Portage Arm	112	21	9	Sitka
	South Sisters Creek	112	15	44	Juneau
	Willie's Creek	112	15	54	Juneau
	Robinson Creek	112	15	62	Juneau
	Howard Bay West Side	112	61	6	Juneau
SW Admiralty Pink	Howard Bay NW Side	112	61	8	Juneau
	Point Howard Creek	112	61	10	Juneau
	Wilson River	112	19	10	Juneau
	Wilson Cove SE	112	19	15	Juneau
	Hasselborg River	112	67	35	Juneau
	Jims Creek	112	67	40	Juneau
	Kanalku Lake Creek	112	67	60	Juneau
	Favorite Creek	112	67	80	Juneau

-continued-

Appendix B2.–Page 6 of 8.

Stock	Stream name	District	Subdistrict	Stream code	Area office
SW Admiralty Pink (continued)	Narrows Creek	112	71	24	Juneau
	Weir Ck N Arm Hood B	112	72	11	Juneau
	Hood Bay N Arm E Hd	112	72	12	Juneau
	Hood Bay S Arm N Sd	112	73	15	Juneau
	Hood Bay S Arm Hd N	112	73	17	Juneau
	Hood Bay S Arm Head	112	73	20	Juneau
	Weir Ck S Arm Hood B	112	73	24	Juneau
	1st NW of Weir Creek	112	73	30	Juneau
	Chaik Bay Creek	112	80	28	Juneau
	Whitewater Creek	112	90	14	Juneau
	Whitewater S Arm Hd	112	90	16	Juneau
W Admiralty Pink	Wheeler Creek	112	16	30	Juneau
	Lake Kathleen Creek	112	17	12	Juneau
	Ward Creek	112	17	16	Juneau
	Lake Florence Creek	112	17	25	Juneau
	Fishery Creek	112	17	30	Juneau
	Marble Creek	112	17	40	Juneau
	Thayer Creek	112	17	50	Juneau
	Funter Bay S Side	112	63	12	Juneau
	Funter Creek	112	63	13	Juneau
	Jimmy Green Creek	112	65	12	Juneau
	Hawk Inlet Head NW	112	65	14	Juneau
	Hawk Inlet Head	112	65	15	Juneau
	Greens Creek	112	65	24	Juneau
	Piledriver Cove Crk	112	65	28	Juneau
Tenakee Pink	Passage Point Creek	112	41	1	Juneau
	Trap Bay East	112	41	10	Juneau
	Indian River-Tenakee	112	42	8	Juneau
	Corner Bay Creek	112	42	16	Juneau
	Kadashan Creek	112	42	25	Juneau
	Rudy Creek	112	42	32	Juneau
	Crab Bay South Side	112	43	2	Juneau
	Crab Bay Head	112	43	12	Juneau
	Saltery Bay Head	112	44	10	Juneau
	Eaton Creek	112	45	32	Juneau
	E of Seal Bay Ent	112	45	36	Juneau
	E Side Seal Bay	112	46	4	Juneau
	Seal Bay Head	112	46	9	Juneau
	Long Bay Head	112	47	10	Juneau

-continued-

Appendix B2.–Page 7 of 8.

Stock	Stream name	District	Subdistrict	Stream code	Area office
Tenakee Pink	Big Goose Creek	112	48	15	Juneau
(continued)	Little Goose Creek	112	48	19	Juneau
	West Bay Head Creek	112	48	23	Juneau
	Tenakee Inlet Head	112	48	35	Juneau
Hoonah Sound Pink	Broad Creek	113	51	1	Sitka
	Oly Creek	113	51	2	Sitka
	Peril Sts N False Is	113	51	4	Sitka
	Hanus Bay	113	52	4	Sitka
	Saook Bay West Head	113	53	3	Sitka
	Appleton Cove W Head	113	54	5	Sitka
	Rodman Creek	113	54	7	Sitka
	Finger River	113	55	1	Sitka
	West Broad Creek	113	55	5	Sitka
	Ushk Bay SW End	113	56	2	Sitka
	Ushk Bay W End	113	56	3	Sitka
	Fick Cove Head	113	57	1	Sitka
	Hoonah Snd S Arm SW	113	57	2	Sitka
	Patterson Bay W Head	113	57	5	Sitka
	Hoonah Snd S Arm Hd	113	57	9	Sitka
	Hoonah Snd N Arm Wst	113	58	2	Sitka
	Granite Creek N Arm	113	58	3	Sitka
	Hoonah Sound N Head	113	58	4	Sitka
	Sitkoh Lake Creek	113	59	4	Sitka
	Sitkoh Bay Head	113	59	7	Sitka
N Chichagof Pink	Chicken Ck Icy Strts	114	23	35	Juneau
	Mud Bay River	114	23	70	Juneau
	Goose Creek	114	23	80	Juneau
	Whitestone East Side	114	27	12	Juneau
	Suntaheen Creek	114	27	15	Juneau
	Whitestone Head	114	27	18	Juneau
	Spasski Creek	114	27	30	Juneau
	Game Creek	114	31	13	Juneau
	Seagull Creek	114	32	4	Juneau
	Bear Ck Midway Rocks	114	32	6	Juneau
	Neka River	114	33	23	Juneau
	Humpback Creek	114	34	10	Juneau
	Nip and Tuck Creek	114	40	23	Juneau
	Cabin Ck Idaho Inlet	114	40	25	Juneau
	Trail River	114	40	35	Juneau

-continued-

Appendix B2.–Page 8 of 8.

Stock	Stream name	District	Subdistrict	Stream code	Area office
N Chichagof Pink (continued)	Marble Creek	114	40	38	Juneau
	Anchor Bite Creek	114	50	10	Juneau
	S Anchor Bite Creek	114	50	12	Juneau
	Althorp Creek	114	50	20	Juneau
	Humpie Ck Prt Althrp	114	50	25	Juneau
	Margret Ck P Althorp	114	50	30	Juneau
Homeshore Pink	Kahtaheena River	114	23	22	Juneau
	East of Kahtaheena	114	23	24	Juneau
	Windy Creek	114	25	5	Juneau
	Homeshore Creek	114	25	10	Juneau
	East Homeshore Creek	114	25	12	Juneau
	Humpy Creek	114	25	18	Juneau
	West Swanson Creek	114	25	35	Juneau
	Excursion River	114	80	20	Juneau
	Neva Creek	114	80	45	Juneau
	Cabin Ck Excur Inlet	114	80	50	Juneau
	S of St. James Point	115	10	32	Juneau*
Upper Lynn Canal Pink	St James Bay NW Side	115	10	42	Juneau*
	St. James River	115	10	46	Juneau*
	Beardslee River	115	10	65	Juneau*
	W Head N Wm Henry B	115	10	68	Juneau*
	Endicott River	115	10	80	Juneau*
	Sawmill Ck Berners B	115	20	52	Juneau*
	Cowee Ck Berners Bay	115	20	62	Juneau*
	South Sullivan Creek	115	31	38	Juneau*

Note: The Upper Lynn Canal Pink stock group falls under the Juneau management group as indicated by the *, but is managed by the Haines area office.

Appendix B3.—Northern Southeast Outside Subregion pink salmon index streams by stock group showing stream name, district, subdistrict, stream code, and the area office responsible for management.

Stock	Stream name	District	Subdistrict	Stream code	Area office
Whale Bay Pink	Whale Bay Sm Arm NW	113	22	6	Sitka
	Politofski Lk Outlet	113	22	8	Sitka
	Whale Bay Grt Arm Hd	113	22	15	Sitka
	Whale Bay Grt Arm E	113	22	18	Sitka
W Crawfish Pink	W Crawfish N Arm NE	113	32	4	Sitka
	W Crawfish NE Arm Hd	113	32	5	Sitka
Sitka Sound Pink	Starrigavin Creek	113	40	15	Sitka
	Granite Creek	113	40	17	Sitka
	Salmon Lake Stream	113	41	32	Sitka
	Camp Coogan	113	41	34	Sitka
	Kizhuchia Ck Red Bay	113	41	42	Sitka
	Eagle River	113	41	13B	Sitka
	Limit Ck Nakwasina P	113	42	2	Sitka
	Noxen Creek	113	42	3	Sitka
	Nakwasina River	113	43	2	Sitka
	Liza Ck Nakwasina Snd	113	43	5	Sitka
	Katlian River	113	44	3	Sitka
	Katlian Bay S. Fork	113	44	5	Sitka
Salisbury Sound Pink	Sukoi Inlet W Side	113	62	6	Sitka
	Sinitsin Cove Head	113	62	8	Sitka
	Sukoi Inlet SE Head	113	62	12	Sitka
	Deep Bay Head	113	64	1	Sitka
	Fish Bay Creek	113	65	4	Sitka
	Fish Bay S Side Head	113	65	5	Sitka
	Marine Cove	113	66	3	Sitka
	St. John Baptist Hd	113	66	6	Sitka
Slocum Arm Pink	Rust Crk Sister Lake	113	72	4	Sitka
	Sister Lake SE Head	113	72	5	Sitka
	Lake Stream Ford Arm	113	73	3	Sitka
	South Ford Arm	113	73	4	Sitka
	Waterfall Cove Creek	113	73	6	Sitka
	Slocum Arm Head	113	73	10	Sitka
	Khaz Creek	113	73	12	Sitka
Portlock Pink	Goulding Harbor Head	113	81	3	Sitka
	Black Bay North Head	113	81	10	Sitka
	Black River	113	81	11	Sitka

-continued-

Appendix B3.–Page 2 of 2.

Stock	Stream name	District	Subdistrict	Stream code	Area office
Lisianski Pink	Pelican Creek	113	95	3	Sitka
	Phonograph Ck Lis In	113	95	4	Sitka
	Lisianski River	113	95	6	Sitka
	Steelhead R SW Lis I	113	95	7	Sitka
	Saltery Rvr Stag Bay	113	96	2	Sitka