

DOM

- addClass()
- attribute()
- center()
- child()
- class()
- doubleClicked()
- dragLeave()
- dragOver()
- draggable()
- drop()
- elt
- hasClass()
- height
- hide()
- html()
- id()
- mouseClicked()
- mouseMoved()
- mouseOut()

Reference > hideControls()

hideControls()

Hide the default **HTMLMediaElement** controls.

Examples



```
let dragon;
let isHidden = false;

function setup() {
  createCanvas(100, 100);

  // Create a p5.MediaElement using createAudio().
  dragon = createAudio('/assets/lucky_dragons.mp3');

  // Show the default media controls.
  dragon.showControls();

  describe('The text "Double-click to hide controls" written
in the middle of a gray square. A song plays in the
background. Audio controls are displayed beneath the canvas.
The controls appear/disappear when the user double-clicks the
square.');
```

```
function draw() {
  background(200);

  // Style the text.
  textAlign(CENTER);

  // Display a different message when controls are hidden or
shown.
  if (isHidden === true) {
    text('Double-click to show controls', 10, 20, 80, 80);
  }
}
```

This page is generated from the comments in [src/dom/dom.js](#) . Please feel free to edit it and submit a pull request!

Related References

addClass

Adds a class to the element.

attribute

Adds an attribute to the element.

center

Centers the element either vertically, horizontally, or both.

child

Attaches the element as a child of another element.

p5.js

Resources

- Reference
- Tutorials
- Examples
- Contribute
- Community
- About
- Start Coding
- Donate

Information

- Download
- Contact
- Copyright
- Privacy Policy
- Terms of Use

Socials

- GitHub ↗
- Instagram ↗
- X ↗
- YouTube ↗
- Discord ↗
- Forum ↗

