</> Start Coding

♡ Donate

🌐 English ∨   ⚙ Accessibility ∨   🔍 Search

findRow()

Finds the first row in the Table that contains the value provided, and returns a reference to that row. Even if multiple rows are possible matches, only the first matching row is returned. The column to search may be specified by either its ID or title.

Examples

```
// Given the CSV file "mammals.csv"
// in the project's "assets" folder:
//
// id,species,name
// 0,Capra hircus,Goat
// 1,Panthera pardus,Leopard
// 2,Equus zebra,Zebra

let table;

function preload() {
//my table is comma separated value "csv"
//and has a header specifying the columns labels
table = loadTable('/assets/mammals.csv', 'csv', 'header');
}

function setup() {
//find the animal named zebra
let row = table.findRow('Zebra', 'name');
//find the corresponding species
print(row.getString('species'));
describe('no image displayed');
}
```

Syntax

```
findRow(value, column)
```

Parameters

value   String: The value to match
column   Integer|String: ID number or title of the column to search

Returns

p5.TableRow:

This page is generated from the comments in src/io/p5.Table.js . Please feel free to edit it and submit a pull request!

Related References

addColumn
Use addColumn() to add a new column to a Table object.

addRow
Use addRow() to add a new row of data to a p5.Table object.

clearRows
Removes all rows from a Table.

columns
An array containing the names of the columns in the table, if the "header" the table is loaded with the "header" parameter.

Donate Today! Support p5.js and the Processing Foundation.   ✕