p5*js ^

Reference
Tutorials
Examples
Contribute
Community
About

</> Start Coding

♡ Donate

Reference ⌄

DOM

addClass()
attribute()
center()
child()
class()
doubleClicked()
dragLeave()
dragOver()
draggable()
drop()
elt
hasClass()
height
hide()
html()
id()
mouseClicked()
mouseMoved()
mouseOut()

Reference > removeClass()

removeClass()

Removes a class from the element.

Examples

```
// In this example, a class is set when the div is created
// and removed when mouse is pressed. This could link up
// with a CSS style rule to toggle style properties.

let div;

function setup() {
  createCanvas(100, 100);

  background(200);

  // Create a div element.
  div = createDiv('div');

  // Add a class to the div.
  div.addClass('myClass');

  describe('A gray square.');
}

// Remove 'myClass' from the div when the user presses the mouse.
function mousePressed() {
  div.removeClass('myClass');
}
```

Syntax

```
removeClass(class)
```

Parameters

class   String: name of class to remove.

This page is generated from the comments in src/dom/dom.js . Please feel free to edit it and submit a pull request!

Related References

addClass
Adds a class to the element.

attribute
Adds an attribute to the element.

center
Centers the element either vertically, horizontally, or both.

child
Attaches the element as a child of another element.

Donate Today! Support p5.js and the Processing Foundation.   ✕