Лабораторная работа №1

Установка и конфигурация операционной системы на виртуальную машину

Хохлачёва Полина Дмитриевна

Содержание

1 Цель работы 5

2 Выполнение лабораторной работы 6

3 Ответы на вопросы 8

4 Выводы 9

Список иллюстраций

2.1 Создание 6
2.2 настройки 6
2.3 Выполнение 7
2.4 Выполнение 7

Список таблиц

1 Цель работы

Целью данной работы является приобретение практических навыков установки операционной системы на виртуальную машину,настройки ми нимально необходимыхдлядальнейшей работы сервисов.

2 Выполнение лабораторной работы

Создание Rocky(рис. 2.1).



Рис. 2.1: Создание

Настройки(рис. 2.2).



Рис. 2.2: настройки

Выполнение домашнего задания(рис. 2.3).

```
[khokhlachevapolina@khokhlacheva ~]$ dmesg | grep -i "version"
[    0.000000] Linux version 5.14.0-570.17.1.el9_6.x86_64 (mockbuild@iad1-prod-build001.bld.equ.r
ockylinux.org) (gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-5), GNU ld version 2.35.2-63.el9) #1 SM
P PREEMPT_DYNAMIC Fri May 23 22:47:01 UTC 2025
[    0.199193] IOAPIC[0]: apic_id 2, version 32, address 0xfec00000, GSI 0-23
[    0.551324] acpiphp: ACPI Hot Plug PCI Controller Driver version: 0.5
[    0.851625] Block layer SCSI generic (bsg) driver version 0.4 loaded (major 246)
[    0.858628] shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
[    1.687540] SSE version of gcm_enc/dec engaged.
[    1.688341] registered taskstats version 1
[    2.171582] fuse: init (API version 7.37)
[    2.554545] device-mapper: uevent: version 1.0.3
[    2.974316] libata version 3.00 loaded.
[    2.980708] ata_piix 0000:00:01.1: version 2.13
[    3.020563] ahci 0000:00:0d.0: version 3.0
[    3.047877] vboxguest: Successfully loaded version 7.1.6 r167084
[    3.047913] vboxguest: Successfully loaded version 7.1.6 r167084 (interface 0x00010004)
[    3.509009] vmwgfx 0000:00:02.0: [drm] Running on SVGA version 2.
[   10.142245] 22:43:17.652691 main     OS Version: #1 SMP PREEMPT_DYNAMIC Fri May 23 22:47:01 UT
C 2025
[khokhlachevapolina@khokhlacheva ~]$ dmesg | grep -i "mhz"
[    0.000009] tsc: Detected 2995.200 MHz processor
[    3.813088] e1000 0000:00:03.0 eth0: (PCI:33MHz:32-bit) 08:00:27:17:6f:63
[khokhlachevapolina@khokhlacheva ~]$ dmesg | grep -i "cpu0"
[    0.533433] smpboot: CPU0: 11th Gen Intel(R) Core(TM) i3-1115G4 @ 3.00GHz (family: 0x6, model:
 0x8c, stepping: 0x1)
[khokhlachevapolina@khokhlacheva ~]$ dmesg | grep -i "available"
[    0.014818] On node 0, zone DMA: 1 pages in unavailable ranges
[    0.015504] On node 0, zone DMA: 97 pages in unavailable ranges
[    0.197219] On node 0, zone Normal: 16 pages in unavailable ranges
```

Рис. 2.3: Выполнение

Выполнение домашнего задания(рис. 2.4).

```
khokhlachevapolina@khokhlacheva:~
[    2.974316] libata version 3.00 loaded.
[    2.980708] ata_piix 0000:00:01.1: version 2.13
[    3.020563] ahci 0000:00:0d.0: version 3.0
[    3.047877] vboxguest: Successfully loaded version 7.1.6 r167084
[    3.047913] vboxguest: Successfully loaded version 7.1.6 r167084 (interface 0x00010004)
[    3.509009] vmwgfx 0000:00:02.0: [drm] Running on SVGA version 2.
[   10.142245] 22:43:17.652691 main     OS Version: #1 SMP PREEMPT_DYNAMIC Fri May 23 22:47:01 UT
C 2025
[khokhlachevapolina@khokhlacheva ~]$ dmesg | grep -i "mhz"
[    0.000009] tsc: Detected 2995.200 MHz processor
[    3.813088] e1000 0000:00:03.0 eth0: (PCI:33MHz:32-bit) 08:00:27:17:6f:63
[khokhlachevapolina@khokhlacheva ~]$ dmesg | grep -i "cpu0"
[    0.533433] smpboot: CPU0: 11th Gen Intel(R) Core(TM) i3-1115G4 @ 3.00GHz (family: 0x6, model:
 0x8c, stepping: 0x1)
[khokhlachevapolina@khokhlacheva ~]$ dmesg | grep -i "available"
[    0.014818] On node 0, zone DMA: 1 pages in unavailable ranges
[    0.015504] On node 0, zone DMA: 97 pages in unavailable ranges
[    0.197219] On node 0, zone Normal: 16 pages in unavailable ranges
[    0.199348] [mem 0xe0000000-0xfebfffff] available for PCI devices
[    0.349778] Memory: 3621884K/4193848K available (16384K kernel code, 5766K rwdata, 13624K roda
ta, 4048K init, 7384K bss, 254056K reserved, 0K cma-reserved)
[    3.543934] vmwgfx 0000:00:02.0: [drm] Available shader model: Legacy.
[khokhlachevapolina@khokhlacheva ~]$ dmesg | grep -i "hypervisor"
[    0.000000] Hypervisor detected: KVM
[    3.509045] vmwgfx 0000:00:02.0: [drm] *ERROR* vmwgfx seems to be running on an unsupported hy
pervisor.
[khokhlachevapolina@khokhlacheva ~]$ dmesg | grep -i "filesystem"
[    4.948937] XFS (dm-0): Mounting V5 Filesystem 804b057f-bc8f-44b8-bcc8-914d5318ce68
[    8.076016] XFS (sda1): Mounting V5 Filesystem 0c73cbfa-59f2-4de8-96a3-ba6b703448e7
[khokhlachevapolina@khokhlacheva ~]$
```

Рис. 2.4: Выполнение

3 Ответы на вопросы

1. Учётка: Логин, пароль, домашняя папка.
2. Команды: man (справка), cd (переход), ls (список), du -sh (размер), mkdir/rm (созд/удал), chmod (права), history (история).
3. ФС: Способ записи данных (ext4, NTFS).
4. Монтирование: mount.

5.Убить процесс: kill -9 PID

4 Выводы

Мы приобрели практические навыки установки операционной системы на виртуальную машину,настройки ми нимально необходимыхдлядальнейшей работы сервисов.