Summary

Total Test Objects:	5
Successful:	5
Failed:	0
Not Executed:	0
Date:	2015-04-21
Time:	15:31:26+0530

Overall Test Object Results (including Coverage)



Selected Project Items

Test Collection "CBD_UnitTest"

Used Test Environments

TI TMS 570 PLS UDE (Default)

Test Case Results for Each Test Object (without Coverage)



The table above shows each test object on the x axis and the number of test cases of the respective test object on the y axis. Each bar is divided into passed, not executed and failed test cases. The test case results do not take into account any coverage result (i.e. if all test cases of a test object are passed in this table but the coverage is failed, the overall test object result will be failed).

Statement (C0) Coverage: Total Statements for Each Test Object



The table above shows each test object on the x axis and the number of statements of the respective test object on the y axis. Each bar is divided into reached statements (i.e. statements that have been executed during the test) and unreached statements.

Branch (C1) Coverage: Total Branches for Each Test Object



The table above shows each test object on the x axis and the number of branches of the respective test object on the y axis. Each bar is divided into reached branches (i.e. branches that have been executed during the test) and unreached branches.

Test Object List

The following table lists all test objects with their test case and coverage results. The cumulated results for modules, folders and test collections are also displayed, the indentation within the name column indicates the parent relationship of the elements.

Please note that only test objects are numbered within the first column. This number is referenced on the x axis within the overview charts for test case and coverage results available on previous pages (if included into the report).

No.	Name	C0	C1	Test Cases	Result
	DemIf	100 %	100 %	5 of 5 passed	✔
	CBD_UnitTest	100 %	100 %	5 of 5 passed	✔
	DemIf	100 %	100 %	5 of 5 passed	✔
1	DemIf_DemShutdown	100 %	100 %	1 of 1 passed	✔
2	DemIf_DummyFunction	100 %	100 %	1 of 1 passed	✔
3	DemIf_RestartDem	100 %	100 %	1 of 1 passed	✔
4	DemIf_SetEventStatus	100 %	100 %	1 of 1 passed	✔
5	DemIf_SetOperationCycleState	100 %	100 %	1 of 1 passed	✔

TEST DETAILS REPORT

DemIf_RestartDem

2015-04-21, 15:27:29+0530

Project	DemIf
Module	DemIf
Test Object	DemIf_RestartDem

Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
Branch (C1) Coverage	100 %

Statistics

Total Testcases	1
Successful	1
Failed	0
Not Executed	0

Module Properties

Project Root Directory	D:\Synergy_Work_Area\PSA_DemIf
Configuration File	D:\Synergy_Work_Area\PSA_DemIf\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	$(PROJECTROOT)\DemIf\src\Ap_DemIf.c
Compiler Options	-I$(PROJECTROOT)\DemIf\utp\contract -I$(PROJECTROOT)\NxtrLib\include -I$(PROJECTROOT)\StdDef\include -ID:\ccsv4_\ccsv4\tools\compiler\tms470\include

Comments/Description/Specification

Name	Text
Module 'DemIf'	**********Unit Test Description********** Name of Tester: Madhuparna Duarah Code File(s) Under Test: Ap_DemIf Code File(s) Version: 1 Module Design Document: NA Module Design Document Version: NA Data Dictionary Version: NA Unit Test Plan Version: 1 Optimization Level:Level 2 Compiler (CodeGen) Version: TMS470_4.9.5 Model Type: Excel Macro Model Version: Nexteer EPS Unit Test tool 2.7d/EPS Library 1.31 Total FLASH Used (Bytes): 24 Total RAM Used (Bytes): 0 Total CALS Used (Bytes): 0 Special Test Requirements: None Test Date: 04-21-2015 Comments: Note1:""CBD_Sandbox_dbg.map"" Map file is embedded for reference." **********

Attributes

Name	Value
Compiler Install Path	$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570.tpl
Target Install Path	$(ProgramFiles)\pls\UDE 3.2
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg
Workspace File	D:\Synergy_Work_Area\PSA_DemIf\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP

Test Case 1: Boundary Test

Specification

```
Performance Metrics (With "None"
Instrumentation and WithPS Environment)

CPU Cycles:

TS1.1 229 Cycles
```

Description

Vector Description:

TS1.1 Only Call trace is checked

Test Step 1.1 (Repeat Count = 1)

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Dem_Init	1	Dem_Init	1	✔

TEST DETAILS REPORT

DemIf_DummyFunction

2015-04-21, 15:26:53+0530

Project	DemIf
Module	DemIf
Test Object	DemIf_DummyFunction

Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
Branch (C1) Coverage	100 %

Statistics

Total Testcases	1
Successful	1
Failed	0
Not Executed	0

Module Properties

Project Root Directory	D:\Synergy_Work_Area\PSA_DemIf
Configuration File	D:\Synergy_Work_Area\PSA_DemIf\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	$(PROJECTROOT)\DemIf\src\Ap_DemIf.c
Compiler Options	-I$(PROJECTROOT)\DemIf\utp\contract -I$(PROJECTROOT)\NxtrLib\include -I$(PROJECTROOT)\StdDef\include -ID:\ccsv4_\ccsv4\tools\compiler\tms470\include

Comments/Description/Specification

Name	Text
Module 'DemIf'	**********Unit Test Description********** Name of Tester: Madhuparna Duarah Code File(s) Under Test: Ap_DemIf Code File(s) Version: 1 Module Design Document: NA Module Design Document Version: NA Data Dictionary Version: NA Unit Test Plan Version: 1 Optimization Level:Level 2 Compiler (CodeGen) Version: TMS470_4.9.5 Model Type: Excel Macro Model Version: Nexteer EPS Unit Test tool 2.7d/EPS Library 1.31 Total FLASH Used (Bytes): 24 Total RAM Used (Bytes): 0 Total CALS Used (Bytes): 0 Special Test Requirements: None Test Date: 04-21-2015 Comments: Note1:""CBD_Sandbox_dbg.map"" Map file is embedded for reference." **********

Attributes

Name	Value
Compiler Install Path	$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570.tpl
Target Install Path	$(ProgramFiles)\pls\UDE 3.2
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg
Workspace File	D:\Synergy_Work_Area\PSA_DemIf\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP

Test Case 1: Boundary Test ✔

Description Vector Description:

No inpur output variables present

TEST DETAILS REPORT

DemIf_DemShutdown

2015-04-21, 15:24:31+0530

Project	DemIf
Module	DemIf
Test Object	DemIf_DemShutdown

Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
Branch (C1) Coverage	100 %

Statistics

Total Testcases	1
Successful	1
Failed	0
Not Executed	0

Module Properties

Project Root Directory	D:\Synergy_Work_Area\PSA_DemIf
Configuration File	D:\Synergy_Work_Area\PSA_DemIf\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	$(PROJECTROOT)\DemIf\src\Ap_DemIf.c
Compiler Options	-I$(PROJECTROOT)\DemIf\utp\contract -I$(PROJECTROOT)\NxtrLib\include -I$(PROJECTROOT)\StdDef\include -ID:\ccsv4_\ccsv4\tools\compiler\tms470\include

Comments/Description/Specification

Name	Text
Module 'DemIf'	**********Unit Test Description********** Name of Tester: Madhuparna Duarah Code File(s) Under Test: Ap_DemIf Code File(s) Version: 1 Module Design Document: NA Module Design Document Version: NA Data Dictionary Version: NA Unit Test Plan Version: 1 Optimization Level:Level 2 Compiler (CodeGen) Version: TMS470_4.9.5 Model Type: Excel Macro Model Version: Nexteer EPS Unit Test tool 2.7d/EPS Library 1.31 Total FLASH Used (Bytes): 24 Total RAM Used (Bytes): 0 Total CALS Used (Bytes): 0 Special Test Requirements: None Test Date: 04-21-2015 Comments: Note1:""CBD_Sandbox_dbg.map"" Map file is embedded for reference." **********

Attributes

Name	Value
Compiler Install Path	$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570.tpl
Target Install Path	$(ProgramFiles)\pls\UDE 3.2
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg
Workspace File	D:\Synergy_Work_Area\PSA_DemIf\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP

Test Case 1: Boundary Test

Specification

```
Performance Metrics (With "None"
Instrumentation and WithPS Environment)

CPU Cycles:

TS1.1 226 Cycles
```

Description

Vector Description:

TS1.1 Only Call trace is checked

Test Step 1.1 (Repeat Count = 1)

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Dem_Shutdown	1	Dem_Shutdown	1	✔

TEST DETAILS REPORT

DemIf_SetEventStatus

2015-04-21, 15:28:20+0530

Project	DemIf
Module	DemIf
Test Object	DemIf_SetEventStatus

Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
Branch (C1) Coverage	100 %

Statistics

Total Testcases	1
Successful	1
Failed	0
Not Executed	0

Module Properties

Project Root Directory	D:\Synergy_Work_Area\PSA_DemIf
Configuration File	D:\Synergy_Work_Area\PSA_DemIf\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	$(PROJECTROOT)\DemIf\src\Ap_DemIf.c
Compiler Options	-I$(PROJECTROOT)\DemIf\utp\contract -I$(PROJECTROOT)\NxtrLib\include -I$(PROJECTROOT)\StdDef\include -ID:\ccsv4_\ccsv4\tools\compiler\tms470\include

Comments/Description/Specification

Name	Text
Module 'DemIf'	**********Unit Test Description********** Name of Tester: Madhuparna Duarah Code File(s) Under Test: Ap_DemIf Code File(s) Version: 1 Module Design Document: NA Module Design Document Version: NA Data Dictionary Version: NA Unit Test Plan Version: 1 Optimization Level:Level 2 Compiler (CodeGen) Version: TMS470_4.9.5 Model Type: Excel Macro Model Version: Nexteer EPS Unit Test tool 2.7d/EPS Library 1.31 Total FLASH Used (Bytes): 24 Total RAM Used (Bytes): 0 Total CALS Used (Bytes): 0 Special Test Requirements: None Test Date: 04-21-2015 Comments: Note1:""CBD_Sandbox_dbg.map"" Map file is embedded for reference." **********

Attributes

Name	Value
Compiler Install Path	$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570.tpl
Target Install Path	$(ProgramFiles)\pls\UDE 3.2
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg
Workspace File	D:\Synergy_Work_Area\PSA_DemIf\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP

Test Case 1: Boundary Test

Specification

```
Performance Metrics (With "None"
Instrumentation and WithPS Environment)

CPU Cycles:

TS1.1 240 Cycles
TS1.2 240 Cycles
TS1.3 240 Cycles
TS1.4 240 Cycles
TS1.5 240 Cycles
TS1.6 240 Cycles
TS1.7 240 Cycles
TS1.8 240 Cycles
TS1.9 240 Cycles
TS1.1 240 Cycles
TS1.11 240 Cycles
```

Description

Vector Description:

TS1.1 EventId min
TS1.2 EventId max
TS1.3 EventId pos
TS1.4 EventStatus min
TS1.5 EventStatus max
TS1.6 EventStatus pos
TS1.7 Dem_SetEventStatus=min
TS1.8 Dem_SetEventStatus=max
TS1.9 Dem_SetEventStatus=mid
TS1.10 All min
TS1.11 All max

Test Step 1.1 (Repeat Count = 1)

Name	Input Value
Dem_SetEventStatus()	0
EventId	0
EventStatus	45

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 1.2 (Repeat Count = 1)

Name	Input Value
Dem_SetEventStatus()	13
EventId	255
EventStatus	67

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	13	13	✔

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 1.3 (Repeat Count = 1)

Name	Input Value
Dem_SetEventStatus()	127
EventId	90
EventStatus	78

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	127	127	✔

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 1.4 (Repeat Count = 1) ✔

Name	Input Value
Dem_SetEventStatus()	45
EventId	34
EventStatus	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	45	45	✔

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 1.5 (Repeat Count = 1) ✔

Name	Input Value
Dem_SetEventStatus()	116
EventId	56
EventStatus	255

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	116	116	✔

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 1.6 (Repeat Count = 1) ✔

Name	Input Value
Dem_SetEventStatus()	31
EventId	67
EventStatus	65

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	31	31	✔

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 1.7 (Repeat Count = 1) ✔

Name	Input Value
Dem_SetEventStatus()	0
EventId	12
EventStatus	21

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 1.8 (Repeat Count = 1) ✔

Name	Input Value
Dem_SetEventStatus()	255
EventId	45
EventStatus	31

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	255	255	✔

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 1.9 (Repeat Count = 1) ✔

Name	Input Value
Dem_SetEventStatus()	113
EventId	84
EventStatus	56

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	113	113	✔

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 1.10 (Repeat Count = 1) ✔

Name	Input Value
Dem_SetEventStatus()	0
EventId	0
EventStatus	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 1.11 (Repeat Count = 1) ✔

Name	Input Value
Dem_SetEventStatus()	255
EventId	255
EventStatus	255

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	255	255	✔

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

TEST DETAILS REPORT

DemIf_SetOperationCycleState

2015-04-21, 15:29:08+0530

Project	DemIf
Module	DemIf
Test Object	DemIf_SetOperationCycleState

Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
Branch (C1) Coverage	100 %

Statistics

Total Testcases	1
Successful	1
Failed	0
Not Executed	0

Module Properties

Project Root Directory	D:\Synergy_Work_Area\PSA_DemIf
Configuration File	D:\Synergy_Work_Area\PSA_DemIf\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	$(PROJECTROOT)\DemIf\src\Ap_DemIf.c
Compiler Options	-I$(PROJECTROOT)\DemIf\utp\contract -I$(PROJECTROOT)\NxtrLib\include -I$(PROJECTROOT)\StdDef\include -ID:\ccsv4_\ccsv4\tools\compiler\tms470\include

Comments/Description/Specification

Name	Text
Module 'DemIf'	**********Unit Test Description********** Name of Tester: Madhuparna Duarah Code File(s) Under Test: Ap_DemIf Code File(s) Version: 1 Module Design Document: NA Module Design Document Version: NA Data Dictionary Version: NA Unit Test Plan Version: 1 Optimization Level:Level 2 Compiler (CodeGen) Version: TMS470_4.9.5 Model Type: Excel Macro Model Version: Nexteer EPS Unit Test tool 2.7d/EPS Library 1.31 Total FLASH Used (Bytes): 24 Total RAM Used (Bytes): 0 Total CALS Used (Bytes): 0 Special Test Requirements: None Test Date: 04-21-2015 Comments: Note1:""CBD_Sandbox_dbg.map"" Map file is embedded for reference." **********

Attributes

Name	Value
Compiler Install Path	$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570.tpl
Target Install Path	$(ProgramFiles)\pls\UDE 3.2
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg
Workspace File	D:\Synergy_Work_Area\PSA_DemIf\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP

Test Case 1: Boundary Test

Specification

```
Performance Metrics (With "None"
Instrumentation and WithPS Environment)

CPU Cycles:

TS1.1 239 Cycles
TS1.2 239Cycles
TS1.3 239 Cycles
TS1.4 239 Cycles
TS1.5 239 Cycles
TS1.6 239 Cycles
TS1.7 239 Cycles
TS1.8 239 Cycles
```

Description

Vector Description:

TS1.1 NxtrOperationCycleId min
TS1.2 NxtrOperationCycleId max
TS1.3 NxtrOperationCycleId pos
TS1.4 NxtrCycleState min
TS1.5 NxtrCycleState max
TS1.6 NxtrCycleState pos
TS1.7 All min
TS1.8 All max

Test Step 1.1 (Repeat Count = 1)

Name	Input Value
NxtrCycleState	45
NxtrOperationCycleId	0

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Dem_SetOperationCycleState	1	Dem_SetOperationCycleState	1	✔

Test Step 1.2 (Repeat Count = 1)

Name	Input Value
NxtrCycleState	67
NxtrOperationCycleId	255

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Dem_SetOperationCycleState	1	Dem_SetOperationCycleState	1	✔

Test Step 1.3 (Repeat Count = 1)

Name	Input Value
NxtrCycleState	78
NxtrOperationCycleId	90

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Dem_SetOperationCycleState	1	Dem_SetOperationCycleState	1	✔

Test Step 1.4 (Repeat Count = 1)

Name	Input Value
NxtrCycleState	0
NxtrOperationCycleId	34

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
Dem_SetOperationCycleState	1	Dem_SetOperationCycleState	1	✔

Test Step 1.5 (Repeat Count = 1)

Name	Input Value
NxtrCycleState	255

Name	Input Value
NxtrOperationCycleId	56

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetOperationCycleState	1	Dem_SetOperationCycleState	1	✔

Test Step 1.6 (Repeat Count = 1) ✔

Name	Input Value
NxtrCycleState	65
NxtrOperationCycleId	67

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetOperationCycleState	1	Dem_SetOperationCycleState	1	✔

Test Step 1.7 (Repeat Count = 1) ✔

Name	Input Value
NxtrCycleState	0
NxtrOperationCycleId	0

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetOperationCycleState	1	Dem_SetOperationCycleState	1	✔

Test Step 1.8 (Repeat Count = 1) ✔

Name	Input Value
NxtrCycleState	255
NxtrOperationCycleId	255

Test Step Call Trace ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetOperationCycleState	1	Dem_SetOperationCycleState	1	✔