
A
P
Chronotype (self-report; higher = morning)
0.28
Morning person (self-report)
0.070
Sleep duration (self-report)
0.16
Insomnia symptoms (self-report)
0.19
Daytime napping (self-report)
0.020
Sleep midpoint (accelerometer)
9.0e-04
L5 timing (accelerometer)
0.15
M10 timing (accelerometer)
0.82
Sleep duration (accelerometer)
0.24
Sleep efficiency (accelerometer)
0.56
Number of sleep episodes (accelerometer)
0.20
Variability of sleep duration (accelerometer)
0.70
Diurnal inactivity (accelerometer)
0.066
-0.03
0
0.03
Five-unit allele (SD per allele, 95% CI)
B
five units vs 4A
P = 0.51
5A vs 4A
P = 0.39
5B vs 4A
P = 0.65
4B.1 vs 4A
P = 5.5e-11
4B.2 vs 4A
P = 7.1e-09
-0.02
0.00
0.02
Chronotype (SD)
C
P = 0.93
P = 0.90
P = 0.43
P = 3.3e-10
P = 2.8e-08
-0.05
0.00
0.05
Morning person (log OR)
D
P = 0.053
P = 0.21
P = 0.0021
P = 0.0033
P = 0.67
-0.05
0.00
0.05
Sleep midpoint, accel. (SD)