

Bursting of champagne bubbles: Experiments

Description

If one notices carefully a glass of champagne (see figure 1) or a carbonated beverage, the air bubble in the liquid rises due to buoyancy and reaches the liquid-air interface. The bubble sits at the interface for a while and then bursts, creating a cavity in the interface. Bubble bursting like this is observed in many real-life scenarios. This process is responsible for transporting aromatics from champagne and pathogens from contaminated water. Furthermore, bubbles bursting in oceans emit nuclei that are essential for cloud formation in our atmosphere.

The newly formed cavity desires to flatten out due to surface tension effects, and capillary waves begin traveling to serve this purpose. However, traveling waves do more than flatten the cavity; they collide at the bottom of the cavity, creating a jet that breaks into vertically projected droplets; see figures 2 & 3. This phenomenon has been widely studied by Deike et al. (2018), Duchemin et al. (2002), Gordillo and Rodríguez-Rodríguez (2019), and Walls et al. (2015).

Nonetheless, we lack a comprehensive understanding of the influence of liquid properties, especially non-Newtonian effects of surrounding liquid on the overall dynamics. Bubble-bursting in non-Newtonian media is observed in several geophysical phenomena such as mudpots (see Sanjay et al. (2021) and [YouTube link](#)). In addition to its practical applications, bubble-bursting in non-Newtonian medium has great scientific relevance. For instance, understanding the bubble-bursting dynamics in a viscoelastic medium teaches us a great deal and paves the way for understanding much more complex flows, such as coughing or sneezing. Such a phenomenon involves the breaking of mucosalivary fluids (which shows viscoelastic behavior) into droplets that are primarily responsible for airborne disease transmission (Bourouiba, 2021; Walls et al., 2017). You will experimentally study the dynamics produced by bubble bursting in a viscoelastic medium (see Dixit et al. (2024)). The experimental results obtained will be compared with the numerical findings from a parallel project. Finally, the implication of our analysis will be made on the understanding of droplet distribution during coughing or sneezing.



Figure 1: Ghabache et al. (2016) reported the collapse of numerous bubbles at the free surface, emitting a cloud of tiny droplets, which is characteristic of champagne and other sparkling wines and enhances the sensual experience of the taster.




Figure 2: Observation of the time evolution of the open bubble cavity. The lower rows display two views: the top view is above the water surface, while the bottom view is below the surface.




Figure 3: Time evolution of the dynamics of open bubble cavity at the water surface. The color shows the magnitude of non-dimensionalized vorticity, Γ (maximum $\Gamma = 150$ with red and minimum $\Gamma = -150$ with blue).

What you will do and what you will learn?

1. You will learn about the physics of fluids, and science underlying non-Newtonian fluid flows.
2. You will learn how to utilize experimental methods to study real life physics.
3. You will learn how to collaborate with a diverse group of researchers, specifically with other numericists and theoreticians.

If you have any questions, feel free to contact [Coen](#), and [Ayush](#) (details below).

Supervision	E-mail	Office
Coen Verschuur	c.i.verschuur@utwente.nl	Meander 114B
Ayush Dixit	a.k.dixit@utwente.nl	Meander 250
Dr. Vatsal Sanjay	vatsalsanjay@gmail.com	Meander 246B
Dr. Alexandros Oratis	a.t.oratis@utwente.nl	TU Delft
Prof. Dr. Detlef Lohse	d.lohse@utwente.nl	Meander 261

References

- Bourouiba, L. (2021). “The fluid dynamics of disease transmission”. *Annu. Rev. Fluid Mech.* 53, pp. 473–508.
- Deike, L., Ghabache, E., Liger-Belair, G., Das, A. K., Zaleski, S., Popinet, S., and Séon, R. (2018). “Dynamics of jets produced by bursting bubbles”. *Phys. Rev. Fluids* 3.1, p. 013603.
- Dixit, A. K., Oratis, A., Zinelis, K., Lohse, D., and Sanjay, V. (2024). “Viscoelastic Worthington jets & droplets produced by bursting bubbles”. *arXiv preprint arXiv:2408.05089*.
- Duchemin, L., Popinet, S., Josserand, C., and Zaleski, S. (2002). “Jet formation in bubbles bursting at a free surface”. *Phys. Fluids* 14.9, pp. 3000–3008.
- Ghabache, É., Liger-Belair, G., Antkowiak, A., and Séon, T. (2016). “Evaporation of droplets in a Champagne wine aerosol”. *Sci. Rep.* 6.1, p. 25148.
- Gordillo, J. M. and Rodríguez-Rodríguez, J. (2019). “Capillary waves control the ejection of bubble bursting jets”. *J. Fluid Mech.* 867, pp. 556–571.
- Sanjay, V., Lohse, D., and Jalaal, M. (2021). “Bursting bubble in a viscoplastic medium”. *J. Fluid Mech.* 922, A2.
- Walls, P. L. L., Henaux, L., and Bird, J. C. (2015). “Jet drops from bursting bubbles: How gravity and viscosity couple to inhibit droplet production”. *Phys. Rev. E* 92.2, p. 021002.
- Walls, P. L. L., McRae, O., Natarajan, V., Johnson, C., Antoniou, C., and Bird, J. C. (2017). “Quantifying the potential for bursting bubbles to damage suspended cells”. *Sci. Rep.* 7.1, p. 15102.