



/v3/api-docs

Explore

OpenAPI definition v0 OAS 3.1

/v3/api-docs

Servers

http://localhost:8080 - Generated server url

reservation-controller



POST /api/reservation/save



Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "userId": 0,
  "roomId": 0,
  "checkInDate": "2026-07-03",
  "checkOutDate": "2026-07-03",
  "guestCount": 0,
  "specialRequest": "string",
  "paymentMethod": "UPI"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value Schema

```
{
  "reservationId": 0,
  "userName": "string",
  "roomTypeName": "string",
  "checkInDate": "2026-07-03",
  "checkOutDate": "2026-07-03",
  "guestCount": 0,
  "reservationStatus": "PENDING",
  "bookingTime": "2026-07-03T10:42:27.565Z",
  "specialRequest": "string",
  "guests": [
    {
      "guestId": 0,
      "reservationId": 0,
      "firstName": "string",
      "lastName": "string",
      "phone": "string",
      "gender": "MALE",
      "dateOfBirth": "2026-07-03"
    }
  ]
}
```

PATCH /api/reservation/update/{reservationId}



Parameters

Try it out

Name	Description
reservationId * required integer(\$int64) (path)	reservationId

Request body required

application/json

Example Value Schema

```
{  "reservationStatus": "PENDING",  "specialRequest": "string",  "guestCount": 0}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema<pre>{ "reservationId": 0, "userName": "string", "roomTypeName": "string", "checkInDate": "2026-07-03", "checkOutDate": "2026-07-03", "guestCount": 0, "reservationStatus": "PENDING", "bookingTime": "2026-07-03T10:42:27.571Z", "specialRequest": "string", "guests": [{ "guestId": 0, "reservationId": 0, "firstName": "string", "lastName": "string", "phone": "string", "gender": "MALE", "dateOfBirth": "2026-07-03" }]}</pre>	No links

GET /api/reservation/getbyuser

Try it out

Parameters

Try it out

Name	Description
userId * required integer(\$int64) (query)	userId

Responses

Code	Description	Links
200	OK Media type	No links

Code	Description	Links
	/ Controls Accept header. Example Value Schema [{ "reservationId": 0, "userName": "string", "roomTypeName": "string", "checkInDate": "2026-07-03", "checkOutDate": "2026-07-03", "guestCount": 0, "reservationStatus": "PENDING", "bookingTime": "2026-07-03T10:42:27.575Z", "specialRequest": "string", "guests": [{ "guestId": 0, "reservationId": 0, "firstName": "string", "lastName": "string", "phone": "string", "gender": "MALE", "dateOfBirth": "2026-07-03" }] }]	

GET /api/reservation/getbystatus

Parameters

Try it out

Name	Description
status * required string (query)	Available values : PENDING, CONFIRMED, CHECKED_IN, CHECKED_OUT, CANCELLED, EXPIRED PENDING

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema [{ "reservationId": 0, "userName": "string", "roomTypeName": "string", "checkInDate": "2026-07-03", "checkOutDate": "2026-07-03", "guestCount": 0, "reservationStatus": "PENDING", "bookingTime": "2026-07-03T10:42:27.579Z", "specialRequest": "string", "guests": [{ "guestId": 0, "reservationId": 0, "firstName": "string", "lastName": "string", "phone": "string", "gender": "MALE", "dateOfBirth": "2026-07-03" }] }]	No links

 |

GET /api/reservation/getall

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema [{ "reservationId": 0, "userName": "string", "roomTypeName": "string", "checkInDate": "2026-07-03", "checkOutDate": "2026-07-03", "guestCount": 0, "reservationStatus": "PENDING", "bookingTime": "2026-07-03T10:42:27.581Z", "specialRequest": "string", "guests": [{ "guestId": 0, "reservationId": 0, "firstName": "string", "lastName": "string", "phone": "string", "gender": "MALE", "dateOfBirth": "2026-07-03" }] }]	No links

GET /api/reservation/get/{reservationId}^

Parameters

Try it out

Name	Description
reservationId * required integer(int64) (path)	reservationId

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema { "reservationId": 0, "userName": "string", "roomTypeName": "string", "checkInDate": "2026-07-03", "checkOutDate": "2026-07-03", "guestCount": 0, "reservationStatus": "PENDING", "bookingTime": "2026-07-03T10:42:27.585Z", "specialRequest": "string", "guests": [{ "guestId": 0, 	No links

Code	Description	Links
	<pre>"reservationId": 0, "firstName": "string", "lastName": "string", "phone": "string", "gender": "MALE", "dateOfBirth": "2026-07-03" } }</pre>	

DELETE

/api/reservation/delete/{reservationId}

^

Parameters

Try it out

Name	Description
reservationId required integer(\$int64) (path)	reservationId

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema string	No links

reception-controller

POST

/api/reception/customer

^

Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{
  "firstName": "string",
  "lastName": "string",
  "gender": "MALE",
  "email": "string",
  "phone": "string",
  "password": "string",
  "role": "CUSTOMER",
  "accountStatus": "ACTIVE"
}
```

Responses

Code

Description

Links

200

OK

Media type

/

Controls Accept header.

Example Value Schema

```
{  "userId": 0,  "firstName": "string",  "lastName": "string",  "email": "string",  "phone": "string",  "role": "CUSTOMER",  "accountStatus": "ACTIVE"}
```

No links

POST

/api/reception/assign-room

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{  "reservationId": 0}
```

Responses

Code

Description

Links

200

OK

Media type

/

Controls Accept header.

Example Value Schema

```
{  "assignmentId": 0,  "reservationId": 0,  "customerName": "string",  "roomNumber": "string",  "roomType": "string",  "checkInDate": "2026-07-03",  "checkOutDate": "2026-07-03",  "actualCheckIn": "2026-07-03T10:42:27.596Z",  "actualCheckOut": "2026-07-03T10:42:27.596Z",  "assignedAt": "2026-07-03T10:42:27.596Z",  "assignmentStatus": "ASSIGNED"}
```

No links

PATCH

/api/reception/check-out

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "reservationId": 0
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "assignmentId": 0, "reservationId": 0, "customerName": "string", "roomNumber": "string", "roomType": "string", "checkInDate": "2026-07-03", "checkOutDate": "2026-07-03", "actualCheckIn": "2026-07-03T10:42:27.600Z", "actualCheckOut": "2026-07-03T10:42:27.600Z", "assignedAt": "2026-07-03T10:42:27.600Z", "assignmentStatus": "ASSIGNED" }</pre>	No links

PATCH /api/reception/check-in

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "reservationId": 0
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "assignmentId": 0, "reservationId": 0, "customerName": "string", "roomNumber": "string", "roomType": "string", "checkInDate": "2026-07-03", "checkOutDate": "2026-07-03", "actualCheckIn": "2026-07-03T10:42:27.605Z", "actualCheckOut": "2026-07-03T10:42:27.605Z", "assignedAt": "2026-07-03T10:42:27.605Z", "assignmentStatus": "ASSIGNED" }</pre>	No links

GET

/api/reception/today-departures

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>[{ "reservationId": 0, "customerName": "string", "roomNumber": "string", "roomType": "string", "guestCount": 0, "guestNames": "string", "checkOutDate": "2026-07-03", "actualCheckIn": "2026-07-03T10:42:27.607Z" }]</pre>	No links

GET

/api/reception/today-arrivals

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>[{ "reservationId": 0, "customerName": "string", "phone": "string", "roomType": "string", "guestCount": 0, "guestNames": "string", "checkInDate": "2026-07-03", "checkOutDate": "2026-07-03", "roomAssigned": true, "assignmentStatus": "ASSIGNED" }]</pre>	No links

GET

/api/reception/dashboard

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "todayArrivals": 0, "todayDepartures": 0, "currentGuests": 0, "availableRooms": 0, "occupiedRooms": 0}</pre>	No links

GET /api/reception/current-guests

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>[{ "reservationId": 0, "primaryCustomerName": "string", "roomNumber": "string", "roomType": "string", "checkInDate": "2026-07-03", "checkOutDate": "2026-07-03", "actualCheckIn": "2026-07-03T10:42:27.614Z", "guests": [{ "guestId": 0, "firstName": "string", "lastName": "string", "phone": "string", "gender": "MALE", "dateOfBirth": "2026-07-03" }] }]</pre>	No links

payment-controller

POST /api/payment/save

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "reservationId": 0,
  "paymentMethod": "UPI"
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "paymentId": 0, "reservationId": 0, "amount": 0, "currency": "string", "paymentMethod": "UPI", "paymentStatus": "PENDING", "gatewayOrderId": "string", "gatewayPaymentId": "string", "paidAt": "2026-07-03T10:42:27.618Z" }</pre>	No links

PATCH /api/payment/success/{paymentId}

Parameters

Try it out

Name	Description
paymentId * required integer(\$int64) (path)	paymentId
gatewayPaymentId * required string (query)	gatewayPaymentId
gatewaySignature * required string (query)	gatewaySignature

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "paymentId": 0, "reservationId": 0, "amount": 0, "currency": "string", "paymentMethod": "UPI", "paymentStatus": "PENDING", "gatewayOrderId": "string", "gatewayPaymentId": "string", }</pre>	No links

Code	Description	Links
	<pre>"paidAt": "2026-07-03T10:42:27.623Z" }</pre>	

PATCH

/api/payment/start/{paymentId}

Parameters

Try it out

Name	Description
paymentId ★ required integer(\$int64) (path)	paymentId

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "paymentId": 0, "reservationId": 0, "amount": 0, "currency": "string", "paymentMethod": "UPI", "paymentStatus": "PENDING", "gatewayOrderId": "string", "gatewayPaymentId": "string", "paidAt": "2026-07-03T10:42:27.626Z" }</pre>	No links

PATCH

/api/payment/refund/{paymentId}

Parameters

Try it out

Name	Description
paymentId ★ required integer(\$int64) (path)	paymentId

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "paymentId": 0, "reservationId": 0, "amount": 0, "currency": "string", "paymentMethod": "UPI", "paymentStatus": "PENDING", </pre>	No links

Code	Description	Links
	<pre>"gatewayOrderId": "string", "gatewayPaymentId": "string", "paidAt": "2026-07-03T10:42:27.629Z" }</pre>	

PATCH

/api/payment/fail/{paymentId}

^

Parameters

Try it out

Name	Description
paymentId ★ required integer(\$int64) (path)	paymentId

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "paymentId": 0, "reservationId": 0, "amount": 0, "currency": "string", "paymentMethod": "UPI", "paymentStatus": "PENDING", "gatewayOrderId": "string", "gatewayPaymentId": "string", "paidAt": "2026-07-03T10:42:27.632Z" }</pre>	No links

GET

/api/payment/status

^

Parameters

Try it out

Name	Description
paymentStatus ★ required string (query)	Available values : PENDING, PROCESSING, SUCCESS, FAILED, REFUNDED PENDING

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>[{ "paymentId": 0, "reservationId": 0, "amount": 0, </pre>	No links

Code	Description	Links
	<pre>"currency": "string", "paymentMethod": "UPI", "paymentStatus": "PENDING", "gatewayOrderId": "string", "gatewayPaymentId": "string", "paidAt": "2026-07-03T10:42:27.636Z" }]</pre>	

GET

/api/payment/reservation/{reservationId}

⌵

Parameters

Try it out

Name	Description
reservationId * required integer(\$int64) (path)	reservationId

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value

Schema

```
{
  "paymentId": 0,
  "reservationId": 0,
  "amount": 0,
  "currency": "string",
  "paymentMethod": "UPI",
  "paymentStatus": "PENDING",
  "gatewayOrderId": "string",
  "gatewayPaymentId": "string",
  "paidAt": "2026-07-03T10:42:27.639Z"
}
```

GET

/api/payment/getall

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value

Schema

```
[
  {
    "paymentId": 0,
    "reservationId": 0,
    "amount": 0,
    "currency": "string",
    "paymentMethod": "UPI",
    "paymentStatus": "PENDING",
  }
]
```

Code	Description	Links
	<pre>"gatewayOrderId": "string", "gatewayPaymentId": "string", "paidAt": "2026-07-03T10:42:27.641Z" }]</pre>	

GET /api/payment/get/{paymentId}

Parameters

Try it out

Name	Description
paymentId ★ required	paymentId
integer(\$int64)	
(path)	

Responses

Code	Description	Links
200	OK	No links
	Media type */* Controls Accept header. Example Value Schema <pre>{ "paymentId": 0, "reservationId": 0, "amount": 0, "currency": "string", "paymentMethod": "UPI", "paymentStatus": "PENDING", "gatewayOrderId": "string", "gatewayPaymentId": "string", "paidAt": "2026-07-03T10:42:27.644Z" }</pre>	

DELETE /api/payment/delete/{paymentId}

Parameters

Try it out

Name	Description
paymentId ★ required	paymentId
integer(\$int64)	
(path)	

Responses

Code	Description	Links
200	OK	No links
	Media type */* Controls Accept header. Example Value Schema string	

Code	Description	Links

guest-controller

POST

/api/guest/save

^

Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{
  "reservationId": 0,
  "firstName": "string",
  "lastName": "string",
  "phone": "string",
  "gender": "MALE",
  "dateOfBirth": "2026-07-03"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value

Schema

```
{
  "guestId": 0,
  "reservationId": 0,
  "firstName": "string",
  "lastName": "string",
  "phone": "string",
  "gender": "MALE",
  "dateOfBirth": "2026-07-03"
}
```

PATCH

/api/guest/update/{guestId}

^

Parameters

Try it out

Name	Description
guestId * required	guestId
integer(\$int64)	
(path)	

Request body

required

application/json

Example Value

Schema

```
{
  "firstName": "string",
  "lastName": "string",
  "phone": "string",
  "gender": "MALE",
  "dateOfBirth": "2026-07-03"
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "guestId": 0, "reservationId": 0, "firstName": "string", "lastName": "string", "phone": "string", "gender": "MALE", "dateOfBirth": "2026-07-03"}</pre>	No links

GET /api/guest/getbyreservation ^

Parameters

Try it out

Name	Description
reservationId * required integer(\$int64) (query)	reservationId

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>[{ "guestId": 0, "reservationId": 0, "firstName": "string", "lastName": "string", "phone": "string", "gender": "MALE", "dateOfBirth": "2026-07-03" }]</pre>	No links

GET /api/guest/getall ^

Parameters

Try it out

No parameters

Responses

Code

Description

Links

200

OK

Media type

/

Controls Accept header.

Example Value Schema

```
[
  {
    "guestId": 0,
    "reservationId": 0,
    "firstName": "string",
    "lastName": "string",
    "phone": "string",
    "gender": "MALE",
    "dateOfBirth": "2026-07-03"
  }
]
```

No links

GET

/api/guest/get/{guestId}

Parameters

Try it out

Name

Description

guestId

★ required

integer(\$int64)

(path)

guestId

Responses

Code

Description

Links

200

OK

Media type

/

Controls Accept header.

Example Value Schema

```
{
  "guestId": 0,
  "reservationId": 0,
  "firstName": "string",
  "lastName": "string",
  "phone": "string",
  "gender": "MALE",
  "dateOfBirth": "2026-07-03"
}
```

No links

DELETE

/api/guest/delete/{guestId}

Parameters

Try it out

Name

Description

guestId

★ required

integer(\$int64)

(path)

guestId

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example ValueSchema string	No links

availability-controller

POST

/api/availability/search

Try it out

Parameters

No parameters

Request body required

application/json

Example ValueSchema

```
{  "roomTypeId": 0,  "checkInDate": "2026-07-03",  "checkOutDate": "2026-07-03"}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example ValueSchema <pre>{ "roomTypeId": 0, "roomTypeName": "string", "capacity": 0, "pricePerNight": 0, "availableRooms": 0, "available": true, "availabilityMessage": "string"}</pre>	No links

POST

/api/availability/check

Try it out

Parameters

No parameters

Request body required

application/json

Example ValueSchema

```
{  "roomTypeId": 0,  "checkInDate": "2026-07-03",
```

```
"checkOutDate": "2026-07-03"
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "roomTypeId": 0, "roomTypeName": "string", "totalRooms": 0, "bookedRooms": 0, "activeHolds": 0, "availableRooms": 0, "available": true }</pre>	No links

auth-controller



POST /api/auth/register



Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "firstName": "string",
  "lastName": "string",
  "gender": "MALE",
  "email": "string",
  "phone": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "userId": 0, "firstName": "string", "lastName": "string", "email": "string", "phone": "string", "role": "CUSTOMER", "accountStatus": "ACTIVE" }</pre>	No links

POST /api/auth/login



Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "email": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "token": "string" }</pre>	No links

GET /api/auth/me

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "userId": 0, "firstName": "string", "lastName": "string", "email": "string", "phone": "string", "role": "CUSTOMER", "accountStatus": "ACTIVE" }</pre>	No links

admin-user-controller

POST /api/admin/users/receptionist

^

Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{  "firstName": "string",  "lastName": "string",  "gender": "MALE",  "email": "string",  "phone": "string",  "password": "string",  "role": "CUSTOMER",  "accountStatus": "ACTIVE"}  
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "userId": 0, "firstName": "string", "lastName": "string", "email": "string", "phone": "string", "role": "CUSTOMER", "accountStatus": "ACTIVE"} </pre>	

 No links |

PATCH

/api/admin/users/update/{userId}

Parameters

Try it out

Name	Description
userId ★ required integer(\$int64) (path)	userId

Request body

required

application/json

Example Value

Schema

```
{  "firstName": "string",  "lastName": "string",  "phone": "string",  "accountStatus": "ACTIVE"}  
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema	

 No links |

Code	Description	Links
	<pre>{ "userId": 0, "firstName": "string", "lastName": "string", "email": "string", "phone": "string", "role": "CUSTOMER", "accountStatus": "ACTIVE" }</pre>	

GET

/api/admin/users/receptionists

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>[{ "userId": 0, "firstName": "string", "lastName": "string", "email": "string", "phone": "string", "role": "CUSTOMER", "accountStatus": "ACTIVE" }]</pre>	No links

GET /api/admin/users/getall

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>[{ "userId": 0, "firstName": "string", "lastName": "string", "email": "string", "phone": "string", "role": "CUSTOMER", "accountStatus": "ACTIVE" }]</pre>	No links

GET /api/admin/users/get

Parameters

Try it out

Name	Description
email * required string (query)	email

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "userId": 0, "firstName": "string", "lastName": "string", "email": "string", "phone": "string", "role": "CUSTOMER", "accountStatus": "ACTIVE" }</pre>	No links

GET /api/admin/users/get/{userId}

Parameters

Try it out

Name

Description

userId ★ required

integer(\$int64)
(path)

userId

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "userId": 0, "firstName": "string", "lastName": "string", "email": "string", "phone": "string", "role": "CUSTOMER", "accountStatus": "ACTIVE"}</pre>	No links

GET /api/admin/users/customers

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>[{ "userId": 0, "firstName": "string", "lastName": "string", "email": "string", "phone": "string", "role": "CUSTOMER", "accountStatus": "ACTIVE" }]</pre>	No links

DELETE /api/admin/users/delete/{userId}

Parameters

Try it out

Name

Description

userId ★ required

integer(\$int64)

(path)

userId

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema string	No links

room-type-controller

POST /api/admin/roomtype/save

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

{
 "name": "string",
 "description": "string",
 "pricePerNight": 0,
 "capacity": 0,
 "status": "ACTIVE"
}

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema { "roomTypeId": 0, "name": "string", "description": "string", "pricePerNight": 0, "capacity": 0, "status": "ACTIVE" }	No links

PATCH /api/admin/roomtype/update/{roomTypeId}

Parameters

Try it out

Name	Description
roomTypeId ★ required integer(\$int64) (path)	roomTypeId

Request body required

application/json

Example Value Schema

```
{  "name": "string",  "description": "string",  "pricePerNight": 0,  "capacity": 0,  "status": "ACTIVE"}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "roomTypeId": 0, "name": "string", "description": "string", "pricePerNight": 0, "capacity": 0, "status": "ACTIVE"}</pre>	No links

GET /api/admin/roomtype/getall

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>[{ "roomTypeId": 0, "name": "string", "description": "string", "pricePerNight": 0, "capacity": 0, "status": "ACTIVE" }]</pre>	No links

GET

/api/admin/roomtype/get

^

Parameters

Try it out

Name

Description

name * required

string

(query)

name

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value

Schema

{

"roomId": 0,

"name": "string",

"description": "string",

"pricePerNight": 0,

"capacity": 0,

"status": "ACTIVE"

}

GET

/api/admin/roomtype/get/{roomId}

^

Parameters

Try it out

Name

Description

roomId * required

integer(\$int64)

(path)

roomId

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value

Schema

{

"roomId": 0,

"name": "string",

"description": "string",

"pricePerNight": 0,

"capacity": 0,

"status": "ACTIVE"

}

DELETE

/api/admin/roomtype/delete/{roomId}

^

Parameters

Try it out

Name

Description

roomTypeeld ★ required

integer(\$int64)
(path)

roomTypeeld

Responses

Code

Description

Links

200

OK

Media type

/

Controls Accept header.

Example Value

Schema

string

No links

room-controller

POST

/api/admin/room/save

Try it out

Parameters

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "roomNumber": "string",
  "roomTypeId": 0,
  "floorNumber": 0,
  "roomStatus": "AVAILABLE"
}
```

Responses

Code

Description

Links

200

OK

Media type

/

Controls Accept header.

Example Value

Schema

```
{
  "roomId": 0,
  "roomNumber": "string",
  "roomTypeName": "string",
  "floorNumber": 0,
  "roomStatus": "AVAILABLE"
}
```

No links

PATCH

/api/admin/room/update/{roomId}

Try it out

Parameters

Name

Description

roomId ★ required

integer(\$int64)
(path)

roomId

Request body required

application/json

Example Value

Schema

```
{
  "roomNumber": "string",
  "roomStatus": "AVAILABLE"
}
```

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value

Schema

```
{
  "roomId": 0,
  "roomNumber": "string",
  "roomTypeName": "string",
  "floorNumber": 0,
  "roomStatus": "AVAILABLE"
}
```

GET

/api/admin/room/getbyroomtype

Parameters

Try it out

Name

Description

roomTypeid ★ required

integer(\$int64)
(query)

roomTypeid

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value

Schema

```
[
  {
    "roomId": 0,
    "roomNumber": "string",
    "roomTypeName": "string",
    "floorNumber": 0,
    "roomStatus": "AVAILABLE"
  }
]
```

GET /api/admin/room/getall

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>[{ "roomId": 0, "roomNumber": "string", "roomTypeName": "string", "floorNumber": 0, "roomStatus": "AVAILABLE" }]</pre>	No links

GET /api/admin/room/get

Parameters

Try it out

Name	Description
roomNumber * required string (query)	roomNumber

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "roomId": 0, "roomNumber": "string", "roomTypeName": "string", "floorNumber": 0, "roomStatus": "AVAILABLE" }</pre>	No links

GET /api/admin/room/get/{roomId}

Parameters

Try it out

Name

Description

roomId ★ required

integer(\$int64)

(path)

roomId

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value

Schema

{

"roomId": 0,

"roomNumber": "string",

"roomTypeName": "string",

"floorNumber": 0,

"roomStatus": "AVAILABLE"

}

GET /api/admin/room/filter

Parameters

Try it out

Name

Description

roomTypeId ★ required

integer(\$int64)

(query)

roomTypeId

roomStatus ★ required

string

(query)

Available values : AVAILABLE, OCCUPIED, MAINTENANCE, OUT_OF_SERVICE

AVAILABLE

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value

Schema

[

{

"roomId": 0,

"roomNumber": "string",

"roomTypeName": "string",

"floorNumber": 0,

"roomStatus": "AVAILABLE"

}

]

DELETE /api/admin/room/delete/{roomId}

Parameters

Try it out

Name

Description

roomId ★ required

integer(\$int64)

(path)

roomId

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema string	No links

Schemas

^

ReservationRequestDTO ^ Collapse all object

userId integer int64

roomTypeId integer int64

checkInDate string date

checkOutDate string date

guestCount integer int32

specialRequest string

paymentMethod > Expand all string

GuestResponseDTO ^ Collapse all object

guestId integer int64

reservationId integer int64

firstName string

lastName string

phone string

gender > Expand all string

dateOfBirth string date

ReservationResponseDTO ^ Collapse all object

reservationId integer int64

userName string

roomTypeName string

checkInDate string date

checkOutDate string date

guestCount integer int32

reservationStatus > Expand all string

bookingTime string date-time

specialRequest string

guests > Expand all array<object>

UserRequestDTO ^ Collapse all object

```
firstName string
lastName string
gender > Expand all string
email string
phone string
password string
role > Expand all string
accountStatus > Expand all string
```

UserResponseDTO ^ Collapse all object

```
userId integer int64
firstName string
lastName string
email string
phone string
role > Expand all string
accountStatus > Expand all string
```

AssignRoomRequestDTO ^ Collapse all object

```
reservationId* integer int64
```

RoomAssignmentResponseDTO > Expand all object**PaymentRequestDTO** ^ Collapse all object

```
reservationId integer int64
paymentMethod > Expand all string
```

PaymentResponseDTO ^ Collapse all object

```
paymentId integer int64
reservationId integer int64
amount number
currency string
paymentMethod > Expand all string
paymentStatus > Expand all string
gatewayOrderId string
gatewayPaymentId string
paidAt string date-time
```

GuestRequestDTO ^ Collapse all object

```
reservationId integer int64
firstName string
lastName string
phone string
gender > Expand all string
dateOfBirth string date
```

AvailabilityRequestDTO ^ Collapse all object

```
roomTypeId integer int64
checkInDate string date
checkOutDate string date
```

AvailabilityCustomerResponseDTO ^ Collapse all object

```
roomTypeId integer int64
roomTypeName string
capacity integer int32
pricePerNight number
availableRooms integer int64
available boolean
availabilityMessage string
```

AvailabilityResponseDTO ^ Collapse all object

```
roomTypeId integer int64
roomTypeName string
totalRooms integer int64
bookedRooms integer int64
activeHolds integer int64
availableRooms integer int64
available boolean
```

RegisterRequestDTO ^ Collapse all object

```
firstName string
lastName string
gender > Expand all string
email string
phone string
password string
```

LoginRequestDTO ^ Collapse all object

```
email string
password string
```

LoginResponseDTO ^ Collapse all object

```
token string
```

RoomTypeRequestDTO ^ Collapse all object

```
name string
description string
pricePerNight number
capacity integer int32
status > Expand all string
```

RoomTypeResponseDTO ^ Collapse all object

```
roomTypeId integer int64
name string
description string
pricePerNight number
capacity integer int32
status > Expand all string
```

RoomRequestDTO ^ Collapse all object

```
roomNumber string
roomTypeId integer int64
floorNumber integer int32
roomStatus > Expand all string
```

RoomResponseDTO ^ Collapse all object

```
roomId integer int64
roomNumber string
roomTypeName string
floorNumber integer int32
roomStatus > Expand all string
```

ReservationPatchRequestDTO ^ Collapse all object

```
reservationStatus > Expand all string
specialRequest string
guestCount integer int32
```

GuestPatchRequestDTO ^ Collapse all object

```
firstName string
lastName string
phone string
gender > Expand all string
dateOfBirth string date
```

UserPatchRequestDTO ^ Collapse all object

```
firstName string
lastName string
phone string
accountStatus > Expand all string
```

RoomPatchRequestDTO ^ Collapse all object

```
roomNumber string
roomStatus > Expand all string
```

TodayDepartureResponseDTO ^ Collapse all object

```
reservationId integer int64
customerName string
roomNumber string
roomType string
guestCount integer int32
guestNames string
checkOutDate string date
actualCheckIn string date-time
```

TodayArrivalResponseDTO ^ Collapse all object

```
reservationId integer int64
customerName string
phone string
roomType string
guestCount integer int32
guestNames string
checkInDate string date
checkOutDate string date
roomAssigned boolean
assignmentStatus > Expand all string
```

ReceptionDashboardResponseDTO ^ Collapse all object

```
todayArrivals integer int64
todayDepartures integer int64
currentGuests integer int64
```

```
availableRooms integer int64
occupiedRooms integer int64
```

CurrentGuestResponseDTO ^ Collapse all object

```
reservationId integer int64
primaryCustomerName string
roomNumber string
roomType string
checkInDate string date
checkOutDate string date
actualCheckIn string date-time
guests > Expand all array<object>
```

GuestInfoResponseDTO ^ Collapse all object

```
guestId integer int64
firstName string
lastName string
phone string
gender > Expand all string
dateOfBirth string date
```