Compliance.tf
PLAN - APPLY - COMPLY

Compliance evidence pack

Release **infra**

Release	infra
Commit	Not set
Generated	2026-11-12T19:35:00Z by ctfkit 0.8.0
Control catalog	2026.1109.0, the catalog file at `~/.ctf/control-requirements.yaml`, which `ctfkit catalog pull` writes
Frameworks	■ ISO/IEC 27001:2022

Unsigned. Not independently attested.

This pack records what ctfkit by compliance.tf read from the module manifests installed by `terraform init`. compliance.tf does not sign, attest or verify it.

Contents

1	Summary	3
2	Scope	3
3	What this pack shows, and what it does not	4
4	Control-to-clause mapping	5
5	Controls with no clause in a framework	8
6	Catalog controls not enforced by these modules	9
7	Enforcement tests	17
A	Clause register	18

1 Summary

Counts are taken from the module manifests and the control catalog named on the cover.

Modules in scope	11, 9 with a compliance.tf manifest
Controls enforced	15
Controls delegated to another scope	5
With a ■ ISO/IEC 27001:2022 clause	12 of 15
Framework gaps with a recorded reason	0 of 3
Catalog controls for these resource types not enforced here	88
Control enforcement tests	No tests supplied
Findings at error level	3

2 Scope

The modules `terraform init` installed for this release. A module without a compliance.tf manifest is listed in the report findings.

Module	Source	Version	Manifest sha256
alb	https://iso27001.compliance.tf/terraform-aws-modules/alb/aws?version=10.5.1&disable=elb_application_classic_network_lb_prohibit_public_access	10.5.1-0d2c20eb4e5402eb	974971590b4519572d5d7ba6a86dcfa44dd3aa37b347df8ef5b2c0c58e5c01ec
ecs	iso27001.compliance.tf/terraform-aws-modules/ecs/aws	7.6.1-fb919e707797deab	ce5c627b5f57d31220161fa89382444676dd2c93e6beb0157a47197bf6cd165f
ecs.cluster	./modules/cluster	7.6.1-fb919e707797deab	7a8e8cbfc26d028b777f904271e1679e11571f7197df18700b81425fcefd83bb
ecs.service	./modules/service	7.6.1-fb919e707797deab	e26dbd522de5af464e4d87684eeb37f5815e5d710d05a7911424f1424f7ebac7
ecs.service.container_definition	../container-definition	7.6.1-fb919e707797deab	877633fa2fcf622642d4f0b4d1a5a4364e7bb3dae9f54ea4f6c562f2af30a533
kms	iso27001.compliance.tf/terraform-aws-modules/kms/aws	4.2.2-fb919e707797deab	8ee2d83eaf514bfe795cb3bc3197364bf3f478d23ebe5928635fc6d4eaa04ae7

Module	Source	Version	Manifest sha256
ops	iso27001.compliance.tf/terraform-aws-modules/ec2-instance/aws	6.4.1-fb919e707797deab	64ca8d28526d6f533acfbbf3675872b8f8c57ff581a9860b1eb643d742ad14d9
sns	iso27001.compliance.tf/terraform-aws-modules/sns/aws	7.2.0-fb919e707797deab	884a8a37a88b884bb14dc5e40a38bb51bd949d063f52ce8870af2144cb92500c
vpc	registry.terraform.io/terraform-aws-modules/vpc/aws	Not set	None
zone	iso27001.compliance.tf/terraform-aws-modules/route53/aws	6.5.1-fb919e707797deab	e583f0041cce3d054350a041f69ea84b6a647b7c1f013ac75f6d8c6409a684d5
zone.route53_dnssec_kms	registry.terraform.io/terraform-aws-modules/kms/aws	Not set	None

3 What this pack shows, and what it does not

It shows

- Which compliance controls each installed compliance.tf module enforced when it was built, as the module manifest records them.
- The framework clauses each control is mapped to, with supporting clauses marked as partial or indirect evidence.
- Catalog controls for the same resource types that these modules do not enforce, and the layer that owns each one.
- The results of the enforcement tests supplied with this release, when tests were supplied.

It does not show

- The state of resources running in AWS. Check that with AWS Config or Audit Manager.
- Organizational or process controls.
- Operation after deployment.
- Computer system validation: no CSV, IQ, OQ or PQ activities, e-signature logic or audit-trail business logic.

4 Control-to-clause mapping

Every control each module manifest lists, with the clauses it gives evidence for. Clause titles are in annex A.

Module `alb`

Control	Status	ISO/IEC 27001:2022
`elb_application_classic_lb_logging_enabled` ELB application and classic load balancer logging should be enabled	enforced	`A.8.15`
`vpc_security_group_allows_ingress_to_cassandra_ports` VPC security groups should restrict ingress from 0.0.0.0/0 or ::/0 to cassandra ports 7199 or 9160 or 8888	enforced	None **5**
`vpc_security_group_remote_administration_ipv4` VPC security groups should not allow ingress from 0.0.0.0/0 to remote server administration ports (IPv4)	enforced	None **5**
`vpc_security_group_remote_administration_ipv6` VPC security groups should not allow ingress from ::/0 to remote server administration ports	enforced	None **5**

Module `ecs`

Control	Status	ISO/IEC 27001:2022
`cloudwatch_log_group_retention_period_365` CloudWatch log groups should have retention period of at least 365 days	enforced	`A.8.15` `A.8.16`
`ecs_service_not_publicly_accessible` ECS services should not have public IP addresses assigned automatically	delegated	`A.8.3`
`log_group_encryption_at_rest_enabled` Log groups should have encryption at rest enabled	delegated	`A.8.15` `A.8.16` `A.8.24`
`vpc_security_group_allows_ingress_to_cassandra_ports` VPC security groups should restrict ingress from 0.0.0.0/0 or ::/0 to cassandra ports 7199 or 9160 or 8888	delegated	None **5**
`vpc_security_group_remote_administration_ipv4` VPC security groups should not allow ingress from 0.0.0.0/0 to remote server administration ports (IPv4)	delegated	None **5**

Control	Status	ISO/IEC 27001:2022
vpc_security_group_remote_administration_ipv6 VPC security groups should not allow ingress from ::/0 to remote server administration ports	delegated	None **5**

Module ecs.cluster

Control	Status	ISO/IEC 27001:2022
cloudwatch_log_group_retention_period_365 CloudWatch log groups should have retention period of at least 365 days	**enforced**	A.8.15 A.8.16
log_group_encryption_at_rest_enabled Log groups should have encryption at rest enabled	**enforced**	A.8.15 A.8.16 A.8.24
vpc_security_group_allows_ingress_to_cassandra_ports VPC security groups should restrict ingress from 0.0.0.0/0 or ::/0 to cassandra ports 7199 or 9160 or 8888	**enforced**	None **5**
vpc_security_group_remote_administration_ipv4 VPC security groups should not allow ingress from 0.0.0.0/0 to remote server administration ports (IPv4)	**enforced**	None **5**
vpc_security_group_remote_administration_ipv6 VPC security groups should not allow ingress from ::/0 to remote server administration ports	**enforced**	None **5**

Module ecs.service

Control	Status	ISO/IEC 27001:2022
ecs_service_not_publicly_accessible ECS services should not have public IP addresses assigned automatically	**enforced**	A.8.3
vpc_security_group_allows_ingress_to_cassandra_ports VPC security groups should restrict ingress from 0.0.0.0/0 or ::/0 to cassandra ports 7199 or 9160 or 8888	**enforced**	None **5**
vpc_security_group_remote_administration_ipv4 VPC security groups should not allow ingress from 0.0.0.0/0 to remote server administration ports (IPv4)	**enforced**	None **5**

Control	Status	ISO/IEC 27001:2022
vpc_security_group_remote_administration_ipv6 VPC security groups should not allow ingress from ::/0 to remote server administration ports	enforced	None **5**

Module ecs.service.container_definition

Control	Status	ISO/IEC 27001:2022
cloudwatch_log_group_retention_period_365 CloudWatch log groups should have retention period of at least 365 days	enforced	A.8.15 A.8.16
log_group_encryption_at_rest_enabled Log groups should have encryption at rest enabled	enforced	A.8.15 A.8.16 A.8.24

Module kms

Control	Status	ISO/IEC 27001:2022
kms_cmk_rotation_enabled KMS CMK rotation should be enabled	enforced	A.8.5 A.8.24

Module ops

Control	Status	ISO/IEC 27001:2022
ebs_attached_volume_encryption_enabled Attached EBS volumes should have encryption enabled	enforced	A.8.24
ec2_instance_iam_profile_attached EC2 instances should have IAM profile attached	enforced	A.8.2 A.8.20 A.8.21 A.8.22
ec2_instance_not_publicly_accessible EC2 instances should not have a public IP address	enforced	A.8.3 A.8.20 A.8.21 A.8.22
ec2_instance_not_use_multiple_enis EC2 instances should not use multiple ENIs	enforced	A.8.20 A.8.21 A.8.22
ec2_instance_uses_imdsv2 EC2 instances should use IMDSv2	enforced	A.8.20 A.8.21 A.8.22
ec2_instance_virtualization_type_no_paravirtual EC2 instances should not use paravirtual instance types	enforced	A.8.20 A.8.21 A.8.22
vpc_security_group_allows_ingress_to_cassandra_ports VPC security groups should restrict ingress from 0.0.0.0/0 or ::/0 to cassandra ports 7199 or 9160 or 8888	enforced	None **5**

Control	Status	ISO/IEC 27001:2022
`vpc_security_group_remote_administration_ipv4` VPC security groups should not allow ingress from 0.0.0.0/0 to remote server administration ports (IPv4)	**enforced**	None **5**
`vpc_security_group_remote_administration_ipv6` VPC security groups should not allow ingress from ::/0 to remote server administration ports	**enforced**	None **5**

Module sns

Control	Status	ISO/IEC 27001:2022
`sns_topic_encrypted_at_rest` SNS topics should be encrypted at rest	**enforced**	A.8.24

Module zone

Control	Status	ISO/IEC 27001:2022
`vpc_security_group_allows_ingress_to_cassandra_ports` VPC security groups should restrict ingress from 0.0.0.0/0 or ::/0 to cassandra ports 7199 or 9160 or 8888	delegated	None **5**
`vpc_security_group_remote_administration_ipv4` VPC security groups should not allow ingress from 0.0.0.0/0 to remote server administration ports (IPv4)	delegated	None **5**
`vpc_security_group_remote_administration_ipv6` VPC security groups should not allow ingress from ::/0 to remote server administration ports	delegated	None **5**

CC7.3 dashed: supporting clause, partial or indirect evidence. None **5**: no clause in that framework, reason in section 5.

5 Controls with no clause in a framework

A control can have no matching clause in a framework. The reason comes from the control catalog.

Control	Framework and reason
`vpc_security_group_allows_ingress_to_cassandra_ports` VPC security groups should restrict ingress from 0.0.0.0/0 or ::/0 to cassandra ports 7199 or 9160 or 8888	**ISO/IEC 27001:2022**: Not set

Control	Framework and reason
`vpc_security_group_remote_administration_ipv4` VPC security groups should not allow ingress from `0.0.0.0/0` to remote server administration ports (IPv4)	■ **ISO/IEC 27001:2022**: Not set
`vpc_security_group_remote_administration_ipv6` VPC security groups should not allow ingress from `::/0` to remote server administration ports	■ **ISO/IEC 27001:2022**: Not set

6 Catalog controls not enforced by these modules

Controls the catalog lists for the resource types of these modules that no module manifest lists, and the layer that owns each one.

Control	Resource types	Layer	Reason
`autoscaling_ec2_launch_configuration_no_sensitive_data` Auto Scaling launch configurations should not have sensitive data in user data	`aws_instance`	**Not set**	Not set

`autoscaling_launch_config_public_ip_disabled`
Auto Scaling launch config public IP should be disabled
	`aws_autoscaling_group`
	`aws_instance`
	`aws_launch_configuration`
		Not set	Not set

`autoscaling_launch_config_requires_imdsv2` Auto Scaling groups should configure EC2 instances to require IMDSv2	`aws_autoscaling_group` `aws_instance`	**Not set**	Not set

`bedrock_model_invocation_logs_encryption_enabled`
Bedrock model invocation logs should be encrypted in S3 and CloudWatch Logs
	`aws_bedrock_model_invocation_logging_configuration`
	`aws_cloudwatch_log_group`
	`aws_s3_bucket_server_side_encryption_configuration`
		Not set	Not set

`directoryservice_directory_log_forwarding_enabled` Directory Service directories should have log forwarding to CloudWatch Logs enabled	`aws_cloudwatch_log_group` `aws_directory_service_log_subscription`	**Not set**	Not set
`ebs_attached_volume_delete_on_termination_enabled` Attached EBS volumes should have delete on termination enabled	`aws_instance` `aws_launch_template`	**Not set**	Not set

Control	Resource types	Layer	Reason
ebs_encryption_by_default_enabled EBS encryption by default should be enabled	aws_ebs_encryption_by_default aws_instance	**Not set**	Not set
ebs_snapshot_not_publicly_restorable EBS snapshots should not be publicly restorable	aws_instance	**Not set**	Not set
ebs_volume_encryption_at_rest_enabled EBS volumes should have encryption at rest enabled	aws_ebs_volume	**Not set**	Not set
ebs_volume_in_backup_plan EBS volumes should be in a backup plan	aws_backup_plan aws_backup_selection aws_ebs_volume	**Not set**	Not set
ebs_volume_snapshot_exists EBS volumes should have snapshots	aws_instance	**Not set**	Not set
ebs_volume_unused EBS volumes should be attached to EC2 instances	aws_ebs_volume aws_volume_attachment	**Not set**	Not set
ec2_ami_restrict_public_access EC2 AMIs should restrict public access	aws_instance	**Not set**	Not set
ec2_elastic_ip_shodan EC2 Elastic IP addresses should not be listed in Shodan	aws_instance	**Not set**	Not set
ec2_instance_attached_ebs_volume_delete_on_termination_enabled EC2 instances should have attached EBS volumes marked for deletion on termination	aws_instance	**Not set**	Not set
ec2_instance_detailed_monitoring_enabled EC2 instances should have detailed monitoring enabled	aws_instance	**Not set**	Not set
ec2_instance_ebs_optimized EC2 instances should have EBS optimization enabled	aws_instance	**Not set**	Not set
ec2_instance_in_vpc EC2 instances should be in a VPC	aws_instance	**Not set**	Not set
ec2_instance_no_amazon_key_pair EC2 instances should not use key pairs in running state	aws_instance	**Not set**	Not set

Control	Resource types	Layer	Reason
`ec2_instance_no_launch_wizard_security_group` EC2 instances should not be attached to 'launch wizard' security groups	`aws_instance`	**Not set**	Not set
`ec2_instance_port_rdp_exposed_to_internet` EC2 instances should not allow ingress from the Internet to TCP port 3389 (RDP)	`aws_instance`	**Not set**	Not set
`ec2_instance_protected_by_backup_plan` EC2 instances should be protected by backup plan	`aws_instance`	**Not set**	Not set
`ec2_instance_publicly_accessible_iam_profile_attached` Public EC2 instances should have IAM profile attached	`aws_instance`	**Not set**	Not set
`ec2_instance_ssm_managed` EC2 instances should be managed by AWS Systems Manager	`aws_instance`	**Not set**	Not set
`ec2_instance_termination_protection_enabled` EC2 instances should have termination protection enabled	`aws_instance`	**Not set**	Not set
`ec2_instance_user_data_no_secrets` EC2 instances user data should not have secrets	`aws_instance`	**Not set**	Not set
`ec2_instance_using_iam_instance_role` EC2 instances should use IAM instance roles for AWS resource access	`aws_instance`	**Not set**	Not set
`ec2_securitygroup_allow_wide_open_public_ipv4` Security groups should not have ingress or egress rules with public IPv4 CIDR ranges from /1 to /23	`aws_instance`	**Not set**	Not set
`ec2_securitygroup_with_many_ingress_egress_rules` Security groups should have 50 or fewer inbound rules and 50 or fewer outbound rules	`aws_instance`	**Not set**	Not set
`ec2_stopped_instance_30_days` EC2 stopped instances should be removed in 30 days	`aws_instance`	**Not set**	Not set
`ec2_stopped_instance_90_days` EC2 instances stopped for over 90 days should be removed	`aws_instance`	**Not set**	Not set

Control	Resource types	Layer	Reason
`ecs_cluster_instance_in_vpc` ECS cluster instances should be in a VPC	`aws_instance` `aws_launch_template`	**Not set**	Not set
`ecs_service_fargate_using_latest_platform_version` ECS fargate services should run on the latest fargate platform version	`aws_ecs_service`	**Not set**	Not set
`ecs_service_load_balancer_attached` ECS services should be attached to a load balancer	`aws_ecs_service`	**Not set**	Not set
`elb_application_classic_network_lb_prohibit_public_access` ELB load balancers should prohibit public access	`aws_lb`	**Not set**	Not set
`elb_application_gateway_network_lb_multiple_az_configured` ELB application, network, and gateway load balancers should span multiple availability zones	`aws_lb`	**Not set**	Not set
`elb_application_lb_deletion_protection_enabled` ELB application load balancer deletion protection should be enabled	`aws_lb`	**Not set**	Not set
`elb_application_lb_desync_mitigation_mode` ELB application load balancers should be configured with defensive or strictest desync mitigation mode	`aws_lb`	**Not set**	Not set
`elb_application_lb_drop_http_headers` ELB application load balancers should be configured to drop HTTP headers	`aws_lb`	**Not set**	Not set
`elb_application_lb_http_drop_invalid_header_enabled` ELB application load balancers should drop invalid HTTP headers	`aws_lb`	**Not set**	Not set
`elb_application_lb_redirect_http_request_to_https` ELB application load balancers should redirect HTTP requests to HTTPS	`aws_lb`	**Not set**	Not set
`elb_application_lb_waf_enabled` ELB application load balancers should have Web Application Firewall (WAF) enabled	`aws_lb`	**Not set**	Not set

Control	Resource types	Layer	Reason

`elb_application_lb_with_outbound_rule`
ELB application load balancers should have at least one outbound rule
	`aws_lb`
	`aws_security_group`
	`aws_vpc_security_group_egress_rule`
		Not set	Not set

`elb_application_network_lb_use_listeners` ELB application and network load balancers should use listeners	`aws_lb`	**Not set**	Not set
`elb_classic_lb_use_ssl_certificate` ELB classic load balancers should use SSL certificates	`aws_lb`	**Not set**	Not set
`elb_classic_lb_use_tls_https_listeners` ELB classic load balancers should only use SSL or HTTPS listeners	`aws_elb` `aws_lb`	**Not set**	Not set

`elb_classic_lb_with_inbound_rule`
ELB classic load balancers should have at least one inbound rule
	`aws_elb`
	`aws_security_group`
	`aws_vpc_security_group_ingress_rule`
		Not set	Not set

`elb_listener_use_secure_ssl_cipher` ELB listeners should use secure SSL cipher	`aws_lb`	**Not set**	Not set
`kafka_cluster_encryption_at_rest_uses_cmk` MSK clusters should have encryption at rest enabled using a customer managed KMS key	`aws_kms_key` `aws_msk_cluster`	**Not set**	Not set
`kms_cmk_not_multi_region` KMS customer managed keys should not be multi-Region	`aws_kms_key`	**Not set**	Not set
`kms_cmk_policy_prohibit_public_access` KMS CMK policies should prohibit public access	`aws_kms_key`	**Not set**	Not set
`kms_cmk_unused` KMS key should be in use	`aws_kms_key`	**Not set**	Not set
`kms_key_decryption_restricted_in_iam_customer_managed_policy` KMS key decryption should be restricted in IAM customer managed policy	`aws_kms_key`	**Not set**	Not set
`kms_key_decryption_restricted_in_iam_inline_policy` KMS key decryption should be restricted in IAM inline policy	`aws_kms_key`	**Not set**	Not set
`kms_key_not_pending_deletion` KMS keys should not be pending deletion	`aws_kms_key`	**Not set**	Not set

Control	Resource types	Layer	Reason
`sagemaker_training_job_volume_and_data_encryption_enabled` SageMaker training jobs volumes and outputs should have KMS encryption enabled	`aws_kms_key` `aws_sagemaker_training_job`	**Not set**	Not set
`sns_subscription_not_using_http_endpoints` SNS subscriptions should use HTTPS endpoints	`aws_sns_topic`	**Not set**	Not set
`sns_topic_notification_delivery_status_enabled` SNS topics should have delivery status logging enabled for notification messages	`aws_sns_topic`	**Not set**	Not set
`sns_topic_policy_prohibit_public_access` SNS topic policies should prohibit public access	`aws_sns_topic` `aws_sns_topic_policy`	**Not set**	Not set
`sns_topic_policy_prohibit_publishing_access` SNS topic policies should prohibit publishing access	`aws_sns_topic` `aws_sns_topic_policy`	**Not set**	Not set
`sns_topic_policy_prohibit_subscription_access` SNS topic policies should prohibit subscription public access	`aws_sns_topic` `aws_sns_topic_policy`	**Not set**	Not set

`storagegateway_fileshare_encryption_enabled`
Storage Gateway file shares should be encrypted using a customer managed KMS key
	`aws_kms_key`
	`aws_storagegateway_nfs_file_share`
	`aws_storagegateway_smb_file_share`
		Not set	Not set

`vpc_configured_to_use_interface_endpoint_for_docker_registry` VPCs should be configured with an interface endpoint for Docker Registry	`aws_instance`	**Not set**	Not set
`vpc_configured_to_use_interface_endpoint_for_ecr_api` VPCs should be configured with an interface endpoint for ECR API	`aws_instance`	**Not set**	Not set
`vpc_configured_to_use_interface_endpoint_for_ssm` VPCs should be configured with an interface endpoint for Systems Manager	`aws_instance`	**Not set**	Not set
`vpc_configured_to_use_interface_endpoint_for_ssm_contacts` VPCs should be configured with an interface endpoint for Systems Manager Incident Manager Contacts	`aws_instance`	**Not set**	Not set

Control	Resource types	Layer	Reason
`vpc_configured_to_use_interface_endpoint_for_ssm_incidents` VPCs should be configured with an interface endpoint for Systems Manager Incident Manager	`aws_instance`	**Not set**	Not set
`vpc_configured_to_use_vpc_endpoints` VPCs should use VPC endpoints	`aws_instance`	**Not set**	Not set

`vpc_default_security_group_restricts_all_traffic`
VPC default security group should not allow inbound and outbound traffic
	`aws_default_security_group`
	`aws_instance`
	`aws_vpc`
		Not set	Not set

`vpc_eip_associated`
VPC EIPs should be associated with an EC2 instance or ENI
	`aws_eip`
	`aws_eip_association`
	`aws_instance`
		Not set	Not set

`vpc_flow_logs_enabled` VPC flow logs should be enabled	`aws_instance` `aws_vpc`	**Not set**	Not set
`vpc_network_acl_remote_administration` Network ACLs should not allow ingress from `0.0.0.0/0` to port 22 or port 3389	`aws_instance`	**Not set**	Not set
`vpc_network_acl_unused` VPC network ACLs should be associated with a subnet	`aws_instance`	**Not set**	Not set
`vpc_security_group_allows_ingress_authorized_ports` VPC Security groups should only allow unrestricted incoming traffic for authorized ports	`aws_vpc_security_group_ingress_rule`	**Not set**	Not set
`vpc_security_group_allows_ingress_to_memcached_port` VPC security groups should restrict ingress from `0.0.0.0/0` or `::/0` to memcached port 11211	`aws_instance`	**Not set**	Not set
`vpc_security_group_allows_ingress_to_mongodb_ports` VPC security groups should restrict ingress from `0.0.0.0/0` or `::/0` to mongoDB ports 27017 and 27018	`aws_instance`	**Not set**	Not set
`vpc_security_group_allows_ingress_to_oracle_ports` VPC security groups should restrict ingress from `0.0.0.0/0` or `::/0` to oracle ports 1521 or 2483	`aws_instance`	**Not set**	Not set

Control	Resource types	Layer	Reason
vpc_security_group_associated_to_eni VPC security groups should be associated with at least one ENI	aws_instance	**Not set**	Not set
vpc_security_group_not_uses_launch_wizard_sg VPC security groups should restrict uses of 'launch-wizard' security groups	aws_instance	**Not set**	Not set
vpc_security_group_remote_administration VPC security groups should not allow ingress from 0.0.0.0/0 to remote server administration ports	aws_instance	**Not set**	Not set
vpc_security_group_restrict_ingress_cifs_port_all VPC security groups should restrict ingress CIFS access from 0.0.0.0/0 and ::/0	aws_security_group aws_vpc_security_group_ingress_rule	**Not set**	Not set
vpc_security_group_restrict_ingress_common_ports_all VPC security groups should restrict ingress access on ports 20, 21, 22, 3306, 3389, 4333 from 0.0.0.0/0	aws_instance	**Not set**	Not set
vpc_security_group_restrict_ingress_kibana_port VPC security groups should restrict ingress kibana port access from 0.0.0.0/0	aws_instance	**Not set**	Not set
vpc_security_group_restrict_ingress_rdp_all VPC security groups should not allow ingress from 0.0.0.0/0 to port 3389	aws_instance aws_security_group aws_security_group_rule aws_vpc_security_group_ingress_rule	**Not set**	Not set
vpc_security_group_restrict_ingress_redis_port VPC security groups should restrict ingress redis access from 0.0.0.0/0	aws_security_group aws_vpc_security_group_ingress_rule	**Not set**	Not set
vpc_security_group_restrict_ingress_ssh_all VPC security groups should restrict ingress SSH access from 0.0.0.0/0	aws_instance aws_security_group aws_security_group_rule aws_vpc_security_group_ingress_rule	**Not set**	Not set
vpc_security_group_restricted_common_ports Security groups should not allow unrestricted access to ports with high risk	aws_instance	**Not set**	Not set

Control	Resource types	Layer	Reason
`vpc_vpn_tunnel_up` VPN tunnels should be in UP status for both tunnels provided by AWS Site-to-Site VPN	`aws_instance`	**Not set**	Not set

7 Enforcement tests

No tests supplied. Pass `--tests-json` to `ctfkit report` to include the results of `tofu test -json` or `terraform test -json`.

A Clause register

Every clause cited in this pack, as the module manifests name it, and the clauses the catalog records no control applies to.

ISO/IEC 27001:2022

Clause	Title	Controls
A.8.2	Privileged access rights	ec2_instance_iam_profile_attached
A.8.3	Information access restriction	ec2_instance_not_publicly_accessible ecs_service_not_publicly_accessible
A.8.5	Secure authentication	kms_cmk_rotation_enabled
A.8.15	Logging	cloudwatch_log_group_retention_period_365 elb_application_classic_lb_logging_enabled log_group_encryption_at_rest_enabled
A.8.16	Monitoring activities	cloudwatch_log_group_retention_period_365 log_group_encryption_at_rest_enabled
A.8.20	Network security	ec2_instance_iam_profile_attached ec2_instance_not_publicly_accessible ec2_instance_not_use_multiple_enis ec2_instance_uses_imdsv2 ec2_instance_virtualization_type_no_paravirtual
A.8.21	Security of network services	ec2_instance_iam_profile_attached ec2_instance_not_publicly_accessible ec2_instance_not_use_multiple_enis ec2_instance_uses_imdsv2 ec2_instance_virtualization_type_no_paravirtual

Clause	Title	Controls
A.8.22	Segregation of networks	ec2_instance_iam_profile_attached ec2_instance_not_publicly_accessible ec2_instance_not_use_multiple_enis ec2_instance_uses_imdsv2 ec2_instance_virtualization_type_no_paravirtual
A.8.24	Use of cryptography	ebs_attached_volume_encryption_enabled kms_cmk_rotation_enabled log_group_encryption_at_rest_enabled sns_topic_encrypted_at_rest

Clauses with no applicable control: None.