Register Brain CT scans to MRI Template

Po-Yu Kao

Advisor : Professor Banjunath

Motivation


- Map hematomas on CT scan to a MRI template
- Voxel-based lesion-symptom mapping





 CT image → MNI152 template (more complicate due to difference in modality and shape of the head


• Template:

• MNI ICBM152 non-linear 6th generation symmetric Average Brain Stereotaxic Registration Model











CT Scan Device Removal

- Keep the pixel whose intensity value is lager than 250
- Region Comparison: Keep the largest region among this scan






Skull Extraction of CT scans

- Hounsfield Scale for Bone is +700 to +3000
- The relation between CT scan intensity value and Hounsfield Unit
 - HU = (Pixel Value)x(Rescale Slope) + (Rescale Intercept)
 - Bone: 1724 4724

1


-1024





Skull Extraction of MRI template

• BET(Brain Extraction Tool) deletes non-brain tissue from an image of the whole head.



512x512

Affine Transformation between CT and MRI(1/3)


elastix

Fixed Image: MRI skull template

Moving Image: CT skull scans


 Settings of elastix: a multi-resolution approach with four resolutions, the Advanced Mattes Mutual Information metric, and the Adaptive Stochastic

Gradient Descent optimizer.



Affine Transformation between CT and MRI(2/3)

- Parameter Files: 12 parameters for 3-D affine transformation
- Running Time: 21 seconds for 28 slices





Affine Transformation between CT and MRI(3/3)


- Implement Affine Transformation on Head CT Scan
- transformix -in patient_brain.nii -out C:\elastix\result_affinetransform
 -tp TransformParameters.0.txt
- Running Time: 2 seconds for 28 images


Fixed Image Moving Image Result Image Fixed Image Moving Image Result Image Result Image Fixed Image Moving Image


Fixed Image Result Image Moving Image Fixed Image Moving Image Result Image Fixed Image Moving Image Result Image



















Fixed Image Moving Image Result Image




Running Time: 51 seconds





Running Time: 2 seconds


Contrast Stretching

• Motivation: To increase the number of bins of the gray matter, white matter and cerebrospinal fluid in the joint histogram (over 15 bins)












Moving Image




Result Image




Fixed Image




Moving Image




Result Image




Fixed Image




Moving Image




Result Image




Fixed Image




Moving Image




Result Image




Fixed Image




Moving Image




Result Image




Fixed Image




Moving Image




Result Image




Fixed Image




Moving Image




Result Image



Fixed Image




Moving Image




Result Image




Fixed Image




Moving Image




Result Image




Fixed Image




Moving Image






Moving Image





Moving Image














































Moving Image




























Moving Image


























Future Work

- Exclude the beginning and end scans
- Slice-by-slice registration
- Automatically find the corresponding slices