

Hydra Installation & Setup Guide

For System Administrators

Computer Science Department
SUNY New Paltz

Last Updated: January 2025

Contents

| | |
|---|----------|
| 1 Prerequisites | 2 |
| 1.1 System Requirements | 2 |
| 1.2 Required Accounts | 2 |
| 1.3 Software Dependencies | 2 |
| 2 Installation Steps | 2 |
| 2.1 Step 1: Clone Repository | 2 |
| 2.2 Step 2: Build Student Container Image | 2 |
| 2.3 Step 3: Configure Environment | 3 |
| 2.4 Step 4: Generate JWT Keys | 3 |
| 2.5 Step 5: Configure Azure AD | 4 |
| 2.6 Step 6: Configure Traffic | 4 |
| 2.7 Step 7: Start Services | 4 |
| 2.8 Step 8: Verify Installation | 5 |
| 3 Post-Installation Setup | 5 |
| 3.1 Create Admin User | 5 |
| 3.2 Test Container Creation | 5 |
| 3.3 Configure Backup Cron | 5 |
| 4 Network Architecture | 6 |
| 4.1 Deployment Diagram | 6 |
| 4.2 Port Mapping | 6 |
| 5 Security Configuration | 6 |
| 5.1 TLS Certificates | 6 |
| 5.2 Container Security | 7 |
| 6 Useful Aliases | 7 |
| 7 Monitoring | 8 |
| 7.1 Log Locations | 8 |
| 7.2 Health Endpoints | 8 |
| 8 Troubleshooting | 9 |
| 8.1 Common Issues | 9 |
| 8.2 Debug Commands | 9 |

| | |
|---|-----------|
| 9 Upgrade Procedures | 9 |
| 9.1 Updating the Application | 9 |
| 9.2 Updating Student Container Images | 9 |
| 10 References | 10 |
| 10.1 Core Infrastructure | 10 |
| 10.2 Authentication & Security | 10 |
| 10.3 Development Tools | 10 |
| 10.4 AI & Automation Services | 10 |
| 10.5 Kubernetes (Future Migration) | 11 |
| 10.6 Storage & Backup | 11 |
| 10.7 Game Servers | 11 |
| 10.8 Monitoring & Logging | 11 |
| 10.9 SUNY Network Paltz Resources | 11 |

1 Prerequisites

1.1 System Requirements

| Component | Requirement |
|------------------|---------------------------------|
| Operating System | Ubuntu 22.04 LTS (recommended) |
| Docker | 24.0+ with Compose V2 |
| RAM | Minimum 8GB (16GB+ recommended) |
| Storage | 100GB+ SSD |
| Network | Static IP, ports 80/443 open |

1.2 Required Access

- Azure AD admin access for SAML Entity registrations
- DNS control for `hydratest.ltz.edu` and subdomains
- TLS certificate (Let's Encrypt or institutional cert)
- SSH access to the host server

1.3 Software Dependencies

```
# Install Docker
curl -fsSL https://get.docker.com | sh
sudo usermod -aG docker $USER

# Verify Docker Compose V2
docker compose version
# Should show: Docker Compose version v2.x.x

# Install useful tools
sudo apt install -y git curl jq sqlite3
```

2 Installation Steps

2.1 Step 1: Clone Repository

```
git clone https://github.com/your-org/hydra-saml-auth.git
cd hydra-saml-auth
```

2.2 Step 2: Build Student Container Image

```
cd student-container
docker build -t hydra-student-container:latest .
cd ..
```

This image includes: Ubuntu 22.04, Node.js, Python 3.11+, Java 21, Docker-in-Docker, Docker, and Jupyter.

2.3 Step 3: Configure Environment

Create a .env file in the project root:

```
# === Core Settings ===
PORT=6969
BASE_URL=https://hydra.newpaltz.edu
COOKIE_DOMAIN=.newpaltz.edu

# === SAML Configuration ===
METADATA_URL=https://login.microsoftonline.com/YOUR_TENANT/
    federationmetadata/2007-06/federationmetadata.xml
SAML_SP_ENTITY_ID=hydra-auth
SAML_CALLBACK_URL=https://hydra.newpaltz.edu/auth/callback

# === Database ===
DB_PATH=/app/data/webui.db

# === JWT Settings ===
JWT_TTL_SECONDS=86400
JWT_KEY_ID=hydra-key-1
JWT_PRIVATE_KEY_FILE=/app/certs/jwt-private.pem
JWT_PUBLIC_KEY_FILE=/app/certs/jwt-public.pem

# === Student Containers ===
PUBLIC_STUDENTS_BASE=https://hydra.newpaltz.edu/students

# === OpenWebUI Integration ===
OPENWEBUI_URL=https://gpt.hydra.newpaltz.edu
OPENWEBUI_API_KEY=your-openwebui-api-key

# === n8n Workflow Automation ===
N8N_URL=https://n8n.hydra.newpaltz.edu
N8N_WEBHOOK_URL=https://n8n.hydra.newpaltz.edu/webhook
```

2.4 Step 4: Generate JWT Keys

```
mkdir -p certs
```

2.5 Step 5: Configure Azure AD

1. Go to Azure Portal > Azure Active Directory > Enterprise Applications

2. Click "New application" > "Create your own application"

3. Name: "Hydra Auth", select "Non-gallery application"

4. Go to Single sign-on > SAML

5. Set Identifier (Entity ID): hydra-auth

6. Set Reply URL: https://hydra.newpaltz.edu/auth/callback

7. Download Federation Metadata XML, note the URL

8. Assign users/groups who should have access

Critical: The Entity ID in Azure must **exactly match** SAML_SP_ENTITY_ID in your .env file.

2.6 Step 6: Configure Traefik

Ensure docker-compose.yml has proper Traefik configuration:

```
# Key Traefik labels for hydra-saml-auth service:  
labels:  
  - "traefik.enable=true"  
  - "traefik.http.routers.hydra.rule=Host('hydra.newpaltz.edu')"  
  - "traefik.http.routers.hydra.entrypoints=websecure"  
  - "traefik.http.routers.hydra.tls=true"  
  - "traefik.http.services.hydra.loadbalancer.server.port=6969"
```

2.7 Step 7: Start Services

```
# Build and start all services  
docker compose build  
docker compose up -d  
  
# Verify services are running  
docker compose ps  
  
# Check logs  
docker compose logs -f hydra-saml-auth
```

2.8 Step 8: Verify Installation

```
# Test HTTPS access
curl -I https://hydra.newpaltz.edu/

# Should redirect to Azure AD login (302 to login.microsoftonline.com)

# Check JWKS endpoint
curl https://hydra.newpaltz.edu/.well-known/jwks.json

# Test OpenWebUI
curl -I https://gpt.hydra.newpaltz.edu/

# Test n8n (if configured)
curl -I https://n8n.hydra.newpaltz.edu/
```

3 Post-Installation Setup

3.1 Create Admin User

After first login via SAML, promote a user to admin:

```
# Access database
sqlite3 /app/data/webui.db

# Find user ID
SELECT id, email, role FROM users WHERE email LIKE '%admin%';

# Set as admin
UPDATE users SET role = 'admin' WHERE email = 'admin@newpaltz.edu';
```

3.2 Test Container Creation

1. Log in to <https://hydra.newpaltz.edu/>
2. Navigate to "Containers" tab
3. Click "Initialize Container"
4. Verify VS Code and Jupyter are accessible at:
 - <https://hydra.newpaltz.edu/students/{username}/vscode>
 - <https://hydra.newpaltz.edu/students/{username}/jupyter>

3.3 Configure Backup Cron


```
# Add to root crontab
crontab -e

# Daily database backup at 2 AM
0 2 * * * docker exec hydra-saml-auth sqlite3 /app/data/webui.db ".backup '/backups/hydra-$(date +\%Y\%m\%d).db'"

# Weekly cleanup of old backups
0 3 * * 0 find /backups -name "hydra-*.*" -mtime +30 -delete
```

4 Network Architecture

4.1 Deployment Diagram



4.2 Port Mapping

| Service | Internal | External | Protocol |
|-----------------|----------|--------------------------|------------|
| Traefik | - | 80, 443 | HTTP/HTTPS |
| hydra-saml-auth | 6969 | via Traefik | HTTP |
| OpenW bUI | 3000 | via Traefik | HTTP |
| Student VS Cod | 8443 | /students/{user}/vscod | HTTP |
| Student Jupyter | 8888 | /students/{user}/jupyter | HTTP |

5 Security Configuration

5.1 TLS Certificates

For Let's Encrypt (recommended):

```

# Traefik handles automatic certificate management
# Add to docker-compose.yaml traefik command:
command:
  - "--certificatesresolvers.letsencrypt.acme.email=admin@newpaltz.edu"
  - "--certificatesresolvers.letsencrypt.acme.storage=/letsencrypt/acme
    .json"
  - "--certificatesresolvers.letsencrypt.acme.httpchallenge.entrypoint=
    web"
  
```

For institutional certificates:

```

# Mount certificates in Traefik
volumes: 
```

```

- ./certs/cert.pem:/certs/cert.pem:ro
- ./certs/key.pem:/certs/key.pem:ro

# Configure in dynamic config
tls:
  certificates:
    - certFile: /certs/cert.pem
      keyFile: /certs/key.pem

```

5.2 Container Security

Student containers run in **privileged mode** by default to enable Dock-in-Dock. This grants significant access. Consider:

- Restricting to trust users only
- Monitoring container activity
- Implementing resource quotas

6 Useful Aliases

Add to `~/.bashrc`:

```

# ===== HYDRA MANAGEMENT ALIASES =====

# Docker shortcuts
alias dps='docker ps --format "table {{.Names}}\t{{.Status}}\t{{.Ports
}}"',
alias dlogs='docker compose logs -f'
alias dexec='docker exec -it'

# Hydra-specific
alias hydra-logs='docker compose logs -f hydra-saml-auth'
alias hydra-restart='docker compose restart hydra-saml-auth'
alias hydra-rebuild='docker compose build hydra-saml-auth && docker
compose up -d hydra-saml-auth'

# Student container management
alias students='docker ps --filter "name=student-" --format "table {{.
Names}}\t{{.Status}}"',
alias student-logs='docker logs -f'
alias student-shell='docker exec -it'
alias student-stop='docker stop'
alias student-rm='docker rm -f'

# Find student by partial name
findstudent() {
    docker ps --filter "name=student-" --format "{{.Names}}" | grep -i
    "$1"
}

# Get student container stats
student-stats() {
    docker stats --no-stream --filter "name=student-"
}

```

```
# Backup database
backup-db() {
    docker exec hydra-saml-auth sqlite3 /app/data/webui.db ".backup '/
        backups/hydra-$(date +%Y%m%d-%H%M%S).db'"
    echo "Backup created: hydra-$(date +%Y%m%d-%H%M%S).db"
}

# Quick health check
hydra-health() {
    echo "==== Services ==="
    docker compose ps
    echo ""
    echo "==== Student Containers ==="
    docker ps --filter "name=student-" --format "table {{.Names}}\t{{.
        Status}}\t{{.RunningFor}}"
    echo ""
    echo "==== Resource Usage ==="
    docker stats --no-stream --format "table {{.Name}}\t{{.CPUPerc}}\t
        {{.MemUsage}}" | head -10
}
```

Apply changes:

```
source ~/.bashrc
```

7 Monitoring

7.1 Log Locations

| Component | Command |
|-------------------|----------------------------------|
| Main service | docker compose logs hydra-ml-uth |
| Traefik | docker compose logs traefik |
| Student container | docker logs student-<username> |
| All services | docker compose logs -f |

7.2 Health Endpoints

```
# Check main service
curl https://hydra.newpaltz.edu/health

# Check JWKS (JWT verification)
curl https://hydra.newpaltz.edu/.well-known/jwks.json

# Check Traefik dashboard (if enabled)
curl http://localhost:8080/api/overview

# Check OpenWebUI health
curl https://gpt.hydra.newpaltz.edu/health
```

8 Troubleshooting

8.1 Common Issues

| Issue | Solution |
|-----------------------|---|
| SAML login fails | Verify METADATA_URL accurately Entity ID matches exactly |
| Student container 404 | Check container hydra_students_net, Traefik running |
| Container won't start | Verify hydr -student-container:1 test image built |
| Permission denied | Check Docker socket permissions, user in docker group |
| Database locked | Restart service, check for multiple writers |

8.2 Debug Commands

```
# Check Docker networks
docker network ls
docker network inspect hydra_students_net

# Verify image exists
docker images | grep hydra-student-container

# Check container networking
docker exec student-<user> curl -I http://hydra-saml-auth:6969/

# View Traefik routes
docker exec traefik cat /etc/traefik/traefik.yml
```

9 Upgrade Procedures

9.1 Updating the Application

```
# Pull latest code
git pull origin main

# Rebuild and restart
docker compose build hydra-saml-auth
docker compose up -d hydra-saml-auth

# Verify
docker compose logs -f hydra-saml-auth
```

9.2 Updating Student Container Image

```
cd student-container
docker build -t hydra-student-container:latest .
```

Existing student containers continue using the old image. Students must download and replace their container image to get the updated image.

10 References

10.1 Core Infrastructure

- Docker Documentation: <https://docs.docker.com/>
- Docker Compose: <https://docs.docker.com/compose/>
- Docker-in-Docker (DinD): <https://docs.docker.com/engine/reference/run/#runtime-privilege-and-selinux>
- Traefik Reverse Proxy: <https://docs.traefik.io/traefik/>
- Traefik ForwardAuth: <https://docs.traefik.io/traefik/middlewares/http/forwardauth/>
- Let's Encrypt (TLS Certificates): <https://letsencrypt.org/docs/>

10.2 Authentication & Security

- SAML 2.0 Specification: <https://docs.oasis-open.org/security/saml/v2.0/>
- Azure AD SAML Setup: <https://learn.microsoft.com/en-us/azure/active-directory/develop/single-sign-on-saml-protocol>
- Azure AD Enterprise Applications: <https://learn.microsoft.com/en-us/azure/active-directory/manage-applications/>
- passport-saml (Node.js): <https://github.com/node-saml/passport-saml>
- JSON Web Tokens (JWT): <https://jwt.io/introduction>
- JWKS (JSON Web Key Sets): <https://auth0.com/docs/secure/tokens/json-web-tokens/json-web-key-sets>

10.3 Development Tools

- code-server (VS Code in Browser): <https://coder.com/docs/code-server/>
- Jupyter Notebook: <https://jupyter.org/documentation>
- JupyterLab: <https://jupyterlab.readthedocs.io/en/stable/>
- Node.js: <https://nodejs.org/en/docs/>
- Python: <https://docs.python.org/3/>
- OpenJDK: <https://openjdk.org/>

10.4 AI & Automation Services

- OpenWbUI (GPT Interface): <https://docs.openwebui.com/>
- Ollama (Local LLM Runtime): <https://ollama.ai/>
- n8n Workflow Automation: <https://docs.n8n.io/>
- n8n Self-Hosting: <https://docs.n8n.io/hosting/>

10.5 Kubernetes (Future Migration)

- RKE2 (Rancher Kubernetes Engine): <https://docs.rke2.io/>
- Kubernetes Documentation: <https://kubernetes.io/docs/>
- NVIDIA GPU Operator: <https://docs.nvidia.com/dtcenter/cloud-native/gpu-operator/>
- Longhorn (Distributed Storage): <https://longhorn.io/docs/>

10.6 Storage & Backup

- ZFS on Linux: <https://openzfs.github.io/openzfs-docs/>
- RAID Levels Explained: https://en.wikipedia.org/wiki/Standard_RAID_levels
- RAID 10 Configuration: <https://www.prepressure.com/library/technology/raid-10>
- SQLite Documentation: <https://www.sqlite.org/docs.html>
- Docker Volumes: <https://docs.docker.com/storage/volumes/>

10.7 Game Servers

- Minecraft Server (Java Edition): https://minecraft.wiki/w/Tutorials/Setting_up_a_server
- Minecraft EULA: <https://www.minecraft.net/en-us/eula>
- itzg/minecraft-server (Docker Image): <https://docker-minecraft-server.readthedocs.io/>

10.8 Monitoring & Logging

- Docker Logs: <https://docs.docker.com/config/containers/logging/>
- Supervisor (Process Manager): <http://supervisord.org/>
- htop (Process Viewer): <https://htop.dev/>

10.9 SUNY New Paltz Resources

- Hydra Dashboard: <https://hydranewp.newpaltz.edu/dashboard>
- OpenWUI (GPT): <https://gpt.hydranewp.newpaltz.edu/>
- SUNY New Paltz ITS: <https://www.newpaltz.edu/its/>

Installation Complete!

A few completing steps:

1. Visit <https://hydranewp.newpaltz.edu/login>
2. Authenticate via Azure AD with your SUNY New Paltz credentials
3. Navigate to the dashboard
4. Create a test container to verify the setup
5. Access VS Code at `/students/{username}/vscode`

6. Access Jupyter at `/students/{username}/jupyter`

For ongoing management, refer to the **Hydra Infrastructure Management Guide**.