BLACK PEN Answer all questions first. **GREEN PEN** Then: tick correct answers; rewrite mistakes.

CPU Performance

Name _____ **Class** _____ **Date** _____ **Time** _____ **Teacher** _____

Do Now - Four retrieval questions

BLACK PEN: Answer all four before turning to the answers.

1. What is the raw bitmap size in bits before metadata or compression?

2. For cost = price x quantity, which is an input?

A) Calculated total cost
B) Printed receipt
C) Quantity
D) Displayed bill

3. Why use pseudocode when designing an algorithm?

4. A flowchart must accept ages 13-18 and reject others. "A diamond only shows calculations with no conditions." Correct this. How should it check age?

Today's objectives

Identify clock speed, cache size and number of cores as the three CPU performance factors. Explain how changing each factor can affect CPU performance.

Key vocabulary - Read, cover, recall

Clock speed
The number of clock cycles the CPU carries out per second, measured in hertz.

Hertz (Hz)
Unit of clock speed: one clock cycle per second.

Cache
Small, fast memory that stores frequently used data and instructions for the CPU.

CPU core
Part of a CPU that processes instructions.

Write one definition in your own words:

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick correct answers; rewrite mistakes.

Learn and practise

New learning - Four key ideas

CLOCK SPEED	Clock cycles each second, measured in Hz.
CACHE	Frequently used data/instructions near the CPU.
CORES	More cores can handle multiple tasks at once.
COMPARE	Use all three features; real speed depends on the task.

I DO - CPU A VERSUS CPU B

CPU A

3.2 GHz | 2 cores

4 MB cache

CPU B

2.8 GHz | 4 cores

8 MB cache

B: more cores and cache. A: higher clock speed.

I Do - Explain TWO reasons (4 marks)

Using the CPU A and CPU B specifications shown, explain TWO reasons CPU B may be better for running several programs at the same time. [4 marks]

1. Compare: A has higher clock speed (3.2 vs 2.8 GHz). B has more cores and cache.

2. CORES [1]: CPU B has 4 cores versus 2 [1]. More tasks can run concurrently [1].

3. CACHE [1]: CPU B has 8 MB versus 4 MB [1]. This can reduce slower RAM access [1].

4. CHECK: Each reason needs a difference AND an effect (2 + 2 marks). Workload matters.

We Do - Three guided questions

BLACK PEN: Use the I Do model; show the link to performance.

1. CPU C: 3.6 GHz, 2 cores, 4 MB. CPU D: 3.0 GHz, 6 cores, 12 MB.
   Explain TWO reasons CPU D may suit multitasking. [4 marks]

2. CPU E: 3 GHz; CPU F: 2 GHz. Which has higher clock speed? Explain. [2]

3. Cache increases from 2 MB to 8 MB. Explain the benefit. [2 marks]

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick correct answers; rewrite mistakes.

Think and write

Code First - Predict > Write > Test > Improve

YOUR TASK: Predict the message printed.

```
clockA = 3
clockB = 2
if clockA > clockB then
print("A has higher clock speed")
endif
```

BLACK PEN: complete the ONE short task on paper first.

TEST by tracing. IMPROVE by checking the full model on Page 4.

You Do - Independent exam questions

Q2. State the three characteristics of a CPU that affect performance. [3 marks]

Q3. A college chooses a CPU for computers running several applications.
CPU G: 3.9 GHz, 2 cores, 6 MB cache.
CPU H: 3.1 GHz, 8 cores, 16 MB cache.
Explain TWO reasons why CPU H could be better for this use. [4 marks]

Q4. Explain how clock speed, cache size and the number of cores each affect CPU performance. [6 marks]

Exit Ticket - True or False?

Answer before checking Page 4.

1. A processor with more cores can improve performance when several programs are running. ☐ T ☐ F

2. Cache can reduce time accessing RAM. ☐ T ☐ F

3. More cores always make every single task run faster. ☐ T ☐ F

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick correct answers; rewrite mistakes.

Review & improve

GREEN PEN: Mark fairly. Tick correct points and fix any mistakes.

Use the mark allocations; then rewrite one answer in full.

Do Now - Answers

Q1 Width x height x bits per pixel. ☐

Q2 C - Quantity ☐

Q3 Pseudocode shows steps in order without needing one programming language's exact syntax. ☐

Q4 A diamond is a decision. Its branches follow different conditions. Check that each input follows the right path. ☐

Code First - Model

```
clockA = 3
clockB = 2
if clockA > clockB then
print("A has higher clock speed")
endif
```

EXPECTED: A has higher clock speed

☐

We Do - Three model answers

1. D has 6 vs 2 cores [1], allowing parallel tasks [1]; 12 vs 4 MB cache [1], reducing RAM access [1].

2. E has 3 vs 2 GHz [1], so more clock cycles may process instructions faster [1].

3. 8 MB holds more frequently used data/instructions [1], reducing slow RAM access [1].

Exit Ticket - Check

1. TRUE 2. TRUE 3. FALSE

Explain one false statement using the key ideas.

You Do - Self-mark

Q2 Clock speed [1]; cache size [1]; number of cores [1]. ☐

Q3 H: 8 vs 2 cores -> better parallel tasks [2]; 16 vs 6 MB cache -> fewer slow RAM accesses [2]. ☐

Q4 Clock: cycles per second + faster processing [2]. Cache: fast frequent data + less RAM [2]. Cores: concurrent tasks + multitasking [2]. ☐

Try the question again

1. Copy the FULL question you got wrong (or found hardest):

2. In GREEN PEN, write a NEW answer. Include working if needed: