# STAFF REVIEW · H446 150 source models

Separate from the eight-page pupil workbook. This copy is in a public repository and is NOT access controlled. Check technical correctness before use.

Printed question mapping: Booklet Q1 = original online Q1; Booklet Q2 = original online Q2; Booklet Q3 = original online Q3

## Do Now — source answers

1. Client–server.

2. 0.

3. Referencing a candidate key in another relation.

4. RAM.

## I Do — source worked steps

1. Heading and link — Identify the facts and make an initial prediction.

2. Label/input association — Explain the mechanism or trace the intermediate stage.

3. Form submission — Example: <h1>Computer Science</h1> <nav><a href="revision.html">Revision</a></nav> <form action="/save" method="post"><label for="age">Age</label><input id="age" name="age" type="number" min="11"></form> The label's 'for' matches the input 'id'; the input's 'name' is the submitted key.

## We Do — guided CHECK

1. Form and label
Identify the facts and make an initial prediction.
Select with named options
Explain the mechanism or trace the intermediate stage.
Submit control
Use <label for="year">Year group</label> and <select id="year" name="year"><option value="12">Year 12</option><option value="13">Year 13</option></select> inside a form with a submit button. Ensure distinct label/id attributes. Do not identify an invalid entry only with red colouring: add a clear written error message and sufficient text contrast.

## You Do — source mark schemes

1. <h2>...</h2> [2], <a href="resources.html">Resources</a> [2].

2. Credit roles of metadata/title/document main content/accessible label/data control; max 6 with accurate distinctions.

3. Form and relevant named inputs [3], associated labels [2], appropriate input types [1], server must treat submitted data as untrusted [2].

## Exit Ticket — source answer

1. True. JavaScript can add behaviour.