Exit Ticket · reflect and retrieve

Exit Ticket

addEventListener('click', handler) immediately executes handler every time it is registered.

Use key vocabulary from memory

1. Explain DOM in your own words.

2. Explain event in your own words.

3. Explain handler in your own words.

Confidence and next step

How confident are you? Thumbs up / side / down

Which question would you improve after checking the classroom model?

Check answers after the lesson using the teacher-guided source models.

Do Now · retrieval

Lesson 152 · JavaScript: DOM, Events and Interactive Pages

Name: _____ Class: _____ Date: _____

Answer four retrieval questions before reviewing earlier learning.

Q1

What symbol selects CSS class warning?

Q2

What does a cache hit mean?

Q3

When can binary search be used?

Q4

What data structure follows LIFO?

New Learning · key ideas

The important knowledge from today's lesson. Read, annotate, and explain it.

Core idea 1

Select node — querySelector locates a document element.


Core idea 2

Listen — addEventListener registers a handler for a click.

Core idea 3

Update safely — textContent changes the displayed text without parsing HTML.

Key visual · complete concept



Annotate the key visual

Explain which labels or features show the main process.

You Do · extended practice

Answer these selected original questions in BLACK PEN. Other exam tasks remain online.

Question 3

Explain two benefits of client-side DOM updates and why a server must not trust a client-side form check. [8]

Check that you have used the technical terms and explained your decisions.

You Do · independent practice

Answer these selected original questions in BLACK PEN. Other exam tasks remain online.

Question 1

Define DOM, event and event handler in context. [6]

Question 2

Write JS that reacts to clicking #send and sets #message to 'Sent'. [6]

Check that you have used the technical terms and explained your decisions.

New Learning · applying the ideas

Vocabulary · use the correct technical terms

DOM — Document Object Model.

event — Action or change announced by browser.

handler — Code running in response to event.

textContent — Reads/writes text without parsing it as HTML.

Check your understanding

Explain one key process in your own words using two of the terms above.

More animated examples are available in the original online lesson.

I Do · worked example

Problem

A button with id go is clicked. Set the text of paragraph #status to 'Ready'.


Follow the worked method

1. Select #go — Identify the input or diagram and predict the first result.

2. Register click listener — Follow the second stage and explain its importance.

3. Set #status.textContent — document.querySelector('#go').addEventListener('click', () => { document.querySelector('#status').textContent = 'Ready'; }); This waits for the click and updates plain text.

Source model · final illustrated step



Why this method works

Identify the decision, rule or invariant that makes the method correct.

We Do · Try → Discuss → Improve

TRY independently in BLACK PEN; compare methods with a partner; improve your reasoning.

Guided problem · TRY

Read #name.value
Identify the input or diagram and predict the first result.

DISCUSS

Compare how you reached the answer. Where could someone make an error?

IMPROVE

Add one precise correction or a stronger reason. Answers are not printed here.