DO NOW — RECALL

Lesson 152 · JavaScript: DOM, Events and Interactive Pa

Name: _____ Class: _____ Date: _____

1. What symbol selects CSS class warning?

2. What does a cache hit mean?

3. When can binary search be used?

4. What data structure follows LIFO?

DO NOW — CHECK / OBJECTIVES

Correct and improve

Check page 1 in GREEN PEN. Write corrections in full.

1. Model answer

A dot, .warning.

2. Model answer

Required data already present in cache.

3. Model answer

On sorted data.

4. Model answer

Stack.

By the end, you can…

• querySelector locates a document element.

• addEventListener registers a handler for a click.

• textContent changes the displayed text without parsing HTML.

Vocabulary — know these terms

DOM — Document Object Model.

event — Action or change announced by browser.

handler — Code running in response to event.

textContent — Reads/writes text without parsing it as HTML.

NEW LEARNING

Read, annotate and explain

Select node

querySelector locates a document element.

Listen

addEventListener registers a handler for a click.

Update safely


textContent changes the displayed text without parsing HTML.

Explain one step in your own words, using the correct technical terms.

New Learning · original lesson diagrams


Diagrams appear after the related explanation. Annotate the original source visual.

New Learning



JavaScript: DOM, Events and Interactive Pages: DOM lookup, Event handling, Text output

New Learning




JavaScript: DOM, Events and Interactive Pages: DOM lookup, Event handling, Text output

New Learning · original lesson diagrams

Diagrams appear after the related explanation. Annotate the original source visual.

New Learning



JavaScript: DOM, Events and Interactive Pages: DOM lookup, Event handling, Text output

I DO — WORKED EXAMPLE

Follow the worked method

A button with id go is clicked. Set the text of paragraph #status to 'Ready'.

Select #go

Identify the input or diagram and predict the first result.

Register click listener

Follow the second stage and explain its importance.

Set #status.textContent


document.querySelector('#go').addEventListener('click', () => { document.querySelector('#status').textContent = 'Ready'; }); This waits for the click and updates plain text.

I Do · original lesson diagrams

Diagrams appear after the related explanation. Annotate the original source visual.

A button with id go is clicked. Set the text of paragraph #status to 'Ready'.


Identify the input or diagram and predict the first result.



MODELLED EXAMPLE: Select #go, Register click listener, Set #status.textContent

A button with id go is clicked. Set the text of paragraph #status to 'Ready'.

Identify the input or diagram and predict the first result.




MODELLED EXAMPLE: Select #go, Register click listener, Set #status.textContent

I Do · original lesson diagrams

Diagrams appear after the related explanation. Annotate the original source visual.

A button with id go is clicked. Set the text of paragraph #status to 'Ready'.

Identify the input or diagram and predict the first result.



MODELLED EXAMPLE: Select #go, Register click listener, Set #status.textContent

WE DO — GUIDED PRACTICE


Try → Discuss → Improve

We Do · original lesson diagrams

Diagrams appear after the related explanation. Annotate the original source visual.

Read #name input after a #greet click and display 'Hello ' plus the name in #result.

Identify the input or diagram and predict the first result.



GUIDED EXAMPLE: Read #name.value, Build greeting string, Write safe text

WE DO — TRY · DISCUSS · IMPROVE

TRY: Use the original guided questions and diagrams in the preceding We Do pages. DISCUSS: Explain and challenge methods before independent practice. IMPROVE: Note one change now; compare with the source model only AFTER the Exit Ticket.

Guided 1: Read #name.value Identify the input or diagram and predict the first result.

DISCUSS — Compare your methods. Justify one important decision, identify one difference, and agree a specific improvement.

IMPROVE — Write one precise correction or stronger explanation in your own answer.

YOU DO — INDEPENDENT PRACTICE

Questions · Part 1

Answer independently. Show code, calculations, a trace or justified reasoning as appropriate.

Question 1

Define DOM, event and event handler in context. [6]

Question 2

Write JS that reacts to clicking #send and sets #message to 'Sent'. [6]

YOU DO — INDEPENDENT PRACTICE

Questions · Part 2

Answer independently. Show code, calculations, a trace or justified reasoning as appropriate.

Question 3

Explain two benefits of client-side DOM updates and why a server must not trust a client-side form check. [8]

EXIT TICKET / REFLECTION

Check your understanding

Complete the actual lesson Exit Ticket before checking the answer.

addEventListener('click', handler) immediately executes handler every time it is registered.

How confident are you? Circle one: Confident / Getting there / Need help

Explain your choice, identifying one concept you can now use independently.

GREEN PEN — Correct and explain

Choose one mistake from your independent work. Write the correct method and explain precisely why your original answer was wrong.


Next step: revisit the model or a relevant revision-guide section if needed.

We Do Check · original lesson diagrams

Diagrams appear after the related explanation. Annotate the original source visual.

Read #name input after a #greet click and display 'Hello ' plus the name in #result.


Identify the input or diagram and predict the first result.



GUIDED EXAMPLE: Read #name.value, Build greeting string, Write safe text

Read #name input after a #greet click and display 'Hello ' plus the name in #result.

Identify the input or diagram and predict the first result.



GUIDED EXAMPLE: Read #name.value, Build greeting string, Write safe text

WE DO — SOURCE CHECK / IMPROVE

Only use this section AFTER attempting the We Do, You Do and Exit Ticket. Compare with the original classroom lesson's CHECK explanation. Correct errors in GREEN PEN and explain why.

Guided 1 — original CHECK

Build greeting string

Follow the second stage and explain its importance.

Write safe text

Inside a click handler: const name=document.querySelector('#name').value; document.querySelector('#result').textContent='Hello '+name; textContent avoids interpreting the name as HTML.

IMPROVE: Explain one correction to your own reasoning.