BLACK PEN Answer all questions first. **GREEN PEN** Then: tick correct answers; rewrite mistakes.

LESSON 150 · Lesson 150 · HTML: Semantic Structure, Links and Forms

Name: _____ Class: _____ Date: _____

Time: _____ Teacher: _____

Work through the pages in order. Answer in BLACK PEN first. Check in GREEN PEN only after the Exit Ticket.

Do Now · Recall previous learning

Q1. Which model offers central administration for a shared school database?

Q2. What is the result of an AND gate with inputs 1 and 0?

Q3. What is a foreign key used for?

Q4. Which storage type is volatile?

Do Now Recall previous learning | **I Do** Read new knowledge | **We Do** Practise with guidance | **You Do** Work independently | **Review & Improve** Check my understanding

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick correct answers; rewrite mistakes.

I Do · Read new knowledge

Key vocabulary

HTML — Markup language describing page content and structure.

semantic element — Tag that conveys the role of content.

attribute — Name–value metadata written inside a start tag.

form — Web element grouping controls for submission.

New learning

Document structure — Head contains metadata; body contains displayed page content.

Semantic content — Heading, nav, main, section and anchor convey document meaning.

Forms and labels — A named input and associated label enable accessible submission. UTF-8 supports a wide range of characters; CSS must not communicate meaning by red/green colour alone, and readable contrast is needed for inclusive design.

Worked example

Improve a web page with a heading, a navigation link and a labelled age field.

1. Heading and link — Identify the facts and make an initial prediction.

2. Label/input association — Explain the mechanism or trace the intermediate stage.

3. Form submission — Example: <h1>Computer Science</h1> <nav>Revision</nav> <form action="/save" method="post"><label for="age">Age</label><input id="age" name="age" type="number" min="11"></form> The label's 'for' matches the input 'id'; the input's 'name' is the submitted key.

We Do · Practise with guidance

Create an accessible short survey containing a school year dropdown and submit button.

Form and label

Identify the facts and make an initial prediction.

Select with named options

Explain the mechanism or trace the intermediate stage.

BLACK PEN Answer all questions first. GREEN PEN Then: tick correct answers; rewrite mistakes.

Submit control

Use <label for="year">Year group</label> and <select id="year" name="year"><option value="12">Year 12</option><option value="13">Year 13</option></select> inside a form with a submit button. Ensure distinct label/id attributes. Do not identify an invalid entry only with red colouring: add a clear written error message and sufficient text contrast.

BLACK PEN Answer all questions first. GREEN PEN Then: tick correct answers; rewrite mistakes.

You Do · Work independently

BLACK PEN: Write your own answers. Do not look at the Review & Improve pages yet.

Question 1

Write suitable HTML for an h2 heading and a working hyperlink to resources.html labelled Resources. [4]

Question 2

Explain roles of head, title, main, label and input in a valid web page. [6]

Question 3

Write a small HTML form collecting a username and email address; justify semantic/accessibility choices and why server validation is still needed. [8]

Exit Ticket · Answer before checking

HTML provides the semantic structure of a page, while CSS usually controls presentation.

BLACK PEN Answer all questions first. GREEN PEN Then: tick correct answers; rewrite mistakes.

Review & Improve · GREEN PEN

Now change to GREEN PEN. Find each original question. Tick correct answers; read the model and rewrite mistakes.

Page 1 onwards · Do Now

Q1. Client–server.

Q2. 0.

Q3. Referencing a candidate key in another relation.

Q4. RAM.

You Do pages · Independent questions

Q1. <h2>...</h2> [2], Resources [2].

Q2. Credit roles of metadata/title/document main content/accessible label/data control; max 6 with accurate distinctions.

Q3. Form and relevant named inputs [3], associated labels [2], appropriate input types [1], server must treat submitted data as untrusted [2].

Exit Ticket · Model answer

True. JavaScript can add behaviour.

Try the question again

Choose one question you got wrong. All correct? Choose the hardest.

1. Copy the whole original question:

2. Write a complete new answer in GREEN PEN. Show working if needed: