BLACK PEN Answer all questions first. **GREEN PEN** Then: tick correct answers; rewrite mistakes.

LESSON 279 · SQL INSERT, DELETE, DROP and LIKE

Name: _____ Class: _____ Date: _____

Time: _____ Teacher: _____

Work through the pages in order. Answer in BLACK PEN first. Check in GREEN PEN only after the Exit Ticket.

Do Now · Recall previous learning

Q1. What does a primary key enforce?

Q2. What does SELECT * mean?

Q3. What is a foreign key used for?

Q4. Simplify A ∨ (¬A ∧ B) using a Boolean identity.

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick correct answers; rewrite mistakes.

I Do · Read new knowledge

Key vocabulary

INSERT — Add records.

DELETE — Remove matching records.

DROP TABLE — Remove table definition/data.

LIKE — Pattern matching.

% — Zero or more characters in LIKE.

New learning

Understand — INSERT adds a row; DELETE removes records matching a WHERE predicate. Omitting WHERE can delete every row.

Trace — DROP TABLE removes the table itself, not just one record. It is a destructive schema operation.

Explain — LIKE uses % for any number of characters and _ for a single character in standard SQL. SELECT * means all columns, a different use of *.

Worked example

How would you remove only Student ID=8 without dropping the table?

1. Predict — DELETE with a key-based WHERE targets that record

2. Check the answer — DROP TABLE would remove the entire table.

We Do · Practise with guidance

Return names beginning with 'Jo', without choosing all columns.

```
SELECT Name FROM Student WHERE Name LIKE 'Jo%';
```

Predict

Jo, John and Joanne match

Check the answer

a name not starting Jo does not. The % wildcard may match zero or more characters.

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick correct answers; rewrite mistakes.

You Do · Work independently

BLACK PEN: Write your own answers. Do not look at the Review & Improve pages yet.

Question 1

Give correct SQL to add a row (7,'Elena') to Student(ID,Name). [4]

Question 2

Explain DELETE FROM Student without WHERE, and write a safer deletion for ID=7. [6]

Question 3

Explain difference between SELECT *, LIKE 'A%' and DROP TABLE. Give a use and consequence of each. [6]

Exit Ticket · Answer before checking

An SQL LIKE pattern uses * to mean any sequence of characters.

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick correct answers; rewrite mistakes.

Review & Improve · GREEN PEN

Now change to GREEN PEN. Find each original question. Tick correct answers; read the model and rewrite mistakes.

Page 1 onwards · Do Now

Q1. Uniqueness of row identifier.

Q2. Return all columns.

Q3. Links a row to a related key.

Q4. $A \vee (\neg A \wedge B) = (A \vee \neg A) \wedge (A \vee B) = 1 \wedge (A \vee B) = A \vee B$.

You Do pages · Independent questions

Q1. INSERT INTO Student [1] (ID,Name) [1] VALUES (7,'Elena') [2];

Q2. Without WHERE all rows removed [2]; DELETE FROM Student [1] WHERE ID=7 [2]; check key/transaction/backups first [1].

Q3. SELECT * returns all columns [2]; LIKE A% filters strings starting A [2]; DROP TABLE removes table structure and data [2].

Exit Ticket · Model answer

False. Standard SQL LIKE uses %, while SELECT * selects all columns.

Try the question again

Choose one question you got wrong. All correct? Choose the hardest.

1. Copy the whole original question:

2. Write a complete new answer in GREEN PEN. Show working if needed: