Exit Ticket · reflect and retrieve

Exit Ticket

In C#, == is used to compare two values for equality.

Use key vocabulary from memory

1. Explain Sequence in your own words.

2. Explain Branching / selection in your own words.

3. Explain Boolean expression in your own words.

Confidence and next step

How confident are you? Thumbs up / side / down

END SELF-CHECK · only after you have attempted the work

PAGE 5 · Guided We Do solution:

if (number % 2 == 0) { Console.WriteLine("Even"); } else { Console.WriteLine("Odd"); }

PAGE 3 · Independent skill check:

Assuming age >= 0: if (age < 12) Child; else if (age < 18) Teen; else Adult. Boundary outputs: Child, Teen, Teen, Adult.

Correct any errors in GREEN PEN. Write one improvement.

YOU DO ANSWERS: rhsccs.org/lessons/h446/lesson-009/answers.html

Do Now · retrieval

Sequence & branching in C#

Name: _____ Class: _____ Date: _____

Answer four retrieval questions before reviewing earlier learning.

Q1

Why would Unicode be chosen instead of standard ASCII for a multilingual application?

Q2

Convert 01011000 0011 to denary using an 8-bit two’s-complement mantissa and a 4-bit two’s-complement exponent.

Q3

Convert $6D_{16}$ to eight-bit binary.

Q4

Convert 11110110 from 8-bit two’s-complement binary to denary. Show signed place values.

New Learning · key ideas

The important knowledge from today's lesson. Read, annotate, and explain it.

Core idea 1

Sequence = instructions in order — Sequence is the normal top-to-bottom execution of statements. Each statement happens after the previous one unless another construct changes the flow. — CODE:

```
Console.Write("Name: ");
string name = Console.ReadLine();
Console.WriteLine("Hello " + name);
```

Core idea 2

Input arrives as text — Console.ReadLine() returns a string. If the program needs a whole number, parse the input into an int . — CODE:

```
Console.Write("Age: ");
int age = int.Parse(Console.ReadLine());
```

Core idea 3

Branching chooses a route — An if condition must evaluate to true or false . Only the matching branch is executed. — CODE:

```
if (age >= 18)
{
Console.WriteLine("Adult");
}
else
{
Console.WriteLine("Under 18");
}
```


You Do · extended practice

Answer these selected original questions in BLACK PEN. Other exam tasks remain online.

Question 2

Delivery charge
Ask for an order total and whether the customer is a member.
Output Free delivery only when the total is at least 30 AND the member answer is "yes" .
Otherwise output Delivery charge applies .

Check that you have used the technical terms and explained your decisions.

You Do · independent practice

Answer these selected original questions in BLACK PEN. Other exam tasks remain online.

Question 1

Positive, negative or zero
Ask the user for an integer. Output exactly one of:
Positive · Negative · Zero

Check that you have used the technical terms and explained your decisions.

New Learning · applying the ideas

Core idea 4

Conditions and order matter — Use == to compare equality, not = . Use && , || and ! for AND, OR and NOT. — With else if , conditions are tested from top to bottom. Put the most demanding threshold first.

Vocabulary · use the correct technical terms

Sequence — Instructions executed in their stated order.

Branching / selection — Choosing a route through a program according to a condition.

Boolean expression — An expression that evaluates to true or false.

Condition — The test inside an if statement.

Independent skill check · apply the lesson

Write C# if / else if / else to label ages 0-11 Child, 12-17 Teen, 18+ Adult. Test 11, 12, 17 and 18.

More animated examples are available in the original online lesson.

I Do · worked example

Problem

Build a result checker

Follow the worked method

1. Use the standard .NET Fiddle structure — CODE:
using System;

public class Program
{
public static void Main()
{
// code goes here
}
} — Main program instructions belong inside Main() .

2. Test the highest threshold first — CODE:
if (score >= 70)
{
Console.WriteLine("Distinction");
}
else if (score >= 50)
{
Console.WriteLine("Pass");
}
else
{
Console.WriteLine("Not yet");
} — A score of 85 satisfies both >= 70 and >= 50 , so the higher threshold must be tested first.

3. Use values that expose mistakes — CODE:
85 → Distinction
70 → Distinction
50 → Pass
49 → Not yet

Why this method works

Identify the decision, rule or invariant that makes the method correct.

We Do · solo guided practice

Work ALONE. Try first; read the clues one at a time if you get stuck.

Complete the steps below. Check your answer only on page 8.

YOUR TASK

Build the missing decision
CODE:
Console.Write("Number: ");
int number = int.Parse(Console.ReadLine());

// ?

CLUES · uncover one at a time

Clue 1: The operator % gives the remainder after division.

Clue 2: An even number has remainder 0 when divided by 2.

Clue 3: Use if for the even case and else for the remaining case.

BUILD YOUR ANSWER · in BLACK PEN

Step 1: Write the Boolean condition.

Step 2: Write the two output branches.

Step 3: Test one even and one odd input.

CHECK BEFORE TURNING THE PAGE

Have you shown every step? The worked self-check is at the END on page 8.