DO NOW — RECALL

Lesson 150 · HTML: Semantic Structure, Links and Form

Name: _____ Class: _____ Date: _____

1. Which model offers central administration for a shared school database?

2. What is the result of an AND gate with inputs 1 and 0?

3. What is a foreign key used for?

4. Which storage type is volatile?

DO NOW — CHECK / OBJECTIVES

Correct and improve

Check page 1 in GREEN PEN. Write corrections in full.

1. Model answer

Client–server.

2. Model answer

0.

3. Model answer

Referencing a candidate key in another relation.

4. Model answer

RAM.

By the end, you can…

• Construct valid document structure using doctype, html, head, title and body.

• Select semantic elements, headings, links, labels and form fields to represent meaning.

• Explain the difference between HTML content, CSS presentation and JavaScript behaviour.

• Explain why labels, readable colour choices and character sets affect accessibility (OCR 1.5.2).

Vocabulary — know these terms

HTML — Markup language describing page content and structure.

semantic element — Tag that conveys the role of content.

attribute — Name–value metadata written inside a start tag.

form — Web element grouping controls for submission.

NEW LEARNING

Read, annotate and explain

Document structure

Head contains metadata; body contains displayed page content.

Semantic content

Heading, nav, main, section and anchor convey document meaning.

Forms and labels

A named input and associated label enable accessible submission. UTF-8 supports a wide range of characters; CSS must not communicate meaning by red/green colour alone, and readable contrast is needed for inclusive design.

Explain one step in your own words, using the correct technical terms.

I DO — WORKED EXAMPLE

Follow the worked method

Improve a web page with a heading, a navigation link and a labelled age field.

Heading and link

Identify the facts and make an initial prediction.

Label/input association

Explain the mechanism or trace the intermediate stage.

Form submission

Example: <h1>Computer Science</h1> <nav>Revision</nav> <form action="/save" method="post"><label for="age">Age</label><input id="age" name="age" type="number" min="11"></form> The label's 'for' matches the input 'id'; the input's 'name' is the submitted key.

WE DO — GUIDED PRACTICE

Try → Discuss → Improve

YOU DO — INDEPENDENT PRACTICE

Questions · Part 1

Answer independently. Show code, calculations, a trace or justified reasoning as appropriate.

Question 1

Write suitable HTML for an h2 heading and a working hyperlink to resources.html labelled Resources. [4]

Question 2

Explain roles of head, title, main, label and input in a valid web page. [6]

YOU DO — INDEPENDENT PRACTICE

Questions · Part 2

Answer independently. Show code, calculations, a trace or justified reasoning as appropriate.

Question 3

Write a small HTML form collecting a username and email address; justify semantic/accessibility choices and why server validation is still needed. [8]

EXIT TICKET / REFLECTION

Check your understanding

Complete the actual lesson Exit Ticket before checking the answer.

HTML provides the semantic structure of a page, while CSS usually controls presentation.

How confident are you? Circle one: Confident / Getting there / Need help

Explain your choice, identifying one concept you can now use independently.

GREEN PEN — Correct and explain

Choose one mistake from your independent work. Write the correct method and explain precisely why your original answer was wrong.

Next step: revisit the model or a relevant revision-guide section if needed.