EXIT TICKET / REFLECTION

## Check your understanding

Complete the actual lesson Exit Ticket before checking the answer.

**addEventListener('click', handler) immediately executes handler every time it is registered.**

**How confident are you? Circle one: Confident / Getting there / Need help**

Explain your choice, identifying one concept you can now use independently.

**GREEN PEN — Correct and explain**

Choose one mistake from your independent work. Write the correct method and explain precisely why your original answer was wrong.

Next step: revisit the model or a relevant revision-guide section if needed.





DO NOW — RECALL

## Lesson 152 · JavaScript: DOM, Events and Interactive Pa

Name: _____ Class: _____ Date: _____

**1. What symbol selects CSS class warning?**

**2. What does a cache hit mean?**

**3. When can binary search be used?**

**4. What data structure follows LIFO?**

DO NOW — CHECK / OBJECTIVES

# Correct and improve

Check page 1 in GREEN PEN. Write corrections in full.

**1. Model answer**

A dot, .warning.

**2. Model answer**

Required data already present in cache.

**3. Model answer**

On sorted data.

**4. Model answer**

Stack.

**By the end, you can…**

• querySelector locates a document element.

• addEventListener registers a handler for a click.

• textContent changes the displayed text without parsing HTML.

**Vocabulary — know these terms**

DOM — Document Object Model.

event — Action or change announced by browser.

handler — Code running in response to event.

textContent — Reads/writes text without parsing it as HTML.





YOU DO — INDEPENDENT PRACTICE

# Questions · Part 2

Answer independently. Show code, calculations, a trace or justified reasoning as appropriate.

**Question 3**

Explain two benefits of client-side DOM updates and why a server must not trust a client-side form check. [8]

YOU DO — INDEPENDENT PRACTICE

# Questions · Part 1

Answer independently. Show code, calculations, a trace or justified reasoning as appropriate.

**Question 1**

Define DOM, event and event handler in context. [6]

**Question 2**

Write JS that reacts to clicking #send and sets #message to 'Sent'. [6]





NEW LEARNING

# Read, annotate and explain

**Select node**

querySelector locates a document element.

**Listen**

addEventListener registers a handler for a click.

**Update safely**

textContent changes the displayed text without parsing HTML.

**Explain one step in your own words, using the correct technical terms.**

I DO — WORKED EXAMPLE

# Follow the worked method

**A button with id go is clicked. Set the text of paragraph #status to 'Ready'.**

### Select #go

Identify the input or diagram and predict the first result.

### Register click listener

Follow the second stage and explain its importance.

### Set #status.textContent

document.querySelector('#go').addEventListener('click', () => { document.querySelector('#status').textContent = 'Ready'; }); This waits for the click and updates plain text.





WE DO — GUIDED PRACTICE

# Try → Discuss → Improve