EXIT TICKET / REFLECTION

Check your understanding

Complete the actual lesson Exit Ticket before checking the answer.

addEventListener('click', handler) immediately executes handler every time it is registered.

How confident are you? Circle one: Confident / Getting there / Need help

Explain your choice, identifying one concept you can now use independently.

GREEN PEN — Correct and explain

Choose one mistake from your independent work. Write the correct method and explain precisely why your original answer was wrong.

Next step: revisit the model or a relevant revision-guide section if needed.

DO NOW — RECALL

Lesson 152 · JavaScript: DOM, Events and Interactive Pa

Name: _____ Class: _____ Date: _____

1. What symbol selects CSS class warning?

2. What does a cache hit mean?

3. When can binary search be used?

4. What data structure follows LIFO?

DO NOW — CHECK / OBJECTIVES

Correct and improve

Check page 1 in GREEN PEN. Write corrections in full.

1. Model answer

A dot, .warning.

2. Model answer

Required data already present in cache.

3. Model answer

On sorted data.

4. Model answer

Stack.

By the end, you can…

- querySelector locates a document element.
- addEventListener registers a handler for a click.
- textContent changes the displayed text without parsing HTML.

Vocabulary — know these terms

DOM — Document Object Model.

event — Action or change announced by browser.

handler — Code running in response to event.

textContent — Reads/writes text without parsing it as HTML.

YOU DO — INDEPENDENT PRACTICE

Questions · Part 2

Answer independently. Show code, calculations, a trace or justified reasoning as appropriate.

Question 3

Explain two benefits of client-side DOM updates and why a server must not trust a client-side form check. [8]

YOU DO — INDEPENDENT PRACTICE

Questions · Part 1

Answer independently. Show code, calculations, a trace or justified reasoning as appropriate.

Question 1

Define DOM, event and event handler in context. [6]

Question 2

Write JS that reacts to clicking #send and sets #message to 'Sent'. [6]

NEW LEARNING

Read, annotate and explain

Select node

querySelector locates a document element.

Listen

addEventListener registers a handler for a click.

Update safely

textContent changes the displayed text without parsing HTML.

Explain one step in your own words, using the correct technical terms.

I DO — WORKED EXAMPLE

Follow the worked method

A button with id go is clicked. Set the text of paragraph #status to 'Ready'.

Select #go

Identify the input or diagram and predict the first result.

Register click listener

Follow the second stage and explain its importance.

Set #status.textContent

document.querySelector('#go').addEventListener('click', () => { document.querySelector('#status').textContent = 'Ready'; }); This waits for the click and updates plain text.

WE DO — GUIDED PRACTICE

Try → Discuss → Improve