STAFF REVIEW · H446 292 source models

Separate from the eight-page pupil workbook. This copy is in a public repository and is NOT access controlled. Check technical correctness before use.

Printed question mapping: Booklet Q1 = original online Q1; Booklet Q2 = original online Q2; Booklet Q3 = original online Q3

Do Now — source answers

1. A specific DOM element.

2. Targets elements to style.

3. A registered event handler.

4. mid3→8; low4 high6 mid5→12, found indexes 3,5.

I Do — source worked steps

1. Predict first — Start with count=0; first click handler adds one making count=1.

2. Show method — Second click adds one again giving count=2; no change happens before an event.

We Do — guided CHECK

1. Predict first
getElementById selects the existing paragraph whose id is 'msg'.
Show method
Assigning textContent replaces displayed text with 'On'; it is safer for text than injecting untrusted HTML.

You Do — source mark schemes

1. Select element with id status [2]; style color blue/font bold [1]; initial text Waiting [1].

2. getElementById('go') [1]; addEventListener('click',...) [2]; getElementById('status') [1]; .textContent='Complete' [2].

3. textContent treats input as text [2]; innerHTML parses markup [2]; malicious input may inject scripts/content [1]; use safe escaping/DOM APIs [1].

Exit Ticket — source answer

1. False. HTML defines structure; JS adds behaviour.