BLACK PEN Answer all questions first. **GREEN PEN** Then: tick and rewrite mistakes.

LESSON 151 · Lesson 151 · CSS: Selectors, Cascade, Specificity and the Box Model

Name: _____ Class: _____ Date: _____

Work through the pages in order. Answer in BLACK PEN first. Check in GREEN PEN only after the Exit Ticket.

Do Now · Recall previous learning

Q1. How does HTML associate a label with an input?

Q2. What data structure follows LIFO?

Q3. What is a database foreign key?

Q4. What is the role of a router?

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick and rewrite mistakes.

I Do · Read new knowledge

Key vocabulary

selector — Rule matching HTML elements.

specificity — Priority of selectors among competing declarations.

box model — Content plus padding, border, margin.

cascade — Conflict resolution for CSS rules.

New learning

Select — Element p, class .notice and ID #notice target elements.

Prioritise — Specificity affects which competing declaration wins.

Measure — Content, padding, border and margin affect occupied space.

Worked example

p{color:black}, .notice{color:blue}, #flag{color:green} all match one element. Which colour?

1. Type selects black — Identify the input or diagram and predict the first result.

2. Class selects blue — Follow the second stage and explain its importance.

3. ID selects green — Green: matching ID selector generally outranks the class and element selectors where origin, importance and layers are equal.

We Do · Practise with guidance

A content-box element has width 180px, horizontal padding 10px each side and 2px border each side. Total outer border width?

Content 180px

Identify the input or diagram and predict the first result.

Padding totals 20px

Follow the second stage and explain its importance.

Border totals 4px → 204

180 + 20 + 4 = 204px. Margins would add extra occupied space. With border-box sizing, declared width includes padding and border.

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick and rewrite mistakes.

You Do · Work independently

BLACK PEN: Write your own answers. Do not look at the Review & Improve pages yet.

Question 1

Write CSS to make h2 navy and .key items bold. [4]

Question 2

Explain relative specificity of p, .intro and #intro when all match an element. [6]

Question 3

A content-box panel is 240px with 12px horizontal padding, 3px borders and 8px margins on both sides. Calculate overall space and compare border-box. [8]

Exit Ticket · Answer before checking

An ID selector generally has higher specificity than a simple element selector.

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick and rewrite mistakes.

Review & Improve · GREEN PEN

Now change to GREEN PEN. Find each original question. Tick correct answers; read the model and rewrite mistakes.

Page 1 onwards · Do Now

Q1. label for matches input id.

Q2. Stack.

Q3. A reference to a key in another table.

Q4. Forward packets between IP networks.

You Do pages · Independent questions

Q1. h2{color:navy} [2], .key{font-weight:bold} [2].

Q2. Type selector lowest [2], class higher [2], ID higher still [2], assuming equivalent cascade origin/layer/importance.

Q3. 240+24+6+16=286px [6]; border-box width 240 including padding/border, plus margins 16 → 256px [2].

Exit Ticket · Model answer

True, for otherwise equivalent competing declarations.

Try the question again

Choose one question you got wrong. All correct? Choose the hardest.

1. Copy the whole original question:

2. Write a complete new answer in GREEN PEN. Show working if needed:

Do Now	I Do	We Do	You Do	Review & Improve
Recall previous learning	Read new knowledge	Practise with guidance	Work independently	Check understanding